

2020 Embraer Praetor 500 SN 55010058 | N500ML





Ø

Mach

0.83

Passenger 9 Range (NM) 3,340

AIRFRAME

Program Coverage:	EEC Enhanced	
Total Hours:	860	
Total Landings:	462	

ENGINES - Honeywell AS907-3-1E-A1

Program Coverage:	MSP Gold	
	Left	Right
Serial Number:	P131383	P131384
Total Hours:	858	858
Engine Cycles:	462	462

APU - Honeywell GTCP36-150

Program Coverage:	MSP Gold
Serial Number:	P-277
Total Hours:	417
APU Starts:	927

AIRCRAFT HIGHLIGHTS

- \cdot Embraer Enhanced Vision System
- \cdot Swift Broadband High Speed Data
- $\cdot\,\mathsf{CAMP}$
- \cdot Enrolled on MSP Gold and EEC Enhanced

INTERIOR

• Nine (9) Passenger Seating in Light Beige Leather including Six (6) Executive Seats, Two Place Forward Divan, and Belted Lavatory.

EXTERIOR

· Embraer Brand Paint Scheme.



sales@soljets.com +1.847.920.7000

SOLIE

SOLĴETS

STANDARD AVIONICS

- \cdot Rockwell Collins Pro Line Fusion Avionics System
- \cdot ADS-B Out
- \cdot CAT-II
- \cdot Four 15.1-inch active matrix liquid crystal smart displays
- \cdot Dual Air Data System RVSM compatible
- Dual Gyrocompass Enhanced Attitude Heading Reference System (AHRS)
- Dual Flight Management System (FMS) with Take-off and Landing performance calculation capability (TOLD)
- \cdot Dual Flight Director with fail passive autopilot
- \cdot Dual Channel Data Module Cabinet (DMC)
- \cdot Dual Display Control Panel (DCP)
- \cdot Dual Multifunction Keyboard Panel (MKP)
- \cdot Dual Cursor Control Panel (CCP)
- \cdot Dual Channel Aural Warning Unit (AWU)
- \cdot Dual Digital Audio Control Panel (ACP)
- \cdot Dual VHF communication transceivers
- \cdot Dual Global Positioning System (GPS) with SBAS/WAAS
- \cdot Dual navigation receivers (VOR/ILS/MB)
- Two modular Integrated Processing Cabinets (IPC)
- \cdot Synthetic Vision System (SVS) with full-screen presentation
- \cdot Autothrottle system
- \cdot Engine Indication and Crew Alerting System (EICAS)
- \cdot Graphical System Synoptic Presentations Navigation Chart Capability

STANDARD AVIONICS (continued)

- \cdot Integrated Flight Information System (IFIS)
- \cdot High-resolution Terrain Maps
- · Vertical Profile Window
- \cdot Standby Flight Information System (SFIS)
- \cdot Flight Control Panel (FCP)
- \cdot Reversionary Switch Panel
- · Digital Audio System
- Multi-Scan Weather Radar (18" antenna) with Turbulence Detection Mode
- · Distance Measuring Equipment (DME) Receiver
- · Radio Altimeter
- Traffic Surveillance System (Integrated TCAS II and Enhanced Mode S Transponder System)
- \cdot Second Enhanced Mode S Transponder
- \cdot Terrain Awareness and Warning System Class A (TAWS-A)
- \cdot Onboard Maintenance system (OMS)
- \cdot Electronic Checklist
- \cdot Cockpit Voice Recorder (CVR)
- \cdot Flight Data Recorder (FDR)
- \cdot Three-Frequency Emergency Locator Transmitter (ELT)
- \cdot Cabin Announcement

CONTACT

sales@soljets.com +1.847.920.7000



FEATURES / OPTIONS

- · FMS 4D Trajectory Required Time of Arrival
- · RNP AR 0.3
- \cdot Second Radio Altimeter
- $\cdot \; \text{Single} \; \text{ADF}$
- \cdot E²VS Embraer Enhanced Vision System
- \cdot Third VHF
- · Dual HF plus SELCAL
- \cdot ACARS Datalink
- \cdot ACARS over Iridium
- CPDLC over ATN (EASA Link2000+) and FANS 1/A+ CPDLC
- Package
- \cdot Datalink Graphical Weather
- \cdot Surface Management System
- \cdot Paperless Operation Capability
- \cdot Pilot Tables
- \cdot Autobrake
- \cdot CAT-II
- \cdot One Life Raft + life line
- \cdot 115 cu. ft. capacity oxygen cylinder
- \cdot 110 minutes cargo fire suppression system
- \cdot Steep Approach Capability
- \cdot Crash Axe

FEATURES / OPTIONS (continued)

- · HALTO
- \cdot Towing Kit
- \cdot Two (2) Place Divan
- \cdot Cabin/Lavatory Curtain
- \cdot Cockpit/Cabin Pocket Door
- \cdot Main Door Thermo-Acoustic Curtain
- \cdot Second LHS Airstair Handrail
- · Coffee Brewer
- \cdot Enhanced Cabin Management System plus Upper Tech Pannel
- \cdot 19" HD Monitor Upgrade Enhanced CMS
- \cdot Provisions for Indiviual Monitors
- \cdot Additional Power Outlets
- \cdot Six (6) Enhanced Seats
- \cdot Belted Toilet
- \cdot Internal Luggage Compartment Shelves
- \cdot Servicing Ladder
- \cdot Baggage Compartment Ladder
- · Iridium Satellite Phone
- \cdot Swift Broadband High Speed Data
- \cdot Stone Floor in Lavatory
- \cdot Stone Veneer Countertops in Lavatory

CONTACT

sales@soljets.com +1.847.920.7000



MAXIMUM CRUISE SPEED High Speed Cruise	466 ktas	863 km/hr	RATE OF CLIMB All engines	2,047 ft/min	624 m/min
NBAA IFR RANGE (200 nm Alternate) LRC, NBAA IFR reserves	3,340 nm	6,186 km	AIRSPEED LIMITS Vmo Mmo	320 KCAS M 0.83	592.64 km/hr (indicated)
AIRPORT PERFORMANCE					
(Dry, Level, Hard, Zero Wind)			CEILING		
Takeoff distance	4,222 ft	1,287 m	Maximum certified	45,000 ft	13,716 m
Takeoff distance (1000 nm mission)	2,842 ft	867 m			
Landing distance (SL, ISA, MTOW)	2,086 ft	636 m	PRESSURIZATION		
			Nominal pressure differential	9.7 psi	.66 bar

CONTACT

sales@soljets.com +1.847.920.7000



OUTSIDE DIMENSIONS

Overall length	64 ft 7 in	19.68 m
Overall height	21 ft 1 in	6.43 m
Wingspan	70 ft 6 in	21.50 m
CABIN DIMENSIONS		
Length (excluding cockpit)	27 ft 6 in	8.37 m
Height	6 ft	1.83 m
Width	6 ft 10 in	2.08 m

DESIGN WEIGHTS AND CAPACITIES

Max ramp weight	37,699 lb	17,100 kg
Max takeoff weight	37,567 lb	17,040 kg
Max landing weight	34,172 lb	15,500 kg
Max zero fuel weight	25,960 lb	11,775 kg
Max Usable Fuel	13,058 lb	5,923 kg
Useful Payload	2,921 lb	1324 kg

ENGINES

Two (2) Honeywell HTF7500E

Takeoff thrust	6,540 lb	29.09 kN
	7	

CONTACT

sales@soljets.com +1.847.920.7000



CONTACT sales@soljets.com

+1.847.920.7000

Specifications and descriptions are provided as only introductory information and do not constitute representation or warranties. Verification of these specifications remain as the sole responsibility of purchaser. Photographs and other media may have been modified to remove logos, registration marks, or other identifying information to protect the privacy of the current owner. The aircraft is subject to prior sale, lease, and/or removal from the market without prior notice.

NSOOI






CONTACT

sales@soljets.com +1.847.920.7000







CONTACT sales@soljets.com +1.847.920.7000



PRAETOR 500 BYEMBRAER

CONTACT

sales@soljets.com +1.847.920.7000







SOLĴETS













