

N523MK 8676-42

1. Approving Civil Aviation Authority/Country: FAA / UNITED STATES		AUTHORIZED RELEASE CERTIFICATE FAA Form 8130-3, AIRWORTHINESS APPROVAL TAG			3. Form Tracking Number: 22987-20	
4. Organization Name and Address: Concorde Battery Corporation 2009 San Bernardino Rd. West Covina, CA 91790					5. Work Order/Contract/Invoice Number: 29362-02	
6. Item:		7. Description:	8. Part Number:	9. Quantity:	10. Serial Number:	11. Status/Work:
1		Battery	RG24-11M	40	41107786, 41107787 41110745, 41110747 41110779, 41110780 41110782, 41110783 41110785, 41112735 41112736-41112754 41112756-41112759 41112761, 41112762 41114792, 41114802 41114805, 41114806 41114808	New 41112751
2		Parts	9771	40	N/A	New
12. Remarks: This PMA part is not a critical component. (Cross check eligibility at www.concordebattery.com) P/N 9771, 40 each Lot No. 091620-07 on RG24-11M						
13a. Certifies the items identified above were manufactured in conformity to: ☒ Approved design data and are in condition for safe operation. ☐ Non-approved design data specified in Block 12.				14a. ☐ 14 CFR 43.9 Return to Service ☐ Other regulation specified in Block 12 Certifies that unless otherwise specified in Block 12, the work identified in Block 11 and described in Block 12 was accomplished in accordance with Title 14, Code of Federal Regulations, part 43 and in respect to that work, the items are approved for return to service.		
13b. Authorized Signature: V - Hollett		13c. Approval/Authorization No.: 760281446		14b. Authorized Signature:		14c. Approval/Certificate No.:
13d. Name (Typed or Printed): Taylor Hollett		13e. Date (dd/mm/yyyy): 16 OCT 2020		14d. Name (Typed or Printed):		14e. Date (dd/mm/yyyy):
User/Installer Responsibilities						
It is important to understand that the existence of this document alone does not automatically constitute authority to install the aircraft engine/propeller/article.						
Where the user/installer performs work in accordance with the national regulations of an airworthiness authority different than the airworthiness authority of the country specified in Block 1, it is essential that the user/installer ensures that his/her airworthiness authority accepts aircraft engine(s)/propeller(s)/article(s) from the airworthiness authority of the country specified in Block 1.						
Statements in Blocks 13a and 14a do not constitute installation certification. In all cases, aircraft maintenance records must contain an installation certification issued in accordance with the national regulations by the user/installer before the aircraft may be flown.						

1. Approving Civil Aviation Authority/Country: FAA/United States		2. AUTHORIZED RELEASE CERTIFICATE FAA Form 8130-3, AIRWORTHINESS APPROVAL TAG		3. Form Tracking Number: CS-9812.1	
4. Organization Name and Address CMS Continental Motors Services, 8600 County Rd 32, Fairhope, Alabama 36532, United States				5. Work Order/Contract/Invoice Number: CS-9812	
6. Item:	7. Description:	8. Part Number:	9. Quantity:	10. Serial Number:	11. Status/Work:
1	Cylinder & Valve Assembly	658595	2	See Block 12	Repaired

12. Remarks:
 DETAILS OF THE REPAIRS MADE TO THESE CYLINDERS ARE ON FILE UNDER WORK ORDER # CS-9812. MAINTENANCE MANUALS M-18 (REVISION DATE OF 03/20) AND M-0 (09/19).
 SERIAL NUMBERS:
 AC181A131
 AC181A689

N523MK
W/00676-19&-21

	14a. ☒ 14 CFR 43.9 Return to Service ☐ Other regulation specified in Block 12 Certifies that unless otherwise specified in Block 12, the work identified in Block 11 and described in Block 12 was accomplished in accordance with Title 14, Code of Federal Regulations, part 43 and in respect to that work, the items are approved for return to service.	
	14b. Authorized Signature: 	14c. Approval/Certificate No: 9CER853B
	14d. Name (Typed or Printed): C. Patrick Black	14e. Date (dd/mm/yyyy): 12 OCT 2020

User/Installer Responsibilities

It is important to understand that the existence of this document alone does not automatically constitute authority to install the aircraft engine/propeller/article.

Where the user/installer performs work in accordance with the national regulations of an airworthiness authority different than the airworthiness authority of the country specified in Block 1, it is essential that the user/installer ensures that his/her airworthiness authority accepts aircraft engine(s)/propeller(s)/article(s) from the airworthiness authority of the country specified in Block 1.

Statements in Blocks 13a and 14a do not constitute installation certification. In all cases, aircraft maintenance records must contain an installation certification issued in accordance with the national regulations by the user/installer before the aircraft may be flown.

N523MK 0676-18/20

1. Approving Civil Aviation Authority/Country: FAA/United States		2.		3. Form Tracking Number: 576483	
4. Organization Name and Address Continental Motors, Inc. 2039 Broad Street, Mobile, Alabama 36615				5. Work Order/Contract/Invoice Number: 760929 0000298771	
6. Item: 1	7. Description CYL & VALVE ASSY LOADED	8. Part Number: 658815A3	9. Quantity: 18	10. Serial Number: See Block 12	11. Status/Work: NEW
12. Remarks: AIRWORTHINESS APPROVAL					

Serial/Batch Number(s):

Serial

AC20HA292
AC20GB211
AC20HB765
AC20HB810
AC20GA882
AC20HA285
AC20HA290
AC20HB799
AC20HA288
AC20HA286

Description

CYL & VALVE ASS
CYL & VALVE ASS
CYL & VALVE ASS
CYL & VALVE ASS
CYL & VALVE ASS
CYL & VALVE ASS
CYL & VALVE ASS
CYL & VALVE ASS
CYL & VALVE ASS
CYL & VALVE ASS

Serial

AC20EB326
AC20EA959
AC20HB812
AC20HA307
AC20HB797
AC20GA586
AC20GA436
AC20HB750

Description

CYL & VALVE ASS
CYL & VALVE ASS
CYL & VALVE ASS
CYL & VALVE ASS
CYL & VALVE ASS
CYL & VALVE ASS
CYL & VALVE ASS
CYL & VALVE ASS

13a. Certifies the items identified above were manufactured in conformity to:

- ☒ Approved design data and are in condition for safe operation.
☐ Non-approved design data specified in Block 12.

14a. ☐ 14 CFR 43.9 Return to Service ☐ Other regulation specified in Block 12

Certifies that unless otherwise specified in Block 12, the work identified in Block 11 and described in Block 12 was accomplished in accordance with Title 14, Code of Federal Regulations, part 43 and in respect to that work, the items are approved for return to service.

13b. Authorized Signature:

Archie French

13c. Approval/Authorization No.:

999996541

14b. Authorized Signature:

14c. Approval/Certificate No.:

13d. Name (Typed or Printed):

Archie French

13e. Date (dd/mm/yyyy):

26/Sep/2020

14d. Name (Typed or Printed):

14e. Date (dd/mm/yyyy):

User/Installer Responsibilities

It is important to understand that the existence of this document alone does not automatically constitute authority to install the aircraft engine/propeller/article.

Where the user/installer performs work in accordance with the national regulations of an airworthiness authority different than the airworthiness authority of the country specified in Block 1, it is essential that the user/installer ensures that his/her airworthiness authority accepts aircraft engine(s)/propeller(s)/article(s) from the airworthiness authority of the country specified in Block 1.

Statements in Blocks 13a and 14a do not constitute installation certification. In all cases, aircraft maintenance records must contain an installation certification issued in accordance with the national regulations by the user/installer before the aircraft may be flown.

N523MK w/o 0676-29

1. Approving Civil Aviation Authority/Country: FAA United States		AUTHORIZED RELEASE CERTIFICATE FAA FORM 8130-3, AIRWORTHINESS APPROVAL TAG			3. Form Tracking Number: 569658	
4. Organization Name and Address: Continental Motors, Inc. 2039 Broad Street, Mobile, Alabama 36615					5. Work Order/Contract/Invoice Number: 744606 0000292164	
6. Item:	7. Description	8. Part Number:	9. Quantity:	10. Serial Number:	11. Status/Work:	
1	ALTERNATOR ASSEMBLY - 24V	656802	20	See Block 12	NEW	

12. Remarks:

AIRWORTHINESS APPROVAL

Serial Batch Number(s)

Serial	Description	Serial	Description	Serial	Description
H-U021450	ALTERNATOR AS:	H-U022559	ALTERNATOR AS:		
H-U021449	ALTERNATOR AS:	H-U021451	ALTERNATOR AS:		
H-U021452	ALTERNATOR AS:	H-U021412	ALTERNATOR AS:		
H-U021410	ALTERNATOR AS:	H-U021395	ALTERNATOR AS:		
H-U022561	ALTERNATOR AS:	H-U021397	ALTERNATOR AS:		
H-U021399	ALTERNATOR AS:	H-U022556	ALTERNATOR AS:		
H-U021385	ALTERNATOR AS:	H-U021401	ALTERNATOR AS:		
H-U022558	ALTERNATOR AS:	H-U021453	ALTERNATOR AS:		
H-U021405	ALTERNATOR AS:	H-U021396	ALTERNATOR AS:		
H-U022557	ALTERNATOR AS:	H-U022560	ALTERNATOR AS:		

13a. Certifies the items identified above were manufactured in conformity to:

- ☒ Approved design data and are in condition for safe operation.
☐ Non-approved design data specified in Block 12.

14a.

☐ 14 CFR 43.9 Return to Service☐ Other regulation specified in Block 12

Certifies that unless otherwise specified in Block 12, the work identified in Block 11 and described in Block 12 was accomplished in accordance with Title 14, Code of Federal Regulations, part 43 and in respect to that work, the items are approved for return to service.

13b. Authorized Signature:

Todd Mason

13c. Approval/Authorization No.:

999996626

14b. Authorized Signature:

14c. Approval/Certificate No.:

13d. Name (Typed or Printed):

Todd Mason

13e. Date (dd/mm/yyyy):

24/Apr/2020

14d. Name (Typed or Printed):

14e. Date (dd/mm/yyyy):

User/Installer Responsibilities

It is important to understand that the existence of this document alone does not automatically constitute authority to install the aircraft engine/propeller/article.

Where the user/installer performs work in accordance with the national regulations of an airworthiness authority different than the airworthiness authority of the country specified in Block 1, it is essential that the user/installer ensures that his/her airworthiness authority accepts aircraft engine(s)/propeller(s)/article(s) from the airworthiness authority of the country specified in Block 1.

Statements in Blocks 13a and 14a do not constitute installation certification. In all cases, aircraft maintenance records must contain an installation certification issued in accordance with the national regulations by the user/installer before the aircraft may be flown.

NG23 MK 0676-36

1. Approving Civil Aviation Authority/Country: FAA/United States		AUTHORIZED RELEASE CERTIFICATE FAA FORM 8130-3, AIRWORTHINESS APPROVAL TAG		3. Form Tracking Number: 537100	
4. Organization Name and Address: Continental Motors, Inc. 2039 Broad Street, Mobile, Alabama 36615				5. Work Order/Contract/Invoice Number: 670861 0000261694	
6. Item: 1	7. Description: TURBOCHARGER OUTLINE	8. Part Number: 646677	9. Quantity: 11	10. Serial Number: See Block 12	11. Status/Work: NEW

12. Remarks:

AIRWORTHINESS APPROVAL

Serial/Batch Number(s):

Serial	Description	Serial	Description
H-VJL00139	TURBOCHARGER	H-VJL00134	TURBOCHARGER
H-VJL00132	TURBOCHARGER		
H-VJL00151	TURBOCHARGER		
H-VJL00148	TURBOCHARGER		
H-VJL00138	TURBOCHARGER		
H-VJL00153	TURBOCHARGER		
H-VJL00140	TURBOCHARGER		
H-VJL00131	TURBOCHARGER		
H-VJL00130	TURBOCHARGER		
H-VJL00127	TURBOCHARGER		

13a. Certifies the items identified above were manufactured in conformity to:

☒ Approved design data and are in condition for safe operation.
☐ Non-approved design data specified in Block 12.

14a. ☐ 14 CFR 43.9 Return to Service ☐ Other regulation specified in Block 12

Certifies that unless otherwise specified in Block 12, the work identified in Block 11 and described in Block 12 was accomplished in accordance with Title 14, Code of Federal Regulations, part 43 and in respect to that work, the items are approved for return to service.

13b. Authorized Signature:

Richard Denny

13c. Approval/Authorization No.:
313635059

14b. Authorized Signature:

14c. Approval/Certificate No.:

13d. Name (Typed or Printed):

Richard Denny

13e. Date (dd/mm/yyyy):
15/Nov/2018

14d. Name (Typed or Printed):

14e. Date (dd/mm/yyyy):

User/Installer Responsibilities

It is important to understand that the existence of this document alone does not automatically constitute authority to install the aircraft engine/propeller/article.

Where the user/installer performs work in accordance with the national regulations of an airworthiness authority different than the airworthiness authority of the country specified in Block 1, it is essential that the user/installer ensures that his/her airworthiness authority accepts aircraft engine(s)/propeller(s)/article(s) from the airworthiness authority of the country specified in Block 1.

Statements in Blocks 13a and 14a do not constitute installation certification. In all cases, aircraft maintenance records must contain an installation certification issued in accordance with the national regulations by the user/installer before the aircraft may be flown.

1. Approving Civil Aviation
Authority/Country:
FAA / UNITED STATES

AUTHORIZED RELEASE CERTIFICATE

FAA Form 8130-3, AIRWORTHINESS APPROVAL TAG

3. Form Tracking Number:
28818-23

4. Organization Name and Address: Concorde Battery Corporation
2009 San Bernardino Rd.
West Covina, CA 91790

PAH No.: PQ1174NM & PT1174NM

5. Work Order/Contract/Invoice
Number: 43237-02

6. Item:	7. Description:	8. Part Number:	9. Quantity:	10. Serial Number:	11. Status/Work:
2	Battery	RG24-15M	60	41351656, 41351657 41351660-41351662 41351673-41351683 41351689, 41351690 41351693, 41354843 41354845-41354847 41354851, 41354852 41354854-41354856 41354859-41354890	New

12. Remarks: This PMA & TSO part is not a critical component. (Cross check eligibility at www.concordebattery.com)

13a. Certifies the items identified above were manufactured in conformity to:

- ☒ Approved design data and are in a condition for safe operation.
☐ Non-approved design data specified in Block 12.

14a. ☐ 14 CFR 43.9 Return to Service ☐ Other regulation specified in Block 12

Certifies that unless otherwise specified in Block 12, the work identified in Block 11 and described in Block 12 was accomplished in accordance with Title 14, Code of Federal Regulations, part 43 and in respect to that work, the items are approved for return to service.

13b. Authorized Signature:



13c. Approval/Authorization No.:

566593435

14b. Authorized Signature:

14c. Approval/Certificate No.:

13d. Name (Typed or Printed):

Pablo Garcia

13e. Date (dd/mm/yyyy):

25 OCT 2023

14d. Name (Typed or Printed):

14e. Date (dd/mm/yyyy):

User/Installer Responsibilities

It is important to understand that the existence of this document alone does not automatically constitute authority to install the aircraft engine/propeller/article.

Where the user/installer performs work in accordance with the national regulations of an airworthiness authority different than the airworthiness authority of the country specified in Block 1, it is essential that the user/installer ensures that his/her airworthiness authority accepts aircraft engine(s)/propeller(s)/article(s) from the airworthiness authority of the country specified in Block 1.

Statements in Blocks 13a and 14a do not constitute installation certification. In all cases, aircraft maintenance records must contain an installation certification issued in accordance with the national regulations by the user/installer before the aircraft may be flown.

2 of 2

1. Approving Civil Aviation
Authority/Country:
FAA / UNITED STATES

2.

AUTHORIZED RELEASE CERTIFICATE

3. Form Tracking Number:
28816-23

4. Organization Name and Address:

Concorde Battery Corporation
2009 San Bernardino Rd.
West Covina, CA 91790

FAA Form 8130-3, AIRWORTHINESS APPROVAL TAG

PAH No.: PQ1174NM

5. Work Order/Contract/Invoice
Number: 43237-02

6. Item:	7. Description:	8. Part Number:	9. Quantity:	10. Serial Number:	11. Status/Work:
1	Parts	9771	60	N/A	New

12. Remarks:

This PMA part is not a critical component. (Cross check eligibility at www.concordebattery.com)
P/N 9771, 60 each Lot No. 100323-41 on RG24-15M.

13a. Certifies the items identified above were manufactured in conformity to:

- ☒ Approved design data and are in a condition for safe operation.
☐ Non-approved design data specified in Block 12.

14a. ☐ 14 CFR 43.9 Return to Service ☐ Other regulation specified in Block 12

Certifies that unless otherwise specified in Block 12, the work identified in Block 11 and described in Block 12 was accomplished in accordance with Title 14, Code of Federal Regulations, part 43 and in respect to that work, the items are approved for return to service.

13b. Authorized Signature:



13c. Approval/Authorization No.:

586593435

14b. Authorized Signature:

14c. Approval/Certificate No.:

13d. Name (Typed or Printed):

Pablo Garcia

13e. Date (dd/mm/yyyy):

25 OCT 2023

14d. Name (Typed or Printed):

14e. Date (dd/mm/yyyy):

User/Installer Responsibilities

It is important to understand that the existence of this document alone does not automatically constitute authority to install the aircraft engine/propeller/article.

Where the user/installer performs work in accordance with the national regulations of an airworthiness authority different than the airworthiness authority of the country specified in Block 1, it is essential that the user/installer ensures that his/her airworthiness authority accepts aircraft engine(s)/propeller(s)/article(s) from the airworthiness authority of the country specified in Block 1.


Statements in Blocks 13a and 14a do not constitute installation certification. In all cases, aircraft maintenance records must contain an installation certification issued in accordance with the national regulations by the user/installer before the aircraft may be flown.

1 of 2

1. Approving competent Authority/Country <i>Autorité Compétente/Pays</i> DIRECTION GENERALE DE L'AVIATION CIVILE FRANCE		AUTHORISED RELEASE CERTIFICATE <i>Certificat Libératoire Autorisé</i> EASA FORM 1 <i>Formulaire 1 de l'EASA</i>				3. Form Tracking Number <i>N° de repère du Formulaire</i> 23 / 34221 / NKE / N / B 	
4. Organisation Name and Address : <i>Nom et Adresse de l'Organisme :</i>		 MANUFACTURE FRANÇAISE DES PNEUMATIQUES MICHELIN Place des Carmes Déchaux 63000 CLERMONT-FERRAND FRANCE				5. Work Order / Contract / Invoice <i>Bon de commande / Contrat / Facture</i> 3073T00070	
6. Item / <i>Item</i>	7. Description / <i>Description</i>	8. Part No. / <i>N° de pièce</i>	9. Qty / <i>Qté</i>	10. Serial No. / <i>N° série</i>	11. Status / Work / <i>Etat / Travaux</i>		
N/A	15X6.0-6	025-501-1 	1	3073T00070 	NEW		
12. Remarks <i>Remarques</i> Norme(s): ETSOC62e ETSOC62e Approval Number: EASA.210.10059909			'This document has been issued according to an approved computer generated signature procedure' 'Ce document a été émis selon une procédure approuvée de signature électronique'				
13a Certifies that the items identified above were manufactured in conformity to : <i>Certifie que les éléments identifiés ci-dessus ont été fabriqués conformément aux :</i> ☒ approved design data and are in a condition for safe operation <i>données de conception approuvées et sont en état de fonctionner en toute sécurité</i> ☐ non-approved design data specified in block 12 <i>données de conception non approuvées spécifiées dans la case 12</i>			14a. ☐ Part 145.A.50 Release to Service <i>Approbation pour remise en service</i> <i>Selon Partie 145.A.50</i> ☐ Other regulation specified in block 12 <i>Autre réglementation précisée en case 12</i> Certifies that unless otherwise specified in block 12, the work identified in block 11 and described in block 12, was accomplished in accordance with Part 145 and in respect to that work the items are considered ready for release to service. <i>Certifie que, sauf indication contraire spécifiée en case 12, les travaux identifiés en case 11 et décrits en case 12 ont été réalisés conformément à la partie 145 et qu'au vu de ces travaux, les pièces sont considérées prêtes à la remise en service.</i>				
13b. Authorised Signature <i>Signature autorisée</i> 		13c. Approval/Authorisation Number <i>Numéro d'agrément/d'autorisation</i> FR.21G.0100		14b. Authorised Signature <i>Signature autorisée</i>		14c. Certificate/Approval Ref. No <i>N° du Certificat/Agrément</i>	
13d. Name / <i>Nom</i> UTAI Wised		13e. Date (dd mmm yyyy) / <i>Date (jj mmm aaaa)</i> 19 Mar 2023		14d. Name / <i>Nom</i>		14e. Date (dd mmm yyyy) / <i>Date (jj mmm aaaa)</i>	
USER/INSTALLER RESPONSIBILITIES / Responsabilités de l'utilisateur/installateur This certificate does not automatically constitute authority to install the item(s). <i>Ce document ne constitue pas forcément l'autorisation d'installer l'(es) item(s)</i> Where the user/installer performs work in accordance with regulations of an airworthiness authority different than the airworthiness authority specified in block 1 it is essential that the user/installer ensures that his/her airworthiness authority accepts items from the airworthiness authority specified in block 1. <i>Quand l'utilisateur/installateur travaille selon les réglementations d'une autorité de navigabilité différente de l'autorité de navigabilité mentionnée dans la case 1, il est essentiel que l'utilisateur/installateur s'assure que son autorité de navigabilité accepte les items libérés par l'autorité de navigabilité mentionnée dans la case 1.</i> Statements in blocks 13a and 14a do not constitute installation certification. In all cases aircraft maintenance records must contain an installation certification issued in accordance with the national regulations by the user/installer before the aircraft may be flown. <i>Les indications portées en cases 13a et 14a ne constituent pas une certification de montage. Dans tous les cas le dossier d'entretien de l'aéronef doit contenir une certification d'installation délivrée conformément aux règlements nationaux par l'utilisateur/installateur avant que l'aéronef puisse voler.</i>							

1. Approving competent Authority/Country <i>Autorité Compétente/Pays</i> DIRECTION GENERALE DE L'AVIATION CIVILE FRANCE		2. AUTHORISED RELEASE CERTIFICATE <i>Certificat Libératoire Autorisé</i> EASA FORM 1 <i>Formulaire 1 de l'EASA</i>				3. Form Tracking Number <i>N° de repère du Formulaire</i> 22 / 38959 / NKE / N / B 	
4. Organisation Name and Address : <i>Nom et Adresse de l'Organisme :</i>		 MANUFACTURE FRANÇAISE DES PNEUMATIQUES MICHELIN Place des Carmes Déchaux 63000 CLERMONT-FERRAND FRANCE <i>(MICHELIN AIRCRAFT TIRE)</i>				5. Work Order / Contract / Invoice <i>Bon de commande / Contrat / Facture</i> 2097T00122	
6. Item / <i>Item</i>	7. Description / <i>Description</i>	8. Part No. / <i>N° de pièce</i>	9. Qty / <i>Qté</i>	10. Serial No. / <i>N° série</i>	11. Status / Work / <i>Etat / Travaux</i>		
N/A	15X6.0-6	025-501-1 	1	2097T00122 	NEW		
12. Remarks <i>Remarques</i> Norme(s): ETSOC62e ETSOC62e Approval Number: EASA.210.10059909			'This document has been issued according to an approved computer generated signature procedure' 'Ce document a été émis selon une procédure approuvée de signature électronique'				
13a. Certifies that the items identified above were manufactured in conformity to : <i>Certifie que les éléments identifiés ci-dessus ont été fabriqués conformément aux :</i> ☒ approved design data and are in a condition for safe operation <i>données de conception approuvées et sont en état de fonctionner en toute sécurité</i> ☐ non-approved design data specified in block 12 <i>données de conception non approuvées spécifiées dans la case 12</i>			14a. ☐ Part 145.A.50 Release to Service <i>Approbation pour remise en service</i> <i>Selon Partie 145.A.50</i> ☐ Other regulation specified in block 12 <i>Autre réglementation précisée en case 12</i> Certifies that unless otherwise specified in block 12, the work identified in block 11 and described in block 12 was accomplished in accordance with Part 145 and in respect to that work the items are considered ready for release to service. <i>Certifie que, sauf indication contraire spécifiée en case 12, les travaux identifiés en case 11 et décrits en case 12 ont été réalisés conformément à la partie 145 et qu'au vu de ces travaux, les pièces sont considérées prêtes à la remise en service.</i>				
13b. Authorised Signature <i>Signature autorisée</i> 		13c. Approval/Authorisation Number <i>Numéro d'agrément/d'autorisation</i> FR.21G.0100		14b. Authorised Signature <i>Signature autorisée</i>		14c. Certificate/Approval Ref. No <i>N° du Certificat/Agrément</i>	
13d. Name / <i>Nom</i> JAMPASEN Prathuan		13e. Date (dd mmm yyyy) / <i>Date (jj mmm aaaa)</i> 18 Apr 2022		14d. Name / <i>Nom</i>		14e. Date (dd mmm yyyy) / <i>Date (jj mmm aaaa)</i>	

USER/INSTALLER RESPONSIBILITIES / Responsabilités de l'utilisateur/installateur
 This certificate does not automatically constitute authority to install the item(s).
Ce document ne constitue pas forcément l'autorisation d'installer l'(es) item(s)
 Where the user/installer performs work in accordance with regulations of an airworthiness authority different than the airworthiness authority specified in block 1 it is essential that the user/installer ensures that his/her airworthiness authority accepts items from the airworthiness authority specified in block 1.
Quand l'utilisateur/installateur travaille selon les réglementations d'une autorité de navigabilité différente de l'autorité de navigabilité mentionnée dans la case 1, il est essentiel que l'utilisateur/installateur s'assure que son autorité de navigabilité accepte les items libérés par l'autorité de navigabilité mentionnée dans la case 1.
 Statements in blocks 13a and 14a do not constitute installation certification. In all cases aircraft maintenance records must contain an installation certification issued in accordance with the national regulations by the user/installer before the aircraft may be flown.
Les indications portées en cases 13a et 14a ne constituent pas une certification de montage. Dans tous les cas le dossier d'entretien de l'aéronef doit contenir une certification d'installation délivrée conformément aux règlements nationaux par l'utilisateur/installateur avant que l'aéronef puisse voler.

1. Approving Civil Aviation Authority/Country: FAA/UNITED STATES		2. AUTHORIZED RELEASE CERTIFICATE FAA Form 8130-3, AIRWORTHINESS APPROVAL TAG			3. Form Tracking Number: H-W032469	
4. Organization Name and Address: HARTZELL ENGINE TECHNOLOGIES, 2900 SELMA HWY., MONTGOMERY, AL 36108 PQ1383CE-D					5. Work Order/Contract/Invoice Number: M361010	
6. Item:	7. Description:	8. Part Number:	9. Quantity:	10. Serial Number:	11. Status/Work:	
1	ALTERNATOR **** END ****	ES-10024	1	H-W032469	NEW	
12. Remarks: AIRWORTHINESS APPROVAL- PARTS.FOR PMA ELIGIBILITY SEE WWW.HARTZELL.AERO/PMA/						
13a. Certifies the items identified above were manufactured in conformity to: ☒ Approved design data and are in a condition for safe operation. ☐ Non-approved design data specified in Block 12.			14a. ☐ 14 CFR 43.9 Return to Service ☐ Other regulation specified in Block 12: Certifies that unless otherwise specified in Block 12, the work identified in Block 11 and described in Block 12 was accomplished in accordance with Title 14, Code of Federal Regulations, part 43 and in respect to that work, the items are approved for return to service.			
13b. Authorized Signature: 		13c. Approval/Authorization No.: ODA-100082-CE		14b. Authorized Signature:		14c. Approval/Certificate No:
13d. Name (Typed or Printed): James Murphy		13e. Date (dd/mm/yyyy): 24-Mar-2022		14d. Name (Typed or Printed):		14e. Date (dd/mm/yyyy):
User/Installer Responsibilities						
It is important to understand that the existence of this document alone does not automatically constitute authority to install the aircraft engine/propeller/article.						
Where the user/installer performs work in accordance with the national regulations of an airworthiness authority different than the airworthiness authority of the country specified in Block 1, it is essential that the user/installer ensures that his/her airworthiness authority accepts aircraft engine(s)/propeller(s)/article(s) from the airworthiness authority of the country specified in Block 1.						
Statements in Block 13a and 14a do not constitute installation certification. In all cases, aircraft maintenance records must contain an installation certification issued in accordance with the national regulations by the user/installer before the aircraft may be flown.						

1. Approving competent Authority/Country <i>Autorité Compétente/Pays</i> DIRECTION GENERALE DE L'AVIATION CIVILE FRANCE		AUTHORISED RELEASE CERTIFICATE <i>Certificat Libératoire Autorisé</i> EASA FORM 1 <i>Formulaire 1 de l'EASA</i>				3. Form Tracking Number <i>N° de repère du Formulaire</i> 22 / 31055 / NKE / N / B 
4. Organisation Name and Address : <i>Nom et Adresse de l'Organisme :</i>		 MANUFACTURE FRANÇAISE DES PNEUMATIQUES MICHELIN Place des Carmes Déchaux 63000 CLERMONT-FERRAND FRANCE <i>(MICHELIN AIRCRAFT TIRE)</i>				5. Work Order / Contract / Invoice <i>Bon de commande / Contrat / Facture</i> 2079T00188
6. Item / <i>Item</i>	7. Description / <i>Description</i>	8. Part No. / <i>N° de pièce</i>	9. Qty / <i>Qté</i>	10. Serial No. / <i>N° série</i>	11. Status / Work / <i>Etat / Travaux</i>	
N/A	15X6.0-6	025-501-1 	1	2079T00188 	NEW	
12. Remarks <i>Remarques</i> Norme(s): ETSOC62e ETSOC62e Approval Number: EASA.210.10059909		'This document has been issued according to an approved computer generated signature procedure' 'Ce document a été émis selon une procédure approuvée de signature électronique'				
13a. Certifies that the items identified above were manufactured in conformity to : <i>Certifie que les éléments identifiés ci-dessus ont été fabriqués conformément aux :</i> ☒ approved design data and are in a condition for safe operation <i>données de conception approuvées et sont en état de fonctionner en toute sécurité</i> ☐ non-approved design data specified in block 12 <i>données de conception non approuvées spécifiées dans la case 12</i>			14a. ☐ Part 145.A.50 Release to Service <i>Approbation pour remise en service</i> <i>Selon Partie 145.A.50</i> Certifies that unless otherwise specified in block 12, the work identified in block 11 and described in block 12 was accomplished in accordance with Part 145 and in respect to that work the items are considered ready for release to service. <i>Certifie que, sauf indication contraire spécifiée en case 12, les travaux identifiés en case 11 et décrits en case 12 ont été réalisés conformément à la partie 145 et qu'au vu de ces travaux, les pièces sont considérées prêtes à la remise en service.</i>			
13b. Authorised Signature <i>Signature autorisée</i> 		13c. Approval/Authorisation Number <i>Numéro d'agrément/d'autorisation</i> FR.21G.0100		14b. Authorised Signature <i>Signature autorisée</i> 		
13d. Name / <i>Nom</i> JAMPASEN Prathuan		13e. Date (dd mmm yyyy) / <i>Date (jj mmm aaaa)</i> 23 Mar 2022		14c. Certificate/Approval Ref. No <i>N° du Certificat/Agrément</i> 		
14d. Name / <i>Nom</i> 		14e. Date (dd mmm yyyy) / <i>Date (jj mmm aaaa)</i> 		14f. Signature 		

USER/INSTALLER RESPONSIBILITIES / Responsabilités de l'utilisateur/Installateur
 This certificate does not automatically constitute authority to install the item(s).
Ce document ne constitue pas forcément l'autorisation d'installer l'(es) item(s)

Where the user/installer performs work in accordance with regulations of an airworthiness authority different than the airworthiness authority specified in block 1 it is essential that the user/installer ensures that his/her airworthiness authority accepts items from the airworthiness authority specified in block 1.
Quand l'utilisateur/installateur travaille selon les réglementations d'une autorité de navigabilité différente de l'autorité de navigabilité mentionnée dans la case 1, il est essentiel que l'utilisateur/installateur s'assure que son autorité de navigabilité accepte les items libérés par l'autorité de navigabilité mentionnée dans la case 1.

Statements in blocks 13a and 14a do not constitute installation certification. In all cases aircraft maintenance records must contain an installation certification issued in accordance with the national regulations by the user/installer before the aircraft may be flown.
Les indications portées en cases 13a et 14a ne constituent pas une certification de montage. Dans tous les cas le dossier d'entretien de l'aéronef doit contenir une certification d'installation délivrée conformément aux règlements nationaux par l'utilisateur/installateur avant que l'aéronef puisse voler.

1. Approving competent Authority/Country <i>Autorité Compétente/Pays</i> DIRECTION GENERALE DE L'AVIATION CIVILE FRANCE		2. AUTHORISED RELEASE CERTIFICATE <i>Certificat Libératoire Autorisé</i> EASA FORM 1 <i>Formulaire 1 de l'EASA</i>			3. Form Tracking Number <i>N° de repère du Formulaire</i> 22 / 16939 / NKE / N / B 	
4. Organisation Name and Address : <i>Nom et Adresse de l'Organisme :</i>  MANUFACTURE FRANÇAISE DES PNEUMATIQUES MICHELIN Place des Carmes Déchaux 63000 CLERMONT-FERRAND FRANCE <i>(MICHELIN AIRCRAFT TIRE)</i>		5. Work Order / Contract / Invoice <i>Bon de commande / Contrat / Facture</i> 2048T00182				
6. Item / <i>Item</i>	7. Description / <i>Description</i>	8. Part No. / <i>N° de pièce</i>	9. Qty / <i>Qté</i>	10. Serial No. / <i>N° série</i>	11. Status / Work / <i>Etat / Travaux</i>	
N/A	5.00-5/8/160	070-310-0 	1	2048T00182 	NEW	
12. Remarks <i>Remarques</i> Norme(s): ETSOC62d, TSOC62e ETSOC62d Approval Number: EASA.210.948, TSOC62e LODA Approval Number: TF/sn/8/14/2008-427			This document has been issued according to an approved computer generated signature procedure 'Ce document a été émis selon une procédure approuvée de signature électronique'			
13a. Certifies that the items identified above were manufactured in conformity to : <i>Certifie que les éléments identifiés ci-dessus ont été fabriqués conformément aux :</i> ☒ approved design data and are in a condition for safe operation <i>données de conception approuvées et sont en état de fonctionner en toute sécurité</i> ☐ non-approved design data specified in block 12 <i>données de conception non approuvées spécifiées dans la case 12</i>			14a. ☐ Part 145.A.50 Release to Service <i>Approbation pour remise en service</i> <i>Selon Partie 145.A.50</i> ☐ Other regulation specified in block 12 <i>Autre réglementation précisée en case 12</i> Certifies that unless otherwise specified in block 12, the work identified in block 11 and described in block 12 was accomplished in accordance with Part 145 and in respect to that work the items are considered ready for release to service. <i>Certifie que, sauf indication contraire spécifiée en case 12, les travaux identifiés en case 11 et décrits en case 12 ont été réalisés conformément à la partie 145 et qu'au vu de ces travaux, les pièces sont considérées prêtes à la remise en service.</i>			
13b. Authorised Signature <i>Signature autorisée</i> 		13c. Approval/Authorisation Number <i>Numéro d'agrément/d'autorisation</i> FR.21G.0100		14b. Authorised Signature <i>Signature autorisée</i>		
13d. Name / <i>Nom</i> DUANGSRI Anon		13e. Date (dd mmm yyyy) / <i>Date (jj mmm aaaa)</i> 19 Feb 2022		14c. Certificate/Approval Ref. No <i>N° du Certificat/Agrément</i>		
				14d. Name / <i>Nom</i>		
				14e. Date (dd mmm yyyy) / <i>Date (jj mmm aaaa)</i>		
USER/INSTALLER RESPONSIBILITIES / Responsabilités de l'utilisateur/installateur This certificate does not automatically constitute authority to install the item(s). <i>Ce document ne constitue pas forcément l'autorisation d'installer l'(es) item(s)</i> Where the user/installer performs work in accordance with regulations of an airworthiness authority different than the airworthiness authority specified in block 1 it is essential that the user/installer ensures that his/her airworthiness authority accepts items from the airworthiness authority specified in block 1. <i>Quand l'utilisateur/installateur travaille selon les réglementations d'une autorité de navigabilité différente de l'autorité de navigabilité mentionnée dans la case 1, il est essentiel que l'utilisateur/installateur s'assure que son autorité de navigabilité accepte les items libérés par l'autorité de navigabilité mentionnée dans la case 1.</i> Statements in blocks 13a and 14a do not constitute installation certification. In all cases aircraft maintenance records must contain an installation certification issued in accordance with the national regulations by the user/installer before the aircraft may be flown. <i>Les indications portées en cases 13a et 14a ne constituent pas une certification de montage. Dans tous les cas le dossier d'entretien de l'aéronef doit contenir une certification d'installation délivrée conformément aux règlements nationaux par l'utilisateur/installateur avant que l'aéronef puisse voler.</i>						

1. Approving Civil Aviation Authority/Country: FAA/United States		2. AUTHORIZED RELEASE CERTIFICATE FAA Form 8130-3, AIRWORTHINESS APPROVAL TAG			3. Form Tracking Number: P-300990	
4. Organization Name and Address: PECO Inc., 11241 SE Highway 212, Clackamas, OR 97015 (PQ0160NM)					5. Work Order /Contract/ Invoice Number: PO: PO21-00184	
6. Item:	7. Description:	8. Part Number:	9. Quantity:	10. Serial Number:	11. Status/Work:	
1	EVS-600 WING MOUNT ASSY	756500057	1	250262	SEE BLOCK 12	
12. Remarks: Return to Service Rebuilt to original PAH's specifications, in accordance with 14 CFR 43.3(j) MAX-VIZ, INC. DRAWING: 756500057 REV. F, dated 30JAN2020						
13a. Certifies the items identified above were manufactured in conformity to: ☐ Approved design data and are in a condition for safe operation. ☐ Non-approved design data specified in Block 12.			14a ☒ 14 CFR 43.9 Return to Service ☒ Other regulation specified in Block 12 Certifies that unless otherwise specified in Block 12, the work identified in Block 11 and described in Block 12 was accomplished in accordance with Title 14, Code of Federal Regulations, part 43 and in respect to that work, the items are approved for return to service.			
13b. Authorized Signature:		13c. Approval/Authorization No.:		14b. Authorized Signature:		14c. Approval/Certificate No.: PQ0160NM
13d. Name (Typed or Printed):		13e. Date (dd/mm/yy):		14d. Name (Typed or Printed): Joy Judd		14e. Date (dd/mm/yy): 16 MAR 2021
User/Installer Responsibilities						
It is important to understand that the existence of this document alone does not automatically constitute authority to install the aircraft engine/propeller/article. Where the user/installer performs work in accordance with the national regulations of an airworthiness authority different than the airworthiness authority of the country specified in Block 1, it is essential that the user/installer ensures that his/her airworthiness authority accepts aircraft engine(s)/propeller(s)/article(s) from the airworthiness authority of the country specified in Block 1. Statements in Blocks 13a and 14a do not constitute installation certification. In all cases, aircraft maintenance records must contain an installation certification issued in accordance with the national regulations by the user/installer before the aircraft may be flown.						


1. Approving Civil Aviation Authority/Country: FAA/United States		AUTHORIZED RELEASE CERTIFICATE FAA FORM 8130-3, AIRWORTHINESS APPROVAL TAG				3. Form Tracking Number: 576981	
4. Organization Name and Address Continental Motors, Inc. 2039 Broad Street, Mobile, Alabama 36615					PC #508	5. Work Order/Contract/Invoice Number: 761845 0000299259	
6. Item:	7. Description	8. Part Number:	9. Quantity:	10. Serial Number:	11. Status/Work:		
1	HOSE ASSEMBLY, 16.00", AN-10,	646644Y10S16.00	1	N/A	NEW		
12. Remarks: AIRWORTHINESS APPROVAL							
13a. Certifies the items identified above were manufactured in conformity to: ☒ Approved design data and are in condition for safe operation. ☐ Non-approved design data specified in Block 12.				14a. ☐ 14 CFR 43.9 Return to Service ☐ Other regulation specified in Block 12 Certifies that unless otherwise specified in Block 12, the work identified in Block 11 and described in Block 12 was accomplished in accordance with Title 14, Code of Federal Regulations, part 43 and in respect to that work, the items are approved for return to service.			
13b. Authorized Signature: <i>Richard Denny</i>		13c. Approval/Authorization No.: 313635059		14b. Authorized Signature:		14c. Approval/Certificate No.:	
13d. Name (Typed or Printed): Richard Denny		13e. Date (dd/mm/yyyy): 06/Oct/2020		14d. Name (Typed or Printed):		14e. Date (dd/mm/yyyy):	
User/Installer Responsibilities							
It is important to understand that the existence of this document alone does not automatically constitute authority to install the aircraft engine/propeller/article.							
Where the user/installer performs work in accordance with the national regulations of an airworthiness authority different than the airworthiness authority of the country specified in Block 1, it is essential that the user/installer ensures that his/her airworthiness authority accepts aircraft engine(s)/propeller(s)/article(s) from the airworthiness authority of the country specified in Block 1.							
Statements in Blocks 13a and 14a do not constitute installation certification. In all cases, aircraft maintenance records must contain an installation certification issued in accordance with the national regulations by the user/installer before the aircraft may be flown.							

155234K WFO 0676-31


1. Approving Civil Aviation Authority/Country: FAA/United States		2. AUTHORIZED RELEASE CERTIFICATE FAA FORM 8130-3, AIRWORTHINESS APPROVAL TAG			3. Form Tracking Number: 574794									
4. Organization Name and Address Continental Motors, Inc. 2039 Broad Street, Mobile, Alabama 36615				PC #508	5. Work Order/Contract/Invoice Number: 756918 0000297163									
6. Item:	7. Description	8. Part Number:	9. Quantity:	10. Serial Number:	11. Status/Work:									
1	ADAPTER ASM-STARTER	658440A8	3	See Block 12	NEW									
12. Remarks: AIRWORTHINESS APPROVAL														
Serial/Batch Number(s) <table border="1"> <thead> <tr> <th>Serial</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>H-U072172</td> <td>ADAPTER ASM-ST</td> </tr> <tr> <td>H-U072166</td> <td>ADAPTER ASM-ST</td> </tr> <tr> <td>H-U072169</td> <td>ADAPTER ASM-ST</td> </tr> </tbody> </table>							Serial	Description	H-U072172	ADAPTER ASM-ST	H-U072166	ADAPTER ASM-ST	H-U072169	ADAPTER ASM-ST
Serial	Description													
H-U072172	ADAPTER ASM-ST													
H-U072166	ADAPTER ASM-ST													
H-U072169	ADAPTER ASM-ST													
13a. Certifies the items identified above were manufactured in conformity to:			14a. ☐ 14 CFR 43.9 Return to Service ☐ Other regulation specified in Block 12											
☒ Approved design data and are in condition for safe operation. ☐ Non-approved design data specified in Block 12.			Certifies that unless otherwise specified in Block 12, the work identified in Block 11 and described in Block 12 was accomplished in accordance with Title 14, Code of Federal Regulations, part 43 and in respect to that work, the items are approved for return to service.											
13b. Authorized Signature: <i>Richard Denny</i>		13c. Approval/Authorization No.: 313635059		14b. Authorized Signature:		14c. Approval/Certificate No.:								
13d. Name (Typed or Printed): Richard Denny		13e. Date (dd/mm/yyyy): 10/Aug/2020		14d. Name (Typed or Printed):		14e. Date (dd/mm/yyyy):								
User/Installer Responsibilities														
It is important to understand that the existence of this document alone does not automatically constitute authority to install the aircraft engine/propeller/article.														
Where the user/installer performs work in accordance with the national regulations of an airworthiness authority different than the airworthiness authority of the country specified in Block 1, it is essential that the user/installer ensures that his/her airworthiness authority accepts aircraft engine(s)/propeller(s)/article(s) from the airworthiness authority of the country specified in Block 1.														
Statements in Blocks 13a and 14a do not constitute installation certification. In all cases, aircraft maintenance records must contain an installation certification issued in accordance with the national regulations by the user/installer before the aircraft may be flown.														

N523MK

0690-21

•1. Approving Civil Aviation Authority/Country: FAA/United States		2. AUTHORIZED RELEASE CERTIFICATE FAA Form 8130-3, AIRWORTHINESS APPROVAL TAG			3. Form Tracking Number: CDC 06202005-01	
4. Organization Name and Address: Cirrus Design Corporation 4515 Taylor Circle Duluth, MN 55811 PC#338CE					5. Work Order/Contract/Invoice #: T8310*1	
6. Item:	7. Description:	8. Part Number:	9. Quantity:	10. Serial Number:	11. Status/Work:	
1	CYLINDER HEAD TEMPURATURE SENSOR SCD	24584-001	39	N/A	NEW	
12. Remarks:						
Airworthiness Approval						
13a. Certifies the items identified above were manufactured in conformity to: ☒ Approved design data and are in a condition for safe operation. ☐ Non-approved design data specified in Block 12.			14a. ☒ 14 CFR 43.9 Return to Service ☐ Other regulation specified in Block 12 Certifies that unless otherwise specified in Block 12, the work identified in Block 11 and described in Block 12 was accomplished in accordance with Title 14, Code of Federal Regulations, part 43 and in respect to that work, the items are approved for return to service.			
13b. Authorized Signature: 		13c. Approval/Authorization No.: 704724162		14b. Authorized Signature:		14c. Approval/Certificate No.:
13d. Name (Typed or Printed): VA HUABMUA VANG		13e. Date (dd/mm/yyyy): 05/JUN/2020		14d. Name (Typed or Printed):		14e. Date (dd/mm/yyyy):
User/Installer Responsibilities						
It is important to understand that the existence of this document alone does not automatically constitute authority to install the aircraft engine/propeller/article. Where the user/installer performs work in accordance with the national regulations of an airworthiness authority different than the airworthiness authority of the country specified in Block 1, it is essential that the user/installer ensures that his/her airworthiness authority accepts aircraft engine(s)/propeller(s)/article(s) from the airworthiness authority of the country specified in Block 1. Statements in Blocks 13a and 14a do not constitute installation certification. In all cases, aircraft maintenance records must contain an installation certification issued in accordance with the national regulations by the user/installer before the aircraft may be flown.						

N5Z3MK 0676-35

1. Approving Civil Aviation Authority/Country: FAA/UNITED STATES		2. AUTHORIZED RELEASE CERTIFICATE FAA Form 8130-3, AIRWORTHINESS APPROVAL TAG				3. Form Tracking Number: MK10360	
4. Organization Name and Address: Hartzell Service Center, One Propeller Place, Piqua, Ohio 45356-2634						5. Work Order/Contract/Invoice Number: 15944	
6. Item:	7. Description:	8. Part Number:	9. Quantity:	10. Serial/Batch Number:	11. Status/Work:		
1	Governor Assembly	S-1-44F	1	G4166NJ	"REPAIRED"		
12. Remarks: Repaired. tested and inspected. Work performed in accordance with Hartzell Propeller Inc. manuals 130B revision 23, 202A [Volume 1 revision 57, , Volume 6 revision 35, Volume 7 revision 35, and Hartzell Service Letter HC-SL-61-61Y-R12, HC-SL-277-R5. TSN 1771.0, TSO N/A. The work specified in Block 11/12 was carried out in accordance with EASA part 145, and with EASA part 145 Approval Number: EASA 145-4516. -----END-----							
HARTZELL PROPELLER INC. Piqua, Ohio							
Part Description <u>Governor</u> Date <u>DEC 20 2019</u> Hartzell Governor Model <u>S-1-44F</u> Serial No. <u>G4166NJ</u> New <u> </u> Overhauled <u> </u> Repaired <u>X</u>							
TEST RESULTS RPM Setting High <u>2500</u> Relief Valve Pressure <u>285</u> PSI Low <u>2264</u> At 1750 RPM at 50 PSI input/150 PSI output: Capacity <u>10.6</u> qts. Internal Leakage <u>1.9</u> oz. Lever Quadrant Travel <u> </u> @ 1810 RPM							
13d. Name (Typed or Printed):		13e. Date (dd/mm/yyyy):		14a. ☒ 14 CFR 43.9 Return to Service ☒ Other regulation specified in Block 12 Certifies that unless otherwise specified in block 12, the work identified in Block 11 and described in Block 12 was accomplished in accordance with Title 14, Code of Federal Regulations, part 43 and in respect to that work, the items are approved for return to service.		14c. Approval/Certificate No.: SJ3R843L	
14b. Authorized Signature: 		14d. Name (Typed or Printed): Dan Davis		14e. Date (dd/mm/yyyy): 20 Dec 2019			
User/Installer Responsibilities It is important to understand that the existence of this document alone does not automatically constitute authority to install the part/component/assembly. Where the user/installer performs work in accordance with the national regulations of an airworthiness authority different than the airworthiness authority of the country specified in Block 1, it is essential that the user/installer ensures that his/her airworthiness accepts aircraft engine(s)/propeller(s)/article(2) from the airworthiness authority of the country specified in Block 1. Statements in Blocks 13a and 14a do not constitute installation certification. In all cases, aircraft maintenance records must contain an installation certification issued in accordance with the national regulations by the user/installer before the aircraft may be flown.							

1. Approving Civil Aviation Authority/Country: FAA/United States		AUTHORIZED RELEASE CERTIFICATE FAA FORM 8130-3, AIRWORTHINESS APPROVAL TAG				3. Form Tracking Number: 537490				
4. Organization Name and Address Continental Motors, Inc. 2039 Broad Street, Mobile, Alabama 36615						5. Work Order/Contract/Invoice Number: PPN 671985 Carton 0000262095				
6. Item:	7. Description	8. Part Number:	9. Quantity:	10. Serial Number:	11. Status/Work:					
1	ENGINE - NEW	TSIO550K1	1	See Block 12	NEW					
12. Remarks: Airworthiness Approval - Engine Total Time: 0 Preservation: This Engine was treated 11/24/18 for one hundred eighty days corrosion protection. Serial/Batch Number(s): <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 30%; border-bottom: 1px solid black;">Serial</td> <td style="border-bottom: 1px solid black;">Description</td> </tr> <tr> <td>1036683</td> <td>ENGINE - NEW</td> </tr> </table>							Serial	Description	1036683	ENGINE - NEW
Serial	Description									
1036683	ENGINE - NEW									
13a. Certifies the items identified above were manufactured in conformity to: ☒ Approved design data and are in condition for safe operation. ☐ Non-approved design data specified in Block 12.			14a. ☐ 14 CFR 43.9 Return to Service ☐ Other regulation specified in Block 12 Certifies that unless otherwise specified in Block 12, the work identified in Block 11 and described in Block 12 was accomplished in accordance with Title 14, Code of Federal Regulations, part 43 and in respect to that work, the items are approved for return to service.							
13b. Authorized Signature: <i>Richard Denny</i>		13c. Approval/Authorization No.: 313635059		14b. Authorized Signature:		14c. Approval/Certificate No.:				
13d. Name (Typed or Printed): Richard Denny		13e. Date (dd/mmm/yyyy): 26/Nov/2018		14d. Name (Typed or Printed):		14e. Date (dd/mmm/yyyy):				
User/Installer Responsibilities										
It is important to understand that the existence of this document alone does not automatically constitute authority to install the aircraft engine/propeller/article. Where the user/installer performs work in accordance with the national regulations of an airworthiness authority different than the airworthiness authority of the country specified in Block 1, it is essential that the user/installer ensures that his/her airworthiness authority accepts aircraft engine(s)/propeller(s)/article(s) from the airworthiness authority of the country specified in Block 1. Statements in Blocks 13a and 14a do not constitute installation certification. In all cases, aircraft maintenance records must contain an installation certification issued in accordance with the national regulations by the user/installer before the aircraft may be flown.										