



**European  
aircraft sales**



## PILATUS PC-12NG

2011 S/N: 1257 Reg.no.: G-KARE

European Aircraft Sales A/S  
Lufthavnvej 151, 5270 Odense N  
Denmark



[www.europeanaircraftsales.com](http://www.europeanaircraftsales.com)  
[sales@europeanaircraftsales.com](mailto:sales@europeanaircraftsales.com)



Telephone: +45 4016 5401  
Telephone: +45 9310 1121





## GENERAL INFORMATION

The PC-12 is one of the most popular turbine-powered business aircraft on the market today, and this one is in great condition.

The PC-12 is a very popular choice for executive transportation, air ambulance, cargo operators, airline/taxi operations, and special mission operations.

With one of the largest cabins in its class, the PC-12 is available with a fully closed toilet onboard.

The aircraft has short runway performance and is approved to land on any kind of runway.

### Highlights of this aircraft:

Honeywell PRIMUS Apex integrated Avionics suite

Executive interior (6+2 pax)

Large oxygen bottle installed

Pulsing recognition lights

Air conditioning

ASKING PRICE: USD 4,895,000 (ex.VAT)

This aircraft is offered, subject to verification and availability. Specifications and/or descriptions are provided as introductory information only and we reserve the right to make changes to this specification due to misprints, errors and omissions.

## AIRFRAME

YEAR	2011
TOTAL TIME	3650 hrs
ENGINE	Pratt&Whitney PT6A-67B
ENGINE TIME	350 hrs SMOH
PROPELLER	Hartzell 4-blade (350 hrs SMOH)



### MAX RANGE

1845 nm



### MAX SPEED

284 kts



### USEFUL LOAD

2257 lbs



### SEATS

6 executive  
2 commuter



### TAKE-OFF DISTANCE

2602 ft



This aircraft is offered, subject to verification and availability. Specifications and/or descriptions are provided as introductory information only and we reserve the right to make changes to this specification due to misprints, errors and omissions.



## AVIONICS

- Honeywell APEX System
- Dual KGS200 GPS Sensor Unit
- KGS7200 Dual Channel ADAHRS
- XMD157 XM Weather Receiver
- KMH920 TAWS B, TCAS I
- KRA405B Radar Altimeter
- RDR 2000 Radar
- KN63 DME
- Dual KMA29 Audio Marker Panels
- Dual KTR2280 Digital Radio
- Kannad 406AF ELT with remote switch
- ADS-B Out
- WX-500 Stormscope
- Cursor Control Device
- Aspen Wireless Router



This aircraft is offered, subject to verification and availability. Specifications and/or descriptions are provided as introductory information only and we reserve the right to make changes to this specification due to misprints, errors and omissions.



## Additional equipment installed

- Recognition lights
- Airtex Iridium Texting/Tracking System
- Supplemental Freon Air Conditioning
- Upper & Lower Beacons
- Tow Head Holder
- Fuel Sump Cup Holder
- PWC FAST (wireless trend monitoring system)

This aircraft is offered, subject to verification and availability. Specifications and/or descriptions are provided as introductory information only and we reserve the right to make changes to this specification due to misprints, errors and omissions.





## EXTERIOR

Metallic grey top with, charcoal bottom and striping.

This aircraft is offered, subject to verification and availability. Specifications and/or descriptions are provided as introductory information only and we reserve the right to make changes to this specification due to misprints, errors and omissions.

## INTERIOR

6 executive seats + 2 additional commuter seats.

Light grey leather with matching walls and roof, charcoal carpet and panels.



This aircraft is offered, subject to verification and availability. Specifications and/or descriptions are provided as introductory information only and we reserve the right to make changes to this specification due to misprints, errors and omissions.

## CONTACT

---

For more information, please do not hesitate to contact us.

We look forward to working with you.



# ***European aircraft sales***



This aircraft is offered, subject to verification and availability. Specifications and/or descriptions are provided as introductory information only and we reserve the right to make changes to this specification due to misprints, errors and omissions.