



LONE MOUNTAIN
AIRCRAFT

888-LONEMTN (566-3686)

2021 Cirrus SR22T G6 GTS (N625SM)
S/N 2448

**SPEC
SHEET**



Lone Mountain Aircraft is please to bring to market N625SM. 5SM is a beautiful and fully loaded 2021 SR22T G6 with a striking Carbon Appearance package with the 4-Blade prop option! On the inside you will find a comfortable interior in the Graphite Grey color scheme complete with built-in Oxygen, Air Conditioning and all the avionics options available including Cirrus Global Connect! One owner since new, always hangared & still under factory warranty!! Call us today to receive the 100+ High-Res photos and scanned logbooks we have available.

Lone Mountain Aircraft • Atlanta - Las Vegas - Dayton - Chicago - Knoxville - Lincoln - London
(p) 888-LONEMTN (566-3686) • (f) 815-425-8991 • www.lonemountainaircraft.com

© 2025 Lone Mountain Aircraft. All Rights Reserved.



888-LONEMTN (566-3686)

2021 Cirrus SR22T G6 GTS (N625SM)
S/N 2448

**SPEC
SHEET**

FAST FACTS

One Owner Since New
Global Connect Iridium Talk/Text
Low Time, Great Pedigree
Stunning Carbon Package w/ White or Sterling Silver
Factory Warranty until November 2026

AIRFRAME, ENGINE & PROP

Airframe:

475 Flight Hours Since New
3,600 Pound Max Takeoff Weight
1,096 Pounds Useful Load
Spinner to Tail Warranty till November 2026
CAPS Repack Due 09/2031
CAPS Line Cutters Due 7/2027
Annual Inspection Completed 1/2025
IFR Check due 12/2025

Engine:

Continental TSIO-550K 315hp at 2500rpm
475 Hours since new
SN: 1042103
Tanis Engine Pre-Heater



888-LONEMTN (566-3686)

2021 Cirrus SR22T G6 GTS (N625SM)
S/N 2448

**SPEC
SHEET**

Prop:

Hartzell 4-Bladed Lightweight Propeller
475 Hours since new
SN: TM118

AVIONICS

Cirrus Perspective+ Avionics Suite
.N9 Software Upgrade
Synthetic Vision Technology
Dual WAAS GPS receivers
Dual AHARS Computers-(NEW weight saving combined ADAHRS)
Dual Air Data Computers-(NEW weight saving combined ADAHRS)
Garmin 12" LCD Displays
Wireless Flight Stream 510 Connectivity
Midcontinent Digital Backup Instrumentation
Garmin GMA-350c All-Digital Bluetooth "3D" Audio Panel
Garmin Remote ADS-B In & Out Transponder
Garmin GFC-700 Digital Autopilot Garmin Yaw Damper-Automatic on/off at 200 ft. AGL
Garmin SafeTaxi
Garmin Electronic Stability Protection (ESP)
Active Traffic System (TAS)
XM WX Datalink and XM Audio
Cirrus Global Connect – Iridium Talk/Text
EngineView Engine and Fuel Monitoring
Enhanced Ground Proximity Warning System (TAWS-B)
Electronic Approach Charts



888-LONEMTN (566-3686)

2021 Cirrus SR22T G6 GTS (N625SM)
S/N 2448

**SPEC
SHEET**

Enhanced Vision System (EVS, Camera) Flight Director
Digital Fuel Gauges

ADDITIONAL FEATURES

FIKI Certified TKS De-Ice System (Certified for Flight Into Known Ice)
Factory Air Conditioning
406MHz ELT
Rosen Sun Visors
5-Place Built in Oxygen System
5-Place ANR Headsets Jacks
3-Auxiliary Audio Inputs
4-USB Power Ports
Tubeless Tires and Beringer Brakes with Advanced Wheel Fairings
Leading Edge LED "Ice" Lights
Static Wicks
Battery Tender
Jet Shades – Windshield, Pilot and Co-Pilot Windows



LONE MOUNTAIN
AIRCRAFT

888-LONEMTN (566-3686)

2021 Cirrus SR22T G6 GTS (N625SM)
S/N 2448

**SPEC
SHEET**

SAFETY FEATURES

Cirrus Airframe Parachute System (CAPS)
Roll Cage
AMSafe Airbag Seatbelts (Crew Seats)
All LED Exterior SPECTRA Wingtip Lighting & Surface Illumination Lights
Garmin Surface Watch
Electronic Stability Protection (ESP)
Underspeed/Overspeed Protection
Hypoxia/High Altitude Recognition Software
Integrated Carbon Monoxide Detector



LONE MOUNTAIN
AIRCRAFT

888-LONEMTN (566-3686)

2021 Cirrus SR22T G6 GTS (N625SM)
S/N 2448

**SPEC
SHEET**

EXTERIOR & INTERIOR

Exterior:

Carbon Appearance Package with White over Sterling Silver

Interior:

Carbon Appearance Package with Graphite Grey Interior

ALL SPECIFICATIONS SUBJECT TO VERIFICATION UPON INSPECTION

ADDITIONAL INFO:

Located In: Alma, MI

Contact: John Arnold

Price: \$849,500

Email: jarnold@lonemtn.com

Phone: [630-487-1480](tel:630-487-1480)



LONE MOUNTAIN
AIRCRAFT

888-LONEMTN (566-3686)

2021 Cirrus SR22T G6 GTS (N625SM)
S/N 2448

**SPEC
SHEET**

