



Status Report

PHENOM 300

S/N 50500085 N494BA

OWNER: DUKE AVIATION, LLC
ADDRESS: 369 N 2370 W
SALT LAKE CITY UT 84116
OFFICE: 281-659-7612
FAX:

OPERATOR: DUKE AVIATION LLC
ADDRESS: PO BOX 521594
SALT LAKE CITY UT 84152
OFFICE: 801-673-9796
FAX:

OPERATOR: DUKE AVIATION, LLC
ADDRESS: 369 N 2370 W
SALT LAKE CITY UT 84116
OFFICE: 281-659-7612
FAX:

ANALYST: ALANE DORASCIENZI
EMAIL: ADORASCIENZI@CAMPSYSTEMS.COM

+1-514-636-2225 (DIRECT)
+1-631-588-3200 (MAIN)
WWW.CAMPSYSTEMS.COM

800-787-9749 (EFAX-CARDS)
631-980-4222 (EFAX-CARDS)

PLEASE REACH OUT TO YOUR ANALYST TO
RECORD CHANGES TO ADDRESS, LAST ACTUALS
(IF ANY).

FILTER CRITERIA : Spl. Reqs:INCLUDE;Task Type:PACKAGE, COMPONENT, SERVICE;PN/SN-UNKNOWN Components:INCLUDE

AIRCRAFT SERIAL/REGNO: 50500085/N494BA MODEL: PHENOM 300 MANUFACTURER: EMBRAER

CERTIFICATION DATE: 20-DEC-2011

LAST ACTUALS:
1275 A/C HRS as of 10-JUL-2024
1116 AFL as of 10-JUL-2024

ENGINE NO. 1 SERIAL/PART: PCE-DG0157/A3072913-01 MODEL: PW535E MANUFACTURER: PRATT & WHITNEY CANADA CORP.

INSTALLED ON: 15-SEP-2011
0 ENG. HRS 0 A/C HRS
0 ENC

LAST ACTUALS:
1275 ENG. HRS as of 10-JUL-2024
1116 ENC as of 16-MAY-2024

ENGINE NO. 2 SERIAL/PART: PCE-DG0156/A3072913-01 MODEL: PW535E MANUFACTURER: PRATT & WHITNEY CANADA CORP.

INSTALLED ON: 15-SEP-2011
0 ENG. HRS 0 A/C HRS
0 ENC

LAST ACTUALS:
1275 ENG. HRS as of 10-JUL-2024
1116 ENC as of 16-MAY-2024



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA GENERAL									
Z210-001 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF THE FORWARD FUSELAGE NOSE SECTION							Service	ATA:--
	MOS	04-Dec-21	120 (+1m/-1m)						
	HRS	682.22							
	AFL	755							
	PROC. REF: AMM 05-41-00							PKG:87	
Z210-002	INTERNAL GENERAL VISUAL INSPECTION OF THE FORWARD FUSELAGE NOSE SECTION							Service	ATA:--
	MOS	04-Dec-21	120 (+1m/-1m)		04-Dec-31	04-Jan-32	2698 d (+31)		
	HRS	682.22							
	AFL	755							
	PROC. REF: AMM 05-41-00								
Z220-001	EXTERNAL GENERAL VISUAL INSPECTION OF THE FORWARD FUSELAGE COCKPIT SECTION							Service	ATA:--
	MOS	04-Dec-21	60 (+1m/-1m)		04-Dec-26	04-Jan-27	872 d (+31)		
	HRS	682.22							
	AFL	755							
	PROC. REF: AMM 05-41-00								
Z220-002 ^S	INTERNAL GENERAL VISUAL INSPECTION OF THE FORWARD FUSELAGE COCKPIT SECTION							Service	ATA:--
	MOS	04-Dec-21	120 (+1m/-1m)						
	HRS	682.22							
	AFL	755							
	PROC. REF: AMM 05-41-00							PKG:87	
Z230-001 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF THE CENTER FUSELAGE FRONT SECTION							Service	ATA:--
	MOS	04-Dec-21	120 (+1m/-1m)						
	HRS	682.22							
	AFL	755							
	PROC. REF: AMM 05-42-00							PKG:87	
Z230-002 ^S	INTERNAL GENERAL VISUAL INSPECTION OF THE CENTER FUSELAGE FRONT SECTION							Service	ATA:--
	MOS	04-Dec-21	120 (+1m/-1m)						
	HRS	682.22							
	AFL	755							
	PROC. REF: AMM 05-42-00							PKG:87	
Z240-001 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF THE CENTER FUSELAGE REAR SECTION							Service	ATA:--
	MOS	04-Dec-21	120 (+1m/-1m)						
	HRS	682.22							
	AFL	755							
	PROC. REF: AMM 05-42-00							PKG:87	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA GENERAL									
Z240-002 ^S	INTERNAL GENERAL VISUAL INSPECTION OF THE CENTER FUSELAGE REAR SECTION							Service	ATA:--
	MOS	04-Dec-21	60 (+1m/-1m)						
	HRS	682.22							
	AFL	755							
				PROC. REF: AMM 05-42-00				PKG:84	
Z310-001 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF THE AFT FUSELAGE FRONT SECTION							Service	ATA:--
	MOS	04-Dec-21	120 (+1m/-1m)						
	HRS	682.22							
	AFL	755							
				PROC. REF: AMM 05-43-00				PKG:87	
Z310-002 ^S	INTERNAL GENERAL VISUAL INSPECTION OF THE AFT FUSELAGE FRONT SECTION							Service	ATA:--
	MOS	04-Dec-21	120 (+1m/-1m)						
	HRS	682.22							
	AFL	755							
				PROC. REF: AMM 05-43-00				PKG:87	
Z320-001 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF THE AFT FUSELAGE REAR SECTION							Service	ATA:--
	MOS	04-Dec-21	120 (+1m/-1m)						
	HRS	682.22							
	AFL	755							
				PROC. REF: AMM 05-43-00				PKG:87	
Z320-002	INTERNAL GENERAL VISUAL INSPECTION OF THE AFT FUSELAGE REAR SECTION							Service	ATA:--
	MOS	04-Dec-21	120 (+1m/-1m)		04-Dec-31	04-Jan-32	2698 d (+31)		
	HRS	682.22							
	AFL	755							
				PROC. REF: AMM 05-43-00					
Z330-001 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF THE VERTICAL STABILIZER							Service	ATA:--
	MOS	04-Dec-21	120 (+1m/-1m)						
	HRS	682.22							
	AFL	755							
				PROC. REF: AMM 05-44-00				PKG:87	
Z330-002 ^S	INTERNAL GENERAL VISUAL INSPECTION OF THE VERTICAL STABILIZER							Service	ATA:--
	MOS	04-Dec-21	120 (+1m/-1m)						
	HRS	682.22							
	AFL	755							
				PROC. REF: AMM 05-44-00				PKG:87	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA GENERAL									
Z340-001 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF THE HORIZONTAL STABILIZER							Service	ATA:--
	MOS	04-Dec-21	60 (+1m/-1m)						
	HRS	682.22							
	AFL	755							
				PROC. REF: AMM 05-44-00				PKG:84	
Z340-002 ^S	INTERNAL GENERAL VISUAL INSPECTION OF THE HORIZONTAL STABILIZER							Service	ATA:--
	MOS	04-Dec-21	120 (+1m/-1m)						
	HRS	682.22							
	AFL	755							
				PROC. REF: AMM 05-44-00				PKG:87	
Z410-001 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF THE PYLON							Service	ATA:--
	MOS	04-Dec-21	120 (+1m/-1m)						
	HRS	682.22							
	AFL	755							
				PROC. REF: AMM 05-46-00				PKG:87	
Z410-002 ^S	INTERNAL GENERAL VISUAL INSPECTION OF THE PYLON							Service	ATA:--
	MOS	04-Dec-21	120 (+1m/-1m)						
	HRS	682.22							
	AFL	755							
				PROC. REF: AMM 05-46-00				PKG:87	
Z430-001 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF THE NACELLE							Service	ATA:--
	MOS	04-Dec-21	120 (+1m/-1m)						
	HRS	682.22							
	AFL	755							
				PROC. REF: AMM 05-46-00				PKG:87	
Z430-002	INTERNAL GENERAL VISUAL INSPECTION OF THE NACELLE							Service	ATA:--
	MOS	04-Dec-21	120 (+1m/-1m)		04-Dec-31	04-Jan-32	2698 d (+31)		
	HRS	682.22							
	AFL	755							
				PROC. REF: AMM 05-46-00					
Z500-001	EXTERNAL GENERAL VISUAL INSPECTION OF THE WINGS							Service	ATA:--
	MOS	04-Dec-21	60 (+1m/-1m)		04-Dec-26	04-Jan-27	872 d (+31)		
	HRS	682.22							
	AFL	755							
				PROC. REF: AMM 05-45-00					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA GENERAL									
Z500-002	INTERNAL GENERAL VISUAL INSPECTION OF THE WINGS							Service	ATA:--
	MOS	04-Dec-21	60 (+1m/-1m)		04-Dec-26	04-Jan-27	872 d (+31)		
	HRS	682.22							
	AFL	755							
	PROC. REF: AMM 05-45-00								
Z700-001	EXTERNAL GENERAL VISUAL INSPECTION OF THE MAIN LANDING GEAR BAY							Service	ATA:--
	MOS	04-Dec-21	60 (+1m/-1m)		04-Dec-26	04-Jan-27	872 d (+31)		
	HRS	682.22							
	AFL	755							
	PROC. REF: AMM 05-47-00								
ATA 00 - INFORMATION									
E53E-160530	NO. 1 ENGINE - REVIEW PW535E MM REV 11.0							Service	ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS	
	HRS								
	ENC								
	PROC. REF: RCF E53E								
E53E-160530	NO. 2 ENGINE - REVIEW PW535E MM REV 11.0							Service	ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS	
	HRS								
	ENC								
	PROC. REF: RCF E53E								
EM55-160520	REVIEW EMBRAER PHENOM 300 AMM 2757 TIME LIMITS / MAINTENANCE CHECKS (TLMC) CHAPTER 5 REVISION 40 DATED MAY 20/16							Service	ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS	
	HRS								
	AFL								
	PROC. REF: RCF EM55-160520								
EM55-160705	REVIEW EMBRAER PHENOM 300 (EM55) - CHAPTER 4 - AIRWORTHINESS LIMITATIONS REVISION 09 DATED JUL 05/16 FREQUENCY CHANGE FORM							Service	ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS	
	HRS								
	AFL								
	PROC. REF: RCF EM55-160705								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 00 - INFORMATION									
EM55-160705-1	REVIEW EMBRAER PHENOM 300 (EM55) TIME LIMITS/MAINTENANCE CHECKS (TLMC) CHAPTER-5, REVISION 41 DATED JUL 05/16 REQUIREMENT CHANGE FORM							Service	ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS	
	HRS								
	AFL								
	PROC. REF: RCF EM55-160705-1								
EM55-160822	REVIEW EMBRAER PHENOM 300 (EM55) TIME LIMITS MAINTENANCE CHECKS (TLMC) REVISION 42 DATED AUGUST 22/2016 REQUIREMENT SUMMARY CHANGE FORM							Service	ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS	
	HRS								
	AFL								
	PROC. REF: RCF EM55-160822								
EM55-161022	REVIEW EMBRAER PHENOM 300 (EM55) TIME LIMITS/MAINTENANCE CHECKS (TLMC) CHAPTER-5, REVISION 43 DATED OCT 22/2016 REQUIREMENT SUMMARY CHANGE FORM							Service	ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS	
	HRS								
	AFL								
	PROC. REF: RCF EM55-161022								
EM55-161122	REVIEW EMBRAER 505 - PHENOM 300 (EM55) AIR WORTHINESS LIMITATIONS CHAPTER-4 REVISION 10 DATED NOV. 22/2016							Service	ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS	
	HRS								
	AFL								
	PROC. REF: RCF EM55-161122								
EM55-161122-1	REVIEW EMBRAER PHENOM 300 (EM55) TIME LIMITS/MAINTENANCE CHECKS (TLMC) CHAPTER-5, REVISION 44 DATED NOV 22/2016							Service	ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS	
	HRS								
	AFL								
	PROC. REF: RCF EM55-161122-1								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 00 - INFORMATION									
EM55-161202	REVIEW EMBRAER PHENOM 300 (EM55) TIME LIMITS/MAINTENANCE CHECKS (TLMC) / CHAPTER-5 ADVANCE REVISION DATED DECEMBER 02/2016 REQUIREMENT SUMMARY CHANGE FORM							Service	ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS	
	HRS								
	AFL								
PROC. REF: RCF EM55-161202									
EM55-180219	REVIEW EMBRAER PHENOM 300 (EM55) SCHEDULE MAINTENANCE REQUIREMENTS (SMR 2757 - CHAPTER 5) PART III REV 01, DATED FEB 19/18							Service	ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS	
	HRS								
	AFL								
PROC. REF: RCF EM55									
EM55-190218A	REVIEW EMBRAER PHENOM 300 (EM55) CHAPTER 04 AIRWORTHINESS LIMITATIONS REVISION 11 DATED FEB 18/2019							Service	ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS	
	HRS								
	AFL								
PROC. REF: RCF EM55									
EM55-210514-ALS	REVIEW EMBRAER PHENOM 300 - AMM - CHAPTER 04- REV. 14, DATED MAY 14TH, 2021							Service	ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS	
	HRS								
	AFL								
PROC. REF: RCF 00									
EM55-211103-SMR	REVIEW EMBRAER PHENOM 300 - AMM 2757, SMR REV. 04, DATED NOV 3, 2021							Service	ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS	
	HRS								
	AFL								
EM55-220505-CAMP ADJUSTMENT	REVIEW CAMP ADJUSTMENT FORM DATED MAY 05/2022 FOR EMBRAER PHENOM 300							Service	ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS	
	HRS								
	AFL								
PROC. REF: RCF 00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 00 - INFORMATION									
EM55-220630-CAMP ADJUSTMENT	REVIEW EMBRAER EMB-505 - PHENOM 300 CAMP ADJUSTMENT, DATED JUN 30, 2022							Service	ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS	
	HRS								
	AFL								
	PROC. REF: RCF -								
EM55-220812-CAMP ADJUSTMENT	REVIEW CAMP ADJUSTMENT FORM DATED AUG 12/2022 FOR MODEL EMB-505 - PHENOM 300							Service	ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS	
	HRS								
	AFL								
	PROC. REF: RCF 00								
EM55-221017-AWL	REVIEW EMB-505 - PHENOM 300 AMM - PART IV - AIRWORTHINESS LIMITATIONS (AWL) REV 1 DATED OCT 17/2022							Service	ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS	
	HRS								
	AFL								
	PROC. REF: RCF 00								
EM55-221103-SMR	REVIEW EMB-505 - PHENOM 300 AMM - PART III - SCHEDULE MAINTENANCE REQUIREMENTS (SMR) REV 5 DATED NOV 03/2022							Service	ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS	
	HRS								
	AFL								
	PROC. REF: RCF 00								
EM55-230201-CAMP ADJUSTMENT	REVIEW EMB-505 - PHENOM 300 CAMP ADJUSTMENT, DATED FEB 01, 2023							Service	ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS	
	HRS								
	AFL								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 00 - INFORMATION									
EM55-230216-CAMP ADJUSTMENT	REVIEW CAMP ADJUSTMENT FORM DATED FEB 16/2023 FOR EMB-505 - PHENOM 300							Service	ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS	
	HRS								
	AFL								
	PROC. REF: RCF 00								
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
05-30-01	800 FH MAINTENANCE PACKAGE							Package	ATA:05
	MOS	04-Dec-21							
	HRS	682.22	800 (+30/-30)		1482.22	1512.22	207.2 (+30)		
	AFL	755							
	PROC. REF: SMR 05-30-01								
05-30-10	1600 FH MAINTENANCE PACKAGE							Package	ATA:05
	MOS	20-Dec-11							
	HRS	0	1600 (+30/-30)		1600	1630	325 (+30)		
	AFL	0							
	PROC. REF: SMR 05-30-10								
05-30-20	2400 FH MAINTENANCE PACKAGE							Package	ATA:05
	MOS	20-Dec-11							
	HRS	0	2400 (+30/-30)		2400	2430	1125 (+30)		
	AFL	0							
	PROC. REF: SMR 05-30-20								
05-30-40	3200 FH MAINTENANCE PACKAGE							Package	ATA:05
	MOS	20-Dec-11							
	HRS	0	3200 (+30/-30)		3200	3230	1925 (+30)		
	AFL	0							
	PROC. REF: SMR 05-30-40								
05-30-42	3200 FH/60 MO MAINTENANCE PACKAGE							Package	ATA:05
	MOS	04-Dec-21	60 (+1m/-1m)		04-Dec-26	04-Jan-27	872 d (+31)		
	HRS	682.22	3200 (+30/-30)		3882.22	3912.22	2607.2 (+30)		
	AFL	755							
	PROC. REF: SMR 05-30-42								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
05-30-50	5600 FH MAINTENANCE PACKAGE							Package	ATA:05
	MOS	20-Dec-11							
	HRS	0	5600 (+30/-30)		5600	5630	4325 (+30)		
	AFL	0							
				PROC. REF: SMR 05-30-50				PKG:50	
05-30-60	6400 FH MAINTENANCE PACKAGE							Package	ATA:05
	MOS	20-Dec-11							
	HRS	0	6400 (+30/-30)		6400	6430	5125 (+30)		
	AFL	0							
				PROC. REF: SMR 05-30-60				PKG:60	
05-30-80	12 MO MAINTENANCE PACKAGE							Package	ATA:05
	MOS	21-Dec-23	12 (+1m/-1m)		31-Dec-24	21-Jan-25	169 d (+21)		
	HRS	1164.1							
	AFL	1053							
				PROC. REF: SMR 05-30-80				PKG:80	
05-30-81	24 MO MAINTENANCE PACKAGE							Package	ATA:05
	MOS	21-Dec-23	24 (+1m/-1m)		21-Dec-25	21-Jan-26	524 d (+31)		
	HRS	1164.1							
	AFL	1053							
				PROC. REF: SMR 05-30-81				PKG:81	
05-30-82	36 MO MAINTENANCE PACKAGE							Package	ATA:05
	MOS	21-Dec-23	36 (+1m/-1m)		21-Dec-26	21-Jan-27	889 d (+31)		
	HRS	1164.1							
	AFL	1053							
				PROC. REF: SMR 05-30-82				PKG:82	
05-30-83	48 MO MAINTENANCE PACKAGE							Package	ATA:05
	MOS	11-Jan-22	48 (+1m/-1m)		11-Jan-26	11-Feb-26	545 d (+31)		
	HRS	694.2							
	AFL	761							
				PROC. REF: SMR 05-30-83				PKG:83	
05-30-84	60 MO MAINTENANCE PACKAGE							Package	ATA:05
	MOS	04-Dec-21	60 (+1m/-1m)		04-Dec-26	04-Jan-27	872 d (+31)		
	HRS	682.22							
	AFL	755							
				PROC. REF: SMR 05-30-84				PKG:84	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
05-30-87	120 MO MAINTENANCE PACKAGE							Package	ATA:05
	MOS	04-Dec-21	120 (+1m/-1m)		04-Dec-31	04-Jan-32	2698 d (+31)		
	HRS	682.22							
	AFL	755							
				PROC. REF: SMR 05-30-87				PKG:87	
05-30-90	120 MO THRESHOLD/ 60 MO MAINTENANCE PACKAGE							Package	ATA:05
	MOS	04-Dec-21	60 (+1m/-1m)		04-Dec-26	04-Jan-27	872 d (+31)		
	HRS	682.22							
	AFL	755							
				PROC. REF: SMR 05-30-90				PKG:90	
05-50-00-210-802	NO. 1 ENGINE - ENGINE ELECTRONIC CONTROL (EEC) FAULTS							Service	ATA:05
	MOS/MSC	03-Sep-11	A/R						
	HRS	0							
	ENC	0							
				PROC. REF: MM 05-50-00					
05-50-00-210-802	NO. 2 ENGINE - ENGINE ELECTRONIC CONTROL (EEC) FAULTS							Service	ATA:05
	MOS/MSC	02-Sep-11	A/R						
	HRS	0							
	ENC	0							
				PROC. REF: MM 05-50-00					
05-50-00-210-803	NO. 1 ENGINE - ENGINE OVERTEMPERATURE							Service	ATA:05
	MOS/MSC	03-Sep-11	A/R						
	HRS	0							
	ENC	0							
				PROC. REF: MM 05-50-00					
05-50-00-210-803	NO. 2 ENGINE - ENGINE OVERTEMPERATURE							Service	ATA:05
	MOS/MSC	02-Sep-11	A/R						
	HRS	0							
	ENC	0							
				PROC. REF: MM 05-50-00					
05-50-00-210-804	NO. 1 ENGINE - ENGINE OVERSPEED							Service	ATA:05
	MOS/MSC	03-Sep-11	A/R						
	HRS	0							
	ENC	0							
				PROC. REF: MM 05-50-00					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
05-50-00-210-804	NO. 2 ENGINE - ENGINE OVERSPEED							Service ATA:05
	MOS/MSC	02-Sep-11	A/R					
	HRS	0						
	ENC	0						
	PROC. REF: MM 05-50-00							
05-50-00-210-805	NO. 1 ENGINE - FOREIGN OBJECT DAMAGE (FOD)							Service ATA:05
	MOS/MSC	03-Sep-11	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
	PROC. REF: MM 05-50-00							
05-50-00-210-805	NO. 2 ENGINE - FOREIGN OBJECT DAMAGE (FOD)							Service ATA:05
	MOS/MSC	02-Sep-11	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
	PROC. REF: MM 05-50-00							
05-50-00-210-806	NO. 1 ENGINE - LIGHTNING STRIKE							Service ATA:05
	MOS/MSC	03-Sep-11	A/R					
	HRS	0						
	ENC	0						
	PROC. REF: MM 05-50-00							
05-50-00-210-806	NO. 2 ENGINE - LIGHTNING STRIKE							Service ATA:05
	MOS/MSC	02-Sep-11	A/R					
	HRS	0						
	ENC	0						
	PROC. REF: MM 05-50-00							
05-50-00-210-807	NO. 1 ENGINE - DROPPED ENGINE							Service ATA:05
	MOS/MSC	03-Sep-11	A/R					
	HRS	0						
	ENC	0						
	PROC. REF: MM 05-50-00							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
05-50-00-210-807	NO. 2 ENGINE - DROPPED ENGINE							Service ATA:05
	MOS/MSC	02-Sep-11	A/R					
	HRS	0						
	ENC	0						
					PROC. REF: MM 05-50-00			
05-50-00-210-808	NO. 1 ENGINE - HEAVY LANDING							Service ATA:05
	MOS/MSC	03-Sep-11	A/R					
	HRS	0						
	ENC	0						
					PROC. REF: MM 05-50-00			
05-50-00-210-808	NO. 2 ENGINE - HEAVY LANDING							Service ATA:05
	MOS/MSC	02-Sep-11	A/R					
	HRS	0						
	ENC	0						
					PROC. REF: MM 05-50-00			
05-50-00-210-809	NO. 1 ENGINE - ENGINE WINDMILLING IN FLIGHT							Service ATA:05
	MOS/MSC	03-Sep-11	A/R					
	HRS	0						
	ENC	0						
					PROC. REF: MM 05-50-00			
05-50-00-210-809	NO. 2 ENGINE - ENGINE WINDMILLING IN FLIGHT							Service ATA:05
	MOS/MSC	02-Sep-11	A/R					
	HRS	0						
	ENC	0						
					PROC. REF: MM 05-50-00			
05-50-00-210-810	NO. 1 ENGINE - ENGINE IMMERSION IN WATER							Service ATA:05
	MOS/MSC	03-Sep-11	A/R					
	HRS	0						
	ENC	0						
					PROC. REF: MM 05-50-00			
05-50-00-210-810	NO. 2 ENGINE - ENGINE IMMERSION IN WATER							Service ATA:05
	MOS/MSC	02-Sep-11	A/R					
	HRS	0						
	ENC	0						
					PROC. REF: MM 05-50-00			

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
05-50-00-210-811	NO. 1 ENGINE - ENGINE EXPOSED TO FIRE EXTINGUISHING AGENT							Service	ATA:05
	MOS/MSC	03-Sep-11	A/R						
	HRS	0							
	ENC	0							
	PROC. REF: MM 05-50-00								
05-50-00-210-811	NO. 2 ENGINE - ENGINE EXPOSED TO FIRE EXTINGUISHING AGENT							Service	ATA:05
	MOS/MSC	02-Sep-11	A/R						
	HRS	0							
	ENC	0							
	PROC. REF: MM 05-50-00								
05-50-00-210-812	NO. 1 ENGINE - AIRCRAFT FLOWN THROUGH A CLOUD OF VOLCANIC ASH							Service	ATA:05
	MOS/MSC	03-Sep-11	A/R						
	HRS	0							
	ENC	0							
	PROC. REF: MM 05-50-00								
05-50-00-210-812	NO. 2 ENGINE - AIRCRAFT FLOWN THROUGH A CLOUD OF VOLCANIC ASH							Service	ATA:05
	MOS/MSC	02-Sep-11	A/R						
	HRS	0							
	ENC	0							
	PROC. REF: MM 05-50-00								
05-50-00-210-813	NO. 1 ENGINE - LOSS OF OIL							Service	ATA:05
	MOS/MSC	03-Sep-11	A/R						
	HRS	0							
	ENC	0							
	PROC. REF: MM 05-50-00								
05-50-00-210-813	NO. 2 ENGINE - LOSS OF OIL							Service	ATA:05
	MOS/MSC	02-Sep-11	A/R						
	HRS	0							
	ENC	0							
	PROC. REF: MM 05-50-00								
05-50-00-210-815	NO. 1 ENGINE - OIL TEMPERATURE EXCEEDS LIMITS							Service	ATA:05
	MOS/MSC	03-Sep-11	A/R						
	HRS	0							
	ENC	0							
	PROC. REF: MM 05-50-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
05-50-00-210-815	NO. 2 ENGINE - OIL TEMPERATURE EXCEEDS LIMITS							Service ATA:05
	MOS/MSC	02-Sep-11	A/R					
	HRS	0						
	ENC	0						
	PROC. REF: MM 05-50-00							
05-50-00-210-816	NO. 1 ENGINE - USE OF UNAPPROVED ENGINE OIL BRANDS							Service ATA:05
	MOS/MSC	03-Sep-11	A/R					
	HRS	0						
	ENC	0						
	PROC. REF: MM 05-50-00							
05-50-00-210-816	NO. 2 ENGINE - USE OF UNAPPROVED ENGINE OIL BRANDS							Service ATA:05
	MOS/MSC	02-Sep-11	A/R					
	HRS	0						
	ENC	0						
	PROC. REF: MM 05-50-00							
05-50-00-210-817	NO. 1 ENGINE - HIGH OR LOW OIL PRESSURE							Service ATA:05
	MOS/MSC	03-Sep-11	A/R					
	HRS	0						
	ENC	0						
	PROC. REF: MM 05-50-00							
05-50-00-210-817	NO. 2 ENGINE - HIGH OR LOW OIL PRESSURE							Service ATA:05
	MOS/MSC	02-Sep-11	A/R					
	HRS	0						
	ENC	0						
	PROC. REF: MM 05-50-00							
05-50-00-210-818	NO. 1 ENGINE - OIL PRESSURE EXCEEDS LIMITS							Service ATA:05
	MOS/MSC	03-Sep-11	A/R					
	HRS	0						
	ENC	0						
	PROC. REF: MM 05-50-00							
05-50-00-210-818	NO. 2 ENGINE - OIL PRESSURE EXCEEDS LIMITS							Service ATA:05
	MOS/MSC	02-Sep-11	A/R					
	HRS	0						
	ENC	0						
	PROC. REF: MM 05-50-00							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
05-50-00-210-819	NO. 1 ENGINE - FUEL FILTER CONTAMINATION							Service ATA:05
	MOS/MSC	03-Sep-11	A/R					
	HRS	0						
	ENC	0						
					PROC. REF: MM 05-50-00			
05-50-00-210-819	NO. 2 ENGINE - FUEL FILTER CONTAMINATION							Service ATA:05
	MOS/MSC	02-Sep-11	A/R					
	HRS	0						
	ENC	0						
					PROC. REF: MM 05-50-00			
05-50-00-210-820	NO. 1 ENGINE - HIGH POWER ENGINE SHUTDOWN							Service ATA:05
	MOS/MSC	03-Sep-11	A/R					
	HRS	0						
	ENC	0						
					PROC. REF: MM 05-50-00			
05-50-00-210-820	NO. 2 ENGINE - HIGH POWER ENGINE SHUTDOWN							Service ATA:05
	MOS/MSC	02-Sep-11	A/R					
	HRS	0						
	ENC	0						
					PROC. REF: MM 05-50-00			
05-50-00-210-821	NO. 1 ENGINE - STARTER GENERATOR UNSCHEDULED REMOVAL							Service ATA:05
	MOS/MSC	03-Sep-11	A/R					
	HRS	0						
	ENC	0						
					PROC. REF: MM 05-50-00			
05-50-00-210-821	NO. 2 ENGINE - STARTER GENERATOR UNSCHEDULED REMOVAL							Service ATA:05
	MOS/MSC	02-Sep-11	A/R					
	HRS	0						
	ENC	0						
					PROC. REF: MM 05-50-00			
05-50-00-210-822	NO. 1 ENGINE - HYDRAULIC PUMP UNSCHEDULED REMOVAL							Service ATA:05
	MOS/MSC	03-Sep-11	A/R					
	HRS	0						
	ENC	0						
					PROC. REF: MM 05-50-00			

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
05-50-00-210-822	NO. 2 ENGINE - HYDRAULIC PUMP UNSCHEDULED REMOVAL							Service	ATA:05
	MOS/MSC	02-Sep-11	A/R						
	HRS	0							
	ENC	0							
	PROC. REF: MM 05-50-00								
05-50-00-210-824	NO. 1 ENGINE - TAKE-OFF POWER TIME EXCEEDANCE							Service	ATA:05
	MOS/MSC	03-Sep-11	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	ENC	0							
	PROC. REF: MM 05-50-00								
05-50-00-210-824	NO. 2 ENGINE - TAKE-OFF POWER TIME EXCEEDANCE							Service	ATA:05
	MOS/MSC	02-Sep-11	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	ENC	0							
	PROC. REF: MM 05-50-00								
051254	NO. 1 ENGINE - 800 HOURS/ 12 MONTHS INSPECTION							Package	ATA:05
	MOS	21-Dec-23	12 (+30d)		31-Dec-24	20-Jan-25	169 d (+20)		
	HRS	1164.1	800 (+10%)		(1964.1) 1964.1	2044.1	689.1 (+80)		
	ENC	1054							
	PROC. REF: MM 05-20-00								
	PKG:1								
051254	NO. 2 ENGINE - 800 HOURS/ 12 MONTHS INSPECTION							Package	ATA:05
	MOS	21-Dec-23	12 (+30d)		31-Dec-24	20-Jan-25	169 d (+20)		
	HRS	1164.1	800 (+10%)		(1964.1) 1964.1	2044.1	689.1 (+80)		
	ENC	1054							
	PROC. REF: MM 05-20-00								
	PKG:1								
H140-001 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF INTERFACE CONNECTORS IN THE REAR CENTER FUSELAGE							Service	ATA:05
	MOS	04-Dec-21	120 (+1m/-1m)						
	HRS	682.22							
	AFL	755							
	PROC. REF: AMM 05-42-00								
	PKG:87								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
H242-001 ^S	INTERNAL GENERAL VISUAL INSPECTION OF INTERFACE CONNECTORS IN THE REAR CENTER FUSELAGE							Service	ATA:05
	MOS	04-Dec-21	120 (+1m/-1m)						
	HRS	682.22							
	AFL	755							
	PROC. REF: AMM 05-42-00							PKG:87	
H430-001	INTERNAL DETAILED INSPECTION OF ENGINE/PYLON INTERFACE CONNECTORS AND BONDING JUMPERS							Service	ATA:05
	MOS	04-Dec-21	60 (+1m/-1m)		04-Dec-26	04-Jan-27	872 d (+31)		
	HRS	682.22							
	AFL	755							
	PROC. REF: AMM 05-46-00								
H700-001	EXTERNAL GENERAL VISUAL INSPECTION OF MAIN LANDING GEAR AND MAIN LANDING GEAR BAY BONDING JUMPERS AND CONNECTORS							Service	ATA:05
	MOS	04-Dec-21	60 (+1m/-1m)		04-Dec-26	04-Jan-27	872 d (+31)		
	HRS	682.22							
	AFL	755							
	PROC. REF: AMM 05-47-00								
H700-002	EXTERNAL GENERAL VISUAL INSPECTION OF NOSE LANDING GEAR AND NOSE LANDING GEAR BAY BONDING JUMPERS AND CONNECTORS							Service	ATA:05
	MOS	04-Dec-21	60 (+1m/-1m)		04-Dec-26	04-Jan-27	872 d (+31)		
	HRS	682.22							
	AFL	755							
	PROC. REF: AMM 05-47-00								
H700-003	EXTERNAL DETAILED VISUAL INSPECTION OF WOW SENSORS ELECTRICAL BONDING							Service	ATA:05
	MOS	04-Dec-21	60 (+1m/-1m)		04-Dec-26	04-Jan-27	872 d (+31)		
	HRS	682.22							
	AFL	755							
	PROC. REF: AMM 05-47-00								
ATA 08 - LEVELING AND WEIGHING									
8-10-00-500-801-A	PERFORM WEIGHT AND BALANCE							Service	ATA:08
	MOS	10-Jul-24	36	Adj -539d	17-Jan-26		551 d	RBHA	
	HRS	1275							
	AFL	1116							
	PROC. REF: AMM 08-10-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
21-01-01		RH INSC ILLUM PANEL						Component	ATA:21
PN:441-42629-002	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:1086	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 21-01-01, AMM 21-01-01									
21-20-03		NO. 1 FLOW CONTROL & SHUTOFF VALVE/MUFFLER ASSY						Component	ATA:21
PN:1300250-9	MOS/MSC	11-Jul-12	O/C						
SN:393	HRS	82.6							
	AFL	63							
PROC. REF: AMM 21-21-01, AMM 21-21-01									
21-20-03		NO. 2 FLOW CONTROL & SHUTOFF VALVE/MUFFLER ASSY						Component	ATA:21
PN:1300250-9	MOS/MSC	11-Jul-12	O/C						
SN:394	HRS	82.6							
	AFL	63							
PROC. REF: AMM 21-21-01, AMM 21-21-01									
21-20-05		GROUND COOLING FAN						Component	ATA:21
PN:1133660-3	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:202	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 21-23-05, AMM 21-23-05									
21-21-02-001 ^S		OPERATIONAL CHECK NO. 1 INLET AIR CHECK VALVE						Service	ATA:21
	MOS	20-Dec-11							
	HRS	0	6400 (+30/-30)						
	AFL	0							
PROC. REF: AMM 21-21-02									
21-21-02-001 ^S		OPERATIONAL CHECK NO. 2 INLET AIR CHECK VALVE						Service	ATA:21
	MOS	20-Dec-11							
	HRS	0	6400 (+30/-30)						
	AFL	0							
PROC. REF: AMM 21-21-02									
21-23-01		ELECTROMECHANICAL LINEAR ACTUATOR						Component	ATA:21
PN:100000-77	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:26179	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 21-23-03, AMM 21-23-03									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
21-23-03		RAM AIR VALVE						Component	ATA:21
PN:505-18030-405	MOS/MSC	20-Jan-12	O/C						
SN:0000693476	HRS	18.47							
	AFL	14							
PROC. REF: AMM 21-23-03, AMM 21-23-03									
21-23-03-002 ^S		OPERATIONAL CHECK OF RAM AIR VALVE						Service	ATA:21
	MOS	20-Dec-11							
	HRS	0	6400 (+30/-30)						
	AFL	0							
PROC. REF: AMM 21-23-03									
21-23-03-003 ^S		OPERATIONAL CHECK OF RAM AIR VALVE ACTUATION						Service	ATA:21
	MOS	04-Dec-21							
	HRS	682.22	800 (+30/-30)						
	AFL	755							
PROC. REF: AMM 21-23-03									
21-23-04-001 ^S		OPERATIONAL CHECK OF RAM AIR CHECK VALVES						Service	ATA:21
	MOS	20-Dec-11							
	HRS	0	6400 (+30/-30)						
	AFL	0							
PROC. REF: AMM 21-23-04									
21-23-05-001 ^S		GENERAL VISUAL INSPECTION OF GROUND COOLING FAN						Service	ATA:21
	MOS	20-Dec-11							
	HRS	0	1600 (+30/-30)						
	AFL	0							
PROC. REF: AMM 21-23-05									
21-24-01-001 ^S		OPERATIONAL CHECK OF IFE COOLING FAN						Service	ATA:21
	MOS	20-Dec-11							
	HRS	0	6400 (+30/-30)						
	AFL	0							
PROC. REF: AMM 21-24-01									
21-31-00-002 ^S		OPERATIONAL CHECK OF MANUAL PRESSURIZATION CONTROL MODE						Service	ATA:21
	MOS	04-Dec-21							
	HRS	682.22	800 (+30/-30)						
	AFL	755							
PROC. REF: AMM 21-31-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
21-31-00-003^S OPERATIONAL CHECK OF EMERGENCY CABIN DECOMPRESSION (AUTO MODE) Service ATA:21								
	MOS	04-Dec-21						
	HRS	682.22	800 (+30/-30)					
	AFL	755						
PROC. REF: AMM 21-31-00								PKG:1
21-31-00-004^S OPERATIONAL CHECK OF ECMU-TO-AVIONICS DIGITAL AND DISCRETE SIGNALS Service ATA:21								
	MOS	20-Dec-11						
	HRS	0	5600 (+30/-30)					
	AFL	0						
PROC. REF: AMM 21-31-00								PKG:50
21-31-00-005^S OPERATIONAL CHECK OF ECMU-TO-AVIONICS ANALOG SIGNAL Service ATA:21								
	MOS	20-Dec-11						
	HRS	0	5600 (+30/-30)					
	AFL	0						
PROC. REF: AMM 21-31-00								PKG:50
21-31-01 (ECMU) - ELECTRONIC CONTROL AND MONITORING UNIT Component ATA:21								
PN:2119286-5	MOS/MSC	20-Dec-11	O/C		TSN 0			
SN:2119286-00548	HRS	0			TSN 0			
	AFL	0			TSN 0			
PROC. REF: AMM 21-31-01, AMM 21-31-01								
21-31-01-001 RESTORATION (REPAIR) OF ELECTRONIC CONTROL AND MONITORING UNIT (ECMU) Service ATA:21								
PN:2119286-5	MOS	20-Dec-11						
SN:2119286-00548	HRS	0	5600 (+30/-30)		6000 (M)	6030	4725 (+30)	
	AFL	0						
PROC. REF: AMM 21-31-01								
21-31-02 OUTFLOW VALVE Component ATA:21								
PN:103922-1	MOS/MSC	20-Dec-11	O/C		TSN 0			
SN:103922-00084	HRS	0			TSN 0			
	AFL	0			TSN 0			
PROC. REF: AMM 21-31-02, AMM 21-31-02								
21-31-02-001 RESTORATION (REPAIR) OF OUTFLOW VALVE Service ATA:21								
PN:103922-1	MOS	20-Dec-11						
SN:103922-00084	HRS	0	7200 (+30/-30)		7200	7230	5925 (+30)	
	AFL	0						
PROC. REF: AMM 21-31-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
21-31-03		NEGATIVE PRESSURE RELIEF (NPR) VALVE					Component	ATA:21	
PN:130664-2	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:34163-0419	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 21-31-03, AMM 21-31-03									
21-31-03-001 ^S		OPERATIONAL CHECK OF NEGATIVE PRESSURE RELIEF VALVE					Service	ATA:21	
	MOS	20-Dec-11							
	HRS	0	5600 (+30/-30)						
	AFL	0							
PROC. REF: AMM 21-31-03									
21-31-04		PRESSURE RELIEF (PRV) VALVE					Component	ATA:21	
PN:103918-2	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:103918-00138	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 21-31-04, AMM 21-31-04									
21-31-04-001 ^S		FUNCTIONAL CHECK OF PRESSURE RELIEF VALVE					Service	ATA:21	
	MOS	20-Dec-11							
	HRS	0	5600 (+30/-30)						
	AFL	0							
PROC. REF: AMM 21-31-04									
21-52-01		VCS COMPRESSOR DRIVE MODULE					Component	ATA:21	
PN:1133640-4	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:229	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 21-52-01, AMM 21-52-01									
21-52-01-002		DISCARD OF COMPRESSOR DRIVE MODULE BELT					Service	ATA:21	
	MOS	20-Dec-11							
	HRS	0	2000 (+30/-30)		2000	2030	725 (+30)		
	AFL	0							
PROC. REF: AMM 21-52-01									
21-52-01-003 ^S		FUNCTIONAL CHECK OF COMPRESSOR BELT TENSION					Service	ATA:21	
	MOS	04-Dec-21							
	HRS	682.22	800 (+30/-30)						
	AFL	755							
PROC. REF: AMM 21-52-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
21-52-01-004		RESTORATION (OVERHAUL) COMPRESSOR					Service		ATA:21
PN:1133640-4	MOS	12-Jul-22							
SN:229	HRS	830.4	2000 (+30/-30)		2830.4	2860.4	1555.4 (+30)		
	AFL	844							
PROC. REF: AMM 21-52-01									
21-52-02		CDM COMPRESSOR MODULE					Component		ATA:21
PN:1133130-5	MOS/MSC	12-Jul-22	O/C						
SN:2177	HRS	830.4							
	AFL	844							
PROC. REF: AMM 21-52-01, AMM 21-52-01									
21-52-03		SYSTEM AIR CONDITION CABIN EVAPORATOR MODULE					Component		ATA:21
PN:1133860-4	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:209	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 21-52-03, AMM 21-52-03									
21-52-03-001 ^S		GENERAL VISUAL INSPECTION OF EVAPORATOR MODULES					Service		ATA:21
	MOS	04-Dec-21							
	HRS	682.22	800 (+30/-30)						
	AFL	755							
PROC. REF: AMM 21-52-03									
PKG:1									
21-52-04		FORWARD FUSELAGE FWD EVAPORATOR, VCS SYSTEM BLOWER					Component		ATA:21
PN:1133850-104	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:466	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 21-52-04, AMM 21-52-04, AMM 21-52-04, AMM 21-52-04									
21-52-05		COMPRESSOR DRIVE MODULE BELT					Component		ATA:21
PN:PN	MOS/MSC	20-Dec-11	H/T	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
21-52-06-001 ^S		SERVICING OF VCS REFRIGERANT FLUID					Service		ATA:21
	MOS	21-Dec-23	12 (+1m/-1m)						
	HRS	1164.1							
	AFL	1053							
PROC. REF: AMM 12-17-00									
PKG:80									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
21-52-08		AIR CONDITION CONDENSER ASSEMBLY						Component	ATA:21
PN:1133760-2	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:190	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 21-52-08, AMM 21-52-08									
21-52-08-001 ^S		GENERAL VISUAL INSPECTION OF VCS CONDENSER						Service	ATA:21
	MOS	20-Dec-11							
	HRS	0	1600 (+30/-30)						
	AFL	0							
PROC. REF: AMM 21-52-08									
21-52-09		AIR CONDITION MIX FLOW CONDENSER FAN						Component	ATA:21
PN:1133720-4	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:224	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 21-52-09, AMM 21-52-09									
21-52-10		AIR CONDITION BLEED AIR HEAT EXCHANGER						Component	ATA:21
PN:1320260-2	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:195	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 21-52-10, AMM 21-52-10									
21-61-00-001 ^S		OPERATIONAL CHECK OF MANUAL TEMPERATURE CONTROL SYSTEM						Service	ATA:21
	MOS	04-Dec-21							
	HRS	682.22	800 (+30/-30)						
	AFL	755							
PROC. REF: AMM 21-61-00									
21-61-01		ECS TEMPERATURE CONTROLLER						Component	ATA:21
PN:1300670-6	MOS/MSC	25-Jun-18	O/C						
SN:00299	HRS								
	AFL								
PROC. REF: AMM 21-61-01, AMM 21-61-01									
21-61-03		LEFT REAR DUCT TEMPERATURE SENSOR/SWITCH						Component	ATA:21
PN:1300450-10	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:1506	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 21-61-03, AMM 21-61-03									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
21-61-03		RIGHT REAR DUCT TEMPERATURE SENSOR/SWITCH					Component	ATA:21	
PN:1300450-10	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:1636	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 21-61-03, AMM 21-61-03									
21-61-04		COCKPIT DUCT TEMPERATURE SENSOR/SWITCH					Component	ATA:21	
PN:1300450-10	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:1476	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 21-61-04, AMM 21-61-04									
21-61-05		CABIN PASSENGER DUCT TEMPERATURE SENSOR/SWITCH					Component	ATA:21	
PN:1300450-10	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:1508	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 21-61-05, AMM 21-61-05									
21-61-06-001 ^S		OPERATIONAL CHECK OF E-BAY OVERTEMPERATURE SENSOR					Service	ATA:21	
	MOS	20-Dec-11							
	HRS	0	6400 (+30/-30)						
	AFL	0							
PROC. REF: AMM 21-61-06									
PKG:60									
ATA 22 - AUTO FLIGHT									
22-11-00		GMC 715 GUIDANCE PANEL					Component	ATA:22	
PN:011-01430-00	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:15900537	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 22-11-01, AMM 22-11-01									
22-11-00-001		FUNCTIONAL CHECK AILERON GSM 86 AUTOPILOT SERVO MOUNT GSA 81 LOW TORQUE AUTOPILOT SERVO					Service	ATA:22	
PN:011-01904-00	MOS	21-Dec-23	12 (+30d/-30d)		31-Dec-24	20-Jan-25	169 d (+20)	AIRWORTHINESS	
SN:1GK006420	HRS	1164.1							
	AFL	1053							
PROC. REF: AMM 22-11-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 22 - AUTO FLIGHT								
22-11-00-001 FUNCTIONAL CHECK ELEVATOR GSM 86 AUTOPILOT SERVO MOUNT GSA 81 LOW TORQUE AUTOPILOT SERVO Service ATA:22								
PN:011-01904-00	MOS	21-Dec-23	12 (+30d/-30d)		31-Dec-24	20-Jan-25	169 d (+20)	AIRWORTHINESS
SN:1GK006414	HRS	1164.1						
	AFL	1053						
PROC. REF: AMM 22-11-00								
22-11-00-001 FUNCTIONAL CHECK RUDDER GSM 86 AUTOPILOT SERVO MOUNT GSA 81 LOW TORQUE AUTOPILOT SERVO Service ATA:22								
PN:011-01904-00	MOS	21-Dec-23	12 (+30d/-30d)		31-Dec-24	20-Jan-25	169 d (+20)	AIRWORTHINESS
SN:1GK006408	HRS	1164.1						
	AFL	1053						
PROC. REF: AMM 22-11-00								
22-11-00-001 FUNCTIONAL CHECK TAILCONE GSM 86 AUTOPILOT SERVO (VENTRAL-RUDDER) MOUNT GSA 80 HIGH SPEED AUTOPILOT SERVO Service ATA:22								
PN:011-01904-00	MOS	21-Dec-23	12 (+30d/-30d)		31-Dec-24	20-Jan-25	169 d (+20)	AIRWORTHINESS
SN:1GK006423	HRS	1164.1						
	AFL	1053						
PROC. REF: AMM 22-11-00								
22-11-00-002^S LUBRICATION OF SERVO ACTUATORS Service ATA:22								
	MOS	21-Dec-23	12 (+1m/-1m)					
	HRS	1164.1						
	AFL	1053						
PROC. REF: AMM 22-11-00								
22-11-00-003^S DETAILED INSPECTION OF AUTOPILOT SERVO CABLE Service ATA:22								
	MOS	04-Dec-21	60 (+1m/-1m)					
	HRS	682.22	3200 (+30/-30)					
	AFL	755						
PROC. REF: AMM 22-11-00								
22-11-01 TAIL CONE GSA 80 HIGH SPEED AUTOPILOT SERVO Component ATA:22								
PN:011-00877-21	MOS/MSC	20-Dec-11	O/C	TSN 0				
SN:1A0005679	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 22-11-02, AMM 22-11-02								
22-11-02 AILERON GSA 81 LOW TORQUE AUTOPILOT SERVO Component ATA:22								
PN:011-00878-20	MOS/MSC	20-Dec-11	O/C	TSN 0				
SN:1A1006681	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 22-11-02, AMM 22-11-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 22 - AUTO FLIGHT								
22-11-02 ELEVATOR GSA 81 LOW TORQUE AUTOPILOT SERVO								Component ATA:22
PN:011-00878-20	MOS/MSC	20-Dec-11	O/C	TSN 0				
SN:1A1006702	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 22-11-02, AMM 22-11-02								
22-11-02 RUDDER GSA 81 LOW TORQUE AUTOPILOT SERVO								Component ATA:22
PN:011-00878-20	MOS/MSC	20-Dec-11	O/C	TSN 0				
SN:1A1006696	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 22-11-02, AMM 22-11-02								
22-11-03 AILERON GSM 86 AUTOPILOT SERVO MOUNT								Component ATA:22
PN:011-01904-00	MOS/MSC	20-Dec-11	O/C	TSN 0				
SN:1GK006420	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 22-11-03, AMM 22-11-03								
22-11-06 ELEVATOR GSM 86 AUTOPILOT SERVO MOUNT								Component ATA:22
PN:011-01904-00	MOS/MSC	20-Dec-11	O/C	TSN 0				
SN:1GK006414	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 22-11-06, AMM 22-11-06								
22-11-09 RUDDER GSM 86 AUTOPILOT SERVO MOUNT								Component ATA:22
PN:011-01904-00	MOS/MSC	20-Dec-11	O/C	TSN 0				
SN:1GK006408	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 22-11-09, AMM 22-11-09								
22-11-12 TAILCONE GSM 86 AUTOPILOT SERVO (VENTRAL-RUDDER) MOUNT								Component ATA:22
PN:011-01904-00	MOS/MSC	20-Dec-11	O/C	TSN 0				
SN:1GK006423	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 22-11-12, AMM 22-11-12								
ATA 23 - COMMUNICATIONS								
23-11-01 PS440 HF CONTROL DISPLAY UNIT								Component ATA:23
PN:071-01605-0201	MOS/MSC	20-Dec-11	O/C	TSN 0				
SN:2184	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 23-11-01, AMM 23-11-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 23 - COMMUNICATIONS									
23-11-02		REAR FUS KRX1053 W/SELCA HF COMMUNICATION TRANSCEIVER					Component	ATA:23	
PN:064-01073-0102	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:KRX1053-5760	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 23-11-02, AMM 23-11-02									
23-11-03		KPA 1052 POWER AMPLIFIER					Component	ATA:23	
PN:064-01072-0101	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:KPA1052-5219	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 23-11-03, AMM 23-11-03									
23-11-04		HF ANTENNA COUPLER					Component	ATA:23	
PN:064-01074-0101	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:KAC1052-4641	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 23-11-04, AMM 23-11-04									
23-12-01		VHF 1 (UPPER FUSELAGE) ANTENNA					Component	ATA:23	
PN:S65-8280-41	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:322-2760	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 23-12-02, AMM 23-12-02									
23-12-02		VHF 2 (LOWER FORWARD FUSELAGE) ANTENNA					Component	ATA:23	
PN:S65-8280-41	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:322-2759	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 23-12-02, AMM 23-12-02									
23-21-01		SELCAL CSD DECODER					Component	ATA:23	
PN:1200008-001	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:6777	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 23-21-01, AMM 23-21-01									
23-50-01		LEFT GMA 1347D AUDIO PANEL					Component	ATA:23	
PN:011-01257-20	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:17106563	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 23-51-01, AMM 23-51-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 23 - COMMUNICATIONS									
23-50-02		COPILOT HEADSET					Component	ATA:23	
PN:026-55-999-0131	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:00200452	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 44-13-07, AMM 44-13-07									
23-50-02		PILOT HEADSET					Component	ATA:23	
PN:026-55-999-0131	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:00200435	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 44-13-07, AMM 44-13-07									
23-50-03		LH CONSOLE COCKPIT HAND MICROPHONE					Component	ATA:23	
PN:85-03-12369-04	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:253367	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
23-51-00-001 ^S		OPERATIONAL CHECK OF AIRBORNE AUDIO SYSTEM FAIL-SAFE MODE					Service	ATA:23	
	MOS	20-Dec-11							
	HRS	0	3200 (+30/-30)						
	AFL	0							
PROC. REF: AMM 23-51-00									
23-51-01		RIGHT GMA 1347D AUDIO PANEL					Component	ATA:23	
PN:011-01257-20	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:17106558	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 23-51-01, AMM 23-51-01									
23-51-05		LEFT CONTROL PANEL					Component	ATA:23	
PN:441-40943-002	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:0710	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 23-51-05, AMM 23-51-05									
23-51-05		RIGHT CONTROL PANEL					Component	ATA:23	
PN:441-40943-002	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:0714	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 23-51-05, AMM 23-51-05									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 23 - COMMUNICATIONS									
23-61-00-001 ^S		FUNCTIONAL CHECK OF STATIC DISCHARGERS						Service	ATA:23
	MOS	11-Jan-22	48 (+1m/-1m)						
	HRS	694.2							
	AFL	761							
PROC. REF: AMM 23-61-00								PKG:83	
ATA 24 - ELECTRICAL POWER									
24-01-01		LEFT CONSOLE CONTROL PANEL						Component	ATA:24
PN:441-40929-002	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:0361	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 24-01-01, AMM 24-01-01									
24-31-01		NO. 1 ENGINE STARTER/GENERATOR						Component	ATA:24
PN:400SG180Q	MOS/MSC	09-Jun-21	O/C						
SN:S00500XL	HRS	657.23							
	AFL	743							
PROC. REF: AMM 24-31-01, AMM 24-31-01									
24-31-01		NO. 2 ENGINE STARTER/GENERATOR						Component	ATA:24
PN:400SG180Q	MOS/MSC	09-Jun-21	O/C						
SN:S00278XL	HRS	657.23							
	AFL	743							
PROC. REF: AMM 24-31-01, AMM 24-31-01									
24-31-01-001		NO. 1 ENGINE STARTER/GENERATOR - RESTORATION (OVERHAUL) OF STARTER GENERATOR ON EMBRAER 505 ACFT WITH STARTER GENERATOR PN MG103C-4 OR PN 400SG180Q SERIES OR POST-MOD SB 505-24-0017						Service	ATA:24
PN:400SG180Q	MOS	09-Jun-21							
SN:S00500XL	HRS	657.23	800 (+30/-30)		1457.23	1487.23	182.2 (+30)		
	AFL	743							
PROC. REF: AMM 24-31-01									
24-31-01-001		NO. 2 ENGINE STARTER/GENERATOR - RESTORATION (OVERHAUL) OF STARTER GENERATOR ON EMBRAER 505 ACFT WITH STARTER GENERATOR PN MG103C-4 OR PN 400SG180Q SERIES OR POST-MOD SB 505-24-0017						Service	ATA:24
PN:400SG180Q	MOS	09-Jun-21							
SN:S00278XL	HRS	657.23	800 (+30/-30)		1457.23	1487.23	182.2 (+30)		
	AFL	743							
PROC. REF: AMM 24-31-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
24-31-01-003 RESTORATION NO. 1 ENGINE STARTER/GENERATOR - (FOR STARTER GENERATOR P/N MG103C-3 OR PRE MOD SB 505-24-0017)								
PN:400SG180Q	MOS/MSC		N/A					Service ATA:24
SN:S00500XL	HRS	EFF						
	AFL							
PROC. REF: AMM 24-31-01								
24-31-01-003 RESTORATION NO. 2 ENGINE STARTER/GENERATOR - (FOR STARTER GENERATOR P/N MG103C-3 OR PRE MOD SB 505-24-0017)								
PN:400SG180Q	MOS/MSC		N/A					Service ATA:24
SN:S00278XL	HRS	EFF						
	AFL							
PROC. REF: AMM 24-31-01								
24-31-02 LEFT 28V DC GENERATOR CONTROL UNIT								
PN:GCSG550-12B	MOS/MSC	26-Dec-16	O/C					Component ATA:24
SN:60190	HRS	389						
	AFL	396						
PROC. REF: AMM 24-31-02, AMM 24-31-02								
24-31-02 RIGHT 28V DC GENERATOR CONTROL UNIT								
PN:GCSG550-12B	MOS/MSC	26-Dec-16	O/C					Component ATA:24
SN:60186	HRS	389						
	AFL	396						
PROC. REF: AMM 24-31-02, AMM 24-31-02								
24-31-07-001^S RESTORATION (CLEANING) OF LH SHUNT GENERATOR								
	MOS	04-Dec-21	60 (+1m/-1m)					Service ATA:24
	HRS	682.22						
	AFL	755						
PROC. REF: AMM 24-31-07								
24-31-07-001^S RESTORATION (CLEANING) OF RH SHUNT GENERATOR								
	MOS	04-Dec-21	60 (+1m/-1m)					Service ATA:24
	HRS	682.22						
	AFL	755						
PROC. REF: AMM 24-31-07								
24-36-01 AFT MAIN BATTERY								
PN:7638-48P	MOS/MSC	10-Jul-24	H/T	TSN 10				Component ATA:24
SN:G03195033	HRS	1275		TSN 190.4				
	AFL	1116		TSN 111				
PROC. REF: AMM 24-36-01, AMM 24-36-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 24 - ELECTRICAL POWER									
24-36-01		FORWARD MAIN BATTERY						Component	ATA:24
PN:7639-34	MOS/MSC	10-Jul-24	H/T	TSN 10					
SN:G03193079	HRS	1275		TSN 190.4					
	AFL	1116		TSN 111					
PROC. REF: AMM 24-36-01, AMM 24-36-01									
24-36-01-003		DISCARD AFT MAIN BATTERY						Service	ATA:24
PN:7638-48P	MOS	05-Sep-23	24 (+1m/-1m)		05-Sep-25	05-Oct-25	417 d (+30)	LIFE LIMIT	
SN:G03195033	HRS	1084.6							
	AFL	1005	600 (+30/-30)		1605	1635	489 (+30)		
PROC. REF: AMM 24-36-01									
24-36-01-003		DISCARD FORWARD MAIN BATTERY						Service	ATA:24
PN:7639-34	MOS	05-Sep-23	24 (+1m/-1m)		05-Sep-25	05-Oct-25	417 d (+30)	LIFE LIMIT	
SN:G03193079	HRS	1084.6							
	AFL	1005	600 (+30/-30)		1605	1635	489 (+30)		
PROC. REF: AMM 24-36-01									
24-36-01-004		FUNCTIONAL CHECK AFT MAIN BATTERY - (PRE-MOD SB 505-24-0015)						Service	ATA:24
PN:7638-48P	MOS/MSC	05-Sep-23	N/A						
SN:G03195033	HRS	1084.6							
	AFL	1005							
PROC. REF: AMM 24-36-01									
24-36-01-004		FUNCTIONAL CHECK FORWARD MAIN BATTERY - (PRE-MOD SB 505-24-0015)						Service	ATA:24
PN:7639-34	MOS/MSC	05-Sep-23	N/A						
SN:G03193079	HRS	1084.6							
	AFL	1005							
PROC. REF: AMM 24-36-01									
24-36-01-005		FUNCTIONAL CHECK AFT MAIN BATTERY - (POST-MOD SB 505-24-0015)						Service	ATA:24
PN:7638-48P	MOS	10-Jul-24	6 (+1m/-1m)		31-Jan-25	10-Feb-25	200 d (+10)		
SN:G03195033	HRS	1275							
	AFL	1116							
PROC. REF: AMM 24-36-01									
24-36-01-005		FUNCTIONAL CHECK FORWARD MAIN BATTERY - (POST-MOD SB 505-24-0015)						Service	ATA:24
PN:7639-34	MOS	10-Jul-24	6 (+1m/-1m)		31-Jan-25	10-Feb-25	200 d (+10)		
SN:G03193079	HRS	1275							
	AFL	1116							
PROC. REF: AMM 24-36-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 24 - ELECTRICAL POWER									
24-36-02-001 ^S		OPERATIONAL CHECK OF BATTERY CURRENT SENSOR (HB2)					Service	ATA:24	
	MOS	20-Dec-11							
	HRS	0	6400 (+30/-30)						
	AFL	0							
PROC. REF: AMM 24-36-02								PKG:60	
24-54-05		28 VDC / 115 VAC STATIC INVERTER					Component	ATA:24	
PN:AS-24-0026-001	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:0377	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 24-54-05, AMM 24-54-05									
24-65-01		LEFT POWER DISTRIBUTION BOX					Component	ATA:24	
PN: SX7EG20-1	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:0088	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 24-65-01, AMM 24-65-01									
24-65-02		RIGHT POWER DISTRIBUTION BOX					Component	ATA:24	
PN: SX7EG21-1	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:0030	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 24-65-02, AMM 24-65-02									
24-65-04		NOSE POWER DISTRIBUTION BOX					Component	ATA:24	
PN: SX7EG22-1	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:0091	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 24-65-04, AMM 24-65-04									
ATA 25 - EQUIPMENT/FURNISHINGS									
25-11-01		COPILOT SEAT					Component	ATA:25	
PN:1419-02AL	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:141-1419	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 25-11-01, AMM 25-11-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 25 - EQUIPMENT/FURNISHINGS									
25-11-01		PILOT SEAT						Component	ATA:25
PN:1419-01AL	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:140-1419	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 25-11-01, AMM 25-11-01									
25-11-01-001 ^S		DETAILED INSPECTION COPILOT SEAT						Service	ATA:25
	MOS	23-Dec-15							
	HRS	336.55	2400 (+30/-30)						
	AFL	336							
PROC. REF: AMM 25-11-01									
25-11-01-001 ^S		DETAILED INSPECTION PILOT SEAT						Service	ATA:25
	MOS	23-Dec-15							
	HRS	336.55	2400 (+30/-30)						
	AFL	336							
PROC. REF: AMM 25-11-01									
25-11-01-002 ^S		DETAILED INSPECTION OF COCKPIT SEAT BELTS						Service	ATA:25
	MOS	23-Dec-15							
	HRS	336.55	2400 (+30/-30)						
	AFL	336							
PROC. REF: AMM 25-11-01									
25-21-01		PAX 2 - LH AFT FACE SEAT						Component	ATA:25
PN:403174-1C1FZ	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:50154	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 25-21-01, AMM 25-21-01									
25-21-01		PAX 3 - RH AFT FACE SEAT						Component	ATA:25
PN:403174-2C1FZ	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:51148	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 25-21-01, AMM 25-21-01									
25-21-01		PAX 6 - LH FWD FACE SEAT						Component	ATA:25
PN:403174-3C1FZ	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:50158	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 25-21-01, AMM 25-21-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 25 - EQUIPMENT/FURNISHINGS									
25-21-01	PAX 7 - RH FWD FACE SEAT							Component	ATA:25
PN:403174-4C1FZ	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:51151	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 25-21-01, AMM 25-21-01									
25-21-01-001 ^S	DETAILED INSPECTION OF PASSENGER SEATS							Service	ATA:25
	MOS	23-Dec-15							
	HRS	336.55	2400 (+30/-30)						
	AFL	336							
PROC. REF: AMM 25-21-01									
25-21-01-002 ^S	DETAILED INSPECTION OF PASSENGER SEAT BELTS							Service	ATA:25
	MOS	23-Dec-15							
	HRS	336.55	2400 (+30/-30)						
	AFL	336							
PROC. REF: AMM 25-21-01									
25-21-02-001 ^S	DETAILED INSPECTION DIVAN							Service	ATA:25
	MOS	10-Jul-24							
	HRS	1275	3200 (+30/-30)						
	AFL	1116							
PROC. REF: AMM 25-21-02									
25-21-02-002 ^S	DETAILED INSPECTION DIVAN SEAT BELTS							Service	ATA:25
	MOS	10-Jul-24							
	HRS	1275	3200 (+30/-30)						
	AFL	1116							
PROC. REF: AMM 25-21-02									
25-21-03	PAX 4 - LH FWD FACE SEAT							Component	ATA:25
PN:403174-2C1FZ	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:49483	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 25-21-01, AMM 25-21-01									
25-21-03	PAX 5 - RH FWD FACE SEAT							Component	ATA:25
PN:403174-1C1FZ	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:51146	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 25-21-01, AMM 25-21-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 25 - EQUIPMENT/FURNISHINGS									
25-21-04		(DIVAN AIRBAG SYSTEM)ELECTRONIC MODULE ASSY					Component	ATA:25	
PN:508358-415	MOS/MSC	10-Jul-24	O/C						
SN:A20JAN23-91	HRS	1275							
	AFL	1116							
PROC. REF: AMM 25-21-04, AMM 25-21-04									
25-21-04-001		RESTORATION (REPAIR) OF SEAT BELT AIRBAG ELECTRONIC MODULE ASSEMBLY (EMA) - NOTE: REPLACE THE EMA (ELECTRONIC MODULE ASSEMBLY) INTERNAL BATTERY					Service	ATA:25	
PN:508358-415	MOS	01-Jan-23	84		01-Jan-30		1996 d		
SN:A20JAN23-91	HRS								
	AFL								
PROC. REF: AMM 25-21-04, AMM 25-21-04									
25-21-04-002		DISCARD OF SEAT BELT AIRBAG INFLATOR GAS CYLINDER					Service	ATA:25	
PN:510184-401	MOS	01-Mar-23	120		01-Mar-33 (M)		3151 d	LIFE LIMIT	
SN:AS2C3PEYASL	HRS	1275							
	AFL	1116							
PROC. REF: AMM 25-21-04									
25-21-04-003		DETAILED VISUAL INSPECTION OF SEAT BELT AIRBAG ASSEMBLY					Service	ATA:25	
PN:PN	MOS	10-Jul-24	48 (+1m/-1m)		08-Jul-28 (M)	08-Aug-28	1454 d (+31)		
SN:UNKNOWN	HRS	1275							
	AFL	1116							
PROC. REF: AMM 25-21-04									
25-21-04-004		OPERATIONAL CHECK OF SEAT BELT AIRBAG ASSEMBLY					Service	ATA:25	
PN:PN	MOS	10-Jul-24	48 (+1m/-1m)		08-Jul-28 (M)	08-Aug-28	1454 d (+31)		
SN:UNKNOWN	HRS	1275							
	AFL	1116							
PROC. REF: AMM 25-21-04									
25-21-10		AIRBAG CYLINDER INFLATOR, ACH COLD					Component	ATA:25	
PN:510184-401	MOS/MSC	10-Jul-24	H/T	TSN 16					
SN:AS2C3PEYASL	HRS	1275		TSN 0					
	AFL	1116		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 25 - EQUIPMENT/FURNISHINGS									
25-43-01-001 ^S		DETAILED VISUAL INSPECTION BELTED TOILET UNIT						Service	ATA:25
	MOS	23-Dec-15							
	HRS	336.55	3200 (+30/-30)						
	AFL	336							
PROC. REF: AMM 25-43-02								PKG:40	
25-43-01-002 ^S		DETAILED VISUAL INSPECTION BELTED TOILET SEAT BELT						Service	ATA:25
	MOS	23-Dec-15							
	HRS	336.55	3200 (+30/-30)						
	AFL	336							
PROC. REF: AMM 25-43-02								PKG:40	
25-60-01		EMERGENCY LOCATOR TRANSMITTER						Component	ATA:25
PN:S1821502-02	MOS/MSC	09-Sep-21	O/C	TSN 5					
SN:TM0000210550	HRS	660.98		TSN 0					
	AFL	747		TSN 0					
PROC. REF: AMM 25-61-01, AMM 25-61-01									
25-60-03		ELT ANTENNA						Component	ATA:25
PN:S65-8282-406	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:401-1961	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 25-61-03, AMM 25-61-03									
25-60-11		EMERGENCY LOCATOR TRANSMITTER BATTERY						Component	ATA:25
PN:PN-UNKNOWN	MOS/MSC	09-Sep-21	H/T						
SN:UNKNOWN	HRS	660.98							
	AFL	747							
PROC. REF: AMM 25-61-01, AMM 25-61-01									
25-61-00-001		OPERATIONAL CHECK EMERGENCY LOCATOR TRANSMITTER OF ELT SYSTEM						Service	ATA:25
PN:S1821502-02	MOS	21-Dec-23	12		21-Dec-24		159 d		
SN:TM0000210550	HRS	1164.1							
	AFL	1053							
PROC. REF: AMM 25-61-00									
25-61-00-002		GENERAL VISUAL INSPECTION OF EMERGENCY LOCATOR TRANSMITTER						Service	ATA:25
PN:S1821502-02	MOS	21-Dec-23	12		21-Dec-24		159 d		
SN:TM0000210550	HRS	1164.1							
	AFL	1053							
PROC. REF: AMM 25-61-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
25-61-04-001 DISCARD EMERGENCY LOCATOR TRANSMITTER BATTERY Service ATA:25								
PN:PN-UNKNOWN	MOS/MSC	09-Sep-21	DUE		01-Sep-27 (M)		1143 d	LIFE LIMIT
SN:UNKNOWN	HRS	660.98						
	AFL	747						
PROC. REF: AMM 25-61-04								
25-61-05 CS144-A ELT/NAV INTERFACE MODULE Component ATA:25								
PN:S1825502-02	MOS/MSC	04-Dec-21	O/C	TSN 120, TSR 0				
SN:TM000016686	HRS	682.22		TSN 682.22, TSR 0				
	AFL	755		TSN 755, TSR 0				
PROC. REF: AMM 25-61-05, AMM 25-61-05								
25-61-05-001 RESTORATION (REPAIR) OF ELT/NAV INTERFACEMODULE Service ATA:25								
PN:S1825502-02	MOS	04-Dec-21	120		04-Dec-31		2698 d	
SN:TM000016686	HRS	682.22	16000		16682.22		15407.2	
	AFL	755						
PROC. REF: AMM 25-61-07								
25-62-01 #1 FIRST AID KIT Component ATA:25								
PN:P8-02-0004-307	MOS/MSC	23-Dec-14	H/T	TSN 0				
SN:UNKNOWN	HRS	256.42		TSN 0				
	AFL	252		TSN 0				
PROC. REF: GENERIC NO REF								
25-62-01-001 VISUAL CHECK #1 FIRST AID KIT Service ATA:25								
PN:P8-02-0004-307	MOS/MSC	13-Feb-23	DUE		01-Nov-24 (M)		109 d	
SN:UNKNOWN	HRS	948						
	AFL	916						
		Expiry Date: : 01-Nov-24						
PROC. REF: AMM 25-62-01								
25-62-02 COPILOT LIFE VEST Component ATA:25								
PN:P01074-109C	MOS/MSC	13-Feb-23	O/C	TSN 3				
SN:22110370045	HRS	948		TSN 0				
	AFL	916		TSN 0				
PROC. REF: AMM 25-62-02, AMM 25-62-02								
25-62-02 DIVAN NO. 1 LIFE VEST Component ATA:25								
PN:66601-105	MOS/MSC	10-Jul-24	O/C	TSN 171, TSO 37				
SN:L1425908	HRS	1275		TSO 0				
	AFL	1116		TSO 0				
PROC. REF: AMM 25-62-02, AMM 25-62-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 25 - EQUIPMENT/FURNISHINGS									
25-62-02		DIVAN NO. 2 LIFE VEST					Component	ATA:25	
PN:66601-105	MOS/MSC	10-Jul-24	O/C	TSN 150, TSO 22					
SN:L1777562	HRS	1275		TSO 0					
	AFL	1116		TSO 0					
PROC. REF: AMM 25-62-02, AMM 25-62-02									
25-62-02		NO. 1 PASSENGER LIFE VEST					Component	ATA:25	
PN:66601-105	MOS/MSC	21-Dec-23	O/C	TSN 4					
SN:L5900471	HRS	1164.1		TSN 0					
	AFL	1053		TSN 0					
PROC. REF: AMM 25-62-02, AMM 25-62-02									
25-62-02		NO. 2 PASSENGER LIFE VEST					Component	ATA:25	
PN:66601-105	MOS/MSC	21-Dec-23	O/C	TSN 4					
SN:L5900470	HRS	1164.1		TSN 0					
	AFL	1053		TSN 0					
PROC. REF: AMM 25-62-02, AMM 25-62-02									
25-62-02		NO. 3 PASSENGER LIFE VEST					Component	ATA:25	
PN:66601-105	MOS/MSC	21-Dec-23	O/C	TSN 4					
SN:L5900410	HRS	1164.1		TSN 0					
	AFL	1053		TSN 0					
PROC. REF: AMM 25-62-02, AMM 25-62-02									
25-62-02		NO. 4 PASSENGER LIFE VEST					Component	ATA:25	
PN:66601-105	MOS/MSC	21-Dec-23	O/C	TSN 4					
SN:L5900440	HRS	1164.1		TSN 0					
	AFL	1053		TSN 0					
PROC. REF: AMM 25-62-02, AMM 25-62-02									
25-62-02		NO. 5 PASSENGER LIFE VEST					Component	ATA:25	
PN:66601-105	MOS/MSC	21-Dec-23	O/C	TSN 4					
SN:L5900501	HRS	1164.1		TSN 0					
	AFL	1053		TSN 0					
PROC. REF: AMM 25-62-02, AMM 25-62-02									
25-62-02		NO. 6 PASSENGER LIFE VEST					Component	ATA:25	
PN:66601-105	MOS/MSC	21-Dec-23	O/C	TSN 4					
SN:L5900484	HRS	1164.1		TSN 0					
	AFL	1053		TSN 0					
PROC. REF: AMM 25-62-02, AMM 25-62-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 25 - EQUIPMENT/FURNISHINGS									
25-62-02	PILOT LIFE VEST							Component	ATA:25
PN:P01074-109C	MOS/MSC	13-Feb-23	O/C	TSN 3					
SN:22110370108	HRS	948		TSN 0					
	AFL	916		TSN 0					
PROC. REF: AMM 25-62-02, AMM 25-62-02									
25-62-02	TOILET PAX LIFE VEST							Component	ATA:25
PN:66601-105	MOS/MSC	10-Jul-24	O/C	TSN 0					
SN:L5453425	HRS	1275		TSN 0					
	AFL	1116		TSN 0					
PROC. REF: AMM 25-62-02, AMM 25-62-02									
25-62-02-001	RESTORATION (OVERHAUL) OF CO-PILOT LIFE VEST							Service	ATA:25
PN:P01074-109C	MOS	01-Nov-22	120		01-Nov-27 (M)		1204 d	OVERHAUL	
SN:22110370045	HRS								
	AFL								
PROC. REF: AMM 25-62-02									
25-62-02-001	RESTORATION (OVERHAUL) OF DIVAN NO. 1 LIFE VEST							Service	ATA:25
PN:66601-105	MOS	01-Jun-21	120		01-Jun-31		2512 d	OVERHAUL	
SN:L1425908	HRS	1275							
	AFL	1116							
PROC. REF: AMM 25-62-02									
25-62-02-001	RESTORATION (OVERHAUL) OF DIVAN NO. 2 LIFE VEST							Service	ATA:25
PN:66601-105	MOS	14-Sep-22	120		14-Sep-32		2983 d	OVERHAUL	
SN:L1777562	HRS								
	AFL								
PROC. REF: AMM 25-62-02									
25-62-02-001	RESTORATION (OVERHAUL) OF NO. 1 LIFE VEST							Service	ATA:25
PN:66601-105	MOS	01-Aug-23	120		01-Aug-33		3304 d	OVERHAUL	
SN:L5900471	HRS								
	AFL								
PROC. REF: AMM 25-62-02									
25-62-02-001	RESTORATION (OVERHAUL) OF NO. 2 LIFE VEST							Service	ATA:25
PN:66601-105	MOS	01-Aug-23	120		01-Aug-33		3304 d	OVERHAUL	
SN:L5900470	HRS								
	AFL								
PROC. REF: AMM 25-62-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 25 - EQUIPMENT/FURNISHINGS									
25-62-02-001	RESTORATION (OVERHAUL) OF NO. 3 LIFE VEST							Service	ATA:25
PN:66601-105	MOS	01-Aug-23	120		01-Aug-33		3304 d	OVERHAUL	
SN:L5900410	HRS								
	AFL								
PROC. REF: AMM 25-62-02									
25-62-02-001	RESTORATION (OVERHAUL) OF NO. 4 LIFE VEST							Service	ATA:25
PN:66601-105	MOS	01-Aug-23	120		01-Aug-33		3304 d	OVERHAUL	
SN:L5900440	HRS								
	AFL								
PROC. REF: AMM 25-62-02									
25-62-02-001	RESTORATION (OVERHAUL) OF NO. 5 LIFE VEST							Service	ATA:25
PN:66601-105	MOS	01-Aug-23	120		01-Aug-33		3304 d	OVERHAUL	
SN:L5900501	HRS								
	AFL								
PROC. REF: AMM 25-62-02									
25-62-02-001	RESTORATION (OVERHAUL) OF NO. 6 LIFE VEST							Service	ATA:25
PN:66601-105	MOS	01-Aug-23	120		01-Aug-33		3304 d	OVERHAUL	
SN:L5900484	HRS								
	AFL								
PROC. REF: AMM 25-62-02									
25-62-02-001	RESTORATION (OVERHAUL) OF PILOT LIFE VEST							Service	ATA:25
PN:P01074-109C	MOS	01-Nov-22	120		01-Nov-27 (M)		1204 d	OVERHAUL	
SN:22110370108	HRS								
	AFL								
PROC. REF: AMM 25-62-02									
25-62-02-001	RESTORATION (OVERHAUL) OF TOILET LIFE VEST							Service	ATA:25
PN:66601-105	MOS	10-Jul-24	120		15-Apr-32 (M)		2831 d	OVERHAUL	
SN:L5453425	HRS	1275							
	AFL	1116							
PROC. REF: AMM 25-62-02									
25-62-04-001 ^S	DETAILED DIMENSIONAL INSPECTION OF WATER BARRIER							Service	ATA:25
	MOS	21-Dec-23	24 (+1m/-1m)						
	HRS	1164.1							
	AFL	1053							
PROC. REF: AMM 25-62-04									

PKG:81

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 25 - EQUIPMENT/FURNISHINGS									
25-66-01	LIFE RAFT							Component	ATA:25
PN:PN	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
25-66-01-001	RESTORATION LIFE RAFT (OVERHAUL)							Service	ATA:25
PN:PN	MOS/MSC		N/A						
SN:UNKNOWN	HRS								
	AFL								
PROC. REF: AMM 25-66-01									
ATA 26 - FIRE PROTECTION									
26-11-01	LEFT ENGINE FIRE DETECTOR							Component	ATA:26
PN:3951-51-565/215C-5.1M	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:45161	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 26-11-01, AMM 26-11-01									
26-11-01	RIGHT ENGINE FIRE DETECTOR							Component	ATA:26
PN:3951-51-565/215C-5.1M	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:45164	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 26-11-01, AMM 26-11-01									
26-11-01-001 ^S	DETAILED VISUAL INSPECTION LEFT ENGINE FIRE DETECTOR							Service	ATA:26
	MOS	20-Dec-11							
	HRS	0	1600 (+30/-30)						
	AFL	0							
PROC. REF: AMM 26-11-01									
26-11-01-001 ^S	DETAILED VISUAL INSPECTION RIGHT ENGINE FIRE DETECTOR							Service	ATA:26
	MOS	20-Dec-11							
	HRS	0	1600 (+30/-30)						
	AFL	0							
PROC. REF: AMM 26-11-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 26 - FIRE PROTECTION									
26-11-01-002 ^S		OPERATIONAL CHECK LEFT ENGINE FIRE DETECTOR						Service	ATA:26
	MOS	04-Dec-21							
	HRS	682.22	800 (+30/-30)						
	AFL	755							
PROC. REF: AMM 26-11-01								PKG:1	
26-11-01-002 ^S		OPERATIONAL CHECK RIGHT ENGINE FIRE DETECTOR						Service	ATA:26
	MOS	04-Dec-21							
	HRS	682.22	800 (+30/-30)						
	AFL	755							
PROC. REF: AMM 26-11-01								PKG:1	
26-15-01		MODEL 602 SMOKE DETECTOR						Component	ATA:26
PN:8930-223B60L014	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:20825	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 26-15-01, AMM 26-15-01									
26-21-01		ENGINE FIRE EXTINGUISHER BOTTLE						Component	ATA:26
PN:33000073-1	MOS/MSC	01-Apr-21	O/C						
SN:94456A1	HRS	656.32							
	AFL	737							
PROC. REF: AMM 26-21-03, AMM 26-21-03									
26-21-01-001		FUNCTIONAL CHECK OF ENGINE FIRE EXTINGUISHING PANEL						Service	ATA:26
	MOS	20-Dec-11					AIRWORTHINESS		
	HRS	0	2400 (+30/-30)		2400	2430	1125 (+30)		
	AFL	0							
PROC. REF: AMM 26-21-00									
26-21-01A		FIRE/ENGINE/TRIM/IGNITION CONTROL PANEL						Component	ATA:26
PN:441-42702-002	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:0363	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 26-21-01, AMM 26-21-01									
26-21-03-001		FUNCTIONAL CHECK OF ENGINE FIRE EXTINGUISHER BOTTLE						Service	ATA:26
PN:33000073-1	MOS	01-Apr-21	120		01-Apr-31		2451 d	AIRWORTHINESS	
SN:94456A1	HRS	656.32							
	AFL	737							
PROC. REF: AMM 26-21-03									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 26 - FIRE PROTECTION									
26-21-05-001 ^S		OPERATIONAL CHECK OF TEMPERATURE COMPENSATED PRESSURE SWITCH (TCPS)							Service ATA:26
	MOS	20-Dec-11							
	HRS	0	2400 (+30/-30)						
	AFL	0							
PROC. REF: AMM 26-21-05								PKG:20	
26-21-07		NO. 1 CARTRIDGE							Component ATA:26
PN:30903962	MOS/MSC	01-Apr-21	H/T	TSN 19					
SN:1048YJ	HRS	656.32		TSN 0					
	AFL	737		TSN 0					
PROC. REF: AMM 26-21-07, AMM 26-21-07									
26-21-07		NO. 2 CARTRIDGE							Component ATA:26
PN:30903963	MOS/MSC	01-Apr-21	H/T	TSN 16					
SN:1149YM	HRS	656.32		TSN 0					
	AFL	737		TSN 0					
PROC. REF: AMM 26-21-07, AMM 26-21-07									
26-21-07-001		DISCARD NO. 1 CARTRIDGE							Service ATA:26
PN:30903962	MOS	01-Sep-19	120		01-Sep-29		1874 d	LIFE LIMIT	
SN:1048YJ	HRS								
	AFL								
PROC. REF: AMM 26-21-07									
26-21-07-001		DISCARD NO. 2 CARTRIDGE							Service ATA:26
PN:30903963	MOS	01-Dec-19	120		01-Dec-29		1965 d	LIFE LIMIT	
SN:1149YM	HRS								
	AFL								
PROC. REF: AMM 26-21-07									
26-21-09-001 ^S		DETAILED VISUAL INSPECTION OF ENGINE FIRE EXTINGUISHING DISCHARGE PIPING							Service ATA:26
	MOS	20-Dec-11							
	HRS	0	2400 (+30/-30)						
	AFL	0							
PROC. REF: AMM 26-21-09								PKG:20	
26-24-01		CABIN PORTABLE FIRE EXTINGUISHER							Component ATA:26
PN:BA51015-5	MOS/MSC	17-Sep-17	H/T						
SN:93044	HRS								
	AFL								
PROC. REF: AMM 26-24-01, AMM 26-24-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 26 - FIRE PROTECTION									
26-24-01		COCKPIT PORTABLE FIRE EXTINGUISHER						Component	ATA:26
PN:RT-A1200	MOS/MSC	11-Jan-22	H/T	TSN 12					
SN:D58317646	HRS	694.2							
	AFL	761							
PROC. REF: AMM 26-24-01, AMM 26-24-01									
26-24-01-001		WEIGHT CHECK CABIN PORTABLE FIRE EXTINGUISHER						Service	ATA:26
PN:BA51015-5	MOS		12		21-Dec-24 (M)		159 d		
SN:93044	HRS								
	AFL								
PROC. REF: AMM 26-24-01									
26-24-01-001		WEIGHT CHECK OF COCKPIT PORTABLE FIRE EXTINGUISHER						Service	ATA:26
PN:RT-A1200	MOS		12		21-Dec-24 (M)		159 d		
SN:D58317646	HRS								
	AFL								
PROC. REF: AMM 26-24-01									
26-24-01-002		DISCARD CABIN PORTABLE FIRE EXTINGUISHER						Service	ATA:26
PN:BA51015-5	MOS/MSC		N/A						
SN:93044	HRS								
	AFL								
PROC. REF: AMM 26-24-01									
26-24-01-002		DISCARD OF COCKPIT PORTABLE FIRE EXTINGUISHER						Service	ATA:26
PN:RT-A1200	MOS	01-Jan-21	144		01-Jan-33		3092 d	LIFE LIMIT	
SN:D58317646	HRS								
	AFL								
PROC. REF: AMM 26-24-01									
26-24-01-003		DISCARD CABIN PORTABLE FIRE EXTINGUISHER						Service	ATA:26
PN:BA51015-5	MOS	15-Sep-14	120		15-Sep-24		62 d	LIFE LIMIT	
SN:93044	HRS								
	AFL								
PROC. REF: AMM 26-24-01									
26-24-01-003		DISCARD OF COCKPIT PORTABLE FIRE EXTINGUISHER						Service	ATA:26
PN:RT-A1200	MOS/MSC		N/A						
SN:D58317646	HRS								
	AFL								
PROC. REF: AMM 26-24-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 26 - FIRE PROTECTION								
26-24-01-004 WEIGHT CHECK OF CABIN PORTABLE FIRE EXTINGUISHER Service ATA:26								
PN:BA51015-5	MOS/MSC		N/A					
SN:93044	HRS							
	AFL							
PROC. REF: AMM 26-24-01								
26-24-01-004 WEIGHT CHECK OF COCKPIT PORTABLE FIRE EXTINGUISHER Service ATA:26								
PN:RT-A1200	MOS/MSC		N/A					
SN:D58317646	HRS							
	AFL							
PROC. REF: AMM 26-24-01								
ATA 27 - FLIGHT CONTROLS								
27-001 DISCARD LEFT NO. 3 OUTBOARD FLAP ACTUATOR Service ATA:27								
PN:475100-1009	MOS	20-Dec-11						LIFE LIMIT
SN:0193	HRS	0	1800		1800		525	
	AFL	0						
PROC. REF: AMM 27-51-01, AMM 27-51-01								
27-001 DISCARD RIGHT NO. 3 OUTBOARD FLAP ACTUATOR Service ATA:27								
PN:475100-1009	MOS	20-Dec-11						LIFE LIMIT
SN:0192	HRS	0	1800		1800		525	
	AFL	0						
PROC. REF: AMM 27-51-01, AMM 27-51-01								
27-002 DISCARD LEFT NO. 2 OUTBOARD FLAP ACTUATOR Service ATA:27								
PN:475000-2009	MOS	20-Dec-11						LIFE LIMIT
SN:0387	HRS	0	1800		1800		525	
	AFL	0						
PROC. REF: AMM 27-51-01, AMM 27-51-01								
27-002 DISCARD RIGHT NO. 2 OUTBOARD FLAP ACTUATOR Service ATA:27								
PN:475000-2009	MOS	20-Dec-11						LIFE LIMIT
SN:0386	HRS	0	1800		1800		525	
	AFL	0						
PROC. REF: AMM 27-51-01, AMM 27-51-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-003		DISCARD LEFT NO. 1 INBOARD FLAP ACTUATOR						Service	ATA:27
PN:475000-1009	MOS	20-Dec-11						LIFE LIMIT	
SN:0406	HRS	0	1800		1800		525		
	AFL	0							
PROC. REF: AMM 27-51-01, AMM 27-51-01									
27-003		DISCARD RIGHT NO. 1 INBOARD FLAP ACTUATOR						Service	ATA:27
PN:475000-1009	MOS	20-Dec-11						LIFE LIMIT	
SN:0408	HRS	0	1800		1800		525		
	AFL	0							
PROC. REF: AMM 27-51-01, AMM 27-51-01									
27-004		ROLL TRIM ACTUATOR						Component	ATA:27
PN:470500-1005	MOS	20-Dec-11		TSN 0				LIFE LIMIT	
SN:0097	HRS	0	12000	TSN 0	12000		10725		
	AFL	0		TSN 0					
PROC. REF: AMM 27-14-02, AMM 27-14-02									
27-005		YAW TRIM ACTUATOR						Component	ATA:27
PN:470600-1005	MOS	20-Dec-11		TSN 0				LIFE LIMIT	
SN:0110	HRS	0	12000	TSN 0	12000		10725		
	AFL	0		TSN 0					
PROC. REF: AMM 27-24-02, AMM 27-24-02									
27-006		PITCH TRIM ACTUATOR						Component	ATA:27
PN:467500-1003	MOS	20-Dec-11		TSN 0				LIFE LIMIT	
SN:0102	HRS	0	35000	TSN 0	35000		33725		
	AFL	0		TSN 0					
PROC. REF: AMM 27-41-01, AMM 27-41-01									
27-007		LEFT SPOILER ACTUATOR						Component	ATA:27
PN:456800-1003	MOS	20-Dec-11		TSN 0				LIFE LIMIT	
SN:0195	HRS	0	35000	TSN 0	35000		33725		
	AFL	0		TSN 0					
PROC. REF: AMM 27-64-01, AMM 27-64-01, AMM 27-64-02, AMM 27-64-02									
27-007		RIGHT SPOILER ACTUATOR						Component	ATA:27
PN:456800-1003	MOS	20-Dec-11		TSN 0				LIFE LIMIT	
SN:0200	HRS	0	35000	TSN 0	35000		33725		
	AFL	0		TSN 0					
PROC. REF: AMM 27-64-01, AMM 27-64-01, AMM 27-64-02, AMM 27-64-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-008		ELECTRO - RUDDER GUST LOCK ACTUATOR						Component	ATA:27
PN:SYLC-53058	MOS/MSC	10-Jul-24	O/C	TSR 5					
SN:1760	HRS	1275		TSR 0					
	AFL	1116		TSR 0					
PROC. REF: AMM 27-70-01, AMM 27-70-01									
27-009		RUDDER BOOSTER ACTUATOR						Component	ATA:27
PN:9125-3	MOS	20-Dec-11		TSN 0				LIFE LIMIT	
SN:0102T	HRS	0	35000	TSN 0	35000		33725		
	AFL	0		TSN 0					
PROC. REF: AMM 27-23-02, AMM 27-23-02									
27-01-01		LEFT CONTROL WHEEL						Component	ATA:27
PN:83912139	MOS/MSC	21-Dec-23	O/C	TSN 0					
SN:01514	HRS	1164.1		TSN 0					
	AFL	1053		TSN 0					
PROC. REF: AMM 27-01-01, AMM 27-01-01									
27-01-01		RIGHT CONTROL WHEEL						Component	ATA:27
PN:83912141	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:00013	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-01-01, AMM 27-01-01									
27-01-03-001 ^S		LUBRICATION OF ROTARY BALL SPLINE						Service	ATA:27
	MOS	21-Dec-23	24 (+1m/-1m)						
	HRS	1164.1							
	AFL	1053							
PROC. REF: AMM 12-21-00									
PKG:81									
27-010		LEFT TOGGLE LINK						Component	ATA:27
PN:456870-1001	MOS	20-Dec-11		TSN 0				LIFE LIMIT	
SN:0177	HRS	0	35000	TSN 0	35000		33725		
	AFL	0		TSN 0					
PROC. REF: AMM 27-65-02, AMM 27-65-02									
27-010		RIGHT TOGGLE LINK						Component	ATA:27
PN:456870-1001	MOS	20-Dec-11		TSN 0				LIFE LIMIT	
SN:0186	HRS	0	35000	TSN 0	35000		33725		
	AFL	0		TSN 0					
PROC. REF: AMM 27-65-02, AMM 27-65-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-011		STICK PUSHER ACTUATOR						Component	ATA:27
PN:9124-1	MOS	20-Dec-11		TSN 0				LIFE LIMIT	
SN:0129T	HRS	0	35000	TSN 0	35000		33725		
	AFL	0		TSN 0					
PROC. REF: AMM 27-36-02, AMM 27-36-02									
27-012		POWER DRIVE UNIT						Component	ATA:27
PN:467700-1003	MOS	20-Dec-11		TSN 0				LIFE LIMIT	
SN:0118	HRS	0	35000	TSN 0	35000		33725		
	AFL	0		TSN 0					
PROC. REF: AMM 27-51-07, AMM 27-51-07									
27-013		LEFT FLAP POSITION SENSOR UNIT						Component	ATA:27
PN:457310-1001	MOS	20-Dec-11		TSN 0				LIFE LIMIT	
SN:0222	HRS	0	35000	TSN 0	35000		33725		
	AFL	0		TSN 0					
PROC. REF: AMM 27-53-03, AMM 27-53-03									
27-013		RIGHT FLAP POSITION SENSOR UNIT						Component	ATA:27
PN:457310-1001	MOS	20-Dec-11		TSN 0				LIFE LIMIT	
SN:0226	HRS	0	35000	TSN 0	35000		33725		
	AFL	0		TSN 0					
PROC. REF: AMM 27-53-03, AMM 27-53-03									
27-014		DISCARD LEFT CENTER FLAP FLEXIBLE 2 SHAFT						Service	ATA:27
PN:457360-1007	MOS/MSC	20-Dec-11	N/A						
SN:SSW0171	HRS	0							
	AFL	0							
PROC. REF: AMM 27-51-06, AMM 27-51-06									
27-014		DISCARD LEFT INBOARD FLAP FLEXIBLE 1 SHAFT						Service	ATA:27
PN:457360-1005	MOS	20-Dec-11						LIFE LIMIT	
SN:SSW0333	HRS	0	35000		35000		33725		
	AFL	0							
PROC. REF: AMM 27-51-06, AMM 27-51-06									
27-014		DISCARD LEFT OUTBOARD FLAP FLEXIBLE 1 SHAFT						Service	ATA:27
PN:457360-1005	MOS	20-Dec-11						LIFE LIMIT	
SN:SSW0332	HRS	0	35000		35000		33725		
	AFL	0							
PROC. REF: AMM 27-51-06, AMM 27-51-06									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-014	DISCARD RIGHT CENTER FLAP FLEXIBLE 2 SHAFT							Service	ATA:27
	MOS/MSC	20-Dec-11	N/A						
	HRS	0							
	AFL	0							
PROC. REF: AMM 27-51-06, AMM 27-51-06									
27-014	DISCARD RIGHT INBOARD FLAP FLEXIBLE 1 SHAFT							Service	ATA:27
PN:457360-1005	MOS	23-Dec-15					LIFE LIMIT		
SN:SSW0420	HRS	336.55	35000		35336.55		34061.6		
	AFL	336							
PROC. REF: AMM 27-51-06, AMM 27-51-06									
27-014	DISCARD RIGHT OUTBOARD FLAP FLEXIBLE 1 SHAFT							Service	ATA:27
PN:457360-1005	MOS	20-Dec-11					LIFE LIMIT		
SN:SSW0329	HRS	0	35000		35000		33725		
	AFL	0							
PROC. REF: AMM 27-51-06, AMM 27-51-06									
27-015	DISCARD LEFT CENTER FLAP FLEXIBLE 2 SHAFT							Service	ATA:27
PN:457360-1007	MOS	20-Dec-11					LIFE LIMIT		
SN:SSW0171	HRS	0	35000		35000		33725		
	AFL	0							
PROC. REF: AMM 27-51-06, AMM 27-51-06									
27-015	DISCARD LEFT INBOARD FLAP FLEXIBLE 1 SHAFT							Service	ATA:27
PN:457360-1005	MOS/MSC	20-Dec-11	N/A						
SN:SSW0333	HRS	0							
	AFL	0							
PROC. REF: AMM 27-51-06, AMM 27-51-06									
27-015	DISCARD LEFT OUTBOARD FLAP FLEXIBLE 1 SHAFT							Service	ATA:27
PN:457360-1005	MOS/MSC	20-Dec-11	N/A						
SN:SSW0332	HRS	0							
	AFL	0							
PROC. REF: AMM 27-51-06, AMM 27-51-06									
27-015	DISCARD RIGHT CENTER FLAP FLEXIBLE 2 SHAFT							Service	ATA:27
PN:457360-1007	MOS	23-Dec-15					LIFE LIMIT		
SN:SSW0214	HRS	336.55	35000		35336.55		34061.6		
	AFL	336							
PROC. REF: AMM 27-51-06, AMM 27-51-06									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-015 DISCARD RIGHT INBOARD FLAP FLEXIBLE 1 SHAFT Service ATA:27								
	MOS/MSC	20-Dec-11	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM 27-51-06, AMM 27-51-06								
27-015 DISCARD RIGHT OUTBOARD FLAP FLEXIBLE 1 SHAFT Service ATA:27								
PN:457360-1005	MOS/MSC	20-Dec-11	N/A					
SN:SSW0329	HRS	0						
	AFL	0						
PROC. REF: AMM 27-51-06, AMM 27-51-06								
27-016 DISCARD LEFT NO. 3 OUTBOARD FLAP ACTUATOR Service ATA:27								
PN:475100-1009	MOS/MSC	20-Dec-11	N/A					
SN:0193	HRS	0						
	AFL	0						
PROC. REF: AMM 27-51-01, AMM 27-51-01								
27-016 DISCARD RIGHT NO. 3 OUTBOARD FLAP ACTUATOR Service ATA:27								
PN:475100-1009	MOS/MSC	20-Dec-11	N/A					
SN:0192	HRS	0						
	AFL	0						
PROC. REF: AMM 27-51-01, AMM 27-51-01								
27-017 DISCARD LEFT NO. 2 OUTBOARD FLAP ACTUATOR Service ATA:27								
PN:475000-2009	MOS/MSC	20-Dec-11	N/A					
SN:0387	HRS	0						
	AFL	0						
PROC. REF: AMM 27-51-01, AMM 27-51-01								
27-017 DISCARD RIGHT NO. 2 OUTBOARD FLAP ACTUATOR Service ATA:27								
PN:475000-2009	MOS/MSC	20-Dec-11	N/A					
SN:0386	HRS	0						
	AFL	0						
PROC. REF: AMM 27-51-01, AMM 27-51-01								
27-018 DISCARD LEFT NO. 1 INBOARD FLAP ACTUATOR Service ATA:27								
PN:475000-1009	MOS/MSC	20-Dec-11	N/A					
SN:0406	HRS	0						
	AFL	0						
PROC. REF: AMM 27-51-01, AMM 27-51-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-018	DISCARD RIGHT NO. 1 INBOARD FLAP ACTUATOR							Service	ATA:27
PN:475000-1009	MOS/MSC	20-Dec-11	N/A						
SN:0408	HRS	0							
	AFL	0							
PROC. REF: AMM 27-51-01, AMM 27-51-01									
27-03-01	NO. 1 ELECTRONICS FLIGHT CONTROL							Component	ATA:27
PN:462900-1017	MOS/MSC	19-Sep-19	O/C						
SN:0066	HRS	510.3							
	AFL	541							
PROC. REF: AMM 27-03-01, AMM 27-03-01									
27-03-01	NO. 2 ELECTRONICS FLIGHT CONTROL							Component	ATA:27
PN:462900-1017	MOS/MSC	09-Oct-20	O/C						
SN:0176	HRS	641.45							
	AFL	702							
PROC. REF: AMM 27-03-01, AMM 27-03-01									
27-03-01-002 ^S	FUNCTIONAL CHECK OF PITCH TRIM ELECTRICAL STOP							Service	ATA:27
	MOS	20-Dec-11							
	HRS	0	5600 (+30/-30)						
	AFL	0							
PROC. REF: AMM 27-03-01									
27-03-01-003 ^S	FUNCTIONAL CHECK OF PITCH TRIM ACTUATION TIME LIMITER							Service	ATA:27
	MOS	20-Dec-11							
	HRS	0	5600 (+30/-30)						
	AFL	0							
PROC. REF: AMM 27-03-01									
27-03-01-004	OPERATIONAL CHECK OF SPOILER SURFACE POSITION MONITOR							Service	ATA:27
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	6400 (+30/-30)		6400	6430	5125 (+30)		
	AFL	0							
PROC. REF: AMM 27-03-01									
27-04-01	TRIM ACTUATOR CONTROLLER							Component	ATA:27
PN:475200-1005	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:0175	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-04-01, AMM 27-04-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-04-01-001^S FUNCTIONAL CHECK OF ROLL/ YAW TRIM ACTUATION TIME LIMITER Service ATA:27								
	MOS	20-Dec-11						
	HRS	0	5600 (+30/-30)					
	AFL	0						
PROC. REF: AMM 27-04-01								PKG:50
27-04-01-002^S FUNCTIONAL CHECK OF ROLL/ YAW TRIM TABS ELECTRICAL STOP Service ATA:27								
	MOS	20-Dec-11						
	HRS	0	5600 (+30/-30)					
	AFL	0						
PROC. REF: AMM 27-04-01								PKG:50
27-11-00-001^S GENERAL VISUAL INSPECTION OF AILERON ACTUATING SYSTEM MECHANICAL COMPONENTS Service ATA:27								
	MOS	04-Dec-21	60 (+1m/-1m)					
	HRS	682.22	3200 (+30/-30)					
	AFL	755						
PROC. REF: AMM 27-11-00								PKG:42
27-11-01 RIGHT AILERON Component ATA:27								
PN:505-14740-4001	MOS/MSC	20-Dec-11	O/C	TSN 0				
SN:0000687577	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-11-01, AMM 27-11-01								
27-11-02-001 FUNCTIONAL CHECK OF AILERON CONTROL CABLES TENSION Service ATA:27								
	MOS	04-Dec-21	60 (+1m/-1m)		04-Dec-26	04-Jan-27	872 d (+31)	
	HRS	682.22	3200 (+30/-30)		3882.22	3912.22	2607.2 (+30)	
	AFL	755						
PROC. REF: AMM 27-11-02								
27-11-02-002^S DETAILED INSPECTION OF AILERON CONTROL CABLES Service ATA:27								
	MOS	04-Dec-21	60 (+1m/-1m)					
	HRS	682.22	3200 (+30/-30)					
	AFL	755						
PROC. REF: AMM 27-11-02								PKG:42
27-14-02-001 FUNCTIONAL CHECK OF AILERON TRIM BACKLASH/ INTEGRITY Service ATA:27								
	MOS	20-Dec-11						AIRWORTHINESS
	HRS	0	6000 (+30/-30)		6000	6030	4725 (+30)	
	AFL	0						
PROC. REF: AMM 27-14-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-14-02-002		DETAILED INSPECTION OF ROLL TRIM ACTUATING MECHANISM						Service	ATA:27
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	6400 (+30/-30)		6400	6430	5125 (+30)		
	AFL	0							
PROC. REF: AMM 27-14-02									
27-14-03		LEFTAILERON TAB						Component	ATA:27
PN:505-43063-4001	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:0000687650	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-14-03, AMM 27-14-03									
27-21-00-001 ^S		GENERAL VISUAL INSPECTION OF RUDDER ACTUATING SYSTEM MECHANICAL COMPONENTS						Service	ATA:27
	MOS	04-Dec-21	60 (+1m/-1m)						
	HRS	682.22	3200 (+30/-30)						
	AFL	755							
PROC. REF: AMM 27-21-00									
PKG:42									
27-21-01		RUDDER ASSEMBLY						Component	ATA:27
PN:505-39084-405	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:0000671047	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-21-01, AMM 27-21-01									
27-21-02-001		FUNCTIONAL CHECK OF RUDDER CONTROL CABLES TENSION						Service	ATA:27
	MOS	04-Dec-21	60 (+1m/-1m)		04-Dec-26	04-Jan-27	872 d (+31)		
	HRS	682.22	3200 (+30/-30)		3882.22	3912.22	2607.2 (+30)		
	AFL	755							
PROC. REF: AMM 27-21-02									
27-21-02-002 ^S		DETAILED INSPECTION OF RUDDER CONTROL CABLES						Service	ATA:27
	MOS	04-Dec-21	60 (+1m/-1m)						
	HRS	682.22	3200 (+30/-30)						
	AFL	755							
PROC. REF: AMM 27-21-02									
PKG:42									
27-23-00-001 ^S		OPERATIONAL CHECK OF SPRING LOADED RUDDER BOOST SYSTEM						Service	ATA:27
	MOS	20-Dec-11							
	HRS	0	1600 (+30/-30)						
	AFL	0							
PROC. REF: AMM 27-23-00									
PKG:10									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-24-02-001 FUNCTIONAL CHECK OF RUDDER TRIM BACKLASH								
	MOS	20-Dec-11						Service ATA:27 AIRWORTHINESS
	HRS	0	6000 (+30/-30)		6000	6030	4725 (+30)	
	AFL	0						
PROC. REF: AMM 27-24-03								
27-24-02-002 DETAILED INSPECTION OF YAW TRIM ACTUATING MECHANISM								
	MOS	20-Dec-11						Service ATA:27 AIRWORTHINESS
	HRS	0	6400 (+30/-30)		6400	6430	5125 (+30)	
	AFL	0						
PROC. REF: AMM 27-24-02								
27-24-03 RUDDER TRIM TAB								
PN:505-10450-403	MOS/MSC	20-Dec-11	O/C	TSN 0				Component ATA:27
SN:0000684474	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-24-03, AMM 27-24-03								
27-26-01 VENTRAL RUDDER								
PN:505-07540-417	MOS/MSC	20-Dec-11	O/C	TSN 0				Component ATA:27
SN:0000685660	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-26-01, AMM 27-26-01								
27-31-00-001^S GENERAL VISUAL INSPECTION OF ELEVATOR ACTUATING SYSTEM MECHANICAL COMPONENTS								
	MOS	04-Dec-21	60 (+1m/-1m)					Service ATA:27
	HRS	682.22	3200 (+30/-30)					
	AFL	755						
PROC. REF: AMM 27-31-00								
27-31-01 LEFT ELEVATOR								
PN:505-43071-4001	MOS/MSC	20-Dec-11	O/C	TSN 0				Component ATA:27
SN:0000685485	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-31-01, AMM 27-31-01								
27-31-01 RIGHT ELEVATOR								
PN:505-43071-4002	MOS/MSC	20-Dec-11	O/C	TSN 0				Component ATA:27
SN:0000685489	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-31-01, AMM 27-31-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-31-02-001	FUNCTIONAL CHECK OF ELEVATOR CONTROL CABLES TENSION							Service	ATA:27
	MOS	04-Dec-21	60 (+1m/-1m)		04-Dec-26	04-Jan-27	872 d (+31)		
	HRS	682.22	3200 (+30/-30)		3882.22	3912.22	2607.2 (+30)		
	AFL	755							
PROC. REF: AMM 27-31-02									
27-31-02-002 ^S	DETAILED INSPECTION OF ELEVATOR CONTROL CABLES							Service	ATA:27
	MOS	04-Dec-21	60 (+1m/-1m)						
	HRS	682.22	3200 (+30/-30)						
	AFL	755							
PROC. REF: AMM 27-31-02									
27-31-03	LEFT ELEVATOR TAB							Component	ATA:27
PN:505-43073-4001	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:0000684568	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-31-03, AMM 27-31-03									
27-31-03	RIGHT ELEVATOR TAB							Component	ATA:27
PN:505-43073-4002	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:0000680803	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-31-03, AMM 27-31-03									
27-31-03-001 ^S	FUNCTIONAL CHECK OF ELEVATOR AUTO-TRIM BACKLASH							Service	ATA:27
	MOS	20-Dec-11							
	HRS	0	5600 (+30/-30)						
	AFL	0							
PROC. REF: AMM 27-31-03									
27-31-03-002 ^S	DETAILED INSPECTION OF ELEVATOR AUTO-TAB MECHANISM							Service	ATA:27
	MOS	20-Dec-11							
	HRS	0	5600 (+30/-30)						
	AFL	0							
PROC. REF: AMM 27-31-03									
27-36-03-001 ^S	OPERATIONAL CHECK OF PUSHER CUTOUT SWITCH							Service	ATA:27
	MOS	23-Dec-15							
	HRS	337.37	1600 (+30/-30)						
	AFL	337							
PROC. REF: AMM 27-36-03									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-41-01-001	DETAILED INSPECTION OF PITCH TRIM ACTUATOR							Service	ATA:27
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	6400 (+30/-30)		6400	6430	5125 (+30)		
	AFL	0							
	PROC. REF: AMM 27-41-01								
27-41-01-002	FUNCTIONAL CHECK OF PITCH TRIM ACTUATOR BACKLASH							Service	ATA:27
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	6000 (+30/-30)		6000	6030	4725 (+30)		
	AFL	0							
	PROC. REF: AMM 27-40-00								
27-41-01-003 ^S	LUBRICATION OF PITCH TRIM ACTUATOR							Service	ATA:27
	MOS	11-Jan-22	48 (+1m/-1m)						
	HRS	694.2							
	AFL	761							
	PROC. REF: AMM 12-21-00							PKG:83	
27-41-01-004	OPERATIONAL CHECK OF PITCH TRIM ACTUATOR NO- BACK							Service	ATA:27
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	6400 (+30/-30)		6400	6430	5125 (+30)		
	AFL	0							
	PROC. REF: AMM 27-41-01								
27-41-01-005 ^S	SERVICING OF PITCH TRIM ACTUATOR GEAR BOXES							Service	ATA:27
	MOS	11-Jan-22	48 (+1m/-1m)						
	HRS	694.2							
	AFL	761							
	PROC. REF: AMM 12-18-00							PKG:83	
27-41-01-006 ^S	FUNCTIONAL CHECK OF PITCH TRIM ACTUATOR MECHANICAL STOP							Service	ATA:27
	MOS	20-Dec-11							
	HRS	0	5600 (+30/-30)						
	AFL	0							
	PROC. REF: AMM 27-41-01							PKG:50	
27-50-01-01-901	DETAILED INSPECTION OF ACTUATOR PINS. FLAP MECHANICAL COMPONENT - INTERNAL							Service	ATA:27
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	T:17500		17500		16225		
	AFL	0	T:14000		14000		12884		
	PROC. REF: NDT PART 5 27-51-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-51-01-001 ^S	LUBRICATION OF FLAP ACTUATORS BALL SCREWS							Service	ATA:27
	MOS	11-Jan-22	48 (+1m/-1m)						
	HRS	694.2							
	AFL	761							
				PROC. REF: AMM 12-21-00				PKG:83	
27-51-01-002	DETAILED INSPECTION LEFT NO. 1 INBOARD FLAP ACTUATOR							Service	ATA:27
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	7200 (+30/-30)		7200	7230	5925 (+30)		
	AFL	0							
				PROC. REF: AMM 27-51-01					
27-51-01-002	DETAILED INSPECTION LEFT NO. 2 OUTBOARD FLAP ACTUATOR							Service	ATA:27
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	7200 (+30/-30)		7200	7230	5925 (+30)		
	AFL	0							
				PROC. REF: AMM 27-51-01					
27-51-01-002	DETAILED INSPECTION LEFT NO. 3 OUTBOARD FLAP ACTUATOR							Service	ATA:27
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	7200 (+30/-30)		7200	7230	5925 (+30)		
	AFL	0							
				PROC. REF: AMM 27-51-01					
27-51-01-002	DETAILED INSPECTION RIGHT NO. 1 INBOARD FLAP ACTUATOR							Service	ATA:27
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	7200 (+30/-30)		7200	7230	5925 (+30)		
	AFL	0							
				PROC. REF: AMM 27-51-01					
27-51-01-002	DETAILED INSPECTION RIGHT NO. 2 OUTBOARD FLAP ACTUATOR							Service	ATA:27
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	7200 (+30/-30)		7200	7230	5925 (+30)		
	AFL	0							
				PROC. REF: AMM 27-51-01					
27-51-01-002	DETAILED INSPECTION RIGHT NO. 3 OUTBOARD FLAP ACTUATOR							Service	ATA:27
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	7200 (+30/-30)		7200	7230	5925 (+30)		
	AFL	0							
				PROC. REF: AMM 27-51-01					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-51-01-004 FUNCTIONAL CHECK OF FLAP ACTUATOR TORQUE LIMITER Service ATA:27								
	MOS	20-Dec-11						AIRWORTHINESS
	HRS	0	7200 (+30/-30)		7200	7230	5925 (+30)	
	AFL	0						
PROC. REF: AMM 27-51-01								
27-51-01-005^S SERVICING OF FLAP ACTUATOR GEAR BOXES Service ATA:27								
	MOS	11-Jan-22	48 (+1m/-1m)					
	HRS	694.2						
	AFL	761						
PROC. REF: AMM 12-18-00								
27-51-01-900-801-01 LEFT NO. 3 OUTBOARD FLAP ACTUATOR Component ATA:27								
PN:475100-1009	MOS/MSC	20-Dec-11	H/T	TSN 0				
SN:0193	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-51-01, AMM 27-51-01								
27-51-01-900-801-02 RIGHT NO. 3 OUTBOARD FLAP ACTUATOR Component ATA:27								
PN:475100-1009	MOS/MSC	20-Dec-11	H/T	TSN 0				
SN:0192	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-51-01, AMM 27-51-01								
27-51-01-900-801-03 LEFT NO. 2 OUTBOARD FLAP ACTUATOR Component ATA:27								
PN:475000-2009	MOS/MSC	20-Dec-11	H/T	TSN 0				
SN:0387	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-51-01, AMM 27-51-01								
27-51-01-900-801-04 RIGHT NO. 2 OUTBOARD FLAP ACTUATOR Component ATA:27								
PN:475000-2009	MOS/MSC	20-Dec-11	H/T	TSN 0				
SN:0386	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-51-01, AMM 27-51-01								
27-51-01-900-801-05 LEFT NO. 1 INBOARD FLAP ACTUATOR Component ATA:27								
PN:475000-1009	MOS/MSC	20-Dec-11	H/T	TSN 0				
SN:0406	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-51-01, AMM 27-51-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-51-01-900-801-06		RIGHT NO. 1 INBOARD FLAP ACTUATOR					Component	ATA:27
PN:475000-1009	MOS/MSC	20-Dec-11	H/T	TSN 0				
SN:0408	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-51-01, AMM 27-51-01								
27-51-05		LEFT INBOARD FLAP					Component	ATA:27
PN:505-14401-4001	MOS/MSC	20-Dec-11	O/C	TSN 0				
SN:0000682252	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-51-04, AMM 27-51-04, AMM 27-51-05, AMM 27-51-05								
27-51-05		RIGHT INBOARD FLAP					Component	ATA:27
PN:505-14401-4002	MOS/MSC	20-Dec-11	O/C	TSN 0				
SN:0000682254	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-51-04, AMM 27-51-04, AMM 27-51-05, AMM 27-51-05								
27-51-06-001 ^S		LUBRICATION LEFT CENTER FLAP FLEXIBLE SHAFT					Service	ATA:27
	MOS	11-Jan-22	48 (+1m/-1m)					
	HRS	694.2						
	AFL	761						
PROC. REF: AMM 12-21-00								
PKG:83								
27-51-06-001 ^S		LUBRICATION LEFT OUTBOARD FLAP FLEXIBLE SHAFT					Service	ATA:27
	MOS	11-Jan-22	48 (+1m/-1m)					
	HRS	694.2						
	AFL	761						
PROC. REF: AMM 12-21-00								
PKG:83								
27-51-06-001 ^S		LUBRICATION LH INBOARD FLAP FLEXIBLE SHAFT					Service	ATA:27
	MOS	11-Jan-22	48 (+1m/-1m)					
	HRS	694.2						
	AFL	761						
PROC. REF: AMM 12-21-00								
PKG:83								
27-51-06-001 ^S		LUBRICATION RH INBOARD FLAP FLEXIBLE SHAFT					Service	ATA:27
	MOS	11-Jan-22	48 (+1m/-1m)					
	HRS	694.2						
	AFL	761						
PROC. REF: AMM 12-21-00								
PKG:83								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-51-06-001 ^S	LUBRICATION RIGHT CENTER FLAP FLEXIBLE SHAFT							Service	ATA:27
	MOS	11-Jan-22	48 (+1m/-1m)						
	HRS	694.2							
	AFL	761							
					PROC. REF: AMM 12-21-00			PKG:83	
27-51-06-001 ^S	LUBRICATION RIGHT OUTBOARD FLAP FLEXIBLE SHAFT							Service	ATA:27
	MOS	11-Jan-22	48 (+1m/-1m)						
	HRS	694.2							
	AFL	761							
					PROC. REF: AMM 12-21-00			PKG:83	
27-51-06-002 ^S	DETAILED VISUAL INSPECTION LEFT CENTER FLAP FLEXIBLE SHAFT							Service	ATA:27
	MOS	11-Jan-22	48 (+1m/-1m)						
	HRS	694.2							
	AFL	761							
					PROC. REF: AMM 27-51-06			PKG:83	
27-51-06-002 ^S	DETAILED VISUAL INSPECTION LEFT OUTBOARD FLAP FLEXIBLE SHAFT							Service	ATA:27
	MOS	11-Jan-22	48 (+1m/-1m)						
	HRS	694.2							
	AFL	761							
					PROC. REF: AMM 27-51-06			PKG:83	
27-51-06-002 ^S	DETAILED VISUAL INSPECTION LH INBOARD FLAP FLEXIBLE SHAFT							Service	ATA:27
	MOS	11-Jan-22	48 (+1m/-1m)						
	HRS	694.2							
	AFL	761							
					PROC. REF: AMM 27-51-06			PKG:83	
27-51-06-002 ^S	DETAILED VISUAL INSPECTION RH INBOARD FLAP FLEXIBLE SHAFT							Service	ATA:27
	MOS	11-Jan-22	48 (+1m/-1m)						
	HRS	694.2							
	AFL	761							
					PROC. REF: AMM 27-51-06			PKG:83	
27-51-06-002 ^S	DETAILED VISUAL INSPECTION RIGHT CENTER FLAP FLEXIBLE SHAFT							Service	ATA:27
	MOS	11-Jan-22	48 (+1m/-1m)						
	HRS	694.2							
	AFL	761							
					PROC. REF: AMM 27-51-06			PKG:83	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-51-06-002 ^S		DETAILED VISUAL INSPECTION RIGHT OUTBOARD FLAP FLEXIBLE SHAFT						Service	ATA:27
	MOS	11-Jan-22	48 (+1m/-1m)						
	HRS	694.2							
	AFL	761							
PROC. REF: AMM 27-51-06								PKG:83	
27-51-06-900-801-01		RIGHT OUTBOARD FLAP FLEXIBLE 1 SHAFT						Component	ATA:27
PN:457360-1005	MOS/MSC	20-Dec-11	H/T	TSN 0					
SN:SSW0329	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-51-06, AMM 27-51-06									
27-51-06-900-801-02		RIGHT INBOARD FLAP FLEXIBLE 1 SHAFT						Component	ATA:27
PN:457360-1005	MOS/MSC	23-Dec-15	H/T	TSN 10					
SN:SSW0420	HRS	336.55		TSN 0					
	AFL	336		TSN 0					
PROC. REF: AMM 27-51-06, AMM 27-51-06									
27-51-06-900-801-03		LEFT OUTBOARD FLAP FLEXIBLE 1 SHAFT						Component	ATA:27
PN:457360-1005	MOS/MSC	20-Dec-11	H/T	TSN 0					
SN:SSW0332	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-51-06, AMM 27-51-06									
27-51-06-900-801-04		LEFT INBOARD FLAP FLEXIBLE 1 SHAFT						Component	ATA:27
PN:457360-1005	MOS/MSC	20-Dec-11	H/T	TSN 0					
SN:SSW0333	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-51-06, AMM 27-51-06									
27-51-06-900-801-05		LEFT CENTER FLAP FLEXIBLE 2 SHAFT						Component	ATA:27
PN:457360-1007	MOS/MSC	20-Dec-11	H/T	TSN 0					
SN:SSW0171	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-51-06, AMM 27-51-06									
27-51-06-900-801-06		RIGHT CENTER FLAP FLEXIBLE 2 SHAFT						Component	ATA:27
PN:457360-1007	MOS/MSC	23-Dec-15	H/T	TSN 11					
SN:SSW0214	HRS	336.55		TSN 0					
	AFL	336		TSN 0					
PROC. REF: AMM 27-51-06, AMM 27-51-06									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-53-01		FLAP SELECTOR, PRODUCTION, LEVER						Component	ATA:27
PN:780501-9	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:1271	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-53-01, AMM 27-53-01									
27-64-01-01-901		SPECIAL DETAILED INSPECTION (EDDY CURRENT) OF LUG OF BELL CRANK. MULTIFUNCTION SPOILER MECHANICAL COMPONENTS-INTERNAL						Service	ATA:27
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	T:17500		17500		16225		
	AFL	0	T:14000		14000		12884		
PROC. REF: NDT PART 6 27-64-00									
27-64-01-01-902		DETAILED INSPECTION OF BELL CRANK AND FASTENERS. MULTIFUNCTION SPOILER MECHANICAL COMPONENTS - INTERNAL						Service	ATA:27
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	T:17500		17500		16225		
	AFL	0	T:14000		14000		12884		
PROC. REF: NDT PART 5 27-64-00									
27-64-01-02-901		SPECIAL DETAILED INSPECTION (MAGNETIC PARTICLE) OF BELL CRANK SAFE PINS. MULTIFUNCTION SPOILER MECHANICAL COMPONENTS- INTERNAL						Service	ATA:27
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	T:17500		17500		16225		
	AFL	0	T:14000		14000		12884		
PROC. REF: NDT PART 7 27-64-00									
27-65-00-001 ^S		FUNCTIONAL CHECK OF MULTIFUNCTION SPOILER SYSTEM						Service	ATA:27
	MOS	20-Dec-11							
	HRS	0	6400 (+30/-30)						
	AFL	0							
PROC. REF: AMM 27-60-00									
27-65-01-001 ^S		GENERAL VISUAL INSPECTION OF MULTIFUNCTION SPOILER POWER CONTROL UNIT (PCU)						Service	ATA:27
	MOS	20-Dec-11							
	HRS	0	6400 (+30/-30)						
	AFL	0							
PROC. REF: AMM 27-65-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-66-01		NO. 1 CONTROL WHEEL POSITION SENSOR					Component	ATA:27	
PN:456896-1001	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:019919	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-66-01, AMM 27-66-01									
27-66-01		NO. 2 CONTROL WHEEL POSITION SENSOR					Component	ATA:27	
PN:456896-1001	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:019921	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-66-01, AMM 27-66-01									
27-66-02		LEFT SPOILER SURFACE POSITION SENSOR					Component	ATA:27	
PN:456897-1001	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:033159	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-66-02, AMM 27-66-02									
27-66-02		RIGHT SPOILER SURFACE POSITION SENSOR					Component	ATA:27	
PN:456897-1001	MOS/MSC	20-Jan-12	O/C						
SN:035181	HRS	18.47							
	AFL	14							
PROC. REF: AMM 27-66-02, AMM 27-66-02									
ATA 28 - FUEL									
28-11-00-001 ^S		FUNCTIONAL CHECK OF FUEL TANKS FOR MICROORGANISMS					Service	ATA:28	
	MOS	21-Dec-23	12 (+1m/-1m)						
	HRS	1164.1							
	AFL	1053							
PROC. REF: AMM 28-11-00									
28-11-05		LEFT WING WATER DRAIN VALVE					Component	ATA:28	
PN:L83A13-628	MOS/MSC	20-Jan-12	O/C						
SN:F02120	HRS	18.47							
	AFL	14							
PROC. REF: AMM 28-11-05, AMM 28-11-05									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
28-11-05		RIGHT WING WATER DRAIN VALVE					Component	ATA:28	
PN:L83A13-628	MOS/MSC	20-Jan-12	O/C						
SN:F02122	HRS	18.47							
	AFL	14							
PROC. REF: AMM 28-11-05, AMM 28-11-05									
28-11-07		LEFT WING DUMP VALVE					Component	ATA:28	
PN:V98A32-001	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:F00585	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-11-07, AMM 28-11-07									
28-11-07		RIGHT WING DUMP VALVE					Component	ATA:28	
PN:V98A32-001	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:F00602	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-11-07, AMM 28-11-07									
28-12-01-001 ^S		SPECIAL DETAILED INSPECTION OF FUEL VENT NACA					Service	ATA:28	
	MOS	04-Dec-21							
	HRS	682.22	800 (+30/-30)						
	AFL	755							
PROC. REF: AMM 28-12-01									
PKG:1									
28-12-03		LEFT FUEL TANK FLOAT VENT VALVE					Component	ATA:28	
PN:L87-19-001P2	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:F11600	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-12-03, AMM 28-12-03									
28-12-03		RIGHT FUEL TANK FLOAT VENT VALVE					Component	ATA:28	
PN:L87-19-001P2	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:E91411	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-12-03, AMM 28-12-03									
28-12-03-001 ^S		OPERATIONAL CHECK LEFT FLOAT VENT VALVE					Service	ATA:28	
	MOS	20-Dec-11							
	HRS	0	6400 (+30/-30)						
	AFL	0							
PROC. REF: AMM 28-12-03									
PKG:60									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
28-12-03-001 ^S OPERATIONAL CHECK RIGHT FLOAT VENT VALVE Service ATA:28								
	MOS	20-Dec-11						
	HRS	0	6400 (+30/-30)					
	AFL	0						
PROC. REF: AMM 28-12-03								PKG:60
28-21-01 LEFT WING FUEL SYSTEM - ENGINE FEED 3/4 IN CHECK VALVE Component ATA:28								
PN:L96-19-007	MOS/MSC	20-Jan-12	O/C					
SN:F10678	HRS	18.47						
	AFL	14						
PROC. REF: AMM 28-21-01, AMM 28-21-01								
28-21-01 RIGHT WING FUEL SYSTEM - ENGINE FEED 3/4 IN CHECK VALVE Component ATA:28								
PN:L96-19-007	MOS/MSC	20-Jan-12	O/C					
SN:F10680	HRS	18.47						
	AFL	14						
PROC. REF: AMM 28-21-01, AMM 28-21-01								
28-21-02 LEFT WING DC AUXILIARY BOOST PUMP CARTRIDGE Component ATA:28								
PN:P99C25-606P2	MOS/MSC	20-Dec-11	O/C	TSN 0				
SN:F08773	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-21-03, AMM 28-21-03								
28-21-02 RIGHT WING DC AUXILIARY BOOST PUMP CARTRIDGE Component ATA:28								
PN:P99C25-606P2	MOS/MSC	20-Dec-11	O/C	TSN 0				
SN:E08771	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-21-03, AMM 28-21-03								
28-21-03 LEFT WING DC AUXILIARY BOOST PUMP CANISTER Component ATA:28								
PN:C93R25-606P2	MOS/MSC	20-Dec-11	O/C	TSN 0				
SN:F07194	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-21-03, AMM 28-21-03								
28-21-03 RIGHT WING DC AUXILIARY BOOST PUMP CANISTER Component ATA:28								
PN:C93R25-606P2	MOS/MSC	20-Dec-11	O/C	TSN 0				
SN:F07196	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-21-03, AMM 28-21-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
28-21-05	LEFT WING JET PUMP FEED LINE							Component	ATA:28
PN:T99A19-602	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:F05523	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-21-05, AMM 28-21-05									
28-21-05	RIGHT WING JET PUMP FEED LINE							Component	ATA:28
PN:T99A19-602	MOS/MSC	20-Jan-12	O/C						
SN:F12601	HRS	18.47							
	AFL	14							
PROC. REF: AMM 28-21-05, AMM 28-21-05									
28-21-07	LEFT 0.75 SHUTOFF VALVE							Component	ATA:28
PN:B97-15-601	MOS/MSC	20-Jan-12	O/C						
SN:F12860	HRS	18.47							
	AFL	14							
PROC. REF: AMM 28-21-07, AMM 28-21-07									
28-21-07	RIGHT 0.75 SHUTOFF VALVE							Component	ATA:28
PN:B97-15-601	MOS/MSC	20-Jan-12	O/C						
SN:F12859	HRS	18.47							
	AFL	14							
PROC. REF: AMM 28-21-07, AMM 28-21-07									
28-21-07-001	OPERATIONAL CHECK LEFT ENGINE FUEL SOV SYSTEM							Service	ATA:28
	MOS	11-Jan-22						AIRWORTHINESS	
	HRS	694.2	800 (+30/-30)		1494.2	1524.2	219.2 (+30)		
	AFL	761							
PROC. REF: AMM 28-21-07									
28-21-07-001	OPERATIONAL CHECK RIGHT ENGINE FUEL SOV SYSTEM							Service	ATA:28
	MOS	11-Jan-22						AIRWORTHINESS	
	HRS	694.2	800 (+30/-30)		1494.2	1524.2	219.2 (+30)		
	AFL	761							
PROC. REF: AMM 28-21-07									
28-21-08	FORWARD LEFT 28 VDC SOV ACTUATOR							Component	ATA:28
PN:D97C00-644P2	MOS/MSC	20-Jan-12	O/C						
SN:C701197	HRS	18.47							
	AFL	14							
PROC. REF: AMM 28-21-07, AMM 28-21-07									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
28-21-08		LEFT WING 28 VDC SOV ACTUATOR							Component ATA:28
PN:D97C00-644P2	MOS/MSC	20-Jan-12	O/C						
SN:C701185	HRS	18.47							
	AFL	14							
PROC. REF: AMM 28-21-07, AMM 28-21-07									
28-21-08		REAR RIGHT 28 VDC SOV ACTUATOR							Component ATA:28
PN:D97C00-644P2	MOS/MSC	20-Jan-12	O/C						
SN:C701178	HRS	18.47							
	AFL	14							
PROC. REF: AMM 28-21-07, AMM 28-21-07									
28-21-09		LEFT WING SCAVENGER JET PUMP							Component ATA:28
PN:T99A19-603	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:F07097	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-21-09, AMM 28-21-09									
28-21-09		RIGHT WING SCAVENGER JET PUMP							Component ATA:28
PN:T99A19-603	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:F07095	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-21-09, AMM 28-21-09									
28-21-10		3/4" (CROSSFEED) SHUT OFF VALVE							Component ATA:28
PN:L96-19-007	MOS/MSC	20-Jan-12	O/C						
SN:F16395	HRS	18.47							
	AFL	14							
PROC. REF: AMM 28-21-10, AMM 28-21-10									
28-21-10-001		OPERATIONAL CHECK OF FUEL XFEED VALVE							Service ATA:28
	MOS	20-Dec-11							
	HRS	0	12000 (+30/-30)		12000	12030	10725 (+30)		
	AFL	0							
PROC. REF: AMM 28-21-10									
28-21-11		LEFT WING 1/2 INCH CHECK VALVE VALVE							Component ATA:28
PN:L96-13-001	MOS/MSC	20-Jan-12	O/C						
SN:F20189	HRS	18.47							
	AFL	14							
PROC. REF: AMM 28-21-11, AMM 28-21-11									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
28-21-11	RIGHT WING 1/2 INCH CHECK VALVE VALVE							Component	ATA:28
PN:L96-13-001	MOS/MSC	20-Jan-12	O/C						
SN:F08104	HRS	18.47							
	AFL	14							
PROC. REF: AMM 28-21-11, AMM 28-21-11									
28-21-13	INSC ILLUM PANEL							Component	ATA:28
PN:441-42621-002	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:1077	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-21-13, AMM 28-21-13									
28-23-01	REFUEL CONTROL PANEL							Component	ATA:28
PN:742388-1-2	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:742388IN00191	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-23-01, AMM 28-23-01									
28-23-03	LEFT WING PRESSURE REFUELING SOLENOID VALVE							Component	ATA:28
PN:L94E31-653P2	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:F17089	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-23-03, AMM 28-23-03									
28-23-03	RIGHT WING PRESSURE REFUELING SOLENOID VALVE							Component	ATA:28
PN:L94E31-653P2	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:F17088	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-23-03, AMM 28-23-03									
28-23-04-001 ^S	GENERAL VISUAL INSPECTION OF PRESSURE REFUELING ADAPTER							Service	ATA:28
	MOS	23-Dec-15							
	HRS	336.55	3200 (+30/-30)						
	AFL	336							
PROC. REF: AMM 28-23-05									
28-23-07	LEFT HIGH LEVEL SENSOR							Component	ATA:28
PN:722860-2-0	MOS/MSC	12-May-22	O/C	TSN 0					
SN:3023	HRS	797.5		TSN 0					
	AFL	822		TSN 0					
PROC. REF: AMM 28-23-07, AMM 28-23-07									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
28-23-07	RIGHT HIGH LEVEL SENSOR							Component	ATA:28
PN:722860-2-0	MOS/MSC	01-Jun-22	O/C						
SN:0341	HRS	800.5		TSN 800.5					
	AFL	827							
PROC. REF: AMM 28-23-07, AMM 28-23-07									
28-23-09	FUEL PORT AND CAP							Component	ATA:28
PN:K97-63-613	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:E92412	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-23-09, AMM 28-23-09									
28-41-01	NO. 1 LEFT PROBE							Component	ATA:28
PN:765896-1-0	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:765896IN00165	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-41-01, AMM 28-41-01									
28-41-01	NO. 1 RIGHT PROBE							Component	ATA:28
PN:765896-1-0	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:765896IN00285	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-41-01, AMM 28-41-01									
28-41-01	NO. 2 LEFT PROBE							Component	ATA:28
PN:765873-1-0	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:765873IN00287	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-41-01, AMM 28-41-01									
28-41-01	NO. 2 RIGHT PROBE							Component	ATA:28
PN:765873-1-0	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:765873IN00294	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-41-01, AMM 28-41-01									
28-41-01	NO. 3 LEFT PROBE							Component	ATA:28
PN:765874-1-0	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:765874IN00290	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-41-01, AMM 28-41-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
28-41-01	NO. 3 RIGHT PROBE							Component	ATA:28
PN:765874-1-0	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:765874IN00292	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-41-01, AMM 28-41-01									
28-41-01	NO. 4 LEFT PROBE							Component	ATA:28
PN:765875-1-0	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:765875IN00273	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-41-01, AMM 28-41-01									
28-41-01	NO. 4 RIGHT PROBE							Component	ATA:28
PN:765875-1-0	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:765875IN00297	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-41-01, AMM 28-41-01									
28-41-05	EFCU ELECTRICAL FUEL CONTROL UNIT							Component	ATA:28
PN:738742-1-4	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:738790IN00487	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-41-05, AMM 28-41-05									
28-43-01	TEMPERATURE SENSOR							Component	ATA:28
PN:798840-1-0	MOS/MSC	20-Jan-12	O/C	TSN 0					
SN:02743	HRS	18.47		TSN 0					
	AFL	14		TSN 0					
PROC. REF: AMM 28-43-01, AMM 28-43-01									
28-43-01-001 ^S	FUNCTIONAL CHECK OF FUEL TEMPERATURE SENSOR							Service	ATA:28
	MOS	20-Dec-11		TSN 0					
	HRS	0	6400 (+30/-30)	TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-43-01									
28-45-01	LEFT PRESSURE SWITCH							Component	ATA:28
PN:D98C07-611	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:0608	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-45-01, AMM 28-45-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
28-45-01	RIGHT PRESSURE SWITCH							Component	ATA:28
PN:D98C07-611	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:0701	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-45-01, AMM 28-45-01									
ATA 29 - HYDRAULIC POWER									
29-12-02	CENTER FUSELAGE HYDRAULIC SYSTEM FLUID BOOTSTRAP RESERVOIR							Component	ATA:29
PN:3032763-002	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:MX751286	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 29-12-01, AMM 29-12-01, AMM 29-12-02, AMM 29-12-02									
29-12-02	LEFT ENGINE DRIVEN HYDRAULIC PUMP							Component	ATA:29
PN:3032249-002	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:MX750413	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 29-12-01, AMM 29-12-01, AMM 29-12-02, AMM 29-12-02									
29-12-02	RIGHT ENGINE DRIVEN HYDRAULIC PUMP							Component	ATA:29
PN:3032249-002	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:MX750411	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 29-12-01, AMM 29-12-01, AMM 29-12-02, AMM 29-12-02									
29-12-02-001 ^S	VISUAL CHECK OF MANIFOLD/ RESERVOIR							Service	ATA:29
	MOS	21-Dec-23	12 (+1m/-1m)						
	HRS	1164.1							
	AFL	1053							
PROC. REF: AMM 29-12-02									
29-12-02-002 ^S	OPERATIONAL CHECK LEFT EDP CHECK VALVE							Service	ATA:29
	MOS	20-Jan-20							
	HRS	603.48	5600 (+30/-30)						
	AFL	653							
PROC. REF: AMM 29-10-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 29 - HYDRAULIC POWER								
29-12-02-002^S OPERATIONAL CHECK RIGHT EDP CHECK VALVE Service ATA:29								
	MOS	20-Jan-20						
	HRS	603.48	5600 (+30/-30)					
	AFL	653						
PROC. REF: AMM 29-10-00								PKG:50
29-15-03 HYDRAULIC ACCUMULATOR Component ATA:29								
PN:0860231003	MOS/MSC	20-Dec-11	O/C	TSN 0				
SN:60231-2351	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 29-15-03, AMM 29-15-03								
29-15-03-001 SERVICING OF HYDRAULIC ACCUMULATOR Service ATA:29								
PN:0860231003	MOS/MSC	21-Dec-23	A/R					
SN:60231-2351	HRS	1164.1						
	AFL	1053						
PROC. REF: AMM 12-13-00								
29-15-04 NO. 1 FSOV FIRE SHUT OFF VALVE Component ATA:29								
PN:3032428-001	MOS/MSC	20-Dec-11	O/C	TSN 0				
SN:AA271514	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 29-15-04, AMM 29-15-04								
29-15-04 NO. 2 FSOV FIRE SHUT OFF VALVE Component ATA:29								
PN:3032428-001	MOS/MSC	20-Dec-11	O/C	TSN 0				
SN:AA277577	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 29-15-04, AMM 29-15-04								
29-15-04-001 OPERATIONAL CHECK NO. 1 FSOV FIRE SHUT OFF VALVE ENGINE HYDRAULIC SHUT-OFF VALVE Service ATA:29								
PN:3032428-001	MOS	21-Dec-23	48 (+30d/-30d)		21-Dec-27	20-Jan-28	1254 d (+30)	AIRWORTHINESS
SN:AA271514	HRS	1164.1	3200 (+30/-30)		4364.1	4394.1	3089.1 (+30)	
	AFL	1053						
PROC. REF: AMM 29-15-04								
29-15-04-001 OPERATIONAL CHECK NO. 2 FSOV FIRE SHUT OFF VALVE ENGINE HYDRAULIC SHUT-OFF VALVE Service ATA:29								
PN:3032428-001	MOS	21-Dec-23	48 (+30d/-30d)		21-Dec-27	20-Jan-28	1254 d (+30)	AIRWORTHINESS
SN:AA277577	HRS	1164.1	3200 (+30/-30)		4364.1	4394.1	3089.1 (+30)	
	AFL	1053						
PROC. REF: AMM 29-15-04								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 29 - HYDRAULIC POWER									
29-15-05	PRIORITY VALVE							Component	ATA:29
PN:2217-0001-401	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:00092	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 29-15-05, AMM 29-15-05									
29-31-02-001 ^S	FUNCTIONAL CHECK OF DIFFERENTIAL PRESSURE INDICATOR, RETURN FILTER BYPASS VALVE AND HP RELIEF VALVE							Service	ATA:29
	MOS	20-Jan-20							
	HRS	603.47	5600 (+30/-30)						
	AFL	653							
PROC. REF: AMM 29-31-02									
ATA 30 - ICE AND RAIN PROTECTION									
30-01-01	MD INSC ILLUM PANEL							Component	ATA:30
PN:441-43234-002	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:1060	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 30-01-01, AMM 30-01-01									
30-12-00-001 ^S	OPERATIONAL CHECK OF WING/H-STAB ANTI-ICING SYSTEM							Service	ATA:30
	MOS	20-Dec-11							
	HRS	0	6400 (+30/-30)						
	AFL	0							
PROC. REF: AMM 30-10-00									
30-12-01-001 ^S	FUNCTIONAL CHECK OF WING/H-STAB ANTI-ICING VALVE PRESSURE TRANSDUCERS							Service	ATA:30
	MOS	20-Dec-11							
	HRS	0	6400 (+30/-30)						
	AFL	0							
PROC. REF: AMM 30-12-01									
30-12-02	LEFT WING AND HORIZONTAL STABILIZER ANTI-ICE VALVE							Component	ATA:30
PN:RYLB-53534-3	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:0094	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 30-12-02, AMM 30-12-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 30 - ICE AND RAIN PROTECTION									
30-12-02		RIGHT WING AND HORIZONTAL STABILIZER ANTI-ICE VALVE					Component	ATA:30	
PN:RYLB-53534-4	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:0098	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 30-12-02, AMM 30-12-02									
30-12-05		LEFT HORIZONTAL STABILIZER ANTI-ICE PRESSURE TRANSDUCER					Component	ATA:30	
PN:APTE-485F-1000-50G	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:7892-4-400	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 30-12-05, AMM 30-12-05, AMM 30-12-05, AMM 30-12-05									
30-12-05		LEFT WING TIP ANTI-ICE PRESSURE TRANSDUCER					Component	ATA:30	
PN:APTE-485F-1000-50G	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:7892-4-419	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 30-12-05, AMM 30-12-05, AMM 30-12-05, AMM 30-12-05									
30-12-05		RIGHT HORIZONTAL STABILIZER ANTI-ICE PRESSURE TRANSDUCER					Component	ATA:30	
PN:APTE-485F-1000-50G	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:7892-4-428	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 30-12-05, AMM 30-12-05, AMM 30-12-05, AMM 30-12-05									
30-12-05		RIGHT WING TIP ANTI-ICE PRESSURE TRANSDUCER					Component	ATA:30	
PN:APTE-485F-1000-50G	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:7892-4-430	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 30-12-05, AMM 30-12-05, AMM 30-12-05, AMM 30-12-05									
30-12-05-001^S		FUNCTIONAL CHECK LEFT WING TIP ANTI-ICING PRESSURE TRANSDUCER					Service	ATA:30	
	MOS	20-Dec-11							
	HRS	0	6400 (+30/-30)						
	AFL	0							
PROC. REF: AMM 30-12-05									
PKG:60									
30-12-05-001^S		FUNCTIONAL CHECK RIGHT WING TIP ANTI-ICING PRESSURE TRANSDUCER					Service	ATA:30	
	MOS	20-Dec-11							
	HRS	0	6400 (+30/-30)						
	AFL	0							
PROC. REF: AMM 30-12-05									
PKG:60									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
30-12-05-002^S FUNCTIONAL CHECK LEFT HORIZONTAL STABILIZER ANTI-ICING PRESSURE TRANSDUCER								
	MOS	20-Dec-11						Service ATA:30
	HRS	0	6400 (+30/-30)					
	AFL	0						
PROC. REF: AMM 30-12-05								PKG:60
30-12-05-002^S FUNCTIONAL CHECK RIGHT HORIZONTAL STABILIZER ANTI-ICING PRESSURE TRANSDUCER								
	MOS	20-Dec-11						Service ATA:30
	HRS	0	6400 (+30/-30)					
	AFL	0						
PROC. REF: AMM 30-12-05								PKG:60
30-21-01 LEFT ENGINE ANTI-ICE PRESUURE VALVE								
PN:10030295	MOS/MSC	20-Dec-11	O/C	TSN 0				Component ATA:30
SN:0000170	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-21-01, AMM 30-21-01								
30-21-01 RIGHT ENGINE ANTI-ICE PRESUURE VALVE								
PN:10030295	MOS/MSC	20-Dec-11	O/C	TSN 0				Component ATA:30
SN:0000164	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-21-01, AMM 30-21-01								
30-21-02 LEFT ENGINE ANTI-ICE PRESSURE TRANSDUCER								
PN:APTE-477F-1000-100GMOS/MSC		20-Dec-11	O/C	TSN 0				Component ATA:30
SN:7892-5-661	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-21-02, AMM 30-21-02								
30-21-02 RIGHT ENGINE ANTI-ICE PRESSURE TRANSDUCER								
PN:APTE-477F-1000-100GMOS/MSC		20-Dec-11	O/C	TSN 0				Component ATA:30
SN:7887-5-958	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-21-02, AMM 30-21-02								
30-21-02-001 FUNCTIONAL CHECK OF LEFT ENGINE ANTI-ICING PRESSURE TRANSDUCER								
	MOS	20-Dec-11						Service ATA:30
	HRS	0	12000 (+30/-30)		12000	12030	10725 (+30)	
	AFL	0						
PROC. REF: AMM 30-21-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 30 - ICE AND RAIN PROTECTION									
30-21-02-001	FUNCTIONAL CHECK OF RIGHT ENGINE ANTI-ICING PRESSURE TRANSDUCER							Service	ATA:30
	MOS	20-Dec-11							
	HRS	0	12000 (+30/-30)		12000	12030	10725 (+30)		
	AFL	0							
	PROC. REF: AMM 30-21-02								
30-21-02-720-801-A	TROUBLE SHOOTING ENGINE OPERATING PROBLEMS - ENGINE ANTI-ICING PRESSURE TRANSDUCER FUNCTIONAL CHECK							Service	ATA:30
	MOS/MSC	20-Dec-11	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	AFL	0							
	PROC. REF: AMM 30-21-02								
30-21-03-001 ^S	BORESCOPE INSPECTION OF PICCOLO TUBE							Service	ATA:30
	MOS	20-Dec-11							
	HRS	0	5600 (+30/-30)						
	AFL	0							
	PROC. REF: AMM 30-21-03							PKG:50	
30-21-04-001 ^S	DETAILED INSPECTION OF ENGINE ANTI-ICE DUCTS							Service	ATA:30
	MOS	20-Dec-11							
	HRS	0	2400 (+30/-30)						
	AFL	0							
	PROC. REF: AMM 30-21-00							PKG:20	
30-31-00-002	OPERATIONAL CHECK IASP PROBE AND PITOT STATIC HEATING							Service	ATA:30
	MOS	21-Dec-23	24 (+1m/-1m)		21-Dec-25	21-Jan-26	524 d (+31)		
	HRS	1164.1							
	AFL	1053							
	PROC. REF: AMM 30-30-00							PKG:81	
30-41-01-002 ^S	DISCARD OF WINDSHIELD RAIN REPELLENT COATING							Service	ATA:30
	MOS	21-Dec-23	12 (+1m/-1m)						
	HRS	1164.1							
	AFL	1053							
	PROC. REF: AMM 30-41-01							PKG:80	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
30-41-01-003^S FUNCTIONAL CHECK OF RAIN REPELLENT COATING (RRC) LAYER ON WINDSHIELD SURFACE Service ATA:30								
	MOS	21-Dec-23	12 (+1m/-1m)					
	HRS	1164.1						
	AFL	1053						
					PROC. REF: AMM 30-41-01			PKG:80
30-42-00-001^S OPERATIONAL CHECK OF WINDSHIELD HEATING SYSTEM Service ATA:30								
	MOS	04-Dec-21						
	HRS	682.22	800 (+30/-30)					
	AFL	755						
					PROC. REF: AMM 30-42-00			PKG:1
30-42-01 LH PANEL WINDSHIELD HEATER (OVERLENGTH) CONTROL Component ATA:30								
PN:EPM-112-2	MOS/MSC	20-Dec-11	O/C	TSN 0				
SN:01155	HRS	0		TSN 0				
	AFL	0		TSN 0				
					PROC. REF: AMM 30-42-01, AMM 30-42-01			
30-42-01 RH PANEL WINDSHIELD HEATER (OVERLENGTH) CONTROL Component ATA:30								
PN:EPM-112-2	MOS/MSC	20-Dec-11	O/C	TSN 0				
SN:01149	HRS	0		TSN 0				
	AFL	0		TSN 0				
					PROC. REF: AMM 30-42-01, AMM 30-42-01			
ATA 31 - INDICATING/RECORDING SYSTEMS								
31-30-02 CVDR ACCELEROMETER Component ATA:31								
PN:3001-01-111	MOS/MSC	20-Dec-11	O/C	TSN 0				
SN:0711-DTH1059	HRS	0		TSN 0				
	AFL	0		TSN 0				
					PROC. REF: AMM 31-31-05, AMM 31-31-05			
31-30-03 REAR CVDR IMPACT SWITCH Component ATA:31								
PN:5930-4-000	MOS/MSC	20-Dec-11	O/C	TSN 0				
SN:5688	HRS	0		TSN 0				
	AFL	0		TSN 0				
					PROC. REF: AMM 31-31-04, AMM 31-31-04			

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 31 - INDICATING/RECORDING SYSTEMS								
31-31-00-002 OPERATIONAL CHECK OF CVR (COCKPIT VOICE RECORDER) Service ATA:31								
	MOS	21-Dec-23	12 (+1m/-1m)		31-Dec-24	21-Jan-25	169 d (+21)	
	HRS	1164.1						
	AFL	1053						
PROC. REF: AMM 31-31-00								PKG:80
31-31-01 (CVR / CVDR) COCKPIT VOICE RECORDER Component ATA:31								
PN:2100-3083-50	MOS/MSC	20-Dec-11	O/C	TSN 0				
SN:000604261	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 31-31-01, AMM 31-31-01								
31-31-03 CVDR/ULB - COCKPIT VOICE RECORDER UNDERWATER LOCATOR BEACON Component ATA:31								
PN:DK120/90	MOS/MSC	13-Feb-23	H/T	TSN 0				
SN:AT142582	HRS	948		TSN 0				
	AFL	916		TSN 0				
PROC. REF: AMM 31-31-03, AMM 31-31-03								
31-31-03-001 DISCARD CVDR/ULB - COCKPIT VOICE RECORDER UNDERWATER LOCATOR BEACON BATTERY Service ATA:31								
PN:DK120/90	MOS/MSC	13-Feb-23	DUE		01-Nov-26 (M)		839 d	LIFE LIMIT
SN:AT142582	HRS	948						
	AFL	916						
PROC. REF: AMM 31-31-03								
31-31-09 CVDR CONTROL PANEL Component ATA:31								
PN:441-42635-003	MOS/MSC	20-Dec-11	O/C	TSN 0				
SN:0356	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 31-31-09, AMM 31-31-09								
31-33-01 FDR - FLIGHT DATA RECORDER Component ATA:31								
PN:2100-2044-00	MOS/MSC	20-Dec-11	O/C	TSN 0				
SN:000674184	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 31-33-01, AMM 31-33-01								
31-33-03 FDR/ULB - FLIGHT DATA RECORDER UNDERWATER LOCATOR BEACON Component ATA:31								
PN:DK120/90	MOS/MSC	21-Dec-23	H/T	TSN 1				
SN:AT196661	HRS	1164.1		TSN 0				
	AFL	1053		TSN 0				
PROC. REF: AMM 31-33-03, AMM 31-33-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 31 - INDICATING/RECORDING SYSTEMS									
31-33-03-001	DISCARD FDR/ULB - FLIGHT DATA RECORDER UNDERWATER LOCATOR BEACON BATTERY (NOTE: FOR AIRCRAFT WITH FDR INSTALLED)							Service	ATA:31
PN:DK120/90	MOS/MSC	21-Dec-23	DUE		31-Dec-30 (M)		2360 d	LIFE LIMIT	
SN:AT196661	HRS	1164.1							
	AFL	1053							
PROC. REF: AMM 31-33-03									
31-33-04	FORWARD CVDR IMPACT SWITCH							Component	ATA:31
PN:5930-4-000	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:5706	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 31-33-04, AMM 31-33-04									
31-33-05	ELEVATOR FDR (RVDT) ROTATORY VARIABLE DIFFERENTIAL TRANSDUCER							Component	ATA:31
PN:PN	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 31-33-05, AMM 31-33-05									
31-33-05	RUDDER FDR (RVDT) ROTATORY VARIABLE DIFFERENTIAL TRANSDUCER							Component	ATA:31
PN:PN	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 31-33-05, AMM 31-33-05									
31-33-05-001	FUNCTIONAL CHECK OF RUDDER FDR (RVDT) ROTATORY VARIABLE DIFFERENTIAL TRANSDUCER							Service	ATA:31
	MOS/MSC	20-Dec-11	N/A						
	HRS	0							
	AFL	0							
PROC. REF: AMM 31-33-05									
31-33-05-002	FUNCTIONAL CHECK OF ELEVATOR FDR (RVDT) ROTATORY VARIABLE DIFFERENTIAL TRANSDUCER							Service	ATA:31
	MOS/MSC	20-Dec-11	N/A						
	HRS	0							
	AFL	0							
PROC. REF: AMM 31-33-05									
31-40-01	LH DCU UNIT							Component	ATA:31
PN:011-01457-00	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:16905453	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 31-41-01, AMM 31-41-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 31 - INDICATING/RECORDING SYSTEMS									
31-40-01		RH DCU UNIT						Component	ATA:31
PN:011-01457-00	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:16905458	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 31-41-01, AMM 31-41-01									
31-40-02		LEFT GIA 63W INTEGRATED AVIONICS UNIT						Component	ATA:31
PN:011-01105-20	MOS/MSC	30-Jun-16	O/C						
SN:IHQ000779	HRS								
	AFL								
PROC. REF: AMM 31-41-05, AMM 31-41-05, AMM 31-41-05									
31-40-02		RIGHT GIA 63W INTEGRATED AVIONICS UNIT						Component	ATA:31
PN:011-01105-20	MOS/MSC	26-Aug-19	O/C						
SN:1HQ000579	HRS	574.82							
	AFL	619							
PROC. REF: AMM 31-41-05, AMM 31-41-05, AMM 31-41-05									
31-41-01		LH COCKPIT PARTITION MAINTNANCE SYSTEM INSC ILLUM PANEL						Component	ATA:31
PN:441-42627-001	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:1078	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
31-42-00-001^S		OPERATIONAL CHECK OF HSDB SWITCH REVERSION						Service	ATA:31
	MOS	20-Dec-11							
	HRS	0	6400 (+30/-30)						
	AFL	0							
PROC. REF: AMM 31-42-00									
31-50-01		1 (GEA) ENGINE AIRFRAME INTERFACE UNIT						Component	ATA:31
PN:011-00831-00	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:46713418	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 31-41-03, AMM 31-41-03									
31-50-01		2 (GEA) ENGINE AIRFRAME INTERFACE UNIT						Component	ATA:31
PN:011-00831-00	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:46713290	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 31-41-03, AMM 31-41-03									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 31 - INDICATING/RECORDING SYSTEMS									
31-50-01	3 (GEA) ENGINE AIRFRAME INTERFACE UNIT							Component	ATA:31
PN:011-00831-00	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:46713337	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 31-41-03, AMM 31-41-03									
31-61-00-001 ^S	OPERATIONAL CHECK MFD FLIGHT DISPLAY SYSTEM (MANUAL AND AUTOMATIC REVERSION MODE)							Service	ATA:31
	MOS	20-Dec-11							
	HRS	0	3200 (+30/-30)						
	AFL	0							
PROC. REF: AMM 31-61-00									
31-61-00-001 ^S	OPERATIONAL CHECK PFD 1 FLIGHT DISPLAY SYSTEM (MANUAL AND AUTOMATIC REVERSION MODE)							Service	ATA:31
	MOS	20-Dec-11							
	HRS	0	3200 (+30/-30)						
	AFL	0							
PROC. REF: AMM 31-61-00									
31-61-00-001 ^S	OPERATIONAL CHECK PFD 2 FLIGHT DISPLAY SYSTEM (MANUAL AND AUTOMATIC REVERSION MODE)							Service	ATA:31
	MOS	20-Dec-11							
	HRS	0	3200 (+30/-30)						
	AFL	0							
PROC. REF: AMM 31-61-00									
31-61-01	MFD (MULTI-FUNCTION FLIGHT DISPLAY)							Component	ATA:31
PN:010-01309-00	MOS/MSC	04-Dec-21	O/C	TSN 0					
SN:495001757	HRS	682.22		TSN 0					
	AFL	755		TSN 0					
PROC. REF: AMM 31-61-01, AMM 31-61-01									
31-61-01	PFD 1 (PRIMARY FLIGHT DISPLAY)							Component	ATA:31
PN:010-01309-00	MOS/MSC	04-Dec-21	O/C	TSN 0					
SN:495001753	HRS	682.22		TSN 0					
	AFL	755		TSN 0					
PROC. REF: AMM 31-61-01, AMM 31-61-01									
31-61-01	PFD 2 (PRIMARY FLIGHT DISPLAY)							Component	ATA:31
PN:010-01309-00	MOS/MSC	04-Dec-21	O/C	TSN 0					
SN:495001756	HRS	682.22		TSN 0					
	AFL	755		TSN 0					
PROC. REF: AMM 31-61-01, AMM 31-61-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
32-00-00-001 ^S		GENERAL VISUAL INSPECTION OF MAIN LANDING GEAR POLYURETHANE FILMS						Service	ATA:32
	MOS	04-Dec-21							
	HRS	682.22	800 (+30/-30)						
	AFL	755							
PROC. REF: AMM 32-00-20								PKG:1	
32-001		LEFT MLG SHOCK STRUT LEFT MAIN FITTING						Component	ATA:32
PN:2317-1201-503	MOS	20-Dec-11		TSN 0				LIFE LIMIT	
SN:1397125/001	HRS	0		TSN 0					
	AFL	0	16800	TSN 0	16800		15684		
PROC. REF: AMM 32-11-01, AMM 32-11-01									
32-002		RIGHT MLG SHOCK STRUT RIGHT MAIN FITTING						Component	ATA:32
PN:2317-1201-504	MOS	20-Dec-11		TSN 0				LIFE LIMIT	
SN:1384474/001	HRS	0		TSN 0					
	AFL	0	16800	TSN 0	16800		15684		
PROC. REF: AMM 32-11-01, AMM 32-11-01									
32-003		LEFT PINTLE PIN						Component	ATA:32
PN:2317-1101-003	MOS	20-Dec-11		TSN 0				LIFE LIMIT	
SN:1388979/006	HRS	0		TSN 0					
	AFL	0	16800	TSN 0	16800		15684		
PROC. REF: AMM 32-11-01, AMM 32-11-01									
32-003		RIGHT PINTLE PIN						Component	ATA:32
PN:2317-1101-003	MOS	20-Dec-11		TSN 0				LIFE LIMIT	
SN:1388979/010	HRS	0		TSN 0					
	AFL	0	16800	TSN 0	16800		15684		
PROC. REF: AMM 32-11-01, AMM 32-11-01									
32-004		LEFT PINTLE PIN						Component	ATA:32
PN:2317-1102-001	MOS	20-Dec-11		TSN 0				LIFE LIMIT	
SN:1385457/002	HRS	0		TSN 0					
	AFL	0	16800	TSN 0	16800		15684		
PROC. REF: AMM 32-11-01, AMM 32-11-01									
32-004		RIGHT PINTLE PIN						Component	ATA:32
PN:2317-1102-001	MOS	20-Dec-11		TSN 0				LIFE LIMIT	
SN:1385457/001	HRS	0		TSN 0					
	AFL	0	16800	TSN 0	16800		15684		
PROC. REF: AMM 32-11-01, AMM 32-11-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-005 LEFT MLG SHOCK STRUT (MF - AS) AXLE Component ATA:32								
PN:2317-1103-003	MOS	20-Dec-11		TSN 0				LIFE LIMIT
SN:1387456/010	HRS	0		TSN 0				
	AFL	0	16800	TSN 0	16800		15684	
PROC. REF: AMM 32-11-01, AMM 32-11-01								
32-005 RIGHT MLG SHOCK STRUT (MF - AS) AXLE Component ATA:32								
PN:2317-1103-003	MOS	20-Dec-11		TSN 0				LIFE LIMIT
SN:1387456/007	HRS	0		TSN 0				
	AFL	0	16800	TSN 0	16800		15684	
PROC. REF: AMM 32-11-01, AMM 32-11-01								
32-006 LEFT MLG SHOCK STRUT (TR - AS) AXLE Component ATA:32								
PN:2317-1107-005	MOS	20-Dec-11		TSN 0				LIFE LIMIT
SN:1387510/003	HRS	0		TSN 0				
	AFL	0	15300	TSN 0	15300		14184	
PROC. REF: AMM 32-11-01, AMM 32-11-01								
32-006 RIGHT MLG SHOCK STRUT (TR - AS) AXLE Component ATA:32								
PN:2317-1107-005	MOS	20-Dec-11		TSN 0				LIFE LIMIT
SN:1377164/010	HRS	0		TSN 0				
	AFL	0	15300	TSN 0	15300		14184	
PROC. REF: AMM 32-11-01, AMM 32-11-01								
32-007 LEFT MAIN LANDING GEAR SHOCK STRUT (LOCKING ACT) PIN Component ATA:32								
PN:2317-1109-003	MOS	20-Dec-11		TSN 0				LIFE LIMIT
SN:1386480/006	HRS	0		TSN 0				
	AFL	0	16800	TSN 0	16800		15684	
PROC. REF: AMM 32-11-02, AMM 32-11-02								
32-007 RIGHT MAIN LANDING GEAR SHOCK STRUT (LOCKING ACT) PIN Component ATA:32								
PN:2317-1109-003	MOS	20-Dec-11		TSN 0				LIFE LIMIT
SN:1386480/003	HRS	0		TSN 0				
	AFL	0	16800	TSN 0	16800		15684	
PROC. REF: AMM 32-11-02, AMM 32-11-02								
32-008 LEFT MAIN LANDING GEAR SHOCK STRUT (TRAILING) BOLT Component ATA:32								
PN:2317-1126-003	MOS	20-Dec-11		TSN 0				LIFE LIMIT
SN:1383327/003	HRS	0		TSN 0				
	AFL	0	16800	TSN 0	16800		15684	
PROC. REF: AMM 32-11-04, AMM 32-11-04								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
32-008		RIGHT MAIN LANDING GEAR SHOCK STRUT (TRAILING) BOLT						Component	ATA:32
PN:2317-1126-003	MOS	20-Dec-11		TSN 0				LIFE LIMIT	
SN:1383327/008	HRS	0		TSN 0					
	AFL	0	16800	TSN 0	16800		15684		
PROC. REF: AMM 32-11-04, AMM 32-11-04									
32-10-00		LEFT MAIN LANDING GEAR						Component	ATA:32
PN:PN	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-11-00									
32-10-00		RIGHT MAIN LANDING GEAR						Component	ATA:32
PN:PN	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-11-00									
32-10-01		LEFT MAIN LANDING GEAR LEG STRUT ASSY						Component	ATA:32
PN:2317-1100-405	MOS/MSC	04-Dec-21	O/C	TSN 120, TSO 0					
SN:00083	HRS	682.22		TSN 682.22, TSO 0					
	AFL	755		TSN 755, TSO 0					
PROC. REF: AMM 32-11-01, AMM 32-11-01									
32-10-01		RIGHT MAIN LANDING GEAR LEG STRUT ASSY						Component	ATA:32
PN:2317-1100-406	MOS/MSC	04-Dec-21	O/C	TSO 0					
SN:00083	HRS	682.22		TSO 0					
	AFL	755		TSO 0					
PROC. REF: AMM 32-11-01, AMM 32-11-01									
32-100		LEFT MAIN LANDING GEAR TRAILING ARM ASSY						Component	ATA:32
PN:2317-1500-405	MOS/MSC	04-Dec-21	O/C	TSN 120, TSO 0					
SN:00086	HRS	682.22		TSN 682.22, TSO 0					
	AFL	755		TSN 755, TSO 0					
PROC. REF: AMM 32-11-04, AMM 32-11-04									
32-100		RIGHT MAIN LANDING GEAR TRAILING ARM ASSY						Component	ATA:32
PN:2317-1500-406	MOS/MSC	04-Dec-21	O/C	TSN 120, TSO 0					
SN:00085	HRS	682.22		TSN 682.22, TSO 0					
	AFL	755		TSN 755, TSO 0					
PROC. REF: AMM 32-11-04, AMM 32-11-04									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-101 LEFT MAIN LANDING GEAR TRAILING ARM WHEEL AXLE								
PN:2317-1502-003	MOS	20-Dec-11		TSN 0				Component ATA:32 LIFE LIMIT
SN:1385503/005	HRS	0		TSN 0				
	AFL	0	15300	TSN 0	15300		14184	
PROC. REF: AMM 32-11-04, AMM 32-11-04								
32-101 RIGHT MAIN LANDING GEAR TRAILING ARM WHEEL AXLE								
PN:2317-1502-003	MOS	20-Dec-11		TSN 0				Component ATA:32 LIFE LIMIT
SN:1385503/003	HRS	0		TSN 0				
	AFL	0	15300	TSN 0	15300		14184	
PROC. REF: AMM 32-11-04, AMM 32-11-04								
32-102 LEFT MAIN LANDING GEAR TRAILING ARM AXLE								
PN:2317-1503-005	MOS	20-Dec-11		TSN 0				Component ATA:32 LIFE LIMIT
SN:1387643/001	HRS	0		TSN 0				
	AFL	0	16800	TSN 0	16800		15684	
PROC. REF: AMM 32-11-04, AMM 32-11-04								
32-102 RIGHT MAIN LANDING GEAR TRAILING ARM AXLE								
PN:2317-1503-005	MOS	20-Dec-11		TSN 0				Component ATA:32 LIFE LIMIT
SN:1387643/004	HRS	0		TSN 0				
	AFL	0	16800	TSN 0	16800		15684	
PROC. REF: AMM 32-11-04, AMM 32-11-04								
32-103 LEFT MAIN LANDING GEAR TRAILING ARM BOLT								
PN:2317-1509-001	MOS	20-Dec-11		TSN 0				Component ATA:32 LIFE LIMIT
SN:1387470/009	HRS	0		TSN 0				
	AFL	0	16800	TSN 0	16800		15684	
PROC. REF: AMM 32-11-04, AMM 32-11-04								
32-103 RIGHT MAIN LANDING GEAR TRAILING ARM BOLT								
PN:2317-1509-001	MOS	20-Dec-11		TSN 0				Component ATA:32 LIFE LIMIT
SN:1387470/005	HRS	0		TSN 0				
	AFL	0	16800	TSN 0	16800		15684	
PROC. REF: AMM 32-11-04, AMM 32-11-04								
32-104 LEFT MAIN LANDING GEAR TRAILING ARM								
PN:2317-1513-501	MOS	20-Dec-11		TSN 0				Component ATA:32 LIFE LIMIT
SN:1394519/001	HRS	0		TSN 0				
	AFL	0	16800	TSN 0	16800		15684	
PROC. REF: AMM 32-11-04, AMM 32-11-04								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
32-105		RIGHT MAIN LANDING GEAR TRAILING ARM						Component	ATA:32
PN:2317-1501-002	MOS	20-Dec-11		TSN 0				LIFE LIMIT	
SN:1393185/001	HRS	0		TSN 0					
	AFL	0	16800	TSN 0	16800		15684		
PROC. REF: AMM 32-11-04, AMM 32-11-04									
32-106		LEFT MAIN LANDING GEAR TRAILING ARM JACKING PIN						Component	ATA:32
PN:2317-1505-001	MOS	20-Dec-11		TSN 0				LIFE LIMIT	
SN:1388920/001	HRS	0		TSN 0					
	AFL	0	16800	TSN 0	16800		15684		
PROC. REF: AMM 32-11-04, AMM 32-11-04									
32-106		RIGHT MAIN LANDING GEAR TRAILING ARM JACKING PIN						Component	ATA:32
PN:2317-1505-001	MOS	20-Dec-11		TSN 0				LIFE LIMIT	
SN:1388920/006	HRS	0		TSN 0					
	AFL	0	16800	TSN 0	16800		15684		
PROC. REF: AMM 32-11-04, AMM 32-11-04									
32-11-00-001^S		GENERAL VISUAL INSPECTION OF MAIN LANDING GEAR						Service	ATA:32
	MOS	21-Dec-23	12 (+1m/-1m)						
	HRS	1164.1							
	AFL	1053							
PROC. REF: AMM 32-11-00									
32-11-00-003		LUBRICATION OF MAIN LANDING GEAR						Service	ATA:32
	MOS	21-Dec-23	12 (+1m/-1m)		31-Dec-24	21-Jan-25	169 d (+21)		
	HRS	1164.1							
	AFL	1053	650 (+30/-30)		1703	1733	587 (+30)		
PROC. REF: AMM 12-21-00									
32-11-01-001		RESTORATION (OVERHAUL) OF MAIN LANDING GEAR - STRUT ASSY (LH)						Service	ATA:32
PN:2317-1100-405	MOS	04-Dec-21	120 (+1m/-1m)		04-Dec-31	04-Jan-32	2698 d (+31)	OVERHAUL	
SN:00083	HRS	682.22							
	AFL	755	12000 (+30/-30)		12755	12785	11639 (+30)		
PROC. REF: AMM 32-11-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-11-01-002 RESTORATION (OVERHAUL) OF MAIN LANDING GEAR - STRUT ASSY (RH) Service ATA:32								
PN:2317-1100-406	MOS	04-Dec-21	120 (+1m/-1m)		04-Dec-31	04-Jan-32	2698 d (+31)	OVERHAUL
SN:00083	HRS	682.22						
	AFL	755	12000 (+30/-30)		12755	12785	11639 (+30)	
PROC. REF: AMM 32-11-00								
32-11-02-001 RESTORATION (OVERHAUL) OF MAIN LANDING GEAR - LOCKING ACTUATOR (LH) Service ATA:32								
PN:2117-3000-601	MOS	04-Dec-21	120 (+1m/-1m)		04-Dec-31	04-Jan-32	2698 d (+31)	OVERHAUL
SN:00057	HRS	682.22						
	AFL	755	12000 (+30/-30)		12755	12785	11639 (+30)	
PROC. REF: AMM 32-11-00								
32-11-02-002 RESTORATION (OVERHAUL) OF MAIN LANDING GEAR - LOCKING ACTUATOR (RH) Service ATA:32								
PN:2117-3000-601	MOS	04-Dec-21	120 (+1m/-1m)		04-Dec-31	04-Jan-32	2698 d (+31)	OVERHAUL
SN:00136	HRS	682.22						
	AFL	755	12000 (+30/-30)		12755	12785	11639 (+30)	
PROC. REF: AMM 32-11-00								
32-11-02-900-801-05 RIGHT MAIN LANDING GEAR LOCKING ACTUATOR BEARING PISTON Component ATA:32								
PN:2117-3001-001	MOS/MSC		H/T	TSN 0				
SN:1395477/007	HRS			TSN 0				
	AFL	EFF		TSN 0				
PROC. REF: AMM 32-11-02, AMM 32-11-02								
32-11-02-900-801-06 LEFT MAIN LANDING GEAR LOCKING ACTUATOR BEARING PISTON Component ATA:32								
PN:2117-3001-003	MOS/MSC	17-Oct-17	H/T	TSN 0				
SN:1598756/032	HRS			TSN 0				
	AFL	497		TSN 0				
PROC. REF: AMM 32-11-02, AMM 32-11-02								
32-11-02-900-801-07 LEFT MAIN LANDING GEAR LOCKING ACTUATOR FINGER Component ATA:32								
PN:2117-3010-001	MOS/MSC		H/T	TSN 0				
SN:1366065/007	HRS			TSN 0				
	AFL	EFF		TSN 0				
PROC. REF: AMM 32-11-02, AMM 32-11-02								
32-11-02-900-801-08 RIGHT MAIN LANDING GEAR LOCKING ACTUATOR FINGER Component ATA:32								
PN:2117-3010-001	MOS/MSC		H/T	TSN 0				
SN:1387504/009	HRS			TSN 0				
	AFL	EFF		TSN 0				
PROC. REF: AMM 32-11-02, AMM 32-11-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
32-11-02-900-801-13		RIGHT MAIN LANDING GEAR LOCKING ACTUATOR PIN						Component	ATA:32
PN:2117-3019-001	MOS/MSC		H/T	TSN 0					
SN:1387482/005	HRS			TSN 0					
	AFL	EFF		TSN 0					
PROC. REF: AMM 32-11-02, AMM 32-11-02									
32-11-02-900-801-14		LEFT MAIN LANDING GEAR LOCKING ACTUATOR PIN						Component	ATA:32
PN:2117-3019-001	MOS/MSC		H/T	TSN 0					
SN:1368524/006	HRS			TSN 0					
	AFL	EFF		TSN 0					
PROC. REF: AMM 32-11-02, AMM 32-11-02									
32-11-02-900-801-15		LEFT MAIN LANDING GEAR LOCKING ACTUATOR LOCKING SLEEVE						Component	ATA:32
PN:2117-3007-003	MOS/MSC	17-Oct-17	H/T						
SN:1594969/006	HRS								
	AFL	497							
PROC. REF: AMM 32-11-02, AMM 32-11-02									
32-11-02-900-801-16		RIGHT MAIN LANDING GEAR LOCKING ACTUATOR LOCKING SLEEVE						Component	ATA:32
PN:2117-3007-001	MOS/MSC		H/T	TSN 0					
SN:1388926/008	HRS			TSN 0					
	AFL	EFF		TSN 0					
PROC. REF: AMM 32-11-02, AMM 32-11-02									
32-11-03-001		RESTORATION (OVERHAUL) OF MAIN LANDING GEAR - SHOCK ABSORBER (LH)						Service	ATA:32
PN:2317-4000-405	MOS	04-Dec-21	120 (+1m/-1m)		04-Dec-31	04-Jan-32	2698 d (+31)	OVERHAUL	
SN:00188	HRS	682.22							
	AFL	755	12000 (+30/-30)		12755	12785	11639 (+30)		
PROC. REF: AMM 32-11-00									
32-11-03-002		RESTORATION (OVERHAUL) OF MAIN LANDING GEAR - SHOCK ABSORBER (RH)						Service	ATA:32
PN:2317-3000-405	MOS	04-Dec-21	120 (+1m/-1m)		04-Dec-31	04-Jan-32	2698 d (+31)	OVERHAUL	
SN:00185	HRS	682.22							
	AFL	755	12000 (+30/-30)		12755	12785	11639 (+30)		
PROC. REF: AMM 32-11-00									
32-11-03-004		SERVICING OF MAIN LANDING GEAR SHOCK ABSORBER						Service	ATA:32
	MOS	21-Dec-23	12 (+1m/-1m)		31-Dec-24	21-Jan-25	169 d (+21)		
	HRS	1164.1							
	AFL	1053	650 (+30/-30)		1703	1733	587 (+30)		
PROC. REF: AMM 12-14-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
32-11-04-001		RESTORATION (OVERHAUL) OF MAIN LANDING GEAR - TRAILING ARM (LH)						Service	ATA:32
PN:2317-1500-405	MOS	04-Dec-21	120 (+1m/-1m)		04-Dec-31	04-Jan-32	2698 d (+31)	OVERHAUL	
SN:00086	HRS	682.22							
	AFL	755	12000 (+30/-30)		12755	12785	11639 (+30)		
PROC. REF: AMM 32-11-00									
32-11-04-002		RESTORATION (OVERHAUL) OF MAIN LANDING GEAR - TRAILING ARM (RH)						Service	ATA:32
PN:2317-1500-406	MOS	04-Dec-21	120 (+1m/-1m)		04-Dec-31	04-Jan-32	2698 d (+31)	OVERHAUL	
SN:00085	HRS	682.22							
	AFL	755	12000 (+30/-30)		12755	12785	11639 (+30)		
PROC. REF: AMM 32-11-00									
32-20-01		NOSE LANDING GEAR						Component	ATA:32
PN:PN	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-21-00									
32-200		LEFT MAIN LANDING GEAR MLG SHOCK ABSORBER						Component	ATA:32
PN:2317-4000-405	MOS/MSC	04-Dec-21	O/C	TSO 0					
SN:00188	HRS	682.22		TSO 0					
	AFL	755		TSO 0					
PROC. REF: AMM 32-11-03, AMM 32-11-03									
32-200		RIGHT MAIN LANDING GEAR MLG SHOCK ABSORBER						Component	ATA:32
PN:2317-3000-405	MOS/MSC	04-Dec-21	O/C	TSN 120, TSO 0					
SN:00185	HRS	682.22		TSN 682.22, TSO 0					
	AFL	755		TSN 755, TSO 0					
PROC. REF: AMM 32-11-03, AMM 32-11-03									
32-201		LEFT MAIN LANDING GEAR SHOCK ABSORBER CYLINDER						Component	ATA:32
PN:2317-3011-001	MOS	20-Dec-11		TSN 0				LIFE LIMIT	
SN:1370931/004	HRS	0		TSN 0					
	AFL	0	16800	TSN 0	16800		15684		
PROC. REF: AMM 32-11-03, AMM 32-11-03									
32-201		RIGHT MAIN LANDING GEAR SHOCK ABSORBER CYLINDER						Component	ATA:32
PN:2317-3011-001	MOS	20-Dec-11		TSN 0				LIFE LIMIT	
SN:1370931/007	HRS	0		TSN 0					
	AFL	0	16800	TSN 0	16800		15684		
PROC. REF: AMM 32-11-03, AMM 32-11-03									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
32-202		LEFT MAIN LANDING GEAR SHOCK ABSORBER SLIDING TUBE						Component	ATA:32
PN:2317-3021-001	MOS	20-Dec-11		TSN 0				LIFE LIMIT	
SN:1372444/001	HRS	0		TSN 0					
	AFL	0	16800	TSN 0	16800		15684		
PROC. REF: AMM 32-11-03, AMM 32-11-03									
32-202		RIGHT MAIN LANDING GEAR SHOCK ABSORBER SLIDING TUBE						Component	ATA:32
PN:2317-3021-001	MOS	20-Dec-11		TSN 0				LIFE LIMIT	
SN:1377114/002	HRS	0		TSN 0					
	AFL	0	16800	TSN 0	16800		15684		
PROC. REF: AMM 32-11-03, AMM 32-11-03									
32-203		LEFT MAIN LANDING GEAR SHOCK ABSORBER BEARING						Component	ATA:32
PN:2317-3001-003	MOS	20-Dec-11		TSN 0				LIFE LIMIT	
SN:1387474/002	HRS	0		TSN 0					
	AFL	0	16800	TSN 0	16800		15684		
PROC. REF: AMM 32-11-03, AMM 32-11-03									
32-203		RIGHT MAIN LANDING GEAR SHOCK ABSORBER BEARING						Component	ATA:32
PN:2317-3001-003	MOS	20-Dec-11		TSN 0				LIFE LIMIT	
SN:1387474/010	HRS	0		TSN 0					
	AFL	0	16800	TSN 0	16800		15684		
PROC. REF: AMM 32-11-03, AMM 32-11-03									
32-204		LEFT MAIN LANDING GEAR SHOCK ABSORBER NUT						Component	ATA:32
PN:2317-3004-001	MOS	20-Dec-11		TSN 0				LIFE LIMIT	
SN:1372436/004	HRS	0		TSN 0					
	AFL	0	16800	TSN 0	16800		15684		
PROC. REF: AMM 32-11-03, AMM 32-11-03									
32-204		RIGHT MAIN LANDING GEAR SHOCK ABSORBER NUT						Component	ATA:32
PN:2317-3004-001	MOS	20-Dec-11		TSN 0				LIFE LIMIT	
SN:1372436/009	HRS	0		TSN 0					
	AFL	0	16800	TSN 0	16800		15684		
PROC. REF: AMM 32-11-03, AMM 32-11-03									
32-21-00-001^S		GENERAL VISUAL INSPECTION OF NOSE LANDING GEAR						Service	ATA:32
	MOS	21-Dec-23	12 (+1m/-1m)						
	HRS	1164.1							
	AFL	1053							
PROC. REF: AMM 32-21-00									

PKG:80

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-21-00-003 LUBRICATION OF NOSE LANDING GEAR Service ATA:32								
	MOS	21-Dec-23	12 (+1m/-1m)		31-Dec-24	21-Jan-25	169 d (+21)	
	HRS	1164.1						
	AFL	1053	650 (+30/-30)		1703	1733	587 (+30)	
PROC. REF: AMM 12-21-00								
32-21-01-001 RESTORATION (OVERHAUL) OF NOSE LANDING GEAR - STRUT ASSY Service ATA:32								
PN:2317-5100-403	MOS	04-Dec-21	120 (+1m/-1m)		04-Dec-31	04-Jan-32	2698 d (+31)	OVERHAUL
SN:00072	HRS	682.22						
	AFL	755	12000 (+30/-30)		12755	12785	11639 (+30)	
PROC. REF: AMM 32-21-00								
32-21-02 NLG RETRACTION ACTUATOR Component ATA:32								
PN:2117-1000-401	MOS/MSC	20-Dec-11	O/C	TSN 0				
SN:00095	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-21-02, AMM 32-21-02								
32-21-03 NLG DOWNLOCK ACTUATOR Component ATA:32								
PN:2117-2000-401	MOS/MSC	20-Dec-11	O/C	TSN 0				
SN:00098	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-21-03, AMM 32-21-03								
32-21-04-001 RESTORATION (OVERHAUL) OF NOSE LANDING GEAR - LOCKING STAY Service ATA:32								
PN:2317-6500-403	MOS	04-Dec-21	120 (+1m/-1m)		04-Dec-31	04-Jan-32	2698 d (+31)	OVERHAUL
SN:00089	HRS	682.22						
	AFL	755	12000 (+30/-30)		12755	12785	11639 (+30)	
PROC. REF: AMM 32-21-00								
32-21-05-001 RESTORATION (OVERHAUL) OF NOSE LANDING GEAR - SHOCK ABSORBER Service ATA:32								
PN:2317-5170-403	MOS	04-Dec-21	120 (+1m/-1m)		04-Dec-31	04-Jan-32	2698 d (+31)	OVERHAUL
SN:00076	HRS	682.22						
	AFL	755	12000 (+30/-30)		12755	12785	11639 (+30)	
PROC. REF: AMM 32-21-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-21-05-004 SERVICING OF NOSE LANDING GEAR SHOCK ABSORBER Service ATA:32								
	MOS	21-Dec-23	12 (+1m/-1m)		31-Dec-24	21-Jan-25	169 d (+21)	
	HRS	1164.1						
	AFL	1053	650 (+30/-30)		1703	1733	587 (+30)	
PROC. REF: AMM 12-14-03								
32-21-06-005^S VISUAL CHECK OF NOSE LANDING GEAR SHIMMY DAMPER Service ATA:32								
	MOS	21-Dec-23	12 (+1m/-1m)					
	HRS	1164.1						
	AFL	1053						
PROC. REF: AMM 32-21-06								
PKG:80								
32-21-09-001 RESTORATION (OVERHAUL) OF NOSE LANDING GEAR - DRAG BRACE ASSY Service ATA:32								
PN:2317-6000-403	MOS	04-Dec-21	120 (+1m/-1m)		04-Dec-31	04-Jan-32	2698 d (+31)	OVERHAUL
SN:00087	HRS	682.22						
	AFL	755	12000 (+30/-30)		12755	12785	11639 (+30)	
PROC. REF: AMM 32-21-00								
32-300 LEFT MAIN LANDING GEAR MLG LOCKING ACTUATOR Component ATA:32								
PN:2117-3000-601	MOS/MSC	04-Dec-21	O/C	TSO 0				
SN:00057	HRS	682.22		TSO 0				
	AFL	755		TSO 0				
PROC. REF: AMM 32-11-02, AMM 32-11-02								
32-300 RIGHT MAIN LANDING GEAR MLG LOCKING ACTUATOR Component ATA:32								
PN:2117-3000-601	MOS/MSC	04-Dec-21	O/C	TSO 0				
SN:00136	HRS	682.22		TSO 0				
	AFL	755		TSO 0				
PROC. REF: AMM 32-11-02, AMM 32-11-02								
32-301 LEFT MAIN LANDING GEAR LOCKING ACTUATOR CYLINDER Component ATA:32								
PN:2117-3031-001	MOS			TSN 0				LIFE LIMIT
SN:1347563/008	HRS			TSN 0				
	AFL	EFF	12000	TSN 0	12000 *		10884	
PROC. REF: AMM 32-11-02, AMM 32-11-02								
32-301 RIGHT MAIN LANDING GEAR LOCKING ACTUATOR CYLINDER Component ATA:32								
PN:2117-3034-501	MOS			TSN 0				LIFE LIMIT
SN:1396756/004	HRS			TSN 0				
	AFL	EFF	12000	TSN 0	12013 *		10897	
PROC. REF: AMM 32-11-02, AMM 32-11-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-302 DISCARD LEFT MAIN LANDING GEAR LOCKING ACTUATOR BEARING PISTON								
PN:2117-3001-003	MOS/MSC	17-Oct-17	N/A					Service ATA:32
SN:1598756/032	HRS							
	AFL							
PROC. REF: AMM 32-11-02, AMM 32-11-02								
32-302 DISCARD RIGHT MAIN LANDING GEAR LOCKING ACTUATOR BEARING PISTON								
PN:2117-3001-001	MOS	20-Dec-11						Service ATA:32
SN:1395477/007	HRS	0						LIFE LIMIT
	AFL	0	12000		12000		10884	
PROC. REF: AMM 32-11-02, AMM 32-11-02								
32-303 DISCARD LEFT MAIN LANDING GEAR LOCKING ACTUATOR FINGER								
PN:2117-3010-001	MOS	20-Dec-11						Service ATA:32
SN:1366065/007	HRS	0						LIFE LIMIT
	AFL	0	12000		12000		10884	
PROC. REF: AMM 32-11-02, AMM 32-11-02								
32-303 DISCARD RIGHT MAIN LANDING GEAR LOCKING ACTUATOR FINGER								
PN:2117-3010-001	MOS	20-Dec-11						Service ATA:32
SN:1387504/009	HRS	0						LIFE LIMIT
	AFL	0	12000		12000		10884	
PROC. REF: AMM 32-11-02, AMM 32-11-02								
32-304 LEFT MAIN LANDING GEAR LOCKING ACTUATOR ROD								
PN:2117-3008-901	MOS			TSN 0				Component ATA:32
SN:64785/006	HRS			TSN 0				LIFE LIMIT
	AFL	EFF	12000	TSN 0	12000 *		10884	
PROC. REF: AMM 32-11-02, AMM 32-11-02								
32-304 RIGHT MAIN LANDING GEAR LOCKING ACTUATOR ROD								
PN:2117-3008-901	MOS			TSN 0				Component ATA:32
SN:66621/0027	HRS			TSN 0				LIFE LIMIT
	AFL	EFF	12000	TSN 0	12013 *		10897	
PROC. REF: AMM 32-11-02, AMM 32-11-02								
32-305 LEFT MAIN LANDING GEAR LOCKING ACTUATOR LOCKING PISTON								
PN:2117-3009-007	MOS			TSN 0				Component ATA:32
SN:1362500/008	HRS			TSN 0				LIFE LIMIT
	AFL	EFF	12000	TSN 0	12000 *		10884	
PROC. REF: AMM 32-11-02, AMM 32-11-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
32-305		RIGHT MAIN LANDING GEAR LOCKING ACTUATOR LOCKING PISTON					Component	ATA:32	
PN:2117-3009-007	MOS			TSN 0				LIFE LIMIT	
SN:1381818/001	HRS			TSN 0					
	AFL	EFF	12000	TSN 0	12013 *		10897		
PROC. REF: AMM 32-11-02, AMM 32-11-02									
32-306		DISCARD LEFT MAIN LANDING GEAR LOCKING ACTUATOR PIN					Service	ATA:32	
PN:2117-3019-001	MOS	20-Dec-11						LIFE LIMIT	
SN:1368524/006	HRS	0							
	AFL	0	12000		12000		10884		
PROC. REF: AMM 32-11-02, AMM 32-11-02									
32-306		DISCARD RIGHT MAIN LANDING GEAR LOCKING ACTUATOR PIN					Service	ATA:32	
PN:2117-3019-001	MOS	20-Dec-11						LIFE LIMIT	
SN:1387482/005	HRS	0							
	AFL	0	12000		12000		10884		
PROC. REF: AMM 32-11-02, AMM 32-11-02									
32-307		DISCARD LEFT MAIN LANDING GEAR LOCKING ACTUATOR LOCKING SLEEVE					Service	ATA:32	
PN:2117-3007-003	MOS/MSC		N/A						
SN:1594969/006	HRS								
	AFL								
PROC. REF: AMM 32-11-02, AMM 32-11-02									
32-307		DISCARD RIGHT MAIN LANDING GEAR LOCKING ACTUATOR LOCKING SLEEVE					Service	ATA:32	
PN:2117-3007-001	MOS	20-Dec-11						LIFE LIMIT	
SN:1388926/008	HRS	0							
	AFL	0	12000		12000		10884		
PROC. REF: AMM 32-11-02, AMM 32-11-02									
32-308		LEFT MAIN LANDING GEAR LOCKING ACTUATOR STOP					Component	ATA:32	
PN:2117-3011-001	MOS			TSN 0				LIFE LIMIT	
SN:1366540/003	HRS			TSN 0					
	AFL	EFF	12000	TSN 0	12000 *		10884		
PROC. REF: AMM 32-11-02, AMM 32-11-02									
32-308		RIGHT MAIN LANDING GEAR LOCKING ACTUATOR STOP					Component	ATA:32	
PN:2117-3011-001	MOS			TSN 0				LIFE LIMIT	
SN:1390156/002	HRS			TSN 0					
	AFL	EFF	12000	TSN 0	12013 *		10897		
PROC. REF: AMM 32-11-02, AMM 32-11-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-309 LEFT MAIN LANDING GEAR LOCKING ACTUATOR CAP BEARING Component ATA:32								
PN:2117-3013-001	MOS			TSN 0				LIFE LIMIT
SN:1375137/010	HRS			TSN 0				
	AFL	EFF	12000	TSN 0	12000 *		10884	
PROC. REF: AMM 32-11-02, AMM 32-11-02								
32-309 RIGHT MAIN LANDING GEAR LOCKING ACTUATOR CAP BEARING Component ATA:32								
PN:2117-3013-001	MOS			TSN 0				LIFE LIMIT
SN:1395497/004	HRS			TSN 0				
	AFL	EFF	12000	TSN 0	12013 *		10897	
PROC. REF: AMM 32-11-02, AMM 32-11-02								
32-31-01 LANDING GEAR CONTROL LEVER Component ATA:32								
PN:827101-7	MOS/MSC	20-Dec-11	O/C	TSN 0				
SN:1081	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-31-01, AMM 32-31-01								
32-31-04 CENTER FUSELAGE LANDING GEAR SELECTOR VALVE Component ATA:32								
PN:7342-1	MOS/MSC	20-Dec-11	O/C	TSN 0				
SN:0108T	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-31-04, AMM 32-31-04								
32-31-05 LH MLG UPLOCK BOX ASSY Component ATA:32								
PN:2617-1000-401	MOS/MSC	20-Dec-11	O/C	TSN 0				
SN:00171	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-31-05, AMM 32-31-05								
32-31-05 NLG UPLOCK BOX ASSY Component ATA:32								
PN:2617-1000-401	MOS/MSC	20-Dec-11	O/C	TSN 0				
SN:00168	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-31-05, AMM 32-31-05								
32-31-05 RH MLG UPLOCK BOX ASSY Component ATA:32								
PN:2617-1000-402	MOS/MSC	20-Dec-11	O/C	TSN 0				
SN:00089	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-31-05, AMM 32-31-05								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-310 LEFT MAIN LANDING GEAR LOCKING ACTUATOR (ROD) NUT Component ATA:32								
PN:2117-3015-001	MOS			TSN 0				LIFE LIMIT
SN:1374040/006	HRS			TSN 0				
	AFL	EFF	12000	TSN 0	12000 *		10884	
PROC. REF: AMM 32-11-02, AMM 32-11-02								
32-310 RIGHT MAIN LANDING GEAR LOCKING ACTUATOR (ROD) NUT Component ATA:32								
PN:2117-3015-001	MOS			TSN 0				LIFE LIMIT
SN:1384462/002	HRS			TSN 0				
	AFL	EFF	12000	TSN 0	12013 *		10897	
PROC. REF: AMM 32-11-02, AMM 32-11-02								
32-311 LEFT MAIN LANDING GEAR LOCKING ACTUATOR ROD END Component ATA:32								
PN:MTMKS14ALGA2	MOS			TSN 0				LIFE LIMIT
SN:00067	HRS			TSN 0				
	AFL	EFF	10500	TSN 0	10500 *		9384	
PROC. REF: AMM 32-11-02, AMM 32-11-02								
32-311 RIGHT MAIN LANDING GEAR LOCKING ACTUATOR ROD END Component ATA:32								
PN:MTMKS14ALGA1	MOS			TSN 0				LIFE LIMIT
SN:00075	HRS			TSN 0				
	AFL	EFF	10500	TSN 0	10513 *		9397	
PROC. REF: AMM 32-11-02, AMM 32-11-02								
32-312 DISCARD LEFT MAIN LANDING GEAR LOCKING ACTUATOR FINGER Service ATA:32								
PN:2117-3010-001	MOS/MSC	20-Dec-11	N/A					
SN:1366065/007	HRS	0						
	AFL	0						
PROC. REF: AMM 32-11-02, AMM 32-11-02								
32-312 DISCARD RIGHT MAIN LANDING GEAR LOCKING ACTUATOR FINGER Service ATA:32								
PN:2117-3010-001	MOS/MSC	20-Dec-11	N/A					
SN:1387504/009	HRS	0						
	AFL	0						
PROC. REF: AMM 32-11-02, AMM 32-11-02								
32-313 LEFT MAIN LANDING GEAR LOCKING ACTUATOR (CYLINDER) NUT Component ATA:32								
PN:PN	MOS	20-Dec-11		TSN 0				LIFE LIMIT
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0	28000	TSN 0	28000		26884	
PROC. REF: AMM 32-11-02, AMM 32-11-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-313 RIGHT MAIN LANDING GEAR LOCKING ACTUATOR (CYLINDER) NUT								Component ATA:32
PN:PN	MOS	20-Dec-11		TSN 0				LIFE LIMIT
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0	28000	TSN 0	28000		26884	
PROC. REF: AMM 32-11-02, AMM 32-11-02								
32-314 DISCARD LEFT MAIN LANDING GEAR LOCKING ACTUATOR PIN								Service ATA:32
PN:2117-3019-001	MOS/MSC	20-Dec-11	N/A					
SN:1368524/006	HRS	0						
	AFL	0						
PROC. REF: AMM 32-11-02, AMM 32-11-02								
32-314 DISCARD RIGHT MAIN LANDING GEAR LOCKING ACTUATOR PIN								Service ATA:32
PN:2117-3019-001	MOS/MSC	20-Dec-11	N/A					
SN:1387482/005	HRS	0						
	AFL	0						
PROC. REF: AMM 32-11-02, AMM 32-11-02								
32-315 DISCARD LEFT MAIN LANDING GEAR LOCKING ACTUATOR LOCKING SLEEVE								Service ATA:32
PN:2117-3007-003	MOS	17-Oct-17						LIFE LIMIT
SN:1594969/006	HRS							
	AFL	497	12000	TAC 497	12000		10884	
PROC. REF: AMM 32-11-02, AMM 32-11-02								
32-315 DISCARD RIGHT MAIN LANDING GEAR LOCKING ACTUATOR LOCKING SLEEVE								Service ATA:32
PN:2117-3007-001	MOS/MSC	20-Dec-11	N/A					
SN:1388926/008	HRS	0						
	AFL	0						
PROC. REF: AMM 32-11-02, AMM 32-11-02								
32-316 DISCARD LEFT MAIN LANDING GEAR LOCKING ACTUATOR BEARING PISTON								Service ATA:32
PN:2117-3001-003	MOS	17-Oct-17						LIFE LIMIT
SN:1598756/032	HRS							
	AFL	497	12000	TAC 497	12000		10884	
PROC. REF: AMM 32-11-02, AMM 32-11-02								
32-316 DISCARD RIGHT MAIN LANDING GEAR LOCKING ACTUATOR BEARING PISTON								Service ATA:32
PN:2117-3001-001	MOS/MSC	20-Dec-11	N/A					
SN:1395477/007	HRS	0						
	AFL	0						
PROC. REF: AMM 32-11-02, AMM 32-11-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
32-35-00-001		FUNCTIONAL CHECK OF LANDING GEAR EMERGENCY EXTENSION SYSTEM						Service	ATA:32
	MOS	21-Dec-23	24 (+30d/-30d)		21-Dec-25	20-Jan-26	524 d (+30)	AIRWORTHINESS	
	HRS	1164.1	1600 (+30/-30)		2764.1	2794.1	1489.1 (+30)		
	AFL	1053							
PROC. REF: AMM 32-35-00									
32-35-00-002		GENERAL VISUAL INSPECTION OF EMERGENCY EXTENSION SYSTEM LINKAGES						Service	ATA:32
	MOS	21-Dec-23	24 (+30d/-30d)		21-Dec-25	20-Jan-26	524 d (+30)	AIRWORTHINESS	
	HRS	1164.1	1600 (+30/-30)		2764.1	2794.1	1489.1 (+30)		
	AFL	1053							
PROC. REF: AMM 32-35-00									
32-35-02		CENTER FUSELAGE FREE FALL VALVE						Component	ATA:32
PN:7343-2	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:0083T	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-35-02, AMM 32-35-02									
32-400		NOSE LANDING GEAR SHOCK STRUT						Component	ATA:32
PN:2317-5100-403	MOS/MSC	04-Dec-21	O/C	TSO 0					
SN:00072	HRS	682.22		TSO 0					
	AFL	755		TSO 0					
PROC. REF: AMM 32-21-01, AMM 32-21-01									
32-401		NOSE LANDING GEAR SHOCK STRUT AXLE BOLT						Component	ATA:32
PN:2310-1144-005	MOS	20-Dec-11		TSN 0				LIFE LIMIT	
SN:1386050/006	HRS	0		TSN 0					
	AFL	0	11200	TSN 0	11200		10084		
PROC. REF: AMM 32-21-01, AMM 32-21-01									
32-402		NOSE LANDING GEAR SHOCK STRUT SHIMMY DAMPER BOLT						Component	ATA:32
PN:2310-1173-001	MOS	20-Dec-11		TSN 0				LIFE LIMIT	
SN:1378185/005	HRS	0		TSN 0					
	AFL	0	11200	TSN 0	11200		10084		
PROC. REF: AMM 32-21-06, AMM 32-21-06									
32-403		LEFT NOSE LANDING GEAR SHOCK STRUT PINTLE PIN						Component	ATA:32
PN:2317-5105-001	MOS	20-Dec-11		TSN 0				LIFE LIMIT	
SN:1383324/003	HRS	0		TSN 0					
	AFL	0	11200	TSN 0	11200		10084		
PROC. REF: AMM 32-21-01, AMM 32-21-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-403 RIGHT NOSE LANDING GEAR SHOCK STRUT PINTLE PIN Component ATA:32								
PN:2317-5105-001	MOS	20-Dec-11		TSN 0				LIFE LIMIT
SN:1383324/004	HRS	0		TSN 0				
	AFL	0	11200	TSN 0	11200		10084	
PROC. REF: AMM 32-21-01, AMM 32-21-01								
32-404 NOSE LANDING GEAR SHOCK STRUT MAIN FITTING Component ATA:32								
PN:2317-5301-503	MOS	20-Dec-11		TSN 0				LIFE LIMIT
SN:1390176/001	HRS	0		TSN 0				
	AFL	0	11200	TSN 0	11200		10084	
PROC. REF: AMM 32-11-01, AMM 32-11-01								
32-405 NOSE LANDING GEAR SHOCK STRUT SHIMMY DAMPER Component ATA:32								
PN:2117-4000-403	MOS	20-Dec-11		TSN 0				LIFE LIMIT
SN:00089	HRS	0		TSN 0				
	AFL	0	11200	TSN 0	11200		10084	
PROC. REF: AMM 32-21-06, AMM 32-21-06								
32-406 NOSE LANDING GEAR SHOCK STRUT WHEEL AXLE Component ATA:32								
PN:2317-5101-001	MOS	20-Dec-11		TSN 0				LIFE LIMIT
SN:1387495/017	HRS	0		TSN 0				
	AFL	0	11200	TSN 0	11200		10084	
PROC. REF: AMM 32-21-01, AMM 32-21-01								
32-407 LOWER NOSE LANDING GEAR SHOCK STRUT TORQUE LINK Component ATA:32								
PN:2317-5201-001	MOS	20-Dec-11		TSN 0				LIFE LIMIT
SN:1390161/008	HRS	0		TSN 0				
	AFL	0	11200	TSN 0	11200		10084	
PROC. REF: AMM 32-21-07, AMM 32-21-07								
32-407 UPPER NOSE LANDING GEAR SHOCK STRUT TORQUE LINK Component ATA:32								
PN:2317-5201-001	MOS	20-Dec-11		TSN 0				LIFE LIMIT
SN:1390161/006	HRS	0		TSN 0				
	AFL	0	11200	TSN 0	11200		10084	
PROC. REF: AMM 32-21-07, AMM 32-21-07								
32-408 NOSE LANDING GEAR SHOCK STRUT DRAG BRACE PIN Component ATA:32								
PN:2317-6003-001	MOS	20-Dec-11		TSN 0				LIFE LIMIT
SN:1378094/005	HRS	0		TSN 0				
	AFL	0	11200	TSN 0	11200		10084	
PROC. REF: AMM 32-21-09, AMM 32-21-09								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
32-409		NOSE LANDING GEAR SHOCK STRUT TORQUE LINK AXLE					Component	ATA:32	
PN:2310-1165-001	MOS	20-Dec-11		TSN 0				LIFE LIMIT	
SN:1387573/010	HRS	0		TSN 0					
	AFL	0	11200	TSN 0	11200		10084		
PROC. REF: AMM 32-21-07, AMM 32-21-07									
32-41-00		BRAKE CONTROL UNIT					Component	ATA:32	
PN:DAP00100-07	MOS/MSC	20-Jan-12	O/C						
SN:230000132	HRS	18.47							
	AFL	14							
PROC. REF: AMM 32-41-01, AMM 32-41-01									
32-41-00-001^S		FUNCTIONAL CHECK OF MAIN BRAKE SYSTEM					Service	ATA:32	
	MOS	20-Dec-11							
	HRS	0	5600 (+30/-30)						
	AFL	0							
PROC. REF: AMM 32-41-00									
32-41-01		BRAKE CONTROL UNIT TRAY					Component	ATA:32	
PN:DAP00134-01	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:0103	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-41-01, AMM 32-41-01									
32-41-02		LH BRAKE PEDAL TRANSDUCER					Component	ATA:32	
PN:Q3008	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:026054	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-41-02, AMM 32-41-02									
32-41-02		RH BRAKE PEDAL TRANSDUCER					Component	ATA:32	
PN:Q3008	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:026076	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-41-02, AMM 32-41-02									
32-41-02-001^S		OPERATIONAL CHECK LH BRAKE PEDAL TRANSDUCER					Service	ATA:32	
	MOS	20-Dec-11							
	HRS	0	6400 (+30/-30)						
	AFL	0							
PROC. REF: AMM 32-41-02									

PKG:50

PKG:60

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-41-02-001^S OPERATIONAL CHECK RH BRAKE PEDAL TRANSDUCER Service ATA:32								
	MOS	20-Dec-11						
	HRS	0	6400 (+30/-30)					
	AFL	0						
PROC. REF: AMM 32-41-02								PKG:60
32-41-02-002^S FUNCTIONAL CHECK LH BRAKE PEDAL TRANSDUCER Service ATA:32								
	MOS	23-Dec-15						
	HRS	337.37	1600 (+30/-30)					
	AFL	337						
PROC. REF: AMM 32-41-02								PKG:10
32-41-02-002^S FUNCTIONAL CHECK RH BRAKE PEDAL TRANSDUCER Service ATA:32								
	MOS	23-Dec-15						
	HRS	337.37	1600 (+30/-30)					
	AFL	337						
PROC. REF: AMM 32-41-02								PKG:10
32-41-06 LH MLG WHEEL SPEED TRANSDUCER Component ATA:32								
PN:DAP00103-01	MOS/MSC	20-Dec-11	O/C	TSN 0				
SN:72KB	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-41-06, AMM 32-41-06								
32-41-06 RH MLG WHEEL SPEED TRANSDUCER Component ATA:32								
PN:DAP00103-01	MOS/MSC	20-Dec-11	O/C	TSN 0				
SN:94KD	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-41-06, AMM 32-41-06								
32-41-07 BRAKE CONTROL MODULE Component ATA:32								
PN:DAP00101-02	MOS/MSC	20-Dec-11	O/C	TSN 0				
SN:89KQ	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-41-07, AMM 32-41-07								
32-410 NOSE LANDING GEAR SHOCK STRUT TORQUE LINK LOCK PIN Component ATA:32								
PN:57675-1	MOS	20-Dec-11		TSN 0				LIFE LIMIT
SN:00309	HRS	0		TSN 0				
	AFL	0	11200	TSN 0	11200		10084	
PROC. REF: AMM 32-21-07, AMM 32-21-07								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-411 NOSE LANDING GEAR SHOCK STRUT TORQUE LINK BOLT								Component ATA:32
PN:2310-1183-001	MOS	20-Dec-11		TSN 0				LIFE LIMIT
SN:1382578/008	HRS	0		TSN 0				
	AFL	0	11200	TSN 0	11200		10084	
PROC. REF: AMM 32-21-07, AMM 32-21-07								
32-412 NOSE LANDING GEAR SHOCK STRUT STEERING BELLCRANK								Component ATA:32
PN:2317-5191-001	MOS	20-Dec-11		TSN 0				LIFE LIMIT
SN:1399623/005	HRS	0		TSN 0				
	AFL	0	11200	TSN 0	11200		10084	
PROC. REF: AMM 32-21-01, AMM 32-21-01, AMM 32-23-03, AMM 32-23-03								
32-43-00-001^S FUNCTIONAL CHECK OF EMERGENCY/ PARKING BRAKE SYSTEM								Service ATA:32
	MOS	20-Dec-11						
	HRS	0	5600 (+30/-30)					
	AFL	0						
PROC. REF: AMM 32-43-00								PKG:50
32-43-01-001^S GENERAL VISUAL INSPECTION OF EMERGENCY/PARKING BRAKE SYSTEM								Service ATA:32
	MOS	20-Dec-11						
	HRS	0	5600 (+30/-30)					
	AFL	0						
PROC. REF: AMM 32-43-00								PKG:50
32-43-02 PRESSURE SWITCH								Component ATA:32
PN:DAP00108-01	MOS/MSC	20-Dec-11	O/C	TSN 0				
SN:58KB	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 29-12-03, AMM 29-12-03								
32-43-04 EMERGENCY/PARKING BRAKE ACCUMULATOR								Component ATA:32
PN:DAP00106-01	MOS/MSC	20-Dec-11	O/C	TSN 0				
SN:089	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-43-04, AMM 32-43-04								
32-43-05 EMERGENCY/PARKING BRAKE VALVE								Component ATA:32
PN:DAP00107-01	MOS/MSC	23-Dec-15	O/C	TSN 50				
SN:40HS	HRS	336.55		TSN 0				
	AFL	336		TSN 0				
PROC. REF: AMM 32-43-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
32-43-06		PRESSURE TRANSDUCER					Component		ATA:32
PN:DAP00109-01	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:7768-6-295	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-43-06, AMM 32-43-06									
32-43-08		THERMAL RELIEF VALVE					Component		ATA:32
PN:DAP00110-01	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:124	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-43-08, AMM 32-43-08									
32-43-10		EMERGENCY/PARKING BRAKE SUPPLY CHECK VALVE					Component		ATA:32
PN:DAP00202-01	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:088	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-43-02, AMM 32-43-02									
32-43-11		FORWARD FUSELAGE 2 WAY 2 POSITION SHUT-OFF VALVE					Component		ATA:32
PN:2216-0001-401	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:00338	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-43-11, AMM 32-43-11									
32-43-11-001		OPERATIONAL CHECK OF EMERGENCY/PARKING BRAKE HYDRAULIC LINE SHUT-OFF VALVE					Service		ATA:32
	MOS	11-Jan-22						AIRWORTHINESS	
	HRS	694.2	800 (+30/-30)		1494.2	1524.2	219.2 (+30)		
	AFL	761							
PROC. REF: AMM 32-43-11									
32-45-00		LH MAIN WHEEL AND TIRE ASSY					Component		ATA:32
PN:505-19517-611	MOS/MSC	24-Apr-24	O/C	TSO 0					
SN:5069QE	HRS	1263.8		TSO 0					
	AFL	1112		TSO 0					
PROC. REF: AMM 32-45-02, AMM 32-45-02									
32-45-00		NOSE WHEEL AND TIRE ASSY					Component		ATA:32
PN:505-19601-607	MOS/MSC	26-Apr-24	O/C						
SN:5026XL	HRS	1263.8							
	AFL	1112							
PROC. REF: AMM 32-45-02, AMM 32-45-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
32-45-00		RH MAIN WHEEL AND TIRE ASSY						Component	ATA:32
PN:505-19517-611	MOS/MSC	12-Oct-22	O/C	TSO 0					
SN:5053SK	HRS	884.1		TSO 0					
	AFL	880		TSO 0					
PROC. REF: AMM 32-45-02, AMM 32-45-02									
32-45-01		LEFT MAIN WHEEL						Component	ATA:32
PN:DAP00098-02	MOS/MSC	12-Oct-22	O/C	TSR 0					
SN:5215KM	HRS	884.1		TSR 0					
	AFL	880		TSO 130, TSR 0					
PROC. REF: AMM 32-45-01, AMM 32-45-01									
32-45-01		RIGHT MAIN WHEEL						Component	ATA:32
PN:DAP00098-02	MOS/MSC	12-Oct-22	O/C	TSO 0					
SN:5053SK	HRS	884.1		TSO 0					
	AFL	880		TSO 0					
PROC. REF: AMM 32-45-01, AMM 32-45-01									
32-45-01-003		RESTORATION (OVERHAUL) OF LH MAIN LANDING GEAR WHEEL ASSEMBLY						Service	ATA:32
PN:DAP00098-02	MOS/MSC	12-Oct-22	T/C						
SN:5215KM	HRS	884.1							
	AFL	880	1500 (+30/-30)	TAC 130	2250	2280	1134 (+30)		
PROC. REF: AMM 32-45-00									
32-45-01-003		RESTORATION (OVERHAUL) OF RH MAIN LANDING GEAR WHEEL ASSEMBLY						Service	ATA:32
PN:DAP00098-02	MOS/MSC	12-Oct-22	T/C						
SN:5053SK	HRS	884.1							
	AFL	880	1500 (+30/-30)		2380	2410	1264 (+30)		
PROC. REF: AMM 32-45-00									
32-45-02		LEFT MAIN WHEEL TIRE						Component	ATA:32
PN:258K63-2	MOS/MSC	12-Oct-22	O/C	TSN 0					
SN:22240617	HRS	884.1		TSN 0					
	AFL	880		TSN 0					
PROC. REF: AMM 32-45-02, AMM 32-45-02									
32-45-02		RIGHT MAIN WHEEL TIRE						Component	ATA:32
PN:258K63-2	MOS/MSC	12-Oct-22	O/C	TSN 0					
SN:UNKNOWN	HRS	884.1		TSN 0					
	AFL	880		TSN 0					
PROC. REF: AMM 32-45-02, AMM 32-45-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
32-45-03		LH MLG HUB CAP					Component	ATA:32	
PN:DAP00131-02	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:208KG	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-45-03, AMM 32-45-03									
32-45-03		RH MLG HUB CAP					Component	ATA:32	
PN:DAP00131-02	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:162KA	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-45-03, AMM 32-45-03									
32-45-11		NOSE WHEEL					Component	ATA:32	
PN:DAP00099-02	MOS/MSC	17-Dec-17	O/C						
SN:5078LS	HRS	442.83							
	AFL	459							
PROC. REF: AMM 32-45-11, AMM 32-45-11									
32-45-11-003		RESTORATION (OVERHAUL) OF NOSE LANDING GEAR WHEEL ASSEMBLY					Service	ATA:32	
PN:DAP00099-02	MOS/MSC	20-Dec-11	T/C						
SN:5078LS	HRS	0							
	AFL	0	1500 (+30/-30)		1500	1530	384 (+30)		
PROC. REF: AMM 32-45-00									
32-45-12		NOSE TIRE					Component	ATA:32	
PN:156K23B1	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:03012861	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-45-11, AMM 32-45-11									
32-45-21		LH MLG CARBON BRAKE ASSY					Component	ATA:32	
PN:DAP00097-03	MOS/MSC	23-Dec-14	O/C						
SN:5084MH	HRS	256.42							
	AFL	252							
PROC. REF: AMM 32-45-21, AMM 32-45-21									
32-45-21		RH MLG CARBON BRAKE ASSY					Component	ATA:32	
PN:DAP00097-03	MOS/MSC	23-Dec-14	O/C						
SN:5016LK	HRS	256.42							
	AFL	252							
PROC. REF: AMM 32-45-21, AMM 32-45-21									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-500 NOSE LANDING GEAR SHOCK ABSORBER Component ATA:32								
PN:2317-5170-403	MOS/MSC	04-Dec-21	O/C	TSO 0				
SN:00076	HRS	682.22		TSO 0				
	AFL	755		TSO 0				
PROC. REF: GENERIC NO REF								
32-501 NOSE LANDING GEAR SHOCK ABSORBER STEEL FORK Component ATA:32								
PN:2317-5227-501	MOS	20-Dec-11		TSN 0				LIFE LIMIT
SN:1382426/001	HRS	0		TSN 0				
	AFL	0	11200	TSN 0	11200		10084	
PROC. REF: GENERIC NO REF								
32-502 NOSE LANDING GEAR SHOCK ABSORBER LOWER BEARING Component ATA:32								
PN:2317-5113-005	MOS	20-Dec-11		TSN 0				LIFE LIMIT
SN:1394566/005	HRS	0		TSN 0				
	AFL	0	11200	TSN 0	11200		10084	
PROC. REF: GENERIC NO REF								
32-503 NOSE LANDING GEAR SHOCK ABSORBER TURNING CYLINDER Component ATA:32								
PN:2317-5231-503	MOS	20-Dec-11		TSN 0				LIFE LIMIT
SN:1380730/003	HRS	0		TSN 0				
	AFL	0	11200	TSN 0	11200		10084	
PROC. REF: GENERIC NO REF								
32-600 NOSE LANDING GEAR DRAG BRACE Component ATA:32								
PN:2317-6000-403	MOS/MSC	04-Dec-21	O/C	TSN 120, TSO 0				
SN:00087	HRS	682.22		TSN 682.22, TSO 0				
	AFL	755		TSN 755, TSO 0				
PROC. REF: AMM 32-21-09, AMM 32-21-09								
32-601 NOSE LANDING GEAR UPPER DRAG BRACE Component ATA:32								
PN:2317-6101-501	MOS	20-Dec-11		TSN 0				LIFE LIMIT
SN:1400181/001	HRS	0		TSN 0				
	AFL	0	11200	TSN 0	11200		10084	
PROC. REF: AMM 32-21-09, AMM 32-21-09								
32-602 NOSE LANDING GEAR LOWER DRAG BRACE Component ATA:32								
PN:2317-6201-001	MOS	20-Dec-11		TSN 0				LIFE LIMIT
SN:1380746/009	HRS	0		TSN 0				
	AFL	0	11200	TSN 0	11200		10084	
PROC. REF: AMM 32-21-09, AMM 32-21-09								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-603 LEFT NOSE LANDING GEAR DRAG BRACE PINTLE PIN Component ATA:32								
PN:2317-6001-001	MOS	20-Dec-11		TSN 0				LIFE LIMIT
SN:1358153/004	HRS	0		TSN 0				
	AFL	0	11200	TSN 0	11200		10084	
PROC. REF: AMM 32-21-09, AMM 32-21-09								
32-603 RIGHT NOSE LANDING GEAR DRAG BRACE PINTLE PIN Component ATA:32								
PN:2317-6001-001	MOS	20-Dec-11		TSN 0				LIFE LIMIT
SN:1384484/001	HRS	0		TSN 0				
	AFL	0	11200	TSN 0	11200		10084	
PROC. REF: AMM 32-21-09, AMM 32-21-09								
32-604 NOSE LANDING GEAR DRAG BRACE PIN Component ATA:32								
PN:2317-6003-001	MOS	20-Dec-11		TSN 0				LIFE LIMIT
SN:1380589/002	HRS	0		TSN 0				
	AFL	0	11200	TSN 0	11200		10084	
PROC. REF: AMM 32-21-09, AMM 32-21-09								
32-61-01 LH WING PROXIMITY SWITCH Component ATA:32								
PN:80-057-01	MOS/MSC	20-Dec-11	O/C	TSN 0				
SN:27855	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
32-61-01 NO. 1 LEFT MLG PROXIMITY SWITCH Component ATA:32								
PN:80-057-01	MOS/MSC	20-Dec-11	O/C	TSN 0				
SN:27860	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
32-61-01 NO. 1 NLG PROXIMITY SWITCH Component ATA:32								
PN:80-057-01	MOS/MSC	20-Dec-11	O/C	TSN 0				
SN:27024	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
32-61-01 NO. 1 RIGHT MLG PROXIMITY SWITCH Component ATA:32								
PN:80-057-01	MOS/MSC	20-Dec-11	O/C	TSN 0				
SN:27868	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-61-01 NO. 2 NLG PROXIMITY SWITCH Component ATA:32								
PN:80-057-01	MOS/MSC	20-Dec-11	O/C	TSN 0				
SN:27955	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
32-61-01 RH WING PROXIMITY SWITCH Component ATA:32								
PN:80-057-01	MOS/MSC	20-Dec-11	O/C	TSN 0				
SN:27852	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
32-700 NOSE LANDING GEAR LOCKING STAY Component ATA:32								
PN:2317-6500-403	MOS/MSC	04-Dec-21	O/C	TSN 120, TSO 0				
SN:00089	HRS	682.22		TSN 682.22, TSO 0				
	AFL	755		TSN 755, TSO 0				
PROC. REF: AMM 32-21-04, AMM 32-21-04								
32-701 NOSE LANDING GEAR UPPER LOCKING STAY Component ATA:32								
PN:2317-6521-003	MOS	20-Dec-11		TSN 0				LIFE LIMIT
SN:1384475/004	HRS	0		TSN 0				
	AFL	0	11200	TSN 0	11200		10084	
PROC. REF: AMM 32-21-04, AMM 32-21-04								
32-702 NOSE LANDING GEAR LOWER LOCKING STAY Component ATA:32								
PN:2317-6531-001	MOS	20-Dec-11		TSN 0				LIFE LIMIT
SN:1398396/007	HRS	0		TSN 0				
	AFL	0	11200	TSN 0	11200		10084	
PROC. REF: AMM 32-21-04, AMM 32-21-04								
32-703 LOWER NOSE LANDING GEAR LOCKING STAY BOLT Component ATA:32								
PN:2310-1734-001	MOS	20-Dec-11		TSN 0				LIFE LIMIT
SN:1387598/001	HRS	0		TSN 0				
	AFL	0	11200	TSN 0	11200		10084	
PROC. REF: AMM 32-21-04, AMM 32-21-04								
32-703 UPPER NOSE LANDING GEAR LOCKING STAY BOLT Component ATA:32								
PN:2310-1734-001	MOS	20-Dec-11		TSN 0				LIFE LIMIT
SN:1387598/007	HRS	0		TSN 0				
	AFL	0	11200	TSN 0	11200		10084	
PROC. REF: AMM 32-21-04, AMM 32-21-04								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 33 - LIGHTS									
33-01-01		OVERHEAD LIGHTS CONTROL PANEL					Component		ATA:33
PN:441-43246-002	MOS/MSC	14-Sep-22	O/C						
SN:1151	HRS	852.2							
	AFL	856							
PROC. REF: AMM 33-01-01, AMM 33-01-01									
33-12-01		COCKPIT DIMMER					Component		ATA:33
PN:81-01760-002	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:0371	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 33-12-01, AMM 33-12-01									
33-12-02		INSC ILLUM - TEST PANEL					Component		ATA:33
PN:441-42631-002	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:1076	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 33-12-02, AMM 33-12-02									
33-42-01		LH LWR FWD TAXI LIGHT ASSY					Component		ATA:33
PN:81017-3	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:000149	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 33-42-01, AMM 33-42-01									
33-42-01		RH LWR FWD TAXI LIGHT ASSY					Component		ATA:33
PN:81017-4	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:000124	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 33-42-01, AMM 33-42-01									
33-47-01		LEFT LANDING LIGHT ASSY					Component		ATA:33
PN:81017-5	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:000124	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 33-47-01, AMM 33-47-01									
33-47-01		RIGHT LANDING LIGHT ASSY					Component		ATA:33
PN:81017-6	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:000110	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 33-47-01, AMM 33-47-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 33 - LIGHTS									
33-48-00		LEFT NO. 1 NAVIGATION LIGHT						Component	ATA:33
PN:84004-7	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:000197	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 33-48-01, AMM 33-48-01, AMM 33-48-02, AMM 33-48-02									
33-48-00		LEFT NO. 2 NAVIGATION LIGHT						Component	ATA:33
PN:84015-1	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:000130	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 33-48-01, AMM 33-48-01, AMM 33-48-02, AMM 33-48-02									
33-48-00		RIGHT NO. 1 NAVIGATION LIGHT						Component	ATA:33
PN:84004-7	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:000204	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 33-48-01, AMM 33-48-01, AMM 33-48-02, AMM 33-48-02									
33-48-00		RIGHT NO. 2 NAVIGATION LIGHT						Component	ATA:33
PN:84015-2	MOS/MSC	23-Dec-15	O/C	TSN 51					
SN:000111	HRS	336.55		TSN 0					
	AFL	336		TSN 0					
PROC. REF: AMM 33-48-01, AMM 33-48-01, AMM 33-48-02, AMM 33-48-02									
33-48-00-001		DISCARD LEFT NO. 1 NAVIGATION LIGHT						Service	ATA:33
PN:84004-7	MOS	20-Dec-11							
SN:000197	HRS	0	12000 (+30/-30)		12000	12030	10725 (+30)		
	AFL	0							
PROC. REF: AMM 33-48-00									
33-48-00-001		DISCARD LEFT NO. 2 NAVIGATION LIGHT						Service	ATA:33
PN:84015-1	MOS	20-Dec-11							
SN:000130	HRS	0	12000 (+30/-30)		12000	12030	10725 (+30)		
	AFL	0							
PROC. REF: AMM 33-48-00									
33-48-00-001		DISCARD RIGHT NO. 1 NAVIGATION LIGHT						Service	ATA:33
PN:84004-7	MOS	20-Dec-11							
SN:000204	HRS	0	12000 (+30/-30)		12000	12030	10725 (+30)		
	AFL	0							
PROC. REF: AMM 33-48-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 33 - LIGHTS									
33-48-00-001	DISCARD RIGHT NO. 2 NAVIGATION LIGHT							Service	ATA:33
PN:84015-2	MOS	23-Dec-15							
SN:000111	HRS	336.55	12000 (+30/-30)		12336.55	12366.55	11061.6 (+30)		
	AFL	336							
PROC. REF: AMM 33-48-00									
33-48-00-002 ^S	GENERAL VISUAL INSPECTION LEFT NO. 1 NAVIGATION LIGHT							Service	ATA:33
	MOS	20-Dec-11							
	HRS	0	2400 (+30/-30)						
	AFL	0							
PROC. REF: AMM 33-48-00									
33-48-00-002 ^S	GENERAL VISUAL INSPECTION LEFT NO. 2 NAVIGATION LIGHT							Service	ATA:33
	MOS	20-Dec-11							
	HRS	0	2400 (+30/-30)						
	AFL	0							
PROC. REF: AMM 33-48-00									
33-48-00-002 ^S	GENERAL VISUAL INSPECTION RIGHT NO. 1 NAVIGATION LIGHT							Service	ATA:33
	MOS	20-Dec-11							
	HRS	0	2400 (+30/-30)						
	AFL	0							
PROC. REF: AMM 33-48-00									
33-48-00-002 ^S	GENERAL VISUAL INSPECTION RIGHT NO. 2 NAVIGATION LIGHT							Service	ATA:33
	MOS	23-Dec-15							
	HRS	336.55	2400 (+30/-30)						
	AFL	336							
PROC. REF: AMM 33-48-00									
33-49-00	NO. 1 STROBE LIGHT							Component	ATA:33
PN:84036-3	MOS/MSC	20-Dec-11	O/C		TSN 0				
SN:000135	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM 33-49-01, AMM 33-49-01, AMM 33-49-02, AMM 33-49-02, AMM 33-49-01, AMM 33-49-01, AMM 33-49-02, AMM 33-49-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 33 - LIGHTS									
33-49-00	NO. 2 STROBE LIGHT							Component	ATA:33
PN:84036-4	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:000126	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 33-49-01, AMM 33-49-01, AMM 33-49-02, AMM 33-49-02, AMM 33-49-01, AMM 33-49-01, AMM 33-49-02, AMM 33-49-02									
33-49-00-001	DISCARD NO. 1 STROBE LIGHT							Service	ATA:33
PN:84036-3	MOS	20-Dec-11							
SN:000135	HRS	0	8000 (+30/-30)		8000	8030	6725 (+30)		
	AFL	0							
PROC. REF: AMM 33-49-00									
33-49-00-001	DISCARD NO. 2 STROBE LIGHT							Service	ATA:33
PN:84036-4	MOS	20-Dec-11							
SN:000126	HRS	0	8000 (+30/-30)		8000	8030	6725 (+30)		
	AFL	0							
PROC. REF: AMM 33-49-00									
33-49-00-002 ^S	GENERAL VISUAL INSPECTION NO. 1 STROBE LIGHT							Service	ATA:33
	MOS	20-Dec-11							
	HRS	0	2400 (+30/-30)						
	AFL	0							
PROC. REF: AMM 33-49-00									
33-49-00-002 ^S	GENERAL VISUAL INSPECTION NO. 2 STROBE LIGHT							Service	ATA:33
	MOS	20-Dec-11							
	HRS	0	2400 (+30/-30)						
	AFL	0							
PROC. REF: AMM 33-49-00									
33-52-01	EMERGENCY LIGHT BATTERY 1 (COCKPIT UNDERFLOOR)							Component	ATA:33
PN:7450LS-00	MOS/MSC	21-Dec-23	O/C	TSN 2					
SN:007218	HRS	1164.1		TSN 0					
	AFL	1053		TSN 0					
PROC. REF: AMM 33-52-01, AMM 33-52-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 33 - LIGHTS									
33-52-01	EMERGENCY LIGHT BATTERY 2 (CENTER COMPT)							Component	ATA:33
PN:7450LS-00	MOS/MSC	17-Jul-23	O/C						
SN:001523M	HRS	1051.6							
	AFL	980							
PROC. REF: AMM 33-52-01, AMM 33-52-01									
33-52-01-001	FUNCTIONAL CHECK OF EMERGENCY LIGHT BATTERY 1 (COCKPIT UNDERFLOOR) (AIRCRAFT WITH BE AEROSPACE BATTERY)							Service	ATA:33
PN:7450LS-00	MOS	21-Dec-23	12		31-Dec-24		169 d		
SN:007218	HRS	1164.1							
	AFL	1053							
PROC. REF: AMM 33-52-01									
33-52-01-001	FUNCTIONAL CHECK OF EMERGENCY LIGHT BATTERY 2 (CENTER COMPT) (AIRCRAFT WITH BE AEROSPACE BATTERY)							Service	ATA:33
PN:7450LS-00	MOS	21-Dec-23	12		31-Dec-24		169 d		
SN:001523M	HRS	1164.1							
	AFL	1053							
PROC. REF: AMM 33-52-01									
33-52-01-002	FUNCTIONAL CHECK OF EMERGENCY LIGHT BATTERY 1 (COCKPIT UNDERFLOOR) (AIRCRAFT WITH DLE BATTERY)							Service	ATA:33
PN:7450LS-00	MOS/MSC		N/A						
SN:007218	HRS								
	AFL								
PROC. REF: AMM 33-52-01									
33-52-01-002	FUNCTIONAL CHECK OF EMERGENCY LIGHT BATTERY 2 (CENTER COMPT) (AIRCRAFT WITH DLE BATTERY)							Service	ATA:33
PN:7450LS-00	MOS/MSC	17-Jul-23	N/A						
SN:001523M	HRS	1051.6							
	AFL	980							
PROC. REF: AMM 33-52-01									
33-52-01-003	DISCARD OF EMERGENCY LIGHT BATTERY 1 (COCKPIT UNDERFLOOR)							Service	ATA:33
PN:7450LS-00	MOS/MSC		N/A						
SN:007218	HRS								
	AFL								
PROC. REF: AMM 33-52-01									
33-52-01-003	DISCARD OF EMERGENCY LIGHT BATTERY 2 (CENTER COMPT)							Service	ATA:33
PN:7450LS-00	MOS/MSC	29-Jun-23	N/A						
SN:001523M	HRS								
	AFL								
PROC. REF: AMM 33-52-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 33 - LIGHTS									
33-52-17-001 ^S		OPERATIONAL CHECK OF INERTIAL SWITCH (AIRCRAFT WITH INERTIAL SWITCH INSTALLED)							Service ATA:33
	MOS	23-Dec-15							
	HRS	337.37	1600 (+30/-30)						
	AFL	337							
PROC. REF: AMM 33-52-17								PKG:10	
ATA 34 - NAVIGATION									
34-00-03		NO.1 IASP SMART PROBE							Component ATA:34
PN:2015L-4B	MOS/MSC	04-Dec-21	O/C		TSR 2				
SN:0062	HRS	682.22			TSR 0				
	AFL	755			TSR 0				
PROC. REF: AMM 34-15-07, AMM 34-15-07									
34-00-03		NO.2 IASP SMART PROBE							Component ATA:34
PN:2015L-4B	MOS/MSC	04-Dec-21	O/C						
SN:0071	HRS	682.22							
	AFL	755							
PROC. REF: AMM 34-15-07, AMM 34-15-07									
34-00-04		SD CARD DATABASE							Component ATA:34
PN:010-00330-45	MOS/MSC	26-Dec-16	O/C						
SN:UNKNOWN	HRS	389							
	AFL	396							
PROC. REF: GENERIC NO REF									
34-10-01		RADIO ALTIMETER							Component ATA:34
PN:066-01153-0101	MOS/MSC	20-Dec-11	O/C		TSN 0				
SN:KRA405B-12175	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM 34-31-02, AMM 34-31-02									
34-10-02		LEFT RADIO ALTIMETER TRANSMIT ANTENNA							Component ATA:34
PN:S67-2002-45	MOS/MSC	20-Dec-11	O/C		TSN 0				
SN:553-4200	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM 34-31-02, AMM 34-31-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
34-10-02		RIGHT RADIO ALTIMETER RECEIVE ANTENNA						Component	ATA:34
PN:S67-2002-45	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:553-4209	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-31-02, AMM 34-31-02									
34-11-00		IESI - INTEGRATED ELECTRONIC STANDBY INSTRUMENT						Component	ATA:34
PN:C16786DA01	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:C16786001273	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-11-01, AMM 34-11-01									
34-11-00-001		FUNCTIONAL CHECK OF (IESI) INTEGRATED ELECTRONIC STANDBY INSTRUMENT NOTE: ACCOMPLISH THIS REQUIREMENT AFTER CLEANING PROCEDURE (34-11-02-001)						Service	ATA:34
PN:C16786DA01	MOS	21-Dec-23	24 (+1m/-1m)		21-Dec-25	21-Jan-26	524 d (+31)		
SN:C16786001273	HRS	1164.1							
	AFL	1053							
PROC. REF: AMM 34-11-00									
34-11-02		PITOT/STATIC PROBE						Component	ATA:34
PN:0856UT4	MOS/MSC	04-Dec-21	O/C	TSN 0					
SN:321342	HRS	682.22		TSN 0					
	AFL	755		TSN 0					
PROC. REF: AMM 34-11-02, AMM 34-11-02									
34-11-02-001		RESTORATION (CLEANING) OF PITOT/STATIC PROBE NOTE: ACCOMPLISH THIS REQUIREMENT PRIOR TO THE FUNCTIONAL CHECK (34-11-00-001)						Service	ATA:34
PN:0856UT4	MOS	21-Dec-23	24 (+1m/-1m)		21-Dec-25	21-Jan-26	524 d (+31)		
SN:321342	HRS	1164.1							
	AFL	1053							
PROC. REF: AMM 34-11-02									
34-15-00-001 ^S		FUNCTIONAL CHECK OF AIR DATA SYSTEM						Service	ATA:34
	MOS	21-Dec-23	24 (+1m/-1m)						
	HRS	1164.1							
	AFL	1053							
PROC. REF: AMM 34-15-00									

PKG:81

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
34-15-00-002		SPECIAL DETAILED INSPECTION OF RVSM CRITICAL REGION (SKIN) FOR WAVINESS					Service	ATA:34	
	MOS	04-Dec-21	60 (+1m/-1m)		04-Dec-26	04-Jan-27	872 d (+31)		
	HRS	682.22							
	AFL	755							
PROC. REF: AMM 34-15-00								PKG:84	
34-15-00-003		DETAILED INSPECTION OF IASP					Service	ATA:34	
	MOS	21-Dec-23	24 (+1m/-1m)		21-Dec-25	21-Jan-26	524 d (+31)		
	HRS	1164.1							
	AFL	1053							
PROC. REF: AMM 34-15-07								PKG:81	
34-20-01		LH GRS-77 ATTITUDE AND HEADING REFERENCE SYSTEM					Component	ATA:34	
PN:011-00868-10	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:42017410	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-21-01, AMM 34-21-01									
34-20-01		RH GRS-77 ATTITUDE AND HEADING REFERENCE SYSTEM					Component	ATA:34	
PN:011-00868-10	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:42017493	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-21-01, AMM 34-21-01									
34-20-02		LEFT MAGNETOMETER					Component	ATA:34	
PN:011-00870-10	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:1CM006226	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-21-02, AMM 34-21-02									
34-20-02		RIGHT MAGNETOMETER					Component	ATA:34	
PN:011-00870-10	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:1CM005881	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-21-02, AMM 34-21-02									
34-21-00-001 ^S		FUNCTIONAL CHECK MAGNETIC INTERFERENCE CHECK ON THE LH WING MAGNETOMETER					Service	ATA:34	
PN:011-00870-10	MOS	21-Dec-23	36 (+1m/-1m)						
SN:1CM006226	HRS	1164.1							
	AFL	1053							
PROC. REF: AMM 34-21-02								PKG:82	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
34-21-00-001 ^S FUNCTIONAL CHECK MAGNETIC INTERFERENCE CHECK ON THE RH WING MAGNETOMETER								Service ATA:34
PN:011-00870-10	MOS	21-Dec-23	36 (+1m/-1m)					
SN:1CM005881	HRS	1164.1						
	AFL	1053						
PROC. REF: AMM 34-21-02								PKG:82
34-23-00 MAGNETIC COMPASS								Component ATA:34
PN:KCA0120W	MOS/MSC	20-Dec-11	O/C	TSN 0				
SN:BF7430311	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-23-01, AMM 34-23-01								
34-23-00-001 ^S FUNCTIONAL CHECK OF STANDBY COMPASS								Service ATA:34
PN:KCA0120W	MOS	21-Dec-23	36 (+1m/-1m)					
SN:BF7430311	HRS	1164.1						
	AFL	1053						
PROC. REF: AMM 34-23-00								PKG:82
34-30-01 LEFT VOR/LOC 2 & 3 BLADE ANTENNA								Component ATA:34
PN:S65-247170	MOS/MSC	20-Dec-11	O/C	TSN 0				
SN:173-2831	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-32-03, AMM 34-32-03								
34-30-01 RIGHT VOR/LOC 2 AND 3 ANTENNA BLADE								Component ATA:34
PN:S65-247170	MOS/MSC	20-Dec-11	O/C	TSN 0				
SN:173-2834	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-32-03, AMM 34-32-03								
34-40-01 GDL-69A SATELLITE WEATHER AND RADIO RECEIVER								Component ATA:34
PN:011-00987-00	MOS/MSC	20-Dec-11	O/C	TSN 0				
SN:47763153	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-57-01, AMM 34-57-01								
34-40-02 AFT GA 37 GPS WAAS & SATELLITE WEATHER AND RADIO ANTENNA								Component ATA:34
PN:013-00245-00	MOS/MSC	20-Dec-11	O/C	TSN 0				
SN:8849	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-53-02, AMM 34-56-02, AMM 34-56-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
34-40-02		FWD SEAT GA 37 GPS WAAS & SATELLITE WEATHER AND RADIO ANTENNA					Component	ATA:34	
PN:013-00245-00	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:8742	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-53-02, AMM 34-56-02, AMM 34-56-02									
34-40-03		WEATHER RADAR RECEIVER/TRANSMITTER ANTENNA					Component	ATA:34	
PN:011-00883-20	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:47203679	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-42-01, AMM 34-42-01									
34-40-04		TCAS II UNIT					Component	ATA:34	
PN:9003500-55904	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:TSE00914	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-43-01, AMM 34-43-01									
34-40-05		TCAS II TOP ANTENNA					Component	ATA:34	
PN:7514060-902	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:ANE37667	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-43-05, AMM 34-43-05									
34-43-02		LOWER TCAS L BAND ANTENNA					Component	ATA:34	
PN:S65-5366-7L	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:261-104944	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-43-02, AMM 34-43-02									
34-50-02		BOTTOM DME/XPDR/TCAS NON-DIRECTIONAL ANTENNA					Component	ATA:34	
PN:S65-5366-7L	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:261-105006	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-52-02, AMM 34-52-02									
34-50-02		TOP XPDR L BAND ANTENNA					Component	ATA:34	
PN:S65-5366-7L	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:261-104967	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-52-02, AMM 34-52-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
34-50-03		KN 63 DISTANCE MEASURING UNIT						Component	ATA:34
PN:066-01070-0001	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:34728	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-51-01, AMM 34-51-01									
34-50-05		PHASING COUPLER						Component	ATA:34
PN:SSPD-113-10	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:6799	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-32-01, AMM 34-32-01									
34-50-06		MARKER BEACON ANTENNA						Component	ATA:34
PN:S35-1000-2	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:102-9182	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-32-04, AMM 34-32-04									
34-50-14		ADF ANTENNA						Component	ATA:34
PN:622-7383-001	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:3TXWV	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-53-02, AMM 34-53-02									
34-50-15		ADF UNIT						Component	ATA:34
PN:622-7382-101	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:3WLTX	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-53-01, AMM 34-53-01									
34-51-02		NO. 1 DME L BAND ANTENNA						Component	ATA:34
PN:S65-5366-7L	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:261-105325	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-51-02, AMM 34-51-02									
34-52-00		NO. 1 TRANSPONDER						Component	ATA:34
PN:9006000-55000	MOS/MSC	04-Dec-21	O/C						
SN:NXE15372	HRS	682.22							
	AFL	755							
PROC. REF: AMM 34-52-01, AMM 34-52-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
34-52-00		NO. 2 TRANSPONDER						Component	ATA:34
PN:PN	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-52-01, AMM 34-52-01									
34-52-00-001		FUNCTIONAL CHECK OF NO. 1 TRANSPONDER SYSTEM						Service	ATA:34
PN:9006000-55000	MOS		24		21-Dec-25 (M)		524 d		
SN:NXE15372	HRS								
	AFL								
PROC. REF: AMM 34-52-00									
34-52-00-001		FUNCTIONAL CHECK OF NO. 2 TRANSPONDER SYSTEM						Service	ATA:34
PN:PN	MOS/MSC	29-Aug-21	N/A						
SN:UNKNOWN	HRS								
	AFL								
PROC. REF: AMM 34-52-00									
34-53-01		ADF MOUNTING TRAY						Component	ATA:34
PN:622-5212-001	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:46C8F	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-53-01, AMM 34-53-01									
34-60-03		FLIGHT MANAGEMENT SYSTEM PANEL						Component	ATA:34
PN:011-01428-00	MOS/MSC	04-Dec-21	O/C	TSN 0					
SN:48Y000726	HRS	682.22		TSN 0					
	AFL	755		TSN 0					
PROC. REF: AMM 34-61-03, AMM 34-61-03									
ATA 35 - OXYGEN									
35-00-00-001		FUNCTIONAL CHECK OF OXYGEN SYSTEM PRESSURE LINES FOR LEAKAGE						Service	ATA:35
	MOS	04-Dec-21	36 (+30d/-30d)		04-Dec-24	03-Jan-25	142 d (+30)	AIRWORTHINESS	
	HRS	682.22	2400 (+30/-30)		3082.22	3112.22	1807.2 (+30)		
	AFL	755							
PROC. REF: AMM 35-00-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 35 - OXYGEN									
35-01-00-001 ^S		FUNCTIONAL CHECK OF CREW OXYGEN PRESSURE INDICATION					Service	ATA:35	
	MOS	04-Dec-21	60 (+1m/-1m)						
	HRS	682.22							
	AFL	755							
PROC. REF: AMM 35-01-02								PKG:84	
35-01-02		OXYGEN CYLINDER TRANSDUCER					Component	ATA:35	
PN:4441125-000	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:7825-6-61	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 35-01-02, AMM 35-01-02									
35-01-05		CREW OXYGEN SYSTEM LOW PRESSURE SWITCH					Component	ATA:35	
PN:P24151	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:0086	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 35-01-05, AMM 35-01-05									
35-01-06		OXYGEN SYSTEM CONTROL PANEL					Component	ATA:35	
PN:441-40945-002	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:0357	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 35-01-06, AMM 35-01-06									
35-01-07		COCKPIT SENSOR					Component	ATA:35	
PN:P24099	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:0213	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 35-01-07, AMM 35-01-07									
35-01-09		ALTITUDE COMPENSATING REGULATOR					Component	ATA:35	
PN:4421135-001	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:00210	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 35-01-09, AMM 35-01-09									
35-01-10		LOW PRESSURE OXYGEN VALVE					Component	ATA:35	
PN:4421132-109	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:00338	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 35-01-10, AMM 35-01-10									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 35 - OXYGEN									
35-02-01		OXYGEN CYLINDER						Component	ATA:35
PN:4441122-077	MOS/MSC	13-Feb-23	H/T	TSN 4					
SN:1137892601	HRS	948		TSN 0					
	AFL	916		TSN 0					
PROC. REF: AMM 35-02-01, AMM 35-02-01									
35-02-01-001		FUNCTIONAL CHECK OF OXYGEN CYLINDER REGULATOR						Service	ATA:35
PN:4441122-077	MOS	01-Oct-22	60		31-Oct-27 (M)		1203 d		
SN:1137892601	HRS								
	AFL								
PROC. REF: AMM 35-02-01									
35-02-01-003		DISCARD OF OXYGEN CYLINDER						Service	ATA:35
PN:4441122-077	MOS	01-Oct-22	180		31-Oct-37 (M)		4856 d	LIFE LIMIT	
SN:1137892601	HRS								
	AFL								
PROC. REF: AMM 35-02-01									
35-02-01-004		RESTORATION (HYDROSTATIC TEST) OF OXYGEN CYLINDER						Service	ATA:35
	MOS	01-Oct-22	60		31-Oct-27 (M)		1203 d		
	HRS								
	AFL								
PROC. REF: AMM 35-02-01									
35-02-05		OXYGEN PRESSURE REGULATOR						Component	ATA:35
PN:172420-14	MOS/MSC	13-Feb-23	O/C	TSN 4					
SN:1137428801	HRS	948		TSN 0					
	AFL	916		TSN 0					
PROC. REF: GENERIC NO REF									
35-11-00-001		OPERATIONAL CHECK OF CREW OXYGEN MASK AND STOWAGE BOX						Service	ATA:35
	MOS	21-Dec-23	12 (+30d/-30d)		31-Dec-24	20-Jan-25	169 d (+20)	AIRWORTHINESS	
	HRS	1164.1	800 (+30/-30)		1964.1	1994.1	689.1 (+30)		
	AFL	1053							
PROC. REF: AMM 35-11-02									
35-11-01		COPILOT OXYGEN MASK STOWAGE BOX						Component	ATA:35
PN:1186F6-23	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:00718	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 35-11-01, AMM 35-11-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 35 - OXYGEN									
35-11-01		PILOT OXYGEN MASK STOWAGE BOX					Component		ATA:35
PN:1186F6-23	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:00724	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 35-11-01, AMM 35-11-01									
35-11-02		LEFT CREW OXYGEN MASK					Component		ATA:35
PN:174232-93	MOS/MSC	21-Dec-23	O/C	TSO 0					
SN:29776	HRS	1164.1		TSO 0					
	AFL	1053		TSO 0					
PROC. REF: AMM 35-11-02, AMM 35-11-02									
35-11-02		RIGHT CREW OXYGEN MASK					Component		ATA:35
PN:174232-93	MOS/MSC	06-Nov-23	O/C	TSO 0					
SN:29372	HRS	1129.8		TSO 0					
	AFL	1042		TSO 0					
PROC. REF: AMM 35-11-02, AMM 35-11-02									
35-11-02-001		DETAILED VISUAL INSPECTION OF LEFT CREW OXYGEN MASK					Service		ATA:35
PN:174232-93	MOS	21-Dec-23	24 (+1m/-1m)		21-Dec-25	21-Jan-26	524 d (+31)		
SN:29776	HRS	1164.1							
	AFL	1053							
PROC. REF: AMM 35-11-02									
35-11-02-001		DETAILED VISUAL INSPECTION OF RIGHT CREW OXYGEN MASK					Service		ATA:35
PN:174232-93	MOS	06-Nov-23	24 (+1m/-1m)		06-Nov-25	06-Dec-25	479 d (+30)		
SN:29372	HRS	1129.8							
	AFL	1042							
PROC. REF: AMM 35-11-02									
35-11-02-002		RESTORATION (OVERHAUL) OF LEFT CREW OXYGEN MASK					Service		ATA:35
PN:174232-93	MOS	21-Dec-23	72 (+1m/-1m)		21-Dec-29	21-Jan-30	1985 d (+31)		
SN:29776	HRS	1164.1	3600 (+30/-30)		4764.1	4794.1	3489.1 (+30)		
	AFL	1053							
PROC. REF: AMM 35-11-02									
35-11-02-002		RESTORATION (OVERHAUL) OF RIGHT CREW OXYGEN MASK					Service		ATA:35
PN:174232-93	MOS	06-Nov-23	72 (+1m/-1m)		06-Nov-29	06-Dec-29	1940 d (+30)		
SN:29372	HRS	1129.8	3600 (+30/-30)		4729.8	4759.8	3454.8 (+30)		
	AFL	1042							
PROC. REF: AMM 35-11-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 35 - OXYGEN								
35-11-02-003 DETAILED VISUAL INSPECTION OF LEFT CREW OXYGEN MASK								
PN:174232-93	MOS/MSC		N/A					Service ATA:35
SN:29776	HRS							
	AFL							
PROC. REF: AMM 35-11-02								
35-11-02-003 DETAILED VISUAL INSPECTION OF RIGHT CREW OXYGEN MASK								
PN:174232-93	MOS/MSC	06-Nov-23	N/A					Service ATA:35
SN:29372	HRS	1129.8						
	AFL	1042						
PROC. REF: AMM 35-11-02								
35-11-04-001^S DETAILED INSPECTION OF CREW GOGGLES - (AIRCRAFT WITH SMOKE GOGGLES INSTALLED)								
	MOS	21-Dec-23	36 (+1m/-1m)					Service ATA:35
	HRS	1164.1						
	AFL	1053						
PROC. REF: AMM 35-11-04								
35-21-00-001 FUNCTIONAL CHECK OF PASSENGER OXYGEN SYSTEM IN AUTO MODE								
	MOS	04-Dec-21	36 (+30d/-30d)		04-Dec-24	03-Jan-25	142 d (+30)	Service ATA:35
	HRS	682.22	2400 (+30/-30)		3082.22	3112.22	1807.2 (+30)	AIRWORTHINESS
	AFL	755						
PROC. REF: AMM 35-21-00								
35-21-00-002 OPERATIONAL CHECK OF PASSENGER OXYGEN SYSTEM IN MANUAL MODE								
	MOS	04-Dec-21	36 (+30d/-30d)		04-Dec-24	03-Jan-25	142 d (+30)	Service ATA:35
	HRS	682.22	2400 (+30/-30)		3082.22	3112.22	1807.2 (+30)	AIRWORTHINESS
	AFL	755						
PROC. REF: AMM 35-21-00								
35-21-01 FWD SEAT ONE MASK DEPLOYMENT OXYGEN CONTAINER								
PN:4411071-012	MOS/MSC	23-Dec-14	O/C					Component ATA:35
SN:4411071-012-00314	HRS	256.42						
	AFL	252						
PROC. REF: AMM 35-21-01, AMM 35-21-01								
35-21-01 NO. 1 TWO MASK DEPLOYMENT OXYGEN CONTAINER								
PN:4411072-012	MOS/MSC	23-Dec-14	O/C	TSN 0				Component ATA:35
SN:4411072-012-00573	HRS	256.42		TSN 0				
	AFL	252		TSN 0				
PROC. REF: AMM 35-21-01, AMM 35-21-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 35 - OXYGEN									
35-21-01	NO. 2 TWO MASK DEPLOYMENT OXYGEN CONTAINER							Component	ATA:35
PN:4411072-012	MOS/MSC	01-Dec-20	O/C						
SN:4411072-012-00737	HRS	647.37							
	AFL	719							
PROC. REF: AMM 35-21-01, AMM 35-21-01									
35-21-01	NO. 3 TWO MASK DEPLOYMENT OXYGEN CONTAINER							Component	ATA:35
PN:4411072-012	MOS/MSC	23-Dec-14	O/C						
SN:4411072-012-00772	HRS	256.42							
	AFL	252							
PROC. REF: AMM 35-21-01, AMM 35-21-01									
35-21-01	NO. 4 TWO MASK DEPLOYMENT OXYGEN CONTAINER							Component	ATA:35
PN:4411072-112	MOS/MSC	10-Jul-24	O/C						
SN:4411072-112-V0854	HRS	1275							
	AFL	1116							
PROC. REF: AMM 35-21-01, AMM 35-21-01									
35-21-01-001 ^S	DETAILED INSPECTION OF PASSENGER OXYGEN MASKS							Service	ATA:35
	MOS	21-Dec-23	36 (+1m/-1m)						
	HRS	1164.1							
	AFL	1053							
PROC. REF: AMM 35-21-01									
35-31-01	PBE - PROTECTIVE BREATHING EQUIPMENT							Component	ATA:35
PN:MR-10022NEMB	MOS/MSC	07-Mar-22	H/T	TSN 0					
SN:E2103986	HRS	735		TSN 0					
	AFL	791		TSN 0					
PROC. REF: AMM 35-31-01, AMM 35-31-01, AMM 35-31-01									
35-31-01-001	DISCARD OF PROTECTIVE BREATHING EQUIPMENT (PBE)							Service	ATA:35
PN:MR-10022NEMB	MOS	07-Mar-22	126 (+1m/-1m)		07-Sep-32	07-Oct-32	2976 d (+30)	LIFE LIMIT	
SN:E2103986	HRS	735							
	AFL	791							
PROC. REF: AMM 35-31-01									
ATA 36 - PNEUMATIC									
36-00-00-710-801-A	TROUBLE SHOOT ENGINE OPERATING PROBLEMS - PNEUMATIC SYSTEM OPERATIONAL CHECK							Service	ATA:36
	MOS/MSC	20-Dec-11	A/R						
	HRS	0							
	AFL	0							
PROC. REF: AMM 36-00-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 36 - PNEUMATIC									
36-01-01		PNEUMATIC INSC ILLUM PANEL					Component		ATA:36
PN:441-42633-002	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:1078	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 36-01-01, AMM 36-01-01									
36-11-01		LEFT PYLON BLEED PRESSURE REGULATING SHUTOFF VALVE					Component		ATA:36
PN:RYLB-53505-3	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:0094	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 36-11-01, AMM 36-11-01									
36-11-01		RIGHT PYLON BLEED PRESSURE REGULATING SHUTOFF VALVE					Component		ATA:36
PN:RYLB-53505-4	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:0027	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 36-11-01, AMM 36-11-01									
36-11-01-001 ^S		RESTORATION (CLEANING) OF BLEED PRESSURE REGULATING SHUTOFF VALVE (PRSOV) FILTER					Service		ATA:36
	MOS	20-Dec-11							
	HRS	0	2400 (+30/-30)						
	AFL	0							
PROC. REF: AMM 36-11-01									
PKG:20									
36-11-01-002 ^S		OPERATIONAL CHECK OF BLEED MANUAL SHUT-OFF FUNCTION					Service		ATA:36
	MOS	04-Dec-21							
	HRS	682.22	800 (+30/-30)						
	AFL	755							
PROC. REF: AMM 36-11-00									
PKG:1									
36-11-02-001 ^S		DETAILED INSPECTION OF BLEED LINE WATER DRAINS					Service		ATA:36
	MOS	21-Dec-23	24 (+1m/-1m)						
	HRS	1164.1							
	AFL	1053							
PROC. REF: AMM 36-11-02									
PKG:81									
36-11-03		AMS CONTROLLER					Component		ATA:36
PN:SYLZ-53632-203	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:0126	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 36-11-03, AMM 36-11-03									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 36 - PNEUMATIC									
36-11-04	NO. 1 ENGINE FAN AIR VALVE							Component	ATA:36
PN:RYLB-53527-1	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:0186	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 36-11-04, AMM 36-11-04									
36-11-04	NO. 2 ENGINE FAN AIR VALVE							Component	ATA:36
PN:RYLB-53527-1	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:0185	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 36-11-04, AMM 36-11-04									
36-11-04-001 ^S	RESTORATION (CLEANING) OF FAN-AIR VALVE (FAV) FILTER							Service	ATA:36
	MOS	20-Dec-11							
	HRS	0	2400 (+30/-30)						
	AFL	0							
PROC. REF: AMM 36-11-04									
36-11-05	LH INCONEL 625 BLEED PRE-COOLER							Component	ATA:36
PN:10965000-105	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:T0098	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 36-11-05, AMM 36-11-05									
36-11-05	RH INCONEL 625 BLEED PRE-COOLER							Component	ATA:36
PN:10964000-105	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:T0078	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 36-11-05, AMM 36-11-05									
36-11-06	CROSS BLEED VALVE							Component	ATA:36
PN:RYLB-53506-1	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:0089	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 36-11-06, AMM 36-11-06									
36-11-06-001 ^S	OPERATIONAL CHECK OF CROSS-BLEED MANUAL SHUT-OFF FUNCTION							Service	ATA:36
	MOS	04-Dec-21							
	HRS	682.22	800 (+30/-30)						
	AFL	755							
PROC. REF: AMM 36-11-06									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 36 - PNEUMATIC									
36-11-06-002 ^S	RESTORATION (CLEANING) OF CROSS-BLEED VALVE (XBV) FILTER							Service	ATA:36
	MOS	20-Dec-11							
	HRS	0	6400 (+30/-30)						
	AFL	0							
				PROC. REF: AMM 36-11-06				PKG:60	
36-11-07	NO. 1 BLEED PRESSURE TRANSDUCER							Component	ATA:36
PN:APTE-479F-1000-200GMOS/MS		20-Dec-11	O/C	TSN 0					
SN:7883-9-431	HRS	0		TSN 0					
	AFL	0		TSN 0					
				PROC. REF: AMM 36-11-07, AMM 36-11-07					
36-11-07	NO. 2 BLEED PRESSURE TRANSDUCER							Component	ATA:36
PN:APTE-479F-1000-200GMOS/MS		20-Dec-11	O/C	TSN 0					
SN:7883-9-483	HRS	0		TSN 0					
	AFL	0		TSN 0					
				PROC. REF: AMM 36-11-07, AMM 36-11-07					
36-11-08	NO. 1 BLEED TEMPERATURE SENSOR							Component	ATA:36
PN:8TJ107DAJ1	MOS/MS	20-Dec-11	O/C	TSN 0					
SN:26317	HRS	0		TSN 0					
	AFL	0		TSN 0					
				PROC. REF: AMM 36-11-08, AMM 36-11-08					
36-11-08	NO. 2 BLEED TEMPERATURE SENSOR							Component	ATA:36
PN:8TJ107DAJ1	MOS/MS	20-Dec-11	O/C	TSN 0					
SN:26321	HRS	0		TSN 0					
	AFL	0		TSN 0					
				PROC. REF: AMM 36-11-08, AMM 36-11-08					
36-11-08	NO. 3 BLEED TEMPERATURE SENSOR							Component	ATA:36
PN:8TJ107DAJ1	MOS/MS	20-Dec-11	O/C	TSN 0					
SN:26326	HRS	0		TSN 0					
	AFL	0		TSN 0					
				PROC. REF: AMM 36-11-08, AMM 36-11-08					
36-11-08	NO. 4 BLEED TEMPERATURE SENSOR							Component	ATA:36
PN:8TJ107DAJ1	MOS/MS	20-Dec-11	O/C	TSN 0					
SN:26335	HRS	0		TSN 0					
	AFL	0		TSN 0					
				PROC. REF: AMM 36-11-08, AMM 36-11-08					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 36 - PNEUMATIC									
36-11-08-001 ^S	FUNCTIONAL CHECK NO. 1 BLEED AIR TEMPERATURE SENSOR							Service	ATA:36
	MOS	20-Dec-11							
	HRS	0	6400 (+30/-30)						
	AFL	0							
				PROC. REF: AMM 36-11-08				PKG:60	
36-11-08-001 ^S	FUNCTIONAL CHECK NO. 2 BLEED AIR TEMPERATURE SENSOR							Service	ATA:36
	MOS	20-Dec-11							
	HRS	0	6400 (+30/-30)						
	AFL	0							
				PROC. REF: AMM 36-11-08				PKG:60	
36-11-08-001 ^S	FUNCTIONAL CHECK NO. 3 BLEED AIR TEMPERATURE SENSOR							Service	ATA:36
	MOS	20-Dec-11							
	HRS	0	6400 (+30/-30)						
	AFL	0							
				PROC. REF: AMM 36-11-08				PKG:60	
36-11-08-001 ^S	FUNCTIONAL CHECK NO. 4 BLEED AIR TEMPERATURE SENSOR							Service	ATA:36
	MOS	20-Dec-11							
	HRS	0	6400 (+30/-30)						
	AFL	0							
				PROC. REF: AMM 36-11-08				PKG:60	
36-21-01-001	OPERATIONAL CHECK OF BLEED LEAKAGE SENSORS							Service	ATA:36
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	6400 (+30/-30)		6400	6430	5125 (+30)		
	AFL	0							
				PROC. REF: AMM 36-21-01					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 38 - WATER/WASTE									
38-33-00		TOILET ASSY					Component		ATA:38
PN:RTA9147-00	MOS/MSC	23-Dec-14	O/C						
SN:UNKNOWN	HRS	256.42							
	AFL	252							
PROC. REF: GENERIC NO REF									
38-33-07		WASTE DRAIN VALVE					Component		ATA:38
PN:0218-0032-1	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:160663	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 38-33-07, AMM 38-33-07									
ATA 44 - CABIN SYSTEMS									
44-21-03		DC-DC CONVERTER					Component		ATA:44
PN:35-192-00	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:238	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 44-21-03, AMM 44-21-03									
44-21-09		IFE INSC ILLUM PANEL					Component		ATA:44
PN:441-42725-001	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:0142	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 44-21-09, AMM 44-21-09									
44-32-02		GOGO BIZ 4G TRANSCEIVER					Component		ATA:44
PN:P34110-003 REV F	MOS/MSC	10-Jul-24	O/C	TSR 3					
SN:341100030913E	HRS	1275		TSR 0					
	AFL	1116		TSR 0					
PROC. REF: GENERIC NO REF									
ATA 52 - DOORS									
52-00-00		KEY LOCK KIT					Component		ATA:52
PN:505-38956-901	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:000086-00086	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 52 - DOORS									
52-10-00-001	INTERNAL DETAILED VISUAL INSPECTION OF MAIN DOOR STRUCTURE							Service	ATA:52
	MOS	04-Dec-21	60 (+1m/-1m)		04-Dec-26	04-Jan-27	872 d (+31)		
	HRS	682.22							
	AFL	755							
	PROC. REF: NDT PART 5 52-10-00								
52-10-01-001	EXTERNAL DETAILED VISUAL INSPECTION OF MAIN DOOR STRUCTURE							Service	ATA:52
	MOS	04-Dec-21	60 (+1m/-1m)		04-Dec-26	04-Jan-27	872 d (+31)		
	HRS	682.22							
	AFL	755							
	PROC. REF: NDT PART 5 52-10-00								
52-10-01-01-901	GENERAL VISUAL INSPECTION OF DOOR, FUSELAGE HINGES AND FASTENERS. MAIN DOOR STRUCTURE - EXTERNAL							Service	ATA:52
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	T:17500		17500		16225		
	AFL	0	T:14000		14000		12884		
	PROC. REF: NDT PART 5 52-10-00								
52-10-01-02-901	GENERAL VISUAL INSPECTION OF FRAMES, BEAMS AND INTERCOSTALS. MAIN DOOR STRUCTURE - INTERNAL							Service	ATA:52
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	T:17500		17500		16225		
	AFL	0	T:14000		14000		12884		
	PROC. REF: NDT PART 5 52-10-00								
52-10-01-02-902	DETAILED VISUAL INSPECTION OF DOOR SKIN, VENT FLAP SKIN, SKIN/VENT FLAP SKIN AND ALL SKIN FASTENERS. MAIN DOOR STRUCTURE - EXTERNAL							Service	ATA:52
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	T:17500		17500		16225		
	AFL	0	T:14000		14000		12884		
	PROC. REF: NDT PART 5 52-10-00								
52-10-02-01-901	GENERAL VISUAL INSPECTION OF LATCH PINS AND LATCH BOX. MAIN DOOR LATCH MECHANISM - EXTERNAL							Service	ATA:52
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	T:17500		17500		16225		
	AFL	0	T:14000		14000		12884		
	PROC. REF: NDT PART 5 52-10-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 52 - DOORS									
52-10-20-001 ^S	GENERAL VISUAL INSPECTION OF MAIN DOOR RUBBER SEAL							Service	ATA:52
	MOS	21-Dec-23	12 (+1m/-1m)						
	HRS	1164.1							
	AFL	1053							
					PROC. REF: AMM 52-10-20			PKG:80	
52-11-00-001 ^S	INTERNAL GENERAL VISUAL INSPECTION OF MAIN DOOR LOCKING AND ACTUATING MECHANISM							Service	ATA:52
	MOS	11-Jan-22	48 (+1m/-1m)						
	HRS	694.2							
	AFL	761							
					PROC. REF: AMM 52-11-00			PKG:83	
52-11-00-003 ^S	FUNCTIONAL CHECK OF MAIN-DOOR INTERNAL HANDLE STRENGTH							Service	ATA:52
	MOS	04-Dec-21							
	HRS	682.22	800 (+30/-30)						
	AFL	755							
					PROC. REF: AMM 52-11-23			PKG:1	
52-13-00	MAIN DOOR BALANCE ASSY. GEAR SECTOR							Component	ATA:52
PN:PN	MOS/MSC	20-Dec-11	H/T		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	AFL	0			TSN 0				
					PROC. REF: GENERIC NO REF				
52-13-01	MAIN DOOR BALANCE ASSY. PINION SHAFT							Component	ATA:52
PN:PN	MOS/MSC	20-Dec-11	H/T		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	AFL	0			TSN 0				
					PROC. REF: GENERIC NO REF				
52-13-21-001 ^S	DISCARD OF SECTOR GEAR SECTOR (ACFT WITH GEAR SECTOR P/N 500-09892-005 INSTALLED)							Service	ATA:52
	MOS	20-Dec-11							
	HRS	0	5600 (+30/-30)						
	AFL	0							
					PROC. REF: AMM 52-13-21			PKG:50	
52-13-22	MAIN DOOR BALANCING MECHANISM							Component	ATA:52
PN:PN	MOS/MSC	20-Dec-11	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	AFL	0			TSN 0				
					PROC. REF: AMM 52-13-00, AMM 52-13-00, AMM 52-13-22, AMM 52-13-22				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 52 - DOORS									
52-13-22-001 ^S	DISCARD OF MAIN DOOR BALANCING MECHANISM CABLE							Service	ATA:52
PN:PN	MOS	04-Dec-21							
SN:UNKNOWN	HRS	682.22	800 (+30/-30)						
	AFL	755							
	PROC. REF: AMM 52-13-22								PKG:1
52-13-22-004	DISCARD OF MAIN DOOR BALANCING MECHANISM CABLES							Service	ATA:52
	MOS/MSC	20-Dec-11	N/A						
	HRS	0							
	AFL	0							
	PROC. REF: AMM 52-13-22								
52-13-23-001 ^S	DISCARD OF SHAFT PINION SHAFT (ACFT WITH PINION SHAFT P/N 500-09890-001 INSTALLED)							Service	ATA:52
	MOS	20-Dec-11							
	HRS	0	5600 (+30/-30)						
	AFL	0							
	PROC. REF: AMM 52-13-23								PKG:50
52-20-00	EMERGENCY DOOR							Component	ATA:52
PN:500-09700-437	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:0000685686	HRS	0		TSN 0					
	AFL	0		TSN 0					
	PROC. REF: GENERIC NO REF								
52-20-01-001	EXTERNAL GENERAL VISUAL INSPECTION OF EMERGENCY DOOR STRUCTURE							Service	ATA:52
	MOS/MSC	04-Dec-21	O/C						
	HRS	682.22							
	AFL	755							
	PROC. REF: NDT PART 5 52-20-00								
52-20-01-002 ^S	INTERNAL GENERAL VISUAL INSPECTION OF EMERGENCY DOOR STRUCTURE							Service	ATA:52
	MOS	04-Dec-21	60 (+1m/-1m)						
	HRS	682.22							
	AFL	755							
	PROC. REF: NDT PART 5 52-20-00, NDT PART 5 52-20-00								PKG:90
52-20-01-01-901	GENERAL VISUAL INSPECTION OF SPAR AND FRAMES. EMERGENCY DOOR STRUCTURE - INTERNAL							Service	ATA:52
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	T:17500		17500		16225		
	AFL	0	T:14000		14000		12884		
	PROC. REF: NDT PART 5 52-20-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 52 - DOORS									
52-20-01-01-902	DETAILED INSPECTION OF DOOR SKIN AND FASTENERS. EMERGENCY DOOR STRUCTURE - EXTERNAL							Service	ATA:52
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	T:17500		17500		16225		
	AFL	0	T:14000		14000		12884		
PROC. REF: NDT PART 5 52-20-00									
52-20-20-001 ^S	INTERNAL GENERAL VISUAL INSPECTION OF EMERGENCY DOOR LOCKING AND ACTUATING MECHANISM							Service	ATA:52
	MOS	11-Jan-22	48 (+1m/-1m)						
	HRS	694.2							
	AFL	761							
PROC. REF: AMM 52-20-20									
52-20-21-001 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF EMERGENCY DOOR RUBBER SEAL							Service	ATA:52
	MOS	21-Dec-23	24 (+1m/-1m)						
	HRS	1164.1							
	AFL	1053							
PROC. REF: AMM 52-20-21									
52-31-20-001 ^S	GENERAL VISUAL INSPECTION OF FORWARD BAGGAGE DOOR LOCKING AND ACTUATING MECHANISM							Service	ATA:52
	MOS	11-Jan-22	48 (+1m/-1m)						
	HRS	694.2							
	AFL	761							
PROC. REF: AMM 52-31-20									
52-32-20-001 ^S	GENERAL VISUAL INSPECTION OF AFT BAGGAGE DOOR LOCKING ACTUATING MECHANISM							Service	ATA:52
	MOS	11-Jan-22	48 (+1m/-1m)						
	HRS	694.2							
	AFL	761							
PROC. REF: AMM 52-32-20									
ATA 53 - FUSELAGE									
53-00-00-001 ^S	GENERAL VISUAL INSPECTION OF FUSELAGE POLYURETHANE FILMS							Service	ATA:53
	MOS	04-Dec-21							
	HRS	682.22	800 (+30/-30)						
	AFL	755							
PROC. REF: AMM 53-00-20									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-05-00-001 ^S	DETAILED INSPECTION OF FUSELAGE DRAINS							Service	ATA:53
	MOS	04-Dec-21	60 (+1m/-1m)						
	HRS	682.22							
	AFL	755							
	PROC. REF: AMM 53-05-00								PKG:84
53-10-00-001 ^S	INTERNAL DETAILED VISUAL INSPECTION OF FORWARD FUSELAGE STRUCTURES							Service	ATA:53
	MOS	04-Dec-21	60 (+1m/-1m)						
	HRS	682.22							
	AFL	755							
	PROC. REF: NDT PART 5 53-10-00								PKG:90
53-10-00-002	EXTERNAL GENERAL VISUAL INSPECTION OF FORWARD FUSELAGE SKIN PANELS AND SKIN SPLICES							Service	ATA:53
	MOS/MSC	04-Dec-21	O/C						
	HRS	682.22							
	AFL	755							
	PROC. REF: NDT PART 5 53-10-00								PKG:87
53-10-00-003 ^S	INTERNAL DETAILED VISUAL INSPECTION OF NOSE LANDING GEAR WHEELWELL STRUCTURE							Service	ATA:53
	MOS	04-Dec-21	120 (+1m/-1m)						
	HRS	682.22							
	AFL	755							
	PROC. REF: NDT PART 5 53-10-00								PKG:87
53-10-01-01-901	DETAILED INSPECTION OF FRAMES, BEAMS, POSTS, GUSSET (SPLICES). FORWARD FUSELAGE UPPER SKIN PANEL AND WINDSHIELD CUTOUT - INTERNAL							Service	ATA:53
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	T:17500		17500		16225		
	AFL	0	T:14000		14000		12884		
	PROC. REF: NDT PART 5 53-10-00								
53-10-01-01-902	DETAILED INSPECTION OF SKIN AND FASTENERS. FORWARD FUSELAGE UPPER SKIN PANEL AND WINDSHIELD CUTOUT - EXTERNAL							Service	ATA:53
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	T:17500		17500		16225		
	AFL	0	T:14000		14000		12884		
	PROC. REF: NDT PART 5 53-10-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-10-02-01-901	GENERAL VISUAL INSPECTION OF FRAMES, STRINGERS, SKIN AND SPLICES. FORWARD FUSELAGE LEFT AND RIGHT SIDESKIN PANELS - INTERNAL							Service	ATA:53
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	T:17500		17500		16225		
	AFL	0	T:14000		14000		12884		
PROC. REF: NDT PART 5 53-10-00									
53-10-02-01-902	DETAILED INSPECTION OF SKIN AND FASTENERS. FORWARD FUSELAGE UPPER SKIN PANEL AND WINDSHIELD CUTOUT - EXTERNAL							Service	ATA:53
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	T:17500		17500		16225		
	AFL	0	T:14000		14000		12884		
PROC. REF: NDT PART 5 53-10-00									
53-10-03-01-901	GENERAL VISUAL INSPECTION OF FRAMES, STRINGERS AND SPLICES. FORWARD FUSELAGE LOWER SKIN PANEL - INTERNAL							Service	ATA:53
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	T:17500		17500		16225		
	AFL	0	T:14000		14000		12884		
PROC. REF: NDT PART 5 53-10-00									
53-10-03-01-902	DETAILED INSPECTION OF SKIN AND FASTENERS. FORWARD FUSELAGE LOWER SKIN PANEL - EXTERNAL							Service	ATA:53
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	T:17500		17500		16225		
	AFL	0	T:14000		14000		12884		
PROC. REF: NDT PART 5 53-10-00									
53-10-04-01-901	DETAILED INSPECTION OF LONGITUDINAL SPLICE. FORWARD FUSELAGE LONGITUDINAL AND CIRCUMFERENTIAL SKIN SPLICES - INTERNAL							Service	ATA:53
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	T:17500		17500		16225		
	AFL	0	T:14000		14000		12884		
PROC. REF: NDT PART 5 53-10-00									
53-10-04-01-902	DETAILED INSPECTION OF SKIN-TO-SPLICE AREA. FORWARD FUSELAGE LONGITUDINAL AND CIRCUMFERENTIAL SKIN SPLICES - EXTERNAL							Service	ATA:53
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	T:17500		17500		16225		
	AFL	0	T:14000		14000		12884		
PROC. REF: NDT PART 5 53-10-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-10-05-001 ^S	EXTERNAL DETAILED VISUAL INSPECTION OF FORWARD PRESSURE BULKHEAD							Service	ATA:53
	MOS	04-Dec-21	60 (+1m/-1m)						
	HRS	682.22							
	AFL	755							
PROC. REF: NDT PART 5 53-10-00								PKG:90	
53-10-05-01-901	DETAILED VISUAL INSPECTION OF PRESSURE BULKHEAD. FORWARD FUSELAGE PRESSURE BULKHEAD - INTERNAL							Service	ATA:53
	MOS	20-Dec-11					AIRWORTHINESS		
	HRS	0	T:17500		17500		16225		
	AFL	0	T:14000		14000		12884		
PROC. REF: NDT PART 5 53-10-00									
53-10-07-001	EXTERNAL GENERAL VISUAL INSPECTION OF NOSE LANDING GEAR WHEELWELL STRUCTURE							Service	ATA:53
	MOS	04-Dec-21	60 (+1m/-1m)		04-Dec-26	04-Jan-27	872 d (+31)		
	HRS	682.22							
	AFL	755							
PROC. REF: NDT PART 5 53-10-00									
53-10-07-01-901	SPECIAL DETAILED INSPECTION (BOREScope) OF TRUNNIONS, DRAG LOCKING STRUT AND FASTENERS. NOSE LANDING GEAR WHEEL WEEL METALLIC STRUCTURE - INTERNAL							Service	ATA:53
	MOS	20-Dec-11					AIRWORTHINESS		
	HRS	0	T:15000		15000		13725		
	AFL	0	T:12000		12000		10884		
PROC. REF: NDT PART 5 53-10-00									
53-10-07-02-901	DETAILED INSPECTION OF WHEEL WEEL STRUCTURE. NOSE LANDING GEAR WHEEL WEEL METALLIC STRUCTURE - EXTERNAL							Service	ATA:53
	MOS	20-Dec-11					AIRWORTHINESS		
	HRS	0	T:15000		15000		13725		
	AFL	0	T:12000		12000		10884		
PROC. REF: NDT PART 5 53-10-00									
53-10-07-02-902	DETAILED INSPECTION NOSE LANDING GEAR WHEEL WEEL METALLIC STRUCTURE - INTERNAL OF WHEEL WEEL STRUCTURE.							Service	ATA:53
	MOS	20-Dec-11					AIRWORTHINESS		
	HRS	0	T:15000		15000		13725		
	AFL	0	T:12000		12000		10884		
PROC. REF: NDT PART 5 53-10-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-14-00	NOSE RADOME							Component	ATA:53
PN:5190-102-1	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:366	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 53-14-00, AMM 53-14-00									
53-20-00-001 ^S	EXTERNAL DETAILED VISUAL INSPECTION OF CENTER FUSELAGE STRUCTURES							Service	ATA:53
	MOS	04-Dec-21	60 (+1m/-1m)						
	HRS	682.22							
	AFL	755							
PROC. REF: NDT PART 5 53-20-00									
53-20-00-002 ^S	INTERNAL DETAILED VISUAL INSPECTION OF CENTER FUSELAGE STRUCTURES							Service	ATA:53
	MOS	04-Dec-21	60 (+1m/-1m)						
	HRS	682.22							
	AFL	755							
PROC. REF: NDT PART 5 53-20-00									
53-20-01-01-901	DETAILED INSPECTION OF FRAMES, SPLICES/DOUBLERS AND STRINGERS. CENTER FUSELAGE UPPER SKIN PANEL - INTERNAL							Service	ATA:53
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	T:17500		17500		16225		
	AFL	0	T:14000		14000		12884		
PROC. REF: NDT PART 5 53-20-00									
53-20-01-01-902	DETAILED INSPECTION OF SKIN AND FASTENERS. CENTER FUSELAGE UPPER SKIN PANEL - EXTERNAL							Service	ATA:53
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	T:17500		17500		16225		
	AFL	0	T:14000		14000		12884		
PROC. REF: NDT PART 5 53-20-00									
53-20-02-01-901	DETAILED INSPECTION OF FRAMES, DOUBLERS, STRINGERS AND SKIN OVER WING AREA. CENTER FUSELAGE SIDE SKIN PANEL - INTERNAL							Service	ATA:53
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	T:17500		17500		16225		
	AFL	0	T:14000		14000		12884		
PROC. REF: NDT PART 5 53-20-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-20-02-01-902	DETAILED INSPECTION OF SKIN AND FASTENERS. CENTER FUSELAGE SIDE SKIN PANEL - EXTERNAL							Service	ATA:53
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	T:17500		17500		16225		
	AFL	0	T:14000		14000		12884		
PROC. REF: NDT PART 5 53-20-00									
53-20-03-01-901	DETAILED INSPECTION OF FRAMES, DOUBLERS, STRINGERS AND SKIN OVER WING AREA. CENTER FUSELAGE LOWER SKIN PANEL - INTERNAL							Service	ATA:53
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	T:17500		17500		16225		
	AFL	0	T:14000		14000		12884		
PROC. REF: NDT PART 5 53-20-00									
53-20-03-01-902	DETAILED INSPECTION OF SKIN AND FASTENERS. CENTER FUSELAGE LOWER SKIN PANEL - EXTERNAL							Service	ATA:53
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	T:17500		17500		16225		
	AFL	0	T:14000		14000		12884		
PROC. REF: NDT PART 5 53-20-00									
53-20-04-01-901	DETAILED INSPECTION OF LONGITUDINAL AND CIRCUMFERENTIAL SKIN SPLICE. CENTER FUSELAGE LONGITUDINAL LAP JOINT AND CIRCUMFERENTIAL SKIN SPLICE - INTERNAL							Service	ATA:53
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	T:17500		17500		16225		
	AFL	0	T:14000		14000		12884		
PROC. REF: NDT PART 5 53-20-00									
53-20-04-01-902	DETAILED INSPECTION OF LONGITUDINAL AND CIRCUMFERENTIAL. CENTER FUSELAGE LONGITUDINAL LAP JOINT AND CIRCUMFERENTIAL SKIN SPLICE - EXTERNAL							Service	ATA:53
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	T:17500		17500		16225		
	AFL	0	T:14000		14000		12884		
PROC. REF: NDT PART 5 53-20-00									
53-20-04-02-901	SPECIAL DETAILED INSPECTION (EDDY CURRENT) OF 2ND FASTENER ROW OF SKIN SPLICE (INNER SKIN). CENTER FUSELAGE LONGITUDINAL LAP JOINT AND CIRCUMFERENTIAL SKIN SPLICE - EXTERNAL							Service	ATA:53
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	T:17500		17500		16225		
	AFL	0	T:14000		14000		12884		
PROC. REF: NDT PART 6 53-20-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-20-04-02-902	GENERAL VISUAL INSPECTION OF FRAMES. CENTER FUSELAGE LONGITUDINAL LAP JOINT AND CIRCUMFERENTIAL SKIN SPLICE - INTERNAL							Service	ATA:53
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	T:17500		17500		16225		
	AFL	0	T:14000		14000		12884		
PROC. REF: NDT PART 5 53-20-00									
53-20-05-002 ^S	INTERNAL DETAILED VISUAL INSPECTION OF CENTER-TO-AFT FUSELAGE CIRCUMFERENTIAL SKIN SPLICES AND AFT PRESSURE BULKHEAD FRONT SIDE							Service	ATA:53
	MOS	04-Dec-21	60 (+1m/-1m)						
	HRS	682.22							
	AFL	755							
PROC. REF: NDT PART 5 53-20-00									
53-20-05-003 ^S	INTERNAL DETAILED VISUAL INSPECTION OF CENTER-TO-AFT FUSELAGE CIRCUMFERENTIAL SKIN SPLICES AND AFT PRESSURE BULKHEAD BACK SIDE							Service	ATA:53
	MOS	04-Dec-21	60 (+1m/-1m)						
	HRS	682.22							
	AFL	755							
PROC. REF: NDT PART 5 53-20-00									
53-20-05-01-901	GENERAL VISUAL INSPECTION OF BEAMS, FRAMES, SPLICES/ DOUBLERS AND FASTENERS. CENTER FUSELAGE TO AFT FUSELAGE CIRCUMFERENTIAL SKIN SPLICES AND PRESSURE BULKHEAD - INTERNAL							Service	ATA:53
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	T:17500		17500		16225		
	AFL	0	T:14000		14000		12884		
PROC. REF: NDT PART 5 53-20-00									
53-20-05-02-901	DETAILED INSPECTION OF AFT PRESSURE BULKHEAD WEB AND FASTENERS. CENTER FUSELAGE TO AFT FUSELAGE CIRCUMFERENTIAL SKIN SPLICES AND PRESSURE BULKHEAD - INTERNAL							Service	ATA:53
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	T:17500		17500		16225		
	AFL	0	T:14000		14000		12884		
PROC. REF: NDT PART 5 53-20-00									
53-20-05-03-901	DETAILED INSPECTION OF CIRCUMFERENTIAL T WEB SECTION AND FASTENERS. CENTER FUSELAGE TO AFT FUSELAGE CIRCUMFERENTIAL SKIN SPLICES AND PRESSURE BULKHEAD - INTERNAL							Service	ATA:53
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	T:17500		17500		16225		
	AFL	0	T:14000		14000		12884		
PROC. REF: NDT PART 5 53-20-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-20-05-04-901	DETAILED INSPECTION OF SKIN-TO-SPLICE AREA AND FASTENERS. CENTER FUSELAGE TO AFT FUSELAGE CIRCUMFERENTIAL SKIN SPLICES AND PRESSURE BULKHEAD - EXTERNAL							Service	ATA:53
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	T:17500		17500		16225		
	AFL	0	T:14000		14000		12884		
PROC. REF: NDT PART 5 53-20-00									
53-20-05-05-901	GENERAL VISUAL INSPECTION OF END-FITTINGS AND FASTENERS. CENTER FUSELAGE TO AFT FUSELAGE CIRCUMFERENTIAL SKIN SPLICES AND PRESSURE BULKHEAD - INTERNAL							Service	ATA:53
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	T:17500		17500		16225		
	AFL	0	T:14000		14000		12884		
PROC. REF: NDT PART 5 53-20-00									
53-20-06-001	EXTERNAL GENERAL VISUAL INSPECTION OF MAIN DOOR CUTOUT STRUCTURE							Service	ATA:53
	MOS	04-Dec-21	60 (+1m/-1m)		04-Dec-26	04-Jan-27	872 d (+31)		
	HRS	682.22							
	AFL	755							
PROC. REF: NDT PART 5 53-20-00									
53-20-06-002 ^S	INTERNAL DETAILED VISUAL INSPECTION OF MAIN DOOR CUTOUT STRUCTURE							Service	ATA:53
	MOS	04-Dec-21	60 (+1m/-1m)						
	HRS	682.22							
	AFL	755							
PROC. REF: NDT PART 5 53-20-00									
53-20-06-01-901	DETAILED INSPECTION OF SKIN, DOUBLER AND FASTENERS. PASSENGER DOOR CUTOUT STRUCTURE - EXTERNAL							Service	ATA:53
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	T:17500		17500		16225		
	AFL	0	T:14000		14000		12884		
PROC. REF: NDT PART 5 53-20-00									
53-20-06-01-902	DETAILED INSPECTION OF THE FRAMES, STRINGERS, BEAMS, INTERCOSTALS, SPLICES, SKIN AND ATTACHMENTS. PASSENGER DOOR CUTOUT STRUCTURE - INTERNAL							Service	ATA:53
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	T:8750		8750		7475		
	AFL	0	T:7000		7000		5884		
PROC. REF: NDT PART 5 53-20-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-20-07-01-901	DETAILED INSPECTION OF FRAMES, DOUBLERS, BEAMS, INTERCOSTALS, SPLICE AND ATTACHMENTS. EMERGENCY DOOR CUTOUT STRUCTURE - INTERNAL							Service	ATA:53
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	T:17500		17500		16225		
	AFL	0	T:14000		14000		12884		
PROC. REF: NDT PART 5 53-20-00									
53-20-07-01-902	DETAILED INSPECTION OF THE SKIN AND FASTENERS TO EMERGENCY DOOR CUTOUT STRUCTURE. EMERGENCY DOOR CUTOUT STRUCTURE - EXTERNAL							Service	ATA:53
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	T:17500		17500		16225		
	AFL	0	T:14000		14000		12884		
PROC. REF: NDT PART 5 53-20-00									
53-20-08-002 ^S	INTERNAL GENERAL VISUAL INSPECTION OF PASSENGER WINDOW CUTOUT STRUCTURE							Service	ATA:53
	MOS	04-Dec-21	60 (+1m/-1m)						
	HRS	682.22							
	AFL	755							
PROC. REF: NDT PART 5 53-20-00									
53-20-08-01-901	GENERAL VISUAL INSPECTION OF WINDOW FRAME AND ATTACHMENTS. PASSENGER WINDOW CUTOUT STRUCTURE - INTERNAL							Service	ATA:53
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	T:17500		17500		16225		
	AFL	0	T:14000		14000		12884		
PROC. REF: NDT PART 5 53-20-00									
53-20-08-01-902	DETAILED INSPECTION OF SKIN AND FASTENERS AT WINDOW AREA. PASSENGER WINDOW CUTOUT STRUCTURE - EXTERNAL							Service	ATA:53
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	T:17500		17500		16225		
	AFL	0	T:14000		14000		12884		
PROC. REF: NDT PART 5 53-20-00									
53-20-10-001 ^S	EXTERNAL DETAILED VISUAL INSPECTION OF CENTER FUSELAGE-TOWING CONNECTIONS							Service	ATA:53
	MOS	04-Dec-21	60 (+1m/-1m)						
	HRS	682.22							
	AFL	755							
PROC. REF: NDT PART 5 53-20-00									

PKG:90

PKG:90

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-20-10-01-901	GENERAL VISUAL INSPECTION OF FRAMES, STRINGERS, DOUBLERS AND ATTACHMENTS. CENTER FUSELAGE-TO-WING CONNECTIONS - INTERNAL							Service	ATA:53
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	T:17500		17500		16225		
	AFL	0	T:14000		14000		12884		
PROC. REF: NDT PART 5 53-20-00									
53-20-10-01-902	DETAILED INSPECTION OF SKIN AND FASTENERS. CENTER FUSELAGE-TO-WING CONNECTIONS - INTERNAL							Service	ATA:53
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	T:17500		17500		16225		
	AFL	0	T:14000		14000		12884		
PROC. REF: NDT PART 5 53-20-00									
53-20-10-02-901	GENERAL VISUAL INSPECTION OF FUSELAGE-TO-WING FITTINGS CENTER FUSELAGE-TO-WING CONNECTIONS - EXTERNAL							Service	ATA:53
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	T:17500		17500		16225		
	AFL	0	T:14000		14000		12884		
PROC. REF: NDT PART 5 53-20-00									
53-30-00-001 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF AFT FUSELAGE SKINS AND BAGGAGE DOOR CUTOUT STRUCTURE							Service	ATA:53
	MOS	04-Dec-21	60 (+1m/-1m)						
	HRS	682.22							
	AFL	755							
PROC. REF: NDT PART 5 53-30-00									
PKG:90									
53-30-00-002 ^S	INTERNAL DETAILED VISUAL INSPECTION OF AFT FUSELAGE STRUCTURES							Service	ATA:53
	MOS	04-Dec-21	60 (+1m/-1m)						
	HRS	682.22							
	AFL	755							
PROC. REF: NDT PART 5 53-30-00									
PKG:90									
53-30-01-01-901	GENERAL VISUAL INSPECTION OF FRAMES, STRINGERS, DOUBLERS, SPLICES AND ATTACHMENTS. AFT FUSELAGE UPPER SKIN PANEL - INTERNAL							Service	ATA:53
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	T:17500		17500		16225		
	AFL	0	T:14000		14000		12884		
PROC. REF: NDT PART 5 53-30-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-30-01-01-902	DETAILED INSPECTION OF SKIN AND FASTENERS. AFT FUSELAGE UPPER SKIN PANEL - EXTERNAL							Service	ATA:53
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	T:17500		17500		16225		
	AFL	0	T:14000		14000		12884		
PROC. REF: NDT PART 5 53-30-00									
53-30-02-002 ^S	INTERNAL DETAILED VISUAL INSPECTION OF AFT FUSELAGE SIDE SKIN PANEL							Service	ATA:53
	MOS	04-Dec-21	60 (+1m/-1m)						
	HRS	682.22							
	AFL	755							
PROC. REF: NDT PART 5 53-30-00									
53-30-02-01-901	DETAILED INSPECTION OF FRAMES, FRAMES SPLICES AND ATTACHMENTS AFT FUSELAGE SIDE SKIN PANEL - INTERNAL							Service	ATA:53
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	T:12500		12500		11225		
	AFL	0	T:10000		10000		8884		
PROC. REF: NDT PART 5 53-30-00									
53-30-02-01-902	GENERAL VISUAL INSPECTION OF STRINGERS, DOUBLERS AND ATTACHMENTS. AFT FUSELAGE SIDE SKIN PANEL - INTERNAL							Service	ATA:53
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	T:17500		17500		16225		
	AFL	0	T:14000		14000		12884		
PROC. REF: NDT PART 5 53-30-00									
53-30-02-01-903	DETAILED INSPECTION OF SKIN AND FASTENERS. AFT FUSELAGE SIDE SKIN PANEL - EXTERNAL							Service	ATA:53
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	T:17500		17500		16225		
	AFL	0	T:14000		14000		12884		
PROC. REF: NDT PART 5 53-30-00									
53-30-03-01-901	GENERAL VISUAL INSPECTION OF FRAMES, STRINGERS, SPLICES AND ATTACHMENTS AFT FUSELAGE LOWER SKIN PANEL - INTERNAL							Service	ATA:53
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	T:17500		17500		16225		
	AFL	0	T:14000		14000		12884		
PROC. REF: NDT PART 5 53-30-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-30-03-01-902	DETAILED INSPECTION OF SKIN AND FASTENERS. AFT FUSELAGE LOWER SKIN PANEL - EXTERNAL							Service	ATA:53
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	T:17500		17500		16225		
	AFL	0	T:14000		14000		12884		
PROC. REF: NDT PART 5 53-30-00									
53-30-04-001 ^S	EXTERNAL DETAILED VISUAL INSPECTION OF AFT FUSELAGE SKIN SPLICES							Service	ATA:53
	MOS	04-Dec-21	60 (+1m/-1m)						
	HRS	682.22							
	AFL	755							
PROC. REF: NDT PART 5 53-30-00									
53-30-04-01-901	DETAILED INSPECTION OF SKIN TO LONGITUDINAL AND CIRCUMFERENTIAL SPLICE. AFT FUSELAGE LONGITUDINAL AND CIRCUMFERENTIAL SKIN SPLICES - EXTERNAL							Service	ATA:53
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	T:17500		17500		16225		
	AFL	0	T:14000		14000		12884		
PROC. REF: NDT PART 5 53-30-00									
53-30-04-01-902	DETAILED INSPECTION OF LONGITUDINAL AND CIRCUMFERENTIAL SPLICES. AFT FUSELAGE LONGITUDINAL AND CIRCUMFERENTIAL SKIN SPLICES - INTERNAL							Service	ATA:53
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	T:17500		17500		16225		
	AFL	0	T:14000		14000		12884		
PROC. REF: NDT PART 5 53-30-00									
53-30-05-02-901	DETAILED INSPECTION OF BAGGAGE DOOR CUTOUT STRUCTURE. AFT FUSELAGE BAGGAGE DOOR CUTOUT STRUCTURE - INTERNAL							Service	ATA:53
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	T:10000		10000		8725		
	AFL	0	T:8000		8000		6884		
PROC. REF: NDT PART 5 53-30-00									
53-30-06-01-901	DETAILED INSPECTION OF FRAMES, FRAMES SPLICES AND ATTACHMENTS. AFT FUSELAGE TO PYLON CUTOUT STRUCTURES - INTERNAL							Service	ATA:53
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	T:12500		12500		11225		
	AFL	0	T:10000		10000		8884		
PROC. REF: NDT PART 5 53-30-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-30-06-01-902	GENERAL VISUAL INSPECTION OF STRINGERS, DOUBLERS AND ATTACHMENTS. AFT FUSELAGE TO PYLON CUTOUT STRUCTURES - INTERNAL							Service	ATA:53
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	T:17500		17500		16225		
	AFL	0	T:14000		14000		12884		
PROC. REF: NDT PART 5 53-30-00									
53-30-06-01-903	DETAILED INSPECTION OF SKIN, SKIN SPLICES AND FASTENERS. AFT FUSELAGE TO PYLON CUTOUT STRUCTURES - EXTERNAL							Service	ATA:53
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	T:17500		17500		16225		
	AFL	0	T:14000		14000		12884		
PROC. REF: NDT PART 5 53-30-00									
53-30-07-001 ^S	INTERNAL DETAILED VISUAL INSPECTION OF AFT FUSELAGE-TO-VERTICAL STABILIZER JUNCTION							Service	ATA:53
	MOS	04-Dec-21	60 (+1m/-1m)						
	HRS	682.22							
	AFL	755							
PROC. REF: NDT PART 5 53-30-00									
53-30-07-002 ^S	EXTERNAL DETAILED VISUAL INSPECTION OF AFT FUSELAGE-TO-VERTICAL STABILIZER JUNCTION							Service	ATA:53
	MOS	04-Dec-21	60 (+1m/-1m)						
	HRS	682.22							
	AFL	755							
PROC. REF: NDT PART 5 53-30-00									
53-30-07-01-901	GENERAL VISUAL INSPECTION OF FRAMES, STRINGERS AND FASTENERS. AFT FUSELAGE TO VERTICAL STABILIZER CONNECTION - INTERNAL							Service	ATA:53
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	T:17500		17500		16225		
	AFL	0	T:14000		14000		12884		
PROC. REF: NDT PART 5 53-30-00									
53-30-07-01-902	DETAILED INSPECTION OF SKIN, BEDPLATES AND FASTENERS. AFT FUSELAGE TO VERTICAL STABILIZER CONNECTION - EXTERNAL							Service	ATA:53
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	T:17500		17500		16225		
	AFL	0	T:14000		14000		12884		
PROC. REF: NDT PART 5 53-30-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-30-08-001 ^S	EXTERNAL DETAILED VISUAL INSPECTION OF FRAME 46							Service	ATA:53
	MOS	04-Dec-21	120 (+1m/-1m)						
	HRS	682.22							
	AFL	755							
					PROC. REF: NDT PART 5 53-30-00			PKG:87	
53-30-08-002 ^S	INTERNAL DETAILED VISUAL INSPECTION OF FRAME 46							Service	ATA:53
	MOS	04-Dec-21	60 (+1m/-1m)						
	HRS	682.22							
	AFL	755							
					PROC. REF: NDT PART 5 53-30-00			PKG:90	
ATA 54 - NACELLES/PYLONS									
54-00-00-001 ^S	GENERAL VISUAL INSPECTION OF PYLON POLYURETHANE FILMS							Service	ATA:54
	MOS	04-Dec-21							
	HRS	682.22	800 (+30/-30)						
	AFL	755							
					PROC. REF: AMM 54-51-20			PKG:1	
54-50-00-001 ^S	INTERNAL DETAILED INSPECTION OF PYLON BEAMS - INTERNAL TO FUSELAGE							Service	ATA:54
	MOS	04-Dec-21	60 (+1m/-1m)						
	HRS	682.22							
	AFL	755							
					PROC. REF: NDT PART 5 54-50-00			PKG:90	
54-50-00-002 ^S	INTERNAL DETAILED INSPECTION OF PYLON MAIN BOX							Service	ATA:54
	MOS	04-Dec-21	60 (+1m/-1m)						
	HRS	682.22							
	AFL	755							
					PROC. REF: NDT PART 5 54-52-00, NDT PART 5 54-52-00			PKG:90	
54-50-01-901	GENERAL VISUAL INSPECTION OF PYLON FRONT, REAR SPARS AND ATTACHMENTS. PYLON FORWARD BEAM - INTERNAL							Service	ATA:54
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	T:17500		17500		16225		
	AFL	0	T:14000		14000		12884		
					PROC. REF: NDT PART 5 54-50-00				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 54 - NACELLES/PYLONS									
54-50-02-01-901	GENERAL VISUAL INSPECTION OF PYLON SPARS 3, 4 AND ATTACHMENTS. PYLON AFT BEAM - INTERNAL							Service	ATA:54
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	T:17500		17500		16225		
	AFL	0	T:14000		14000		12884		
PROC. REF: NDT PART 5 54-50-00									
54-50-03-001	EXTERNAL - DETAILED INSPECTION OF PYLON MAIN BOX AND LEADING EDGE.							Service	ATA:54
	MOS	04-Dec-21	60 (+1m/-1m)		04-Dec-26	04-Jan-27	872 d (+31)		
	HRS	682.22							
	AFL	755							
PROC. REF: NDT PART 5 54-52-00									
54-50-03-01-901	GENERAL VISUAL INSPECTION OF MAIN BOX SKIN, ANGLE BRACKETS AND FASTENERS. PYLON MAIN BOX - EXTERNAL							Service	ATA:54
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	T:17500		17500		16225		
	AFL	0	T:14000		14000		12884		
PROC. REF: NDT PART 5 54-52-00									
54-50-03-01-902	DETAILED INSPECTION OF STRINGERS AND FIREWALL. PYLON MAIN BOX - INTERNAL							Service	ATA:54
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	T:17500		17500		16225		
	AFL	0	T:14000		14000		12884		
PROC. REF: NDT PART 5 54-52-00									
54-50-04-01-901	GENERAL VISUAL INSPECTION OF SPARS AND BOLTS INTEGRITY. PYLON-TO-FUSELAGE CONNECTIONS - INTERNAL							Service	ATA:54
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	T:17500		17500		16225		
	AFL	0	T:14000		14000		12884		
PROC. REF: NDT PART 5 54-52-00									
54-50-05-001 ^S	EXTERNAL DETAILED VISUAL INSPECTION OF PYLON YOKES							Service	ATA:54
	MOS	04-Dec-21	120 (+1m/-1m)						
	HRS	682.22							
	AFL	755							
PROC. REF: NDT PART 5 54-55-00									
								PKG:87	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 54 - NACELLES/PYLONS									
54-50-05-01-901	SPECIAL DETAILED INSPECTION (EDDY CURRENT) OF YOKE LUGS. PYLON YOKES - INTERNAL							Service	ATA:54
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	T:15000		15000		13725		
	AFL	0	T:12000		12000		10884		
PROC. REF: NDT PART 6 54-55-00									
54-50-05-02-901	DETAILED INSPECTION OF YOKES, FRONT SPARS, GUSSET AND SHIELD PLATES. PYLON YOKES - INTERNAL							Service	ATA:54
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	T:17500		17500		16225		
	AFL	0	T:14000		14000		12884		
PROC. REF: NDT PART 5 54-55-00									
54-50-06-01-901	DETAILED INSPECTION OF AFT MOUNT FITTING. AFT MOUNT FITTINGS - INTERNAL							Service	ATA:54
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	T:15000		15000		13725		
	AFL	0	T:12000		12000		10884		
PROC. REF: NDT PART 5 54-55-00									
54-50-06-01-902	DETAILED INSPECTION OF AFT MOUNT FITTING. AFT MOUNT FITTINGS - EXTERNAL							Service	ATA:54
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	T:15000		15000		13725		
	AFL	0	T:12000		12000		10884		
PROC. REF: NDT PART 5 54-55-00									
ATA 55 - STABILIZERS									
55-00-00-001 ^S	GENERAL VISUAL INSPECTION OF STABILIZER POLYURETHANE FILMS							Service	ATA:55
	MOS	04-Dec-21							
	HRS	682.22	800 (+30/-30)						
	AFL	755							
PROC. REF: AMM 55-00-20									
55-10-00	HORIZONTAL STABILIZER (COMPLETION)							Component	ATA:55
PN:505-10700-413	MOS/MS	20-Dec-11	O/C		TSN 0				
SN:0000685011	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 55 - STABILIZERS									
55-10-00-001 ^S	SPECIAL DETAILED INSPECTION (BORESCOPE METHOD) OF HORIZONTAL-STABILIZER SPARS AND RIBS							Service	ATA:55
	MOS	04-Dec-21	60 (+1m/-1m)						
	HRS	682.22							
	AFL	755							
	PROC. REF: NDT PART 5 55-10-00								PKG:84
55-10-00-002	EXTERNAL DETAILED VISUAL INSPECTION ON HORIZONTAL-STABILIZER-TO-ELEVATOR HINGE FITTING							Service	ATA:55
	MOS	04-Dec-21	60 (+1m/-1m)		04-Dec-26	04-Jan-27	872 d (+31)		
	HRS	682.22							
	AFL	755							
	PROC. REF: NDT PART 5 55-10-00								
55-10-01-001	EXTERNAL GENERAL VISUAL INSPECTION OF VERTICAL STABILIZER-TO-HORIZONTAL STABILIZER ATTACHMENTS							Service	ATA:55
	MOS	04-Dec-21	60 (+1m/-1m)		04-Dec-26	04-Jan-27	872 d (+31)		
	HRS	682.22							
	AFL	755							
	PROC. REF: NDT PART 5 55-10-00								
55-10-01-01-901	DETAILED INSPECTION OF LUG, FITTING AND ATTACHMENTS. FIN-TO-HORIZONTAL STABILIZER CONNECTIONS IN HORIZONTAL STABILIZER - INTERNAL							Service	ATA:55
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	T:17500		17500		16225		
	AFL	0	T:14000		14000		12884		
	PROC. REF: NDT PART 5 55-10-00								
55-10-02-01-901	SPECIAL DETAILED INSPECTION (BORESCOPE) OF FRONT, REAR SPARS AND FASTENERS. HORIZONTAL STABILIZER FRONT AND REAR SPARS - INTERNAL							Service	ATA:55
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	T:17500		17500		16225		
	AFL	0	T:14000		14000		12884		
	PROC. REF: NDT PART 5 55-10-00								
55-10-02-01-902	DETAILED INSPECTION OF FRONT, REAR SPAR AND FASTENERS. HORIZONTAL STABILIZER FRONT AND REAR SPARS - EXTERNAL							Service	ATA:55
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	T:17500		17500		16225		
	AFL	0	T:14000		14000		12884		
	PROC. REF: NDT PART 5 55-10-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 55 - STABILIZERS									
55-10-03-001 ^S	EXTERNAL DETAILED VISUAL INSPECTION ON HORIZONTAL-STABILIZER UPPER AND LOWER SKIN							Service	ATA:55
	MOS	04-Dec-21	120 (+1m/-1m)						
	HRS	682.22							
	AFL	755							
	PROC. REF: NDT PART 5 55-10-00							PKG:87	
55-10-03-002	SPECIAL DETAILED INSPECTION (BORESCOPE METHOD) ON HORIZONTAL-STABILIZER UPPER AND LOWER SKIN							Service	ATA:55
	MOS	04-Dec-21	60 (+1m/-1m)		04-Dec-26	04-Jan-27	872 d (+31)		
	HRS	682.22							
	AFL	755							
	PROC. REF: NDT PART 5 55-10-00								
55-10-03-01-901	SPECIAL DETAILED INSPECTION (BORESCOPE) OF SKIN, STRINGERS AND STRAPS. HORIZONTAL STABILIZER MAIN BOX UPPER AND LOWER SKIN - INTERNAL							Service	ATA:55
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	T:17500		17500		16225		
	AFL	0	T:14000		14000		12884		
	PROC. REF: NDT PART 5 55-10-00								
55-10-03-01-902	DETAILED INSPECTION OF SKIN AND ATTACHMENTS. HORIZONTAL STABILIZER MAIN BOX UPPER AND LOWER SKIN - EXTERNAL							Service	ATA:55
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	T:17500		17500		16225		
	AFL	0	T:14000		14000		12884		
	PROC. REF: NDT PART 5 55-10-00								
55-10-04-01-901	SPECIAL DETAILED INSPECTION (BORESCOPE) OF RIBS AND ATTACHMENTS. HORIZONTAL STABILIZER COMPOSITE RIBS - INTERNAL							Service	ATA:55
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	T:17500		17500		16225		
	AFL	0	T:14000		14000		12884		
	PROC. REF: NDT PART 5 55-10-00								
55-10-05-001 ^S	INTERNAL DETAILED INSPECTION ON HORIZONTAL STABILIZER METALLIC RIBS							Service	ATA:55
	MOS	04-Dec-21	60 (+1m/-1m)						
	HRS	682.22							
	AFL	755							
	PROC. REF: NDT PART 5 55-10-00							PKG:90	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 55 - STABILIZERS									
55-10-05-01-901	SPECIAL DETAILED INSPECTION (BORESCOPE) OF RIBS 1 AND ATTACHMENTS. HORIZONTAL STABILIZER METALLIC RIBS - INTERNAL							Service	ATA:55
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	T:17500		17500		16225		
	AFL	0	T:14000		14000		12884		
PROC. REF: NDT PART 5 55-10-00									
55-10-05-02-901	SPECIAL DETAILED INSPECTION (EDDY CURRENT) OF INTERCOSTALS RIBS ACCESS HOLES. HORIZONTAL STABILIZER METALLIC RIBS - INTERNAL							Service	ATA:55
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	T:17500		17500		16225		
	AFL	0	T:14000		14000		12884		
PROC. REF: NDT PART 6 55-10-00									
55-10-05-02-902	SPECIAL DETAILED INSPECTION (BORESCOPE) OF INTERCOSTALS RIBS. HORIZONTAL STABILIZER METALLIC RIBS - INTERNAL							Service	ATA:55
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	T:17500		17500		16225		
	AFL	0	T:14000		14000		12884		
PROC. REF: NDT PART 5 55-10-00									
55-10-05-03-901	SPECIAL DETAILED INSPECTION (BORESCOPE) OF TIP RIB. HORIZONTAL STABILIZER METALLIC RIBS - INTERNAL							Service	ATA:55
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	T:17500		17500		16225		
	AFL	0	T:14000		14000		12884		
PROC. REF: NDT PART 5 55-10-00									
55-10-05-04-901	DETAILED INSPECTION OF RIB 1 FITTING AND REINFORCEMENTS. HORIZONTAL STABILIZER METALLIC RIBS - INTERNAL							Service	ATA:55
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	T:17500		17500		16225		
	AFL	0	T:14000		14000		12884		
PROC. REF: NDT PART 5 55-10-00									
55-10-05-05-901	SPECIAL DETAILED INSPECTION (EDDY CURRENT) OF RIB 1 ACCESS HOLE. HORIZONTAL STABILIZER METALLIC RIBS - INTERNAL							Service	ATA:55
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	T:17500		17500		16225		
	AFL	0	T:14000		14000		12884		
PROC. REF: NDT PART 6 55-10-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 55 - STABILIZERS									
55-10-07-01-901	GENERAL VISUAL INSPECTION OF HINGES. HORIZONTAL STABILIZER ELEVATOR HINGE FITTING - EXTERNAL							Service	ATA:55
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	T:17500		17500		16225		
	AFL	0	T:14000		14000		12884		
PROC. REF: NDT PART 5 55-10-00									
55-10-08-001	EXTERNAL GENERAL VISUAL INSPECTION OF HORIZONTAL STABILIZER TRIM ACTUATOR SUPPORT FITTINGS							Service	ATA:55
	MOS	04-Dec-21	60 (+1m/-1m)		04-Dec-26	04-Jan-27	872 d (+31)		
	HRS	682.22							
	AFL	755							
PROC. REF: NDT PART 5 55-10-00									
55-10-08-01-901	DETAILED INSPECTION OF FITTING, INCLUDING HINGES, PINS, FLANGES, WEBS AND FASTENERS. HORIZONTAL STABILIZER ACTUATOR SUPPORT FITTINGS - INTERNAL							Service	ATA:55
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	T:17500		17500		16225		
	AFL	0	T:14000		14000		12884		
PROC. REF: NDT PART 5 55-10-00									
55-10-09-001	EXTERNAL GENERAL VISUAL INSPECTION OF HORIZONTAL STABILIZER-TO-ELEVATOR TORQUE-TUBE SUPPORT							Service	ATA:55
	MOS/MSC	04-Dec-21	O/C						
	HRS	682.22							
	AFL	755							
PROC. REF: NDT PART 5 55-10-00									
55-10-09-01-901	DETAILED INSPECTION OF COMPOSITE SUPPORT AND ATTACHMENTS. HORIZONTAL STABILIZER COMPOSITE COMMAND BOX - EXTERNAL							Service	ATA:55
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	T:17500		17500		16225		
	AFL	0	T:14000		14000		12884		
PROC. REF: NDT PART 5 55-10-00									
55-10-09-01-902	DETAILED INSPECTION OF COMPOSITE SUPPORT AND ATTACHMENTS. HORIZONTAL STABILIZER COMPOSITE COMMAND BOX - INTERNAL							Service	ATA:55
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	T:17500		17500		16225		
	AFL	0	T:14000		14000		12884		
PROC. REF: NDT PART 5 55-10-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 55 - STABILIZERS									
55-10-10-001 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF ELEVATOR TRIM-TAB FITTINGS							Service	ATA:55
	MOS	04-Dec-21	60 (+1m/-1m)						
	HRS	682.22							
	AFL	755							
	PROC. REF: NDT PART 5 55-10-00							PKG:90	
55-10-10-01-901	DETAILED INSPECTION OF FITTING AND ATTACHMENTS. HORIZONTAL STABILIZER TAB ACTUATOR SUPPORT FITTINGS - EXTERNAL							Service	ATA:55
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	T:17500		17500		16225		
	AFL	0	T:14000		14000		12884		
	PROC. REF: NDT PART 5 55-10-00								
55-20-01-002 ^S	SPECIAL DETAILED INSPECTION (BORESCOPE METHOD) OF ELEVATOR MAIN BOX							Service	ATA:55
	MOS	04-Dec-21	120 (+1m/-1m)						
	HRS	682.22							
	AFL	755							
	PROC. REF: NDT PART 5 55-20-00, NDT PART 5 55-20-00							PKG:87	
55-20-01-01-901	SPECIAL DETAILED INSPECTION (BORESCOPE) OF SKIN, SPARS, RIBS AND FASTENERS. ELEVATOR MAIN BOX - INTERNAL							Service	ATA:55
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	T:17500		17500		16225		
	AFL	0	T:14000		14000		12884		
	PROC. REF: NDT PART 5 55-20-00								
55-20-01-01-902	DETAILED INSPECTION OF SKIN AND FASTENERS, INCLUDING MAIN BOX, TRAILING EDGE, LEADING EDGE. ELEVATOR MAIN BOX - EXTERNAL							Service	ATA:55
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	T:17500		17500		16225		
	AFL	0	T:14000		14000		12884		
	PROC. REF: NDT PART 5 55-20-00								
55-20-02-01-901	DETAILED INSPECTION OF ELEVATOR HINGE PINS. ELEVATOR HINGE FITTINGS - INTERNAL							Service	ATA:55
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	T:17500		17500		16225		
	AFL	0	T:14000		14000		12884		
	PROC. REF: NDT PART 5 55-20-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 55 - STABILIZERS									
55-20-02-02-901	GENERAL VISUAL INSPECTION OF ELEVATOR HINGES. ELEVATOR HINGE FITTINGS - INTERNAL							Service	ATA:55
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	T:17500		17500		16225		
	AFL	0	T:14000		14000		12884		
PROC. REF: NDT PART 5 55-20-00									
55-20-03-001 ^S	EXTERNAL DETAILED VISUAL INSPECTION OF ELEVATOR TORQUE TUBE ASSEMBLY							Service	ATA:55
	MOS	04-Dec-21	120 (+1m/-1m)						
	HRS	682.22							
	AFL	755							
PROC. REF: NDT PART 5 55-20-00									
55-20-03-01-901	SPECIAL DETAILED INSPECTION (EDDY CURRENT) OF ELEVATOR TORQUE TUBE FLANGE. ELEVATOR TORQUE TUBE ASSY - INTERNAL							Service	ATA:55
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	T:17500		17500		16225		
	AFL	0	T:14000		14000		12884		
PROC. REF: NDT PART 6 55-20-00									
55-20-03-02-901	SPECIAL DETAILED INSPECTION (DYE PENETRANT) OF ELEVATOR TORQUE TUBE. ELEVATOR TORQUE TUBE ASSY - INTERNAL							Service	ATA:55
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	T:17500		17500		16225		
	AFL	0	T:14000		14000		12884		
PROC. REF: NDT PART 8 55-20-00									
55-20-04-001	INTERNAL GENERAL VISUAL INSPECTION OF ELEVATOR MASS-BALANCE WEIGHT AND ATTACHMENTS							Service	ATA:55
	MOS	28-Jan-20	60		28-Jan-25		197 d	ALI	
	HRS	602.07							
	AFL								
PROC. REF: NDT PART 5 55-20-00, NDT PART 5 55-20-00									
55-20-04-002	SPECIAL DETAILED INSPECTION (BOREScope METHOD) OF MASS-BALANCE WEIGHT ATTACHMENTS							Service	ATA:55
	MOS	11-Jan-22	60		11-Jan-27		910 d	ALI	
	HRS	694.2							
	AFL	761							
PROC. REF: NDT PART 5 55-20-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 55 - STABILIZERS									
55-22-00-001 ^S	EXTERNAL DETAILED VISUAL INSPECTION OF ELEVATOR TRIM-TAB							Service	ATA:55
	MOS	04-Dec-21	60 (+1m/-1m)						
	HRS	682.22							
	AFL	755							
	PROC. REF: NDT PART 5 55-22-00								PKG:90
55-30-00	VERTICAL STABILIZER							Component	ATA:55
PN:505-10100-413	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:0000685477	HRS	0		TSN 0					
	AFL	0		TSN 0					
	PROC. REF: GENERIC NO REF								
55-30-01-001	EXTERNAL DETAILED VISUAL INSPECTION OF VERTICAL STABILIZER-TO-AFT FUSELAGE ATTACHMENTS ON VERTICAL STABILIZER							Service	ATA:55
	MOS	04-Dec-21	60 (+1m/-1m)		04-Dec-26	04-Jan-27	872 d (+31)		
	HRS	682.22							
	AFL	755							
	PROC. REF: NDT PART 5 55-30-00								
55-30-01-002 ^S	SPECIAL DETAILED INSPECTION (BORESCOPE METHOD) OF VERTICAL-TO-FUSELAGE ATTACHMENTS ON VERTICAL STABILIZER							Service	ATA:55
	MOS	04-Dec-21	60 (+1m/-1m)						
	HRS	682.22							
	AFL	755							
	PROC. REF: NDT PART 5 55-30-00								PKG:90
55-30-01-01-901	SPECIAL DETAILED INSPECTION (EDDY CURRENT) OF FITTING ATTACHMENTS TO COMPOSITE. VERTICAL STABILIZER-TO-FUSELAGE ATTACHMENTS ON VERTICAL STABILIZER - INTERNAL							Service	ATA:55
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	T:17500		17500		16225		
	AFL	0	T:14000		14000		12884		
	PROC. REF: NDT PART 6 55-30-00								
55-30-01-02-901	DETAILED INSPECTION OF CHANNEL FITTING AND BARREL NUT. VERTICAL STABILIZER-TO-FUSELAGE ATTACHMENTS ON VERTICAL STABILIZER - INTERNAL							Service	ATA:55
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	T:17500		17500		16225		
	AFL	0	T:14000		14000		12884		
	PROC. REF: NDT PART 5 55-30-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 55 - STABILIZERS									
55-30-01-03-901	DETAILED INSPECTION OF BOLT. VERTICAL STABILIZER-TO-FUSELAGE ATTACHMENTS ON VERTICAL STABILIZER - INTERNAL							Service	ATA:55
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	T:17500		17500		16225		
	AFL	0	T:14000		14000		12884		
PROC. REF: NDT PART 5 55-30-00									
55-30-01-04-901	SPECIAL DETAILED INSPECTION (EDDY CURRENT) OF METALLIC RIBS ATTACHMENTS. VERTICAL STABILIZER-TO-FUSELAGE ATTACHMENTS ON VERTICAL STABILIZER - INTERNAL							Service	ATA:55
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	T:17500		17500		16225		
	AFL	0	T:14000		14000		12884		
PROC. REF: NDT PART 6 55-30-00									
55-30-02-002 ^S	INTERNAL DETAILED VISUAL INSPECTION OF VERTICAL STABILIZER-TO-HORIZONTAL STABILIZER ATTACHMENTS ON VERTICAL STABILIZER							Service	ATA:55
	MOS	04-Dec-21	60 (+1m/-1m)						
	HRS	682.22							
	AFL	755							
PROC. REF: NDT PART 5 55-30-00									
55-30-02-01-901	DETAILED INSPECTION OF FITTING, LUG AND ATTACHMENTS. VERTICAL STABILIZER-TO-HORIZONTAL STABILIZER ATTACHMENTS ON VERTICAL STABILIZER - INTERNAL							Service	ATA:55
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	T:17500		17500		16225		
	AFL	0	T:14000		14000		12884		
PROC. REF: NDT PART 5 55-30-00									
55-30-02-03-901	DETAILED INSPECTION OF PIN VERTICAL STABILIZER-TO-HORIZONTAL STABILIZER ATTACHMENTS ON VERTICAL STABILIZER - INTERNAL							Service	ATA:55
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	T:17500		17500		16225		
	AFL	0	T:14000		14000		12884		
PROC. REF: NDT PART 5 55-30-00									
55-30-02-04-901	SPECIAL DETAILED INSPECTION (EDDY CURRENT) OF RIB 5. VERTICAL STABILIZER-TO-HORIZONTAL STABILIZER ATTACHMENTS ON VERTICAL STABILIZER - INTERNAL							Service	ATA:55
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	T:17500		17500		16225		
	AFL	0	T:14000		14000		12884		
PROC. REF: NDT PART 6 55-30-00									

PKG:84

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 55 - STABILIZERS									
55-30-02-05-901	SPECIAL DETAILED INSPECTION (BORESCOPE) OF RIB 7. VERTICAL STABILIZER-TO-HORIZONTAL STABILIZER ATTACHMENTS ON VERTICAL STABILIZER - INTERNAL							Service	ATA:55
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	T:17500		17500		16225		
	AFL	0	T:14000		14000		12884		
PROC. REF: NDT PART 5 55-30-00									
55-30-02-06-901	SPECIAL DETAILED INSPECTION (BORESCOPE) OF RIB 6 AND RIB 8. VERTICAL STABILIZER-TO-HORIZONTAL STABILIZER ATTACHMENTS ON VERTICAL STABILIZER - INTERNAL							Service	ATA:55
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	T:17500		17500		16225		
	AFL	0	T:14000		14000		12884		
PROC. REF: NDT PART 5 55-30-00									
55-30-02-07-901	SPECIAL DETAILED INSPECTION (BORESCOPE) OF RIB 5 , L PROFILES AND SHROUDS. VERTICAL STABILIZER-TO-HORIZONTAL STABILIZER ATTACHMENTS ON VERTICAL STABILIZER - INTERNAL							Service	ATA:55
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	T:17500		17500		16225		
	AFL	0	T:14000		14000		12884		
PROC. REF: NDT PART 5 55-30-00									
55-30-03-001 ^S	INTERNAL DETAILED VISUAL INSPECTION OF VERTICAL STABILIZER MAIN BOX SKIN AND SPARS							Service	ATA:55
	MOS	04-Dec-21	120 (+1m/-1m)						
	HRS	682.22							
	AFL	755							
PROC. REF: NDT PART 5 55-30-00									
55-30-03-002 ^S	EXTERNAL DETAILED VISUAL INSPECTION OF VERTICAL STABILIZER MAIN BOX							Service	ATA:55
	MOS	04-Dec-21	120 (+1m/-1m)						
	HRS	682.22							
	AFL	755							
PROC. REF: NDT PART 5 55-30-00, NDT PART 5 55-30-00									
55-30-03-01-901	DETAILED INSPECTION OF SKIN, SPAR AND ATTACHMENTS. VERTICAL STABILIZER MAIN BOX - EXTERNAL							Service	ATA:55
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	T:17500		17500		16225		
	AFL	0	T:14000		14000		12884		
PROC. REF: NDT PART 5 55-30-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 55 - STABILIZERS									
55-30-03-01-902	SPECIAL DETAILED INSPECTION (BORESCOPE) OF SPAR, STRINGER, RIBS, FLANGES AND ATTACHMENTS. VERTICAL STABILIZER MAIN BOX - INTERNAL							Service	ATA:55
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	T:17500		17500		16225		
	AFL	0	T:14000		14000		12884		
PROC. REF: NDT PART 5 55-30-00									
55-30-04-001	EXTERNAL DETAILED VISUAL INSPECTION OF VERTICAL STABILIZER-TO-RUDDER HINGE FITTING							Service	ATA:55
	MOS	04-Dec-21	60 (+1m/-1m)		04-Dec-26	04-Jan-27	872 d (+31)		
	HRS	682.22							
	AFL	755							
PROC. REF: NDT PART 5 55-30-00									
55-30-04-01-901	GENERAL VISUAL INSPECTION OF HINGES. VERTICAL STABILIZER RUDDER HINGE FITTINGS - INTERNAL							Service	ATA:55
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	T:17500		17500		16225		
	AFL	0	T:14000		14000		12884		
PROC. REF: NDT PART 5 55-30-00									
55-30-05-002 ^S	INTERNAL DETAILED VISUAL INSPECTION OF HORIZONTAL-STABILIZER ACTUATOR SUPPORT FITTING ON VERTICAL STABILIZER							Service	ATA:55
	MOS	04-Dec-21	60 (+1m/-1m)						
	HRS	682.22							
	AFL	755							
PROC. REF: NDT PART 5 55-30-00									
55-30-05-01-901	DETAILED INSPECTION OF FITTING 1 AND FASTENERS. HORIZONTAL STABILIZER ACTUATOR SUPPORT FITTING ON VERTICAL STABILIZER - EXTERNAL							Service	ATA:55
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	T:17500		17500		16225		
	AFL	0	T:14000		14000		12884		
PROC. REF: NDT PART 5 55-30-00									
55-30-06-001 ^S	EXTERNAL DETAILED VISUAL INSPECTION OF RUDDER TRIM-TAB ACTUATOR FITTING							Service	ATA:55
	MOS	04-Dec-21	60 (+1m/-1m)						
	HRS	682.22							
	AFL	755							
PROC. REF: NDT PART 5 55-30-00									
PKG:84									
PKG:90									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 55 - STABILIZERS									
55-30-06-01-901	DETAILED INSPECTION OF FITTINGS, LUGS AND ATTACHMENTS. HORIZONTAL TAIL TRIM ACTUATOR SUPPORT FITTINGS ON VERTICAL TAIL - INTERNAL							Service	ATA:55
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	T:17500		17500		16225		
	AFL	0	T:14000		14000		12884		
	PROC. REF: NDT PART 5 55-30-00								
55-40-01-002 ^S	SPECIAL DETAILED INSPECTION (BORESCOPE METHOD) OF RUDDER MAIN BOX							Service	ATA:55
	MOS	04-Dec-21	120 (+1m/-1m)						
	HRS	682.22							
	AFL	755							
	PROC. REF: NDT PART 5 55-40-00								
55-40-01-01-901	SPECIAL DETAILED INSPECTION (BORESCOPE) OF SKIN, SPARS, RIBS AND FASTENERS. RUDDER MAIN BOX - INTERNAL							Service	ATA:55
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	T:17500		17500		16225		
	AFL	0	T:14000		14000		12884		
	PROC. REF: NDT PART 5 55-40-00								
55-40-01-01-902	DETAILED INSPECTION OF MAIN BOX, TRAILING EDGE AND LEADING EDGE SKINS, INCLUDING FASTENERS. RUDDER MAIN BOX - EXTERNAL							Service	ATA:55
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	T:17500		17500		16225		
	AFL	0	T:14000		14000		12884		
	PROC. REF: NDT PART 5 55-40-00								
55-40-02-001 ^S	EXTERNAL DETAILED VISUAL INSPECTION OF RUDDER HINGE FITTINGS							Service	ATA:55
	MOS	04-Dec-21	120 (+1m/-1m)						
	HRS	682.22							
	AFL	755							
	PROC. REF: NDT PART 5 55-40-00								
55-40-02-01-901	DETAILED INSPECTION OF PINS OF RUDDER HINGES. RUDDER HINGE FITTINGS - INTERNAL							Service	ATA:55
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	T:17500		17500		16225		
	AFL	0	T:14000		14000		12884		
	PROC. REF: NDT PART 5 55-40-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 55 - STABILIZERS									
55-40-02-02-901	GENERAL VISUAL INSPECTION OF RUDDER HINGES FITTINGS. RUDDER HINGE FITTINGS - INTERNAL							Service	ATA:55
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	T:17500		17500		16225		
	AFL	0	T:14000		14000		12884		
PROC. REF: NDT PART 5 55-40-00									
55-40-03-001 ^S	EXTERNAL DETAILED VISUAL INSPECTION OF RUDDER TORQUE TUBE ASSEMBLY							Service	ATA:55
	MOS	04-Dec-21	120 (+1m/-1m)						
	HRS	682.22							
	AFL	755							
PROC. REF: NDT PART 5 55-40-00									
55-40-03-01-901	GENERAL VISUAL INSPECTION OF RUDDER TORQUE TUBE, TORQUE TUBE HINGE FITTINGS AND PINS. RUDDER TORQUE TUBE ASSEMBLY - INTERNAL							Service	ATA:55
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	T:17500		17500		16225		
	AFL	0	T:14000		14000		12884		
PROC. REF: NDT PART 5 55-40-00									
55-40-04-002	INTERNAL GENERAL VISUAL INSPECTION OF RUDDER ADJUSTABLE MASS-BALANCE WEIGHT AND ATTACHMENTS							Service	ATA:55
	MOS	28-Jan-20	60		28-Jan-25		197 d	ALI	
	HRS	602.07							
	AFL								
PROC. REF: NDT PART 5 55-40-00									
55-40-04-003	SPECIAL DETAILED INSPECTION (BORESCOPE METHOD) OF RUDDER FIXED MASS-BALANCE WEIGHT AND ATTACHMENTS							Service	ATA:55
	MOS	11-Jan-22	60		11-Jan-27		910 d	ALI	
	HRS	694.2							
	AFL	761							
PROC. REF: NDT PART 5 55-40-00									
55-42-00-001 ^S	EXTERNAL DETAILED VISUAL INSPECTION OF RUDDER TRIM-TAB							Service	ATA:55
	MOS	04-Dec-21	60 (+1m/-1m)						
	HRS	682.22							
	AFL	755							
PROC. REF: NDT PART 5 55-42-00									
ATA 56 - WINDOWS									
56-10-00	COPILOT HEATED GLASS WINDSHIELD ASSY							Component	ATA:56
PN:NP-195301-4	MOS/MSC	04-Dec-21	O/C		TSN 120				
SN:10357H2638	HRS	682.22			TSN 682.22				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 56 - WINDOWS									
	AFL	755		TSN 755					
PROC. REF: AMM 56-11-00, AMM 56-11-00									
56-10-00	PILOT HEATED GLASS WINDSHIELD ASSY							Component	ATA:56
PN:NP-195301-3	MOS/MSC	04-Dec-21	O/C	TSN 120					
SN:11005H3410	HRS	682.22		TSN 682.22					
	AFL	755		TSN 755					
PROC. REF: AMM 56-11-00, AMM 56-11-00									
56-10-01-001 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF SIDE WINDOWS PANE (BOTH SIDES)							Service	ATA:56
	MOS	04-Dec-21	60 (+1m/-1m)						
	HRS	682.22							
	AFL	755							
PROC. REF: NDT PART 5 56-12-00									
56-10-01-002	FUNCTIONAL CHECK (TORQUE) OF COPILOT SIDE WINDOW ATTACHING BOLTS							Service	ATA:56
PN:NP-195302-4	MOS	23-Dec-14							
SN:10272H2754	HRS	256.42	1600 (+30/-30)		1856.42	1886.42	581.4 (+30)		
	AFL	252							
PROC. REF: AMM 56-10-00									
56-10-01-002	FUNCTIONAL CHECK (TORQUE) OF COPILOT WINDSHIELD ATTACHING BOLTS							Service	ATA:56
PN:NP-195301-4	MOS	04-Dec-21							
SN:10357H2638	HRS	682.22	T:800 (+30/-30)		1482.22	1512.22	207.2 (+30)		
	AFL	755							
PROC. REF: AMM 56-10-00									
56-10-01-002	FUNCTIONAL CHECK (TORQUE) OF PILOT SIDE WINDOW ATTACHING BOLTS							Service	ATA:56
PN:NP-195302-3	MOS	23-Dec-14							
SN:11088H3580	HRS	256.42	1600 (+30/-30)		1856.42	1886.42	581.4 (+30)		
	AFL	252							
PROC. REF: AMM 56-10-00									
56-10-01-002	FUNCTIONAL CHECK (TORQUE) OF PILOT WINDSHIELD ATTACHING BOLTS							Service	ATA:56
PN:NP-195301-3	MOS	04-Dec-21							
SN:11005H3410	HRS	682.22	T:800 (+30/-30)		1482.22	1512.22	207.2 (+30)		
	AFL	755							
PROC. REF: AMM 56-10-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 56 - WINDOWS									
56-10-03-001 ^S	EXTERNAL DETAILED VISUAL INSPECTION COCKPIT L/H SIDE WINDOW STRUCTURE							Service	ATA:56
	MOS	04-Dec-21	60 (+1m/-1m)						
	HRS	682.22							
	AFL	755							
	PROC. REF: NDT PART 5 56-10-00								PKG:90
56-10-03-001 ^S	EXTERNAL DETAILED VISUAL INSPECTION COCKPIT R/H SIDE WINDOW STRUCTURE							Service	ATA:56
	MOS	04-Dec-21	60 (+1m/-1m)						
	HRS	682.22							
	AFL	755							
	PROC. REF: NDT PART 5 56-10-00								PKG:90
56-10-03-001 ^S	EXTERNAL DETAILED VISUAL INSPECTION LEFT WINDSHIELD STRUCTURE							Service	ATA:56
	MOS	04-Dec-21	60 (+1m/-1m)						
	HRS	682.22							
	AFL	755							
	PROC. REF: NDT PART 5 56-10-00								PKG:90
56-10-03-001 ^S	EXTERNAL DETAILED VISUAL INSPECTION RIGHT WINDSHIELD STRUCTURE							Service	ATA:56
	MOS	04-Dec-21	60 (+1m/-1m)						
	HRS	682.22							
	AFL	755							
	PROC. REF: NDT PART 5 56-10-00								PKG:90
56-10-03-01-901	SPECIAL DETAILED INSPECTION (EDDY CURRENT) OF FRAMES AND FASTENERS. WINDSHIELD FRAME AND FASTENERS - EXTERNAL							Service	ATA:56
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	T:17500		17500		16225		
	AFL	0	T:14000		14000		12884		
	PROC. REF: NDT PART 6 56-10-00								
56-12-00	COPILOT ACRYLIC SIDE WINDOW							Component	ATA:56
PN:NP-195302-4	MOS/MSC	20-Dec-11	O/C		TSN 0				
SN:10272H2754	HRS	0			TSN 0				
	AFL	0			TSN 0				
	PROC. REF: AMM 56-12-00, AMM 56-12-00								
56-12-00	PILOT ACRYLIC SIDE WINDOW							Component	ATA:56
PN:NP-195302-3	MOS/MSC	20-Dec-11	O/C		TSN 0				
SN:11088H3580	HRS	0			TSN 0				
	AFL	0			TSN 0				
	PROC. REF: AMM 56-12-00, AMM 56-12-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 56 - WINDOWS									
56-20-00	NO. 1 WINDOW TRANSPARENCY							Component	ATA:56
PN:14024	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:1509315	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 56-20-00, AMM 56-20-00									
56-20-00	NO. 10 WINDOW TRANSPARENCY							Component	ATA:56
PN:14024	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:1535032	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 56-20-00, AMM 56-20-00									
56-20-00	NO. 11 WINDOW TRANSPARENCY							Component	ATA:56
PN:14024	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:1535033	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 56-20-00, AMM 56-20-00									
56-20-00	NO. 2 WINDOW TRANSPARENCY							Component	ATA:56
PN:14024	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:1509316	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 56-20-00, AMM 56-20-00									
56-20-00	NO. 3 WINDOW TRANSPARENCY							Component	ATA:56
PN:14024	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:1509317	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 56-20-00, AMM 56-20-00									
56-20-00	NO. 4 WINDOW TRANSPARENCY							Component	ATA:56
PN:14024	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:1514865	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 56-20-00, AMM 56-20-00									
56-20-00	NO. 5 WINDOW TRANSPARENCY							Component	ATA:56
PN:14024	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:1514867	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 56-20-00, AMM 56-20-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 56 - WINDOWS									
56-20-00	NO. 6 WINDOW TRANSPARENCY							Component	ATA:56
PN:14024	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:1514965	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 56-20-00, AMM 56-20-00									
56-20-00	NO. 7 WINDOW TRANSPARENCY							Component	ATA:56
PN:14024	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:1514967	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 56-20-00, AMM 56-20-00									
56-20-00	NO. 8 WINDOW TRANSPARENCY							Component	ATA:56
PN:14024	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:1514968	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 56-20-00, AMM 56-20-00									
56-20-00	NO. 9 WINDOW TRANSPARENCY							Component	ATA:56
PN:14024	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:1514969	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 56-20-00, AMM 56-20-00									
56-20-01-001 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF THE PASSENGER WINDOW PANELS							Service	ATA:56
	MOS	04-Dec-21	60 (+1m/-1m)						
	HRS	682.22							
	AFL	755							
PROC. REF: NDT PART 5 56-20-00									
PKG:84									
ATA 57 - WINGS									
57-00-00-001 ^S	GENERAL VISUAL INSPECTION OF WINGLET POLYURETHANE FILMS							Service	ATA:57
	MOS	04-Dec-21							
	HRS	682.22	800 (+30/-30)						
	AFL	755							
PROC. REF: AMM 57-35-21									
PKG:1									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
57-10-00-001 ^S	INTERNAL DETAILED VISUAL INSPECTION OF WING MAIN BOX							Service	ATA:57
	MOS	04-Dec-21	60 (+1m/-1m)						
	HRS	682.22							
	AFL	755							
	PROC. REF: NDT PART 5 57-10-00							PKG:90	
57-10-00-002 ^S	SPECIAL DETAILED INSPECTION (BORESCOPE METHOD) OF WING CENTER UPPER SKIN							Service	ATA:57
	MOS	04-Dec-21	120 (+1m/-1m)						
	HRS	682.22							
	AFL	755							
	PROC. REF: NDT PART 5 57-10-00							PKG:87	
57-10-01-001 ^S	EXTERNAL DETAILED VISUAL INSPECTION OF WING-TO-CENTER FUSELAGE CONNECTIONS							Service	ATA:57
	MOS	04-Dec-21	120 (+1m/-1m)						
	HRS	682.22							
	AFL	755							
	PROC. REF: NDT PART 5 57-00-00							PKG:87	
57-10-01-01-901	DETAILED INSPECTION OF WING-TO-FUSELAGE LINKS. WING TO CENTER FUSELAGE CONNECTIONS - EXTERNAL							Service	ATA:57
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	T:17500		17500		16225		
	AFL	0	T:14000		14000		12884		
	PROC. REF: NDT PART 5 57-10-00								
57-10-02-002 ^S	EXTERNAL DETAILED VISUAL INSPECTION OF WING FRONT SPAR							Service	ATA:57
	MOS	04-Dec-21	60 (+1m/-1m)						
	HRS	682.22							
	AFL	755							
	PROC. REF: NDT PART 5 57-10-00							PKG:90	
57-10-02-01-901	DETAILED INSPECTION OF WING FRONT SPAR LOWER CAP, SPLICES AND ATTACHMENTS. WING FRONT SPAR - INTERNAL							Service	ATA:57
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	T:17500		17500		16225		
	AFL	0	T:14000		14000		12884		
	PROC. REF: NDT PART 5 57-10-00								
57-10-03-002 ^S	EXTERNAL DETAILED VISUAL INSPECTION OF WING REAR SPAR							Service	ATA:57
	MOS	04-Dec-21	60 (+1m/-1m)						
	HRS	682.22							
	AFL	755							
	PROC. REF: NDT PART 5 57-10-00							PKG:90	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
57-10-03-01-901	DETAILED INSPECTION OF WING REAR SPAR LOWER CAP, THIRD CAP, SPLICES AND ATTACHMENTS. WING REAR SPAR - INTERNAL							Service	ATA:57
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	T:17500		17500		16225		
	AFL	0	T:14000		14000		12884		
PROC. REF: NDT PART 5 57-10-00									
57-10-04-002	EXTERNAL DETAILED VISUAL INSPECTION OF WING ROOT SPAR							Service	ATA:57
	MOS	04-Dec-21	60 (+1m/-1m)		04-Dec-26	04-Jan-27	872 d (+31)		
	HRS	682.22							
	AFL	755							
PROC. REF: NDT PART 5 57-20-00									
57-10-04-01-901	DETAILED INSPECTION OF WING ROOT SPAR. WING ROOT SPAR - INTERNAL							Service	ATA:57
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	T:17500		17500		16225		
	AFL	0	T:14000		14000		12884		
PROC. REF: NDT PART 5 57-10-00									
57-10-05-01-901	GENERAL VISUAL INSPECTION OF MIDDLE SPAR, SPLICES AND ATTACHMENTS. WING MIDDLE SPAR - INTERNAL							Service	ATA:57
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	T:17500		17500		16225		
	AFL	0	T:14000		14000		12884		
PROC. REF: NDT PART 5 57-10-00									
57-10-06-001 ^S	EXTERNAL DETAILED VISUAL INSPECTION OF WING UPPER PANEL							Service	ATA:57
	MOS	04-Dec-21	120 (+1m/-1m)						
	HRS	682.22							
	AFL	755							
PROC. REF: NDT PART 5 57-10-00									
57-10-07-001 ^S	EXTERNAL DETAILED VISUAL INSPECTION OF WING LOWER PANEL							Service	ATA:57
	MOS	04-Dec-21	60 (+1m/-1m)						
	HRS	682.22							
	AFL	755							
PROC. REF: NDT PART 5 57-10-00									

PKG:87

PKG:84

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
57-10-07-01-901	GENERAL VISUAL INSPECTION OF ACCESS WINDOWS FRAMES AND STRINGERS. WING LOWER SKIN PANEL - INTERNAL							Service	ATA:57
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	T:17500		17500		16225		
	AFL	0	T:14000		14000		12884		
	PROC. REF: NDT PART 5 57-10-00								
57-10-07-01-902	DETAILED INSPECTION OF WING SKIN. WING LOWER SKIN PANEL - EXTERNAL							Service	ATA:57
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	T:17500		17500		16225		
	AFL	0	T:14000		14000		12884		
	PROC. REF: NDT PART 5 57-10-00								
57-10-08-01-901	DETAILED INSPECTION OF MACHINED RIBS. WING RIBS - INTERNAL							Service	ATA:57
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	T:17500		17500		16225		
	AFL	0	T:14000		14000		12884		
	PROC. REF: NDT PART 5 57-10-00								
57-10-08-02-901	DETAILED INSPECTION OF MAIN LANDING GEAR RIBS. WING RIBS - EXTERNAL							Service	ATA:57
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	T:17500		17500		16225		
	AFL	0	T:14000		14000		12884		
	PROC. REF: NDT PART 5 57-10-00								
57-10-11-001	EXTERNAL DETAILED VISUAL INSPECTION OF WING CENTER SPLICE							Service	ATA:57
	MOS	04-Dec-21	60 (+1m/-1m)		04-Dec-26	04-Jan-27	872 d (+31)		
	HRS	682.22							
	AFL	755							
	PROC. REF: NDT PART 5 57-10-00								
57-10-11-01-901	DETAILED INSPECTION OF SPAR SPLICES, LOWER SKIN SPLICES, INCLUDING FASTENERS. WING CENTRAL SPLICES - INTERNAL							Service	ATA:57
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	T:17500		17500		16225		
	AFL	0	T:14000		14000		12884		
	PROC. REF: NDT PART 5 57-10-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
57-10-11-01-902	SPECIAL DETAILED INSPECTION (BORESCOPE) OF UPPER SKIN SPLICES, INCLUDING FASTENERS. WING CENTRAL SPLICES - INTERNAL							Service	ATA:57
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	T:17500		17500		16225		
	AFL	0	T:14000		14000		12884		
PROC. REF: NDT PART 5 57-10-00									
57-10-12-01-901	DETAILED INSPECTION OF SKIN SPLICES, INCLUDING FASTENERS. KINK LOWER SKIN SPLICE - INTERNAL							Service	ATA:57
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	T:12500		12500		11225		
	AFL	0	T:10000		10000		8884		
PROC. REF: NDT PART 5 57-10-00									
57-50-01-001	EXTERNAL DETAILED VISUAL INSPECTION OF WING TRAILING-EDGE TORQUE BOX AND CONTROL SURFACES FITTINGS							Service	ATA:57
	MOS	04-Dec-21	60 (+1m/-1m)		04-Dec-26	04-Jan-27	872 d (+31)		
	HRS	682.22							
	AFL	755							
PROC. REF: NDT PART 5 57-50-00									
57-50-01-01-901	DETAILED INSPECTION OF TORSION BOXES RIBS AND ATTACHMENTS. WING TRAILING EDGE TORQUE BOX AND CONTROL SURFACES SUPPORT FITTINGS - INTERNAL							Service	ATA:57
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	T:17500		17500		16225		
	AFL	0	T:14000		14000		12884		
PROC. REF: NDT PART 5 57-50-00									
57-50-01-01-902	SPECIAL DETAILED INSPECTION (EDDY CURRENT) OF RIBS ROLLERS. WING TRAILING EDGE TORQUE BOX AND CONTROL SURFACES SUPPORT FITTINGS - INTERNAL							Service	ATA:57
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	T:11250		11250		9975		
	AFL	0	T:9000		9000		7884		
PROC. REF: NDT PART 6 57-50-00									
57-50-01-02-901	SPECIAL DETAILED INSPECTION (EDDY CURRENT) OF TORSION BOXES RIBS LUG RAILS. WING TRAILING EDGE TORQUE BOX AND CONTROL SURFACES SUPPORT FITTINGS - EXTERNAL							Service	ATA:57
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	T:17500		17500		16225		
	AFL	0	T:14000		14000		12884		
PROC. REF: NDT PART 6 57-50-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
57-50-01-03-901	DETAILED INSPECTION OF TORSION BOXES SKINS AND FASTENERS. WING TRAILING EDGE TORQUE BOX AND CONTROL SURFACES SUPPORT FITTINGS - EXTERNAL							Service	ATA:57
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	T:17500		17500		16225		
	AFL	0	T:14000		14000		12884		
PROC. REF: NDT PART 5 57-50-00									
57-50-01-04-901	DETAILED INSPECTION OF AILERON AND FLAP HINGES FITTINGS. WING TRAILING EDGE TORQUE BOX AND CONTROL SURFACES SUPPORT FITTINGS - EXTERNAL							Service	ATA:57
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	T:17500		17500		16225		
	AFL	0	T:14000		14000		12884		
PROC. REF: NDT PART 5 57-50-00									
57-50-01-05-901	SPECIAL DETAILED INSPECTION (EDDY CURRENT) OF BELL CRANK SUPPORT FITTING. WING TRAILING EDGE TORQUE BOX AND CONTROL SURFACES SUPPORT FITTING - INTERNAL							Service	ATA:57
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	T:17500		17500		16225		
	AFL	0	T:14000		14000		12884		
PROC. REF: NDT PART 6 57-50-00									
57-50-01-05-902	DETAILED INSPECTION OF BELL CRANK SUPPORT FITTING. WING TRAILING EDGE TORQUE BOX AND CONTROL SURFACES SUPPORT FITTING - INTERNAL							Service	ATA:57
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	T:17500		17500		16225		
	AFL	0	T:14000		14000		12884		
PROC. REF: NDT PART 5 57-50-00									
57-50-02-001 ^S	EXTERNAL DETAILED VISUAL INSPECTION OF WING TRAILING EDGE MLG TRUNNION, ACTUATOR FITTINGS AND UPLOCK							Service	ATA:57
	MOS	04-Dec-21	60 (+1m/-1m)						
	HRS	682.22							
	AFL	755							
PROC. REF: NDT PART 5 57-20-00								PKG:84	
57-50-02-01-901	SPECIAL DETAILED INSPECTION (EDDY CURRENT) OF MLG ACTUATOR SUPPORT FITTING. WING TRAILING EDGE MLG TRUNNION, ACTUATOR SUPPORT FITTINGS AND UPLOCK - INTERNAL							Service	ATA:57
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	T:17500		17500		16225		
	AFL	0	T:14000		14000		12884		
PROC. REF: NDT PART 6 57-50-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
57-50-02-01-902	DETAILED INSPECTION OF MLG ACTUATOR SUPPORT FITTING. WING TRAILING EDGE MLG TRUNNION, ACTUATOR SUPPORT FITTINGS AND UPLOCK - INTERNAL							Service	ATA:57
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	T:17500		17500		16225		
	AFL	0	T:14000		14000		12884		
PROC. REF: NDT PART 5 57-50-00									
57-50-02-02-901	SPECIAL DETAILED INSPECTION (EDDY CURRENT) OF MLG TRUNNIONS. WING TRAILING EDGE MLG TRUNNION, ACTUATOR SUPPORT FITTINGS AND UPLOCK - INTERNAL							Service	ATA:57
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	T:17500		17500		16225		
	AFL	0	T:14000		14000		12884		
PROC. REF: NDT PART 6 57-50-00									
57-50-02-02-902	DETAILED INSPECTION OF MLG TRUNNIONS. WING TRAILING EDGE MLG TRUNNION, ACTUATOR SUPPORT FITTINGS AND UPLOCK - INTERNAL							Service	ATA:57
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	T:17500		17500		16225		
	AFL	0	T:14000		14000		12884		
PROC. REF: NDT PART 5 57-50-00									
57-52-00-001 ^S	SPECIAL DETAILED INSPECTION (BORESCOPE METHOD) OF THE INBOARD FLAP							Service	ATA:57
	MOS	04-Dec-21	60 (+1m/-1m)						
	HRS	682.22							
	AFL	755							
PROC. REF: NDT PART 5 57-52-00									
57-52-00-002 ^S	EXTERNAL DETAILED VISUAL INSPECTION OF THE INBOARD FLAP							Service	ATA:57
	MOS	04-Dec-21	60 (+1m/-1m)						
	HRS	682.22							
	AFL	755							
PROC. REF: NDT PART 5 57-52-00									
57-52-01-01-901	SPECIAL DETAILED INSPECTION (BORESCOPE) OF MAIN BOX AND VANE. FLAP INBOARD COMPOSITE STRUCTURE - INTERNAL							Service	ATA:57
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	T:17500		17500		16225		
	AFL	0	T:14000		14000		12884		
PROC. REF: NDT PART 5 57-52-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
57-52-01-01-902	DETAILED INSPECTION OF MAIN BOX AND VANE. FLAP INBOARD COMPOSITE STRUCTURE - EXTERNAL							Service	ATA:57
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	T:17500		17500		16225		
	AFL	0	T:14000		14000		12884		
PROC. REF: NDT PART 5 57-52-00									
57-52-02-01-901	SPECIAL DETAILED INSPECTION (BOREScope) OF FLAP RIBS. FLAP INBOARD RIBS - INTERNAL							Service	ATA:57
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	T:17500		17500		16225		
	AFL	0	T:14000		14000		12884		
PROC. REF: NDT PART 5 57-52-00									
57-52-03-01-901	SPECIAL DETAILED INSPECTION (EDDY CURRENT) OF FLAP TRACKS. FLAP INBOARD TRACKS - EXTERNAL							Service	ATA:57
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	T:11250		11250		9975		
	AFL	0	T:9000		9000		7884		
PROC. REF: NDT PART 6 57-52-00									
57-52-04-01-901	SPECIAL DETAILED INSPECTION (BOREScope) OF FLAP ACTUATOR FITTING. FLAP INBOARD ACTUATOR SUPPORT FITTING - INTERNAL							Service	ATA:57
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	T:17500		17500		16225		
	AFL	0	T:14000		14000		12884		
PROC. REF: NDT PART 5 57-52-00									
57-52-04-02-901	SPECIAL DETAILED INSPECTION (EDDY CURRENT) OF FLAP ACTUATOR FITTING. FLAP INBOARD ACTUATOR SUPPORT FITTING - EXTERNAL							Service	ATA:57
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	T:17500		17500		16225		
	AFL	0	T:14000		14000		12884		
PROC. REF: NDT PART 6 57-52-00									
57-53-00-001 ^S	SPECIAL DETAILED INSPECTION (BOREScope METHOD) OF THE OUTBOARD FLAP							Service	ATA:57
	MOS	04-Dec-21	120 (+1m/-1m)						
	HRS	682.22							
	AFL	755							
PROC. REF: NDT PART 5 57-53-00									
PKG:87									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
57-53-00-002 ^S	EXTERNAL DETAILED VISUAL INSPECTION OF THE OUTBOARD FLAP							Service	ATA:57
	MOS	04-Dec-21	60 (+1m/-1m)						
	HRS	682.22							
	AFL	755							
PROC. REF: NDT PART 5 57-53-00								PKG:84	
57-53-01-01-901	SPECIAL DETAILED INSPECTION (BORESCOPE) OF MAIN BOX AND VANE. FLAP OUTBOARD COMPOSITE STRUCTURE - INTERNAL							Service	ATA:57
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	T:17500		17500		16225		
	AFL	0	T:14000		14000		12884		
PROC. REF: NDT PART 5 57-53-00									
57-53-01-01-902	DETAILED INSPECTION OF MAIN BOX AND VANE. FLAP OUTBOARD COMPOSITE STRUCTURE - EXTERNAL							Service	ATA:57
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	T:17500		17500		16225		
	AFL	0	T:14000		14000		12884		
PROC. REF: NDT PART 5 57-53-00									
57-53-02-01-901	SPECIAL DETAILED INSPECTION (BORESCOPE) OF FLAP RIBS. FLAP OUTBOARD RIBS - INTERNAL							Service	ATA:57
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	T:17500		17500		16225		
	AFL	0	T:14000		14000		12884		
PROC. REF: NDT PART 5 57-53-00									
57-53-03-01-901	SPECIAL DETAILED INSPECTION (EDDY CURRENT) OF FLAP TRACKS. FLAP OUTBOARD TRACKS - EXTERNAL							Service	ATA:57
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	T:11250		11250		9975		
	AFL	0	T:9000		9000		7884		
PROC. REF: NDT PART 6 57-53-00									
57-53-04-01-901	DETAILED INSPECTION OF PIN OF FLAP ACTUATOR SUPPORT FITTING. FLAP OUTBOARD ACTUATOR SUPPORT FITTINGS AND VANE SUPPORT FITTING - EXTERNAL							Service	ATA:57
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	T:17500		17500		16225		
	AFL	0	T:14000		14000		12884		
PROC. REF: NDT PART 5 57-53-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
57-53-04-02-901	DETAILED INSPECTION OF LUG OF FLAP ACTUATOR SUPPORT FITTING. FLAP OUTBOARD ACTUATOR SUPPORT FITTINGS AND VANE SUPPORT FITTING - EXTERNAL							Service	ATA:57
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	T:17500		17500		16225		
	AFL	0	T:14000		14000		12884		
PROC. REF: NDT PART 5 57-53-00									
57-53-04-03-901	SPECIAL DETAILED INSPECTION (BORESCOPE) OF FLANGES OF FLAP ACTUATOR SUPPORT FITTING. FLAP OUTBOARD ACTUATOR SUPPORT FITTINGS AND VANE SUPPORT FITTING - INTERNAL							Service	ATA:57
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	T:17500		17500		16225		
	AFL	0	T:14000		14000		12884		
PROC. REF: NDT PART 5 57-53-00									
57-53-04-04-901	SPECIAL DETAILED INSPECTION (EDDY CURRENT) OF NECK OF FLAP ACTUATOR SUPPORT FITTING. FLAP OUTBOARD ACTUATOR SUPPORT FITTINGS AND VANE SUPPORT FITTING - EXTERNAL							Service	ATA:57
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	T:17500		17500		16225		
	AFL	0	T:14000		14000		12884		
PROC. REF: NDT PART 6 57-53-00									
57-60-00-001	EXTERNAL DETAILED VISUAL INSPECTION OF THE AILERON							Service	ATA:57
	MOS	11-Jan-22	60		11-Jan-27		910 d	ALI	
	HRS	694.2							
	AFL	761							
PROC. REF: NDT PART 5 57-60-00									
57-60-00-002	SPECIAL DETAILED INSPECTION (BORESCOPE METHOD) OF AILERON AND TAB							Service	ATA:57
	MOS	04-Dec-21	60 (+1m/-1m)		04-Dec-26	04-Jan-27	872 d (+31)		
	HRS	682.22							
	AFL	755							
PROC. REF: NDT PART 5 57-60-00									
57-60-01-01-901	SPECIAL DETAILED INSPECTION (BORESCOPE) OF SKIN, SPARS, RIBS AND FASTENERS. AILERON MAIN BOX - INTERNAL							Service	ATA:57
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	T:17500		17500		16225		
	AFL	0	T:14000		14000		12884		
PROC. REF: NDT PART 5 57-60-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
57-60-01-01-902	DETAILED INSPECTION OF SKIN, SPARS, RIBS AND FASTENERS. AILERON MAIN BOX - EXTERNAL							Service	ATA:57
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	T:17500		17500		16225		
	AFL	0	T:14000		14000		12884		
PROC. REF: NDT PART 5 57-60-00									
57-60-01-02-901	DETAILED INSPECTION OF AILERON ROOT RIBS. AILERON MAIN BOX - EXTERNAL							Service	ATA:57
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	T:17500		17500		16225		
	AFL	0	T:14000		14000		12884		
PROC. REF: NDT PART 5 57-60-00									
57-60-02-01-901	DETAILED INSPECTION OF AILERON HINGES PINS. AILERON HINGE FITTINGS - EXTERNAL							Service	ATA:57
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	T:17500		17500		16225		
	AFL	0	T:14000		14000		12884		
PROC. REF: NDT PART 5 57-60-00									
57-60-02-02-901	DETAILED INSPECTION OF AILERON HINGES FITTINGS. AILERON HINGE FITTINGS - EXTERNAL							Service	ATA:57
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	T:17500		17500		16225		
	AFL	0	T:14000		14000		12884		
PROC. REF: NDT PART 5 57-60-00									
57-60-04-001 ^U	INTERNAL DETAILED VISUAL INSPECTION OF AILERON MASS-BALANCE WEIGHTS AND ATTACHMENTS							Service	ATA:57
	MOS/MSC	26-Dec-16	O/C						
	HRS	389							
	AFL	396							
57-70-02-001	EXTERNAL DETAILED VISUAL INSPECTION OF SPOILER HINGE FITTINGS							Service	ATA:57
	MOS	04-Dec-21	60 (+1m/-1m)		04-Dec-26	04-Jan-27	872 d (+31)		
	HRS	682.22							
	AFL	755							
PROC. REF: NDT PART 5 57-70-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 70 - STANDARD PRACTICES - ENGINES								
700010	NO. 1 ENGINE - TREATMENT MAGNESIUM CORROSION							Service ATA:70
	MOS/MSC	03-Sep-11	A/R					
	HRS	0						
	ENC	0						
					PROC. REF: MM 70-00-00			
700010	NO. 2 ENGINE - TREATMENT MAGNESIUM CORROSION							Service ATA:70
	MOS/MSC	02-Sep-11	A/R					
	HRS	0						
	ENC	0						
					PROC. REF: MM 70-00-00			
ATA 71 - POWER PLANT								
70-00-00-200-801	NO. 1 ENGINE - INSPECT FOR CORROSION ON STRUCTURAL CASES, DUCTS							Service ATA:71
	MOS/MSC	03-Sep-11	A/R					
	HRS	0						
	ENC	0						
					PROC. REF: MM 70-00-00			
70-00-00-200-801	NO. 2 ENGINE - INSPECT FOR CORROSION ON STRUCTURAL CASES, DUCTS							Service ATA:71
	MOS/MSC	02-Sep-11	A/R					
	HRS	0						
	ENC	0						
					PROC. REF: MM 70-00-00			
71-00-00-160-806	NO. 1 ENGINE - PERFORMANCE RECOVERY WASH							Service ATA:71
	MOS/MSC	29-Jan-19	A/R					
	HRS	556.4						
	ENC	591						
					PROC. REF: MM 71-00-00			
71-00-00-160-806	NO. 2 ENGINE - PERFORMANCE RECOVERY WASH							Service ATA:71
	MOS/MSC	29-Jan-19	A/R					
	HRS	556.4						
	ENC	591						
					PROC. REF: MM 71-00-00			

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 71 - POWER PLANT									
71-00-00-760-810	NO. 1 ENGINE - PERFORM A PERFORMANCE CALIBRATION RUN							Service	ATA:71
	MOS/MSC	16-Aug-21	A/R						
	HRS	660.9							
	ENC	687							
	PROC. REF: MM 71-00-00								
71-00-00-760-810	NO. 2 ENGINE - PERFORM A PERFORMANCE CALIBRATION RUN							Service	ATA:71
	MOS/MSC	11-Aug-21	A/R						
	HRS	660.9							
	ENC	687							
	PROC. REF: MM 71-00-00								
71-00-00-760-814	NO. 1 ENGINE - TROUBLE SHOOT ENGINE OPERATING PROBLEMS - BLEED VALVE OPERATIONAL CHECK							Service	ATA:71
	MOS/MSC	03-Sep-11	A/R						
	HRS	0							
	ENC	0							
	PROC. REF: MM 71-00-00								
71-00-00-760-814	NO. 2 ENGINE - TROUBLE SHOOT ENGINE OPERATING PROBLEMS - BLEED VALVE OPERATIONAL CHECK							Service	ATA:71
	MOS/MSC	02-Sep-11	A/R						
	HRS	0							
	ENC	0							
	PROC. REF: MM 71-00-00								
71-00-00-760-817	NO. 1 ENGINE - DOWNLOAD ENGINE DCU DATA							Service	ATA:71
	MOS/MSC	03-Sep-11	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	ENC	0							
	PROC. REF: MM 71-00-00								
71-00-00-760-817	NO. 2 ENGINE - DOWNLOAD ENGINE DCU DATA							Service	ATA:71
	MOS/MSC	02-Sep-11	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	ENC	0							
	PROC. REF: MM 71-00-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 71 - POWER PLANT									
71-00-00-760-823		NO. 1 ENGINE - CLEARING TLD (TIME LIMITED DISPATCH)						Service	ATA:71
	MOS	21-Dec-23	12 (+30d)		31-Dec-24	20-Jan-25	169 d (+20)		
	HRS	1164.1	630 (+10%)		(1794.1) 1794.1	1857.1	519.1 (+63)		
	ENC	1054							
PROC. REF: MM 71-00-00									
71-00-00-760-823		NO. 2 ENGINE - CLEARING TLD (TIME LIMITED DISPATCH)						Service	ATA:71
	MOS	21-Dec-23	12 (+30d)		31-Dec-24	20-Jan-25	169 d (+20)		
	HRS	1164.1	630 (+10%)		(1794.1) 1794.1	1857.1	519.1 (+63)		
	ENC	1054							
PROC. REF: MM 71-00-00									
71-11-00-001 ^S		GENERAL VISUAL INSPECTION OF UPPER MID COWL						Service	ATA:71
	MOS	20-Dec-11							
	HRS	0	5600 (+30/-30)						
	AFL	0							
PROC. REF: AMM 71-11-00									
71-20-00		LEFT AFT ENGINE MOUNT ISOLATOR						Component	ATA:71
PN:LM-475-SA4	MOS/MSC	20-Dec-11	O/C		TSN 0				
SN:LK0406	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM 71-22-00, AMM 71-22-00									
71-20-00		LEFT INBOARD FORWARD ENGINE MOUNT ISOLATOR						Component	ATA:71
PN:LM-475-SA3	MOS/MSC	20-Dec-11	O/C		TSN 0				
SN:LK0587	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM 71-21-00, AMM 71-21-00									
71-20-00		LEFT OUTBOARD FORWARD ENGINE MOUNT ISOLATOR						Component	ATA:71
PN:LM-475-SA3	MOS/MSC	20-Dec-11	O/C		TSN 0				
SN:LK0605	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM 71-21-00, AMM 71-21-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 71 - POWER PLANT									
71-20-00		RIGHT AFT ENGINE MOUNT ISOLATOR						Component	ATA:71
PN:LM-475-SA4	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:LK0418	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 71-22-00, AMM 71-22-00									
71-20-00		RIGHT INBOARD FORWARD ENGINE MOUNT ISOLATOR						Component	ATA:71
PN:LM-475-SA3	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:LK0568	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 71-21-00, AMM 71-21-00									
71-20-00		RIGHT OUTBOARD FORWARD ENGINE MOUNT ISOLATOR						Component	ATA:71
PN:LM-475-SA3	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:LK0594	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 71-21-00, AMM 71-21-00									
71-20-00-001		RESTORATION (OVERHAUL) OF ENGINE LEFT AFT MOUNT ASSEMBLY AND ATTACHMENTS						Service	ATA:71
PN:LM-475-SA4	MOS/MSC	20-Dec-11	O/C						
SN:LK0406	HRS	0							
	AFL	0							
PROC. REF: AMM 71-20-00									
71-20-00-001		RESTORATION (OVERHAUL) OF ENGINE LEFT INBOARD MOUNT ASSEMBLY AND ATTACHMENTS						Service	ATA:71
PN:LM-475-SA3	MOS/MSC	20-Dec-11	O/C						
SN:LK0587	HRS	0							
	AFL	0							
PROC. REF: AMM 71-20-00									
71-20-00-001		RESTORATION (OVERHAUL) OF ENGINE LEFT OUTBOARD MOUNT ASSEMBLY AND ATTACHMENTS						Service	ATA:71
PN:LM-475-SA3	MOS/MSC	20-Dec-11	O/C						
SN:LK0605	HRS	0							
	AFL	0							
PROC. REF: AMM 71-20-00									
71-20-00-001		RESTORATION (OVERHAUL) OF ENGINE RIGHT AFT MOUNT ASSEMBLY AND ATTACHMENTS						Service	ATA:71
PN:LM-475-SA4	MOS/MSC	20-Dec-11	O/C						
SN:LK0418	HRS	0							
	AFL	0							
PROC. REF: AMM 71-20-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 71 - POWER PLANT									
71-20-00-001	RESTORATION (OVERHAUL) OF ENGINE RIGHT INBOARD MOUNT ASSEMBLY AND ATTACHMENTS							Service	ATA:71
PN:LM-475-SA3	MOS/MSC	20-Dec-11	O/C						
SN:LK0568	HRS	0							
	AFL	0							
PROC. REF: AMM 71-20-00									
71-20-00-001	RESTORATION (OVERHAUL) OF ENGINE RIGHT OUTBOARD MOUNT ASSEMBLY AND ATTACHMENTS							Service	ATA:71
PN:LM-475-SA3	MOS/MSC	20-Dec-11	O/C						
SN:LK0594	HRS	0							
	AFL	0							
PROC. REF: AMM 71-20-00									
71-21-01-01-901	RESTORATION (OVERHAUL) OF ENGINE MOUNT ASSEMBLY AND ATTACHMENTS (INCLUDING BOLTS). NOTE: THE FLIGHT CYCLES / FLIGHT HOURS ACCUMULATED SHALL BE BASED ON THE ENGINE MOUNT COMPONENTS. ENGINE FORWARD MOUNTING ASSEMBLY							Service	ATA:71
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	T:7500		7500		6225		
	AFL	0	T:6000		6000		4884		
PROC. REF: AMM 71-20-00									
71-22-01-01-901	DETAILED VISUAL INSPECTION OF AFT MOUNTS BOLTS TORQUE SEAL							Service	ATA:71
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	T:4500		4500		3225		
	AFL	0	T:3600		3600		2484		
PROC. REF: NDT PART 5 71-22-00, NDT PART 5 71-22-00									
71-22-01-01-902	RESTORATION (OVERHAUL) OF ENGINE MOUNT ASSEMBLY AND ATTACHMENTS (INCLUDING BOLTS). NOTE: THE FLIGHT CYCLES / FLIGHT HOURS ACCUMULATED SHALL BE BASED ENGINE AFT MOUNTING ASSEMBLY							Service	ATA:71
	MOS	20-Dec-11						AIRWORTHINESS	
	HRS	0	T:7500		7500		6225		
	AFL	0	T:6000		6000		4884		
PROC. REF: AMM 71-20-00									
71-31-00-001 ^S	DETAILED INSPECTION OF PYLON FIREWALL SEAL							Service	ATA:71
	MOS	20-Dec-11							
	HRS	0	2400 (+30/-30)						
	AFL	0							
PROC. REF: AMM 71-31-00									

PKG:20

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 71 - POWER PLANT									
71-60-01	LEFT ENGINE AIR INLET							Component	ATA:71
PN:505-43420-403	MOS/MSC	23-Dec-15	O/C	TSN 1					
SN:CPI-213	HRS	336.55		TSN 0					
	AFL	336		TSN 0					
PROC. REF: AMM 71-60-01, AMM 71-60-01									
71-60-01	RIGHT ENGINE AIR INLET							Component	ATA:71
PN:505-43430-403	MOS/MSC	23-Dec-15	O/C	TSN 2					
SN:CPI-165	HRS	336.55		TSN 0					
	AFL	336		TSN 0					
PROC. REF: AMM 71-60-01, AMM 71-60-01									
71EN1	NO. 1 ENGINE							Component	ATA:71
PN:A3072913-01	MOS/MSC		E/C						
SN:PCE-DG0157	HRS								
WC#: 71.EN1	AFL								
PROC. REF: AMM 71-00-00, AMM 71-00-00									
71EN2	NO. 2 ENGINE							Component	ATA:71
PN:A3072913-01	MOS/MSC		E/C						
SN:PCE-DG0156	HRS								
WC#: 71.EN2	AFL								
PROC. REF: AMM 71-00-00, AMM 71-00-00									
72-00-02-810-801	NO. 1 ENGINE - CHECK ELECTRONIC ENGINE CONTROL (EEC) FAULT ISOLATION							Service	ATA:71
	MOS	21-Dec-23	12		21-Dec-24		159 d		
	HRS	1164.1	630		(1794.1) 1794.1		519.1		
	ENC	1054							
PROC. REF: MM 72-00-02									
72-00-02-810-801	NO. 2 ENGINE - CHECK ELECTRONIC ENGINE CONTROL (EEC) FAULT ISOLATION							Service	ATA:71
	MOS	21-Dec-23	12		21-Dec-24		159 d		
	HRS	1164.1	630		(1794.1) 1794.1		519.1		
	ENC	1054							
PROC. REF: MM 72-00-02									
ATA 72 - ENGINE									
72-00-00-000-802	NO. 1 ENGINE - LP COMPRESSOR SHAFT - DISCARD AT SCHEDULED OVERHAUL							Service	ATA:72
PN:3073356-01	MOS/MSC	03-Sep-11	A/R						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
SN:A0031146	HRS	0						
	ENC	0						
PROC. REF: GENERIC NO REF								
72-00-00-000-802	NO. 2 ENGINE -		LP COMPRESSOR SHAFT - DISCARD AT SCHEDULED OVERHAUL					Service ATA:72
PN:3073356-01	MOS/MSC	02-Sep-11	A/R					
SN:A0030HLH	HRS	0						
	ENC	0						
PROC. REF: GENERIC NO REF								
72-00-00-212-801 ^S	NO. 1 ENGINE -		GENERAL VISUAL INSPECTION OF THE ENGINE INLET AREA					Service ATA:72
	MOS	21-Dec-23	12 (+30d)					
	HRS	1164.1	800 (+10%)					
	ENC	1054						
PROC. REF: MM 72-00-00								
72-00-00-212-801 ^S	NO. 2 ENGINE -		GENERAL VISUAL INSPECTION OF THE ENGINE INLET AREA					Service ATA:72
	MOS	21-Dec-23	12 (+30d)					
	HRS	1164.1	800 (+10%)					
	ENC	1054						
PROC. REF: MM 72-00-00								
72-00-00-212-802 ^S	NO. 1 ENGINE -		GENERAL VISUAL INSPECTION OF THE INTERMEDIATE CASE AND AGB					Service ATA:72
	MOS	21-Dec-23	12 (+30d)					
	HRS	1164.1	800 (+10%)					
	ENC	1054						
PROC. REF: MM 72-00-00								
72-00-00-212-802 ^S	NO. 2 ENGINE -		GENERAL VISUAL INSPECTION OF THE INTERMEDIATE CASE AND AGB					Service ATA:72
	MOS	21-Dec-23	12 (+30d)					
	HRS	1164.1	800 (+10%)					
	ENC	1054						
PROC. REF: MM 72-00-00								
72-00-00-212-803 ^S	NO. 1 ENGINE -		GENERAL VISUAL INSPECTION OF THE BYPASS DUCT					Service ATA:72
	MOS	21-Dec-23	12 (+30d)					
	HRS	1164.1	800 (+10%)					
	ENC	1054						
PROC. REF: MM 72-00-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-00-00-212-803 ^S	NO. 2 ENGINE - GENERAL VISUAL INSPECTION OF THE BYPASS DUCT							Service	ATA:72
	MOS	21-Dec-23	12 (+30d)						
	HRS	1164.1	800 (+10%)						
	ENC	1054							
					PROC. REF: MM 72-00-00			PKG:1	
72-00-00-212-804 ^S	NO. 1 ENGINE - GENERAL VISUAL INSPECTION OF THE TURBINE EXHAUST CASE							Service	ATA:72
	MOS	21-Dec-23	12 (+30d)						
	HRS	1164.1	800 (+10%)						
	ENC	1054							
					PROC. REF: MM 72-00-00			PKG:1	
72-00-00-212-804 ^S	NO. 2 ENGINE - GENERAL VISUAL INSPECTION OF THE TURBINE EXHAUST CASE							Service	ATA:72
	MOS	21-Dec-23	12 (+30d)						
	HRS	1164.1	800 (+10%)						
	ENC	1054							
					PROC. REF: MM 72-00-00			PKG:1	
72-00-00-212-805 ^S	NO. 1 ENGINE - GENERAL VISUAL INSPECTION OF THE FUEL DISTRIBUTION SYSTEM							Service	ATA:72
	MOS	21-Dec-23	12 (+30d)						
	HRS	1164.1	800 (+10%)						
	ENC	1054							
					PROC. REF: MM 72-00-00			PKG:1	
72-00-00-212-805 ^S	NO. 2 ENGINE - GENERAL VISUAL INSPECTION OF THE FUEL DISTRIBUTION SYSTEM							Service	ATA:72
	MOS	21-Dec-23	12 (+30d)						
	HRS	1164.1	800 (+10%)						
	ENC	1054							
					PROC. REF: MM 72-00-00			PKG:1	
72-00-00-212-806 ^S	NO. 1 ENGINE - GENERAL VISUAL INSPECTION OF THE OIL DISTRIBUTION SYSTEM							Service	ATA:72
	MOS	21-Dec-23	12 (+30d)						
	HRS	1164.1	800 (+10%)						
	ENC	1054							
					PROC. REF: MM 72-00-00			PKG:1	
72-00-00-212-806 ^S	NO. 2 ENGINE - GENERAL VISUAL INSPECTION OF THE OIL DISTRIBUTION SYSTEM							Service	ATA:72
	MOS	21-Dec-23	12 (+30d)						
	HRS	1164.1	800 (+10%)						
	ENC	1054							
					PROC. REF: MM 72-00-00			PKG:1	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-00-00-212-807 ^S	NO. 1 ENGINE - GENERAL VISUAL INSPECTION OF THE LP COMPRESSOR INLET COMPONENTS							Service	ATA:72
	MOS	21-Dec-23	12 (+30d)						
	HRS	1164.1	800 (+10%)						
	ENC	1054							
					PROC. REF: MM 72-00-00			PKG:1	
72-00-00-212-807 ^S	NO. 2 ENGINE - GENERAL VISUAL INSPECTION OF THE LP COMPRESSOR INLET COMPONENTS							Service	ATA:72
	MOS	21-Dec-23	12 (+30d)						
	HRS	1164.1	800 (+10%)						
	ENC	1054							
					PROC. REF: MM 72-00-00			PKG:1	
72-00-00-212-808 ^S	NO. 1 ENGINE - GENERAL VISUAL INSPECTION OF THE T6 TEMPERATURE INDICATING SYSTEM							Service	ATA:72
	MOS	21-Dec-23	12 (+30d)						
	HRS	1164.1	800 (+10%)						
	ENC	1054							
					PROC. REF: MM 72-00-00			PKG:1	
72-00-00-212-808 ^S	NO. 2 ENGINE - GENERAL VISUAL INSPECTION OF THE T6 TEMPERATURE INDICATING SYSTEM							Service	ATA:72
	MOS	21-Dec-23	12 (+30d)						
	HRS	1164.1	800 (+10%)						
	ENC	1054							
					PROC. REF: MM 72-00-00			PKG:1	
72-00-00-212-809 ^S	NO. 1 ENGINE - SPECIAL DETAILED INSPECTION OF THE FAN EXIT VANE (RETAINING) CLAMP							Service	ATA:72
	MOS	21-Dec-23	12 (+30d)						
	HRS	1164.1	800 (+10%)						
	ENC	1054							
					PROC. REF: MM 72-00-00			PKG:1	
72-00-00-212-809 ^S	NO. 2 ENGINE - SPECIAL DETAILED INSPECTION OF THE FAN EXIT VANE (RETAINING) CLAMP							Service	ATA:72
	MOS	21-Dec-23	12 (+30d)						
	HRS	1164.1	800 (+10%)						
	ENC	1054							
					PROC. REF: MM 72-00-00			PKG:1	
72-00-00-280-802	NO. 1 ENGINE - BORESCOPE INSPECT HP COMPRESSOR AND DIFFUSER EXIT DUCTS							Service	ATA:72
	MOS/MSC	03-Dec-21	A/R						
	HRS	682.22							
	ENC	755							
					PROC. REF: MM 72-00-00				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-00-00-280-802	NO. 2 ENGINE - BORESCOPE INSPECT HP COMPRESSOR AND DIFFUSER EXIT DUCTS							Service	ATA:72
	MOS/MSC	04-Dec-21	A/R						
	HRS	682.22							
	ENC	755							
	PROC. REF: MM 72-00-00								
72-00-00-280-818	NO. 1 ENGINE - INSPECT LOW UTILIZATION PROGRAM (IF REQUIRED - SEE NOTES)							Service	ATA:72
	MOS	21-Dec-23	24 (+1m)		21-Dec-25	21-Jan-26	524 d (+31)		
	HRS	1164.1							
	ENC	1054							
	PROC. REF: MM 72-00-00								
72-00-00-280-818	NO. 2 ENGINE - INSPECT LOW UTILIZATION PROGRAM (IF REQUIRED - SEE NOTES)							Service	ATA:72
	MOS	21-Dec-23	24 (+1m)		21-Dec-25	21-Jan-26	524 d (+31)		
	HRS	1164.1							
	ENC	1054							
	PROC. REF: MM 72-00-00								
72-00-00-280-820 ^S	NO. 1 ENGINE - SPECIAL DETAILED INSPECTION OF THE FAN EXIT VANES							Service	ATA:72
	MOS	21-Dec-23	12 (+30d)						
	HRS	1164.1	800 (+10%)						
	ENC	1054							
	PROC. REF: MM 72-00-00								
	PKG:1								
72-00-00-280-820 ^S	NO. 2 ENGINE - SPECIAL DETAILED INSPECTION OF THE FAN EXIT VANES							Service	ATA:72
	MOS	21-Dec-23	12 (+30d)						
	HRS	1164.1	800 (+10%)						
	ENC	1054							
	PROC. REF: MM 72-00-00								
	PKG:1								
72-00-00-640-802	NO. 1 ENGINE - GENERAL VISUAL INSPECTION OF THE ENGINE OIL LEVEL							Service	ATA:72
	MOS/MSC	03-Dec-21	BF/F						
	HRS	682.22							
	ENC	755							
	PROC. REF: MM 72-00-00								
72-00-00-640-802	NO. 2 ENGINE - GENERAL VISUAL INSPECTION OF THE ENGINE OIL LEVEL							Service	ATA:72
	MOS/MSC	03-Dec-21	BF/F						
	HRS	682.22							
	ENC	755							
	PROC. REF: MM 72-00-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-00-00-640-806	NO. 1 ENGINE - OIL ANALYSIS							Service	ATA:72
	MOS/MSC	03-Sep-01	A/R						
	HRS	0							
	ENC	0							
	PROC. REF: MM 72-00-00								
72-00-00-640-806	NO. 2 ENGINE - OIL ANALYSIS							Service	ATA:72
	MOS/MSC	29-Aug-21	A/R						
	HRS	660.9							
	ENC	747							
	PROC. REF: MM 72-00-00								
72-00-01-810-822	NO. 1 ENGINE - TROUBLE SHOOT ENGINE OPERATING PROBLEMS - FAULT ISOLATION 3 (FIGURE 115)							Service	ATA:72
	MOS/MSC	03-Sep-11	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	ENC	0							
	PROC. REF: MM 72-00-01								
72-00-01-810-822	NO. 2 ENGINE - TROUBLE SHOOT ENGINE OPERATING PROBLEMS - FAULT ISOLATION 3 (FIGURE 115)							Service	ATA:72
	MOS/MSC	02-Sep-11	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	ENC	0							
	PROC. REF: MM 72-00-01								
72-00-51-030-002	NO. 1 ENGINE - DISCARD HP TURBINE NUT AND KEYWASHER							Service	ATA:72
	MOS	EFF						LIFE LIMIT	
	HRS	EFF	5000 (+100)		(5000) 5000 *	5100	3725 (+100)		
	ENC								
	PROC. REF: MM 72-50-01, MM 72-50-01								
72-00-51-030-002	NO. 2 ENGINE - DISCARD HP TURBINE NUT AND KEYWASHER							Service	ATA:72
	MOS	EFF						LIFE LIMIT	
	HRS	EFF	5000 (+100)		(5000) 5000 *	5100	3725 (+100)		
	ENC								
	PROC. REF: MM 72-50-01, MM 72-50-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-60-01-212-801	NO. 1 ENGINE - INSPECT THE AGB HYDRAULIC PUMP GEARSHAFT SPLINES							Service	ATA:72
	MOS	03-Dec-21							
	HRS	682.22	1200 (+100)		(1882.22) 1882.22	1982.22	607.2 (+100)		
	ENC	755							
	PROC. REF: GENERIC NO REF								
72-60-01-212-801	NO. 2 ENGINE - INSPECT THE AGB HYDRAULIC PUMP GEARSHAFT SPLINES							Service	ATA:72
	MOS	03-Dec-21							
	HRS	682.22	1200 (+100)		(1882.22) 1882.22	1982.22	607.2 (+100)		
	ENC	755							
	PROC. REF: GENERIC NO REF								
720010	NO. 1 ENGINE - OVERHAUL							Service	ATA:72
	MOS	03-Sep-11							
	HRS	0	5000 (+100)		(5000) 5000	5100	3725 (+100)		
	ENC	0							
	PROC. REF: GENERIC NO REF								
720010	NO. 2 ENGINE - OVERHAUL							Service	ATA:72
	MOS	02-Sep-11							
	HRS	0	5000 (+100)		(5000) 5000	5100	3725 (+100)		
	ENC	0							
	PROC. REF: GENERIC NO REF								
720060	NO. 1 ENGINE - HOT SECTION INSPECTION							Service	ATA:72
	MOS	03-Sep-11							
	HRS	0	2500 (+50)		(2500) 2500	2550	1225 (+50)		
	ENC	0							
	PROC. REF: MM 72-00-00								
720060	NO. 2 ENGINE - HOT SECTION INSPECTION							Service	ATA:72
	MOS	02-Sep-11							
	HRS	0	2500 (+50)		(2500) 2500	2550	1225 (+50)		
	ENC	0							
	PROC. REF: MM 72-00-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
722001	NO. 1 ENGINE - OIL PUMP							Component	ATA:72
PN:3073477-02	MOS/MSC	03-Sep-11	O/C	TSN 0					
SN:EC01A003A357	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: MM 79-20-02, MM 79-20-02									
722001	NO. 2 ENGINE - OIL PUMP							Component	ATA:72
PN:3073477-02	MOS/MSC	02-Sep-11	O/C	TSN 0					
SN:EC01A003A356	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: MM 79-20-02, MM 79-20-02									
723004	NO. 1 ENGINE - LP SHAFT ASSEMBLY							Component	ATA:72
PN:3073356-01	MOS	03-Sep-11		TSN 0				LIFE LIMIT	
SN:A0031146	HRS	0		TSN 0					
	ENC	0		TSN 0	(30000) 30000 (M)		28884		
	ACCCYC	0	30000	TSN 0					
PROC. REF: GENERIC NO REF									
723004	NO. 2 ENGINE - LP SHAFT ASSEMBLY							Component	ATA:72
PN:3073356-01	MOS	02-Sep-11		TSN 0				LIFE LIMIT	
SN:A0030HLH	HRS	0		TSN 0					
	ENC	0		TSN 0	(30000) 30000 (M)		28884		
	ACCCYC	0	30000	TSN 0					
PROC. REF: GENERIC NO REF									
723010	NO. 1 ENGINE - LP COMPRESSOR FAN ROTOR							Component	ATA:72
PN:3073311-01	MOS	03-Sep-11		TSN 0				LIFE LIMIT	
SN:A0030M21	HRS	0		TSN 0					
	ENC	0		TSN 0	(15000) 15000 (M)		13884		
	ACCCYC	0	15000	TSN 0					
PROC. REF: MM 72-30-01, MM 72-30-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
723010	NO. 2 ENGINE - LP COMPRESSOR FAN ROTOR							Component	ATA:72
PN:3073311-01	MOS	02-Sep-11		TSN 0				LIFE LIMIT	
SN:A0031P72	HRS	0		TSN 0					
	ENC	0		TSN 0	(15000)		13884		
	ACCCYC	0	15000	TSN 0	15000 (M)				
PROC. REF: MM 72-30-01, MM 72-30-01									
723020	NO. 1 ENGINE - LP COMPRESSOR INLET ROTOR							Component	ATA:72
PN:3073292-01	MOS	03-Sep-11		TSN 0				LIFE LIMIT	
SN:TXA1C4884	HRS	0		TSN 0					
	ENC	0		TSN 0	(15000)		13884		
	ACCCYC	0	15000	TSN 0	15000 (M)				
PROC. REF: GENERIC NO REF									
723020	NO. 2 ENGINE - LP COMPRESSOR INLET ROTOR							Component	ATA:72
PN:3073292-01	MOS	02-Sep-11		TSN 0				LIFE LIMIT	
SN:TXA1C4880	HRS	0		TSN 0					
	ENC	0		TSN 0	(15000)		13884		
	ACCCYC	0	15000	TSN 0	15000 (M)				
PROC. REF: GENERIC NO REF									
723030	NO. 1 ENGINE - 1ST STAGE HP COMPRESSOR ROTOR							Component	ATA:72
PN:3072981-01	MOS	03-Sep-11		TSN 0				LIFE LIMIT	
SN:A00315Y1	HRS	0		TSN 0					
	ENC	0		TSN 0	(13500)		12384		
	ACCCYC	0	13500	TSN 0	13500 (M)				
PROC. REF: GENERIC NO REF									
723030	NO. 2 ENGINE - 1ST STAGE HP COMPRESSOR ROTOR							Component	ATA:72
PN:3072981-01	MOS	02-Sep-11		TSN 0				LIFE LIMIT	
SN:A00315Y4	HRS	0		TSN 0					
	ENC	0		TSN 0	(13500)		12384		
	ACCCYC	0	13500	TSN 0	13500 (M)				
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
723040	NO. 1 ENGINE - 2ND STAGE HP COMPRESSOR ROTOR							Component	ATA:72
PN:3056210-01	MOS	03-Sep-11		TSN 0				LIFE LIMIT	
SN:EAB000X629	HRS	0		TSN 0					
	ENC	0		TSN 0	(13500) 13500 (M)		12384		
	ACCCYC	0	13500	TSN 0					
PROC. REF: GENERIC NO REF									
723040	NO. 2 ENGINE - 2ND STAGE HP COMPRESSOR ROTOR							Component	ATA:72
PN:3056210-01	MOS	02-Sep-11		TSN 0				LIFE LIMIT	
SN:EAB000P648	HRS	0		TSN 0					
	ENC	0		TSN 0	(13500) 13500 (M)		12384		
	ACCCYC	0	13500	TSN 0					
PROC. REF: GENERIC NO REF									
723050	NO. 1 ENGINE - FAN CASE ASSEMBLY							Component	ATA:72
PN:3074676-01	MOS/MSC	03-Sep-11	O/C	TSN 0					
SN:EDA01107M	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: MM 72-30-02, MM 72-30-02									
723050	NO. 2 ENGINE - FAN CASE ASSEMBLY							Component	ATA:72
PN:3074676-01	MOS/MSC	02-Sep-11	O/C	TSN 0					
SN:EDA01107X	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: MM 72-30-02, MM 72-30-02									
723070	NO. 1 ENGINE - INTERMEDIATE CASE ASSEMBLY							Component	ATA:72
PN:3075850-01	MOS/MSC	03-Sep-11	O/C	TSN 0					
SN:A0031RML	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
723070	NO. 2 ENGINE - INTERMEDIATE CASE ASSEMBLY							Component	ATA:72
PN:3075850-01	MOS/MSC	02-Sep-11	O/C	TSN 0					
SN:A0031WD2	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
723080	NO. 1 ENGINE - GAS GENERATOR CASE ASSEMBLY							Component	ATA:72
PN:3076150-01	MOS/MSC	03-Sep-11	O/C	TSN 0					
SN:RWA410105	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
723080	NO. 2 ENGINE - GAS GENERATOR CASE ASSEMBLY							Component	ATA:72
PN:3076150-01	MOS/MSC	02-Sep-11	O/C	TSN 0					
SN:RWA41D155	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
723090	NO. 1 ENGINE - GAS GENERATOR DIFFUSER							Component	ATA:72
PN:3073236-01	MOS/MSC	03-Sep-11	O/C	TSN 0					
SN:A0032624	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
723090	NO. 2 ENGINE - GAS GENERATOR DIFFUSER							Component	ATA:72
PN:3073236-01	MOS/MSC	02-Sep-11	O/C	TSN 0					
SN:A003207A	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
723095	NO. 1 ENGINE - SPIRAL BEVEL GEARBOX DRIVE GEAR SHAFT							Component	ATA:72
PN:3052673-01	MOS/MSC	03-Sep-11	O/C	TSN 0					
SN:PKAAA390610	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
723095	NO. 2 ENGINE - SPIRAL BEVEL GEARBOX DRIVE GEAR SHAFT							Component	ATA:72
PN:3052673-01	MOS/MSC	02-Sep-11	O/C	TSN 0					
SN:PKAAA383578	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
723110	NO. 1 ENGINE - NO. 3 SEAL BEARING RUNNER							Component	ATA:72
PN:3052668-01	MOS/MSC	03-Sep-11	O/C	TSN 0					
SN:AFD00F770	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
723110	NO. 2 ENGINE - NO. 3 SEAL BEARING RUNNER							Component	ATA:72
PN:3052668-01	MOS/MSC	02-Sep-11	O/C		TSN 0				
SN:AFD00F767	HRS	0			TSN 0				
	ENC	0			TSN 0				
PROC. REF: GENERIC NO REF									
723120	NO. 1 ENGINE - REAR NO. 4 SEAL BEARING RUNNER							Component	ATA:72
PN:3072571-01	MOS/MSC	03-Sep-11	O/C		TSN 0				
SN:UAAA2980	HRS	0			TSN 0				
	ENC	0			TSN 0				
PROC. REF: GENERIC NO REF									
723120	NO. 2 ENGINE - REAR NO. 4 SEAL BEARING RUNNER							Component	ATA:72
PN:3072571-01	MOS/MSC	02-Sep-11	O/C		TSN 0				
SN:UAAA2766	HRS	0			TSN 0				
	ENC	0			TSN 0				
PROC. REF: GENERIC NO REF									
723130	NO. 1 ENGINE - FRONT NO. 4 SEAL BEARING RUNNER							Component	ATA:72
PN:3072572-01	MOS/MSC	03-Sep-11	O/C		TSN 0				
SN:UAAA2546	HRS	0			TSN 0				
	ENC	0			TSN 0				
PROC. REF: GENERIC NO REF									
723130	NO. 2 ENGINE - FRONT NO. 4 SEAL BEARING RUNNER							Component	ATA:72
PN:3072572-01	MOS/MSC	02-Sep-11	O/C		TSN 0				
SN:UAAA2512	HRS	0			TSN 0				
	ENC	0			TSN 0				
PROC. REF: GENERIC NO REF									
723140	NO. 1 ENGINE - NO. 4 SCOOP OIL BEARING							Component	ATA:72
PN:3052737-01	MOS/MSC	03-Sep-11	O/C		TSN 0				
SN:LPA00010144	HRS	0			TSN 0				
	ENC	0			TSN 0				
PROC. REF: GENERIC NO REF									
723140	NO. 2 ENGINE - NO. 4 SCOOP OIL BEARING							Component	ATA:72
PN:3052737-01	MOS/MSC	02-Sep-11	O/C		TSN 0				
SN:LPA00010130	HRS	0			TSN 0				
	ENC	0			TSN 0				
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
723150	NO. 1 ENGINE - HIGH PRESSURE SHAFT COMPRESSOR							Component	ATA:72
PN:3072574-01	MOS/MSC	03-Sep-11	O/C	TSN 0					
SN:EAAC000K829	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
723150	NO. 2 ENGINE - HIGH PRESSURE SHAFT COMPRESSOR							Component	ATA:72
PN:3072574-01	MOS/MSC	02-Sep-11	O/C	TSN 0					
SN:EAAC000H959	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
723160	NO. 1 ENGINE - HIGH PRESSURE COMPRESSOR ROTOR BALANCING ASSEMBLY - ANNULAR BALL BEARING							Component	ATA:72
PN:3052670-02	MOS/MSC	03-Sep-11	O/C	TSN 0					
SN:FCN336328	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
723160	NO. 2 ENGINE - HIGH PRESSURE COMPRESSOR ROTOR BALANCING ASSEMBLY - ANNULAR BALL BEARING							Component	ATA:72
PN:3052670-02	MOS/MSC	02-Sep-11	O/C	TSN 0					
SN:FCN336313	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
723170	NO. 1 ENGINE - SPIRAL BEVEL GEARBOX DRIVE GEAR SHAFT							Component	ATA:72
PN:3072280-01	MOS/MSC	03-Sep-11	O/C	TSN 0					
SN:PKAAA379600	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
723170	NO. 2 ENGINE - SPIRAL BEVEL GEARBOX DRIVE GEAR SHAFT							Component	ATA:72
PN:3072280-01	MOS/MSC	02-Sep-11	O/C	TSN 0					
SN:PKAAA388125	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
723180	NO. 1 ENGINE - FORWARD LOW PRESSURE SHAFT ASSEMBLY BALL ANNULAR BEARING							Component	ATA:72
PN:3052616-01	MOS/MSC	03-Sep-11	O/C	TSN 0					
SN:FCN331718	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
723180 NO. 2 ENGINE - FORWARD LOW PRESSURE SHAFT ASSEMBLY BALL ANNULAR BEARING								Component ATA:72
PN:3052616-01	MOS/MSC	02-Sep-11	O/C	TSN 0				
SN:FCN331719	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REF								
723190 NO. 1 ENGINE - REAR LOW PRESSURE SHAFT ASSEMBLY BALL ANNULAR BEARING								Component ATA:72
PN:3052634-01	MOS/MSC	03-Sep-11	O/C	TSN 0				
SN:FCN336344	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REF								
723190 NO. 2 ENGINE - REAR LOW PRESSURE SHAFT ASSEMBLY BALL ANNULAR BEARING								Component ATA:72
PN:3052634-01	MOS/MSC	02-Sep-11	O/C	TSN 0				
SN:FCN336341	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REF								
723705 NO. 1 ENGINE - 1ST STAGE LOW PRESSURE TURBINE DISK								Component ATA:72
PN:3053812-01	MOS	03-Sep-11		TSN 0				LIFE LIMIT
SN:A0031WY6	HRS	0		TSN 0				
	ENC	0		TSN 0	(13500) 13500 (M)		12384	
	ACCCYC	0	13500	TSN 0				
PROC. REF: GENERIC NO REF								
723705 NO. 2 ENGINE - 1ST STAGE LOW PRESSURE TURBINE DISK								Component ATA:72
PN:3053812-01	MOS	02-Sep-11		TSN 0				LIFE LIMIT
SN:A003225K	HRS	0		TSN 0				
	ENC	0		TSN 0	(13500) 13500 (M)		12384	
	ACCCYC	0	13500	TSN 0				
PROC. REF: GENERIC NO REF								
723706 NO. 1 ENGINE - 2ND STAGE LOW PRESSURE TURBINE DISK								Component ATA:72
PN:3053743-01	MOS	03-Sep-11		TSN 0				LIFE LIMIT
SN:A00331XD5	HRS	0		TSN 0				
	ENC	0		TSN 0	(13500) 13500 (M)		12384	
	ACCCYC	0	13500	TSN 0				
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
723706	NO. 2 ENGINE - 2ND STAGE LOW PRESSURE TURBINE DISK							Component	ATA:72
PN:3053743-01	MOS	02-Sep-11		TSN 0				LIFE LIMIT	
SN:A0031XD6	HRS	0		TSN 0					
	ENC	0		TSN 0	(13500)		12384		
	ACCCYC	0	13500	TSN 0	13500 (M)				
PROC. REF: GENERIC NO REF									
724001	NO. 1 ENGINE - INNER COMBUSTION LINER							Component	ATA:72
PN:3075516-01	MOS/MSC	03-Sep-11	O/C	TSN 0					
SN:A00314H0	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: MM 72-40-01, MM 72-40-01									
724001	NO. 2 ENGINE - INNER COMBUSTION LINER							Component	ATA:72
PN:3075516-01	MOS/MSC	02-Sep-11	O/C	TSN 0					
SN:A00316NN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: MM 72-40-01, MM 72-40-01									
724002	NO. 1 ENGINE - OUTER COMBUSTION LINER							Component	ATA:72
PN:3075522-01	MOS/MSC	03-Sep-11	O/C	TSN 0					
SN:A0031EAL	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: MM 72-40-01, MM 72-40-01									
724002	NO. 2 ENGINE - OUTER COMBUSTION LINER							Component	ATA:72
PN:3075522-01	MOS/MSC	02-Sep-11	O/C	TSN 0					
SN:A0031LXH	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: MM 72-40-01, MM 72-40-01									
724010	NO. 1 ENGINE - TURBINE SUPPORT CASE ASSEMBLY							Component	ATA:72
PN:3075468-01	MOS/MSC	03-Sep-11	O/C	TSN 0					
SN:ACM221830268	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
724010	NO. 2 ENGINE - TURBINE SUPPORT CASE ASSEMBLY							Component	ATA:72
PN:3075468-01	MOS/MSC	02-Sep-11	O/C	TSN 0					
SN:ACM221830084	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
724706	NO. 1 ENGINE - HIGH PRESSURE TURBINE DISK							Component	ATA:72
PN:3053331-01	MOS	03-Sep-11		TSN 0				LIFE LIMIT	
SN:A0031RXB	HRS	0		TSN 0					
	ENC	0		TSN 0	(10000)		8884		
	ACCCYC	0	10000	TSN 0	10000 (M)				
PROC. REF: MM 72-50-01, MM 72-50-01									
724706	NO. 2 ENGINE - HIGH PRESSURE TURBINE DISK							Component	ATA:72
PN:3053331-01	MOS	02-Sep-11		TSN 0				LIFE LIMIT	
SN:A0031RX9	HRS	0		TSN 0					
	ENC	0		TSN 0	(10000)		8884		
	ACCCYC	0	10000	TSN 0	10000 (M)				
PROC. REF: MM 72-50-01, MM 72-50-01									
724825	NO. 1 ENGINE - CENTRIFUGAL IMPELLER							Component	ATA:72
PN:3052661-01	MOS	03-Sep-11		TSN 0				LIFE LIMIT	
SN:A0031TN8	HRS	0		TSN 0					
	ENC	0		TSN 0	(13500)		12384		
	ACCCYC	0	13500	TSN 0	13500 (M)				
PROC. REF: GENERIC NO REF									
724825	NO. 2 ENGINE - CENTRIFUGAL IMPELLER							Component	ATA:72
PN:3052661-01	MOS	02-Sep-11		TSN 0				LIFE LIMIT	
SN:A0031TN7	HRS	0		TSN 0					
	ENC	0		TSN 0	(13500)		12384		
	ACCCYC	0	13500	TSN 0	13500 (M)				
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
725010	NO. 1 ENGINE - NO. 1 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3074951-01	MOS/MSC	03-Sep-11	O/C	TSN 0					
SN:HWFC5868	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 1 ENGINE - NO. 10 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3074951-01	MOS/MSC	03-Sep-11	O/C	TSN 0					
SN:HWFE0032	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 1 ENGINE - NO. 11 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3074951-01	MOS/MSC	03-Sep-11	O/C	TSN 0					
SN:HWFE0034	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 1 ENGINE - NO. 12 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3074951-01	MOS/MSC	03-Sep-11	O/C	TSN 0					
SN:HWFE0050	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 1 ENGINE - NO. 13 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3074951-01	MOS/MSC	03-Sep-11	O/C	TSN 0					
SN:HWFE0059	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 1 ENGINE - NO. 14 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3074951-01	MOS/MSC	03-Sep-11	O/C	TSN 0					
SN:HWFE0063	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 1 ENGINE - NO. 15 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3074951-01	MOS/MSC	03-Sep-11	O/C	TSN 0					
SN:HWFE0068	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
725010	NO. 1 ENGINE - NO. 16 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3074951-01	MOS/MSC	03-Sep-11	O/C	TSN 0					
SN:HWFE0073	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 1 ENGINE - NO. 17 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3074951-01	MOS/MSC	03-Sep-11	O/C	TSN 0					
SN:HWFE0077	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 1 ENGINE - NO. 18 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3074951-01	MOS/MSC	03-Sep-11	O/C	TSN 0					
SN:HWFE0081	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 1 ENGINE - NO. 19 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3074951-01	MOS/MSC	03-Sep-11	O/C	TSN 0					
SN:HWFE0094	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 1 ENGINE - NO. 2 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3074951-01	MOS/MSC	03-Sep-11	O/C	TSN 0					
SN:HWFD3599	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 1 ENGINE - NO. 20 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3074951-01	MOS/MSC	03-Sep-11	O/C	TSN 0					
SN:HWFE4941	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 1 ENGINE - NO. 21 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3074951-01	MOS/MSC	03-Sep-11	O/C	TSN 0					
SN:HWFE4943	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
725010	NO. 1 ENGINE - NO. 22 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3074951-01	MOS/MSC	03-Sep-11	O/C	TSN 0					
SN:HWFE4972	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 1 ENGINE - NO. 23 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3074951-01	MOS/MSC	03-Sep-11	O/C	TSN 0					
SN:HWFE4976	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 1 ENGINE - NO. 24 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3074951-01	MOS/MSC	03-Sep-11	O/C	TSN 0					
SN:HWFE5038	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 1 ENGINE - NO. 25 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3074951-01	MOS/MSC	03-Sep-11	O/C	TSN 0					
SN:HWFE5084	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 1 ENGINE - NO. 26 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3074951-01	MOS/MSC	03-Sep-11	O/C	TSN 0					
SN:HWFE5104	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 1 ENGINE - NO. 27 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3074951-01	MOS/MSC	03-Sep-11	O/C	TSN 0					
SN:HWFE5121	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 1 ENGINE - NO. 28 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3074951-01	MOS/MSC	03-Sep-11	O/C	TSN 0					
SN:HWFE5153	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
725010	NO. 1 ENGINE - NO. 29 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3074951-01	MOS/MSC	03-Sep-11	O/C	TSN 0					
SN:HWFE5173	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 1 ENGINE - NO. 3 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3074951-01	MOS/MSC	03-Sep-11	O/C	TSN 0					
SN:HWFD9992	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 1 ENGINE - NO. 30 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3074951-01	MOS/MSC	03-Sep-11	O/C	TSN 0					
SN:HWFH1850	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 1 ENGINE - NO. 31 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3074951-01	MOS/MSC	03-Sep-11	O/C	TSN 0					
SN:HWFH1853	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 1 ENGINE - NO. 32 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3074951-01	MOS/MSC	03-Sep-11	O/C	TSN 0					
SN:HWFH1854	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 1 ENGINE - NO. 33 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3074951-01	MOS/MSC	03-Sep-11	O/C	TSN 0					
SN:HWFH1857	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 1 ENGINE - NO. 34 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3074951-01	MOS/MSC	03-Sep-11	O/C	TSN 0					
SN:HWFH1863	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
725010	NO. 1 ENGINE - NO. 35 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3074951-01	MOS/MSC	03-Sep-11	O/C	TSN 0					
SN:HWFH1867	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 1 ENGINE - NO. 36 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3074951-01	MOS/MSC	03-Sep-11	O/C	TSN 0					
SN:HWFH1875	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 1 ENGINE - NO. 37 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3074951-01	MOS/MSC	03-Sep-11	O/C	TSN 0					
SN:HWFH1877	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 1 ENGINE - NO. 38 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3074951-01	MOS/MSC	03-Sep-11	O/C	TSN 0					
SN:HWFH1889	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 1 ENGINE - NO. 39 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3074951-01	MOS/MSC	03-Sep-11	O/C	TSN 0					
SN:HWFH1893	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 1 ENGINE - NO. 4 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3074951-01	MOS/MSC	03-Sep-11	O/C	TSN 0					
SN:HWFD9994	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 1 ENGINE - NO. 40 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3074951-01	MOS/MSC	03-Sep-11	O/C	TSN 0					
SN:HWFH1911	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
725010	NO. 1 ENGINE - NO. 41 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3074951-01	MOS/MSC	03-Sep-11	O/C	TSN 0					
SN:HWFH1913	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 1 ENGINE - NO. 42 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3074951-01	MOS/MSC	03-Sep-11	O/C	TSN 0					
SN:HWFH1915	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 1 ENGINE - NO. 43 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3074951-01	MOS/MSC	03-Sep-11	O/C	TSN 0					
SN:HWFH1921	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 1 ENGINE - NO. 44 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3074951-01	MOS/MSC	03-Sep-11	O/C	TSN 0					
SN:HWFH1935	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 1 ENGINE - NO. 45 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3074951-01	MOS/MSC	03-Sep-11	O/C	TSN 0					
SN:HWFH1937	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 1 ENGINE - NO. 46 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3074951-01	MOS/MSC	03-Sep-11	O/C	TSN 0					
SN:HWFH1945	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 1 ENGINE - NO. 47 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3074951-01	MOS/MSC	03-Sep-11	O/C	TSN 0					
SN:HWFH1947	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
725010	NO. 1 ENGINE - NO. 48 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3074951-01	MOS/MSC	03-Sep-11	O/C	TSN 0					
SN:HWFH1949	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 1 ENGINE - NO. 49 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3074951-01	MOS/MSC	03-Sep-11	O/C	TSN 0					
SN:HWFH1953	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 1 ENGINE - NO. 5 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3074951-01	MOS/MSC	03-Sep-11	O/C	TSN 0					
SN:HWFD0003	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 1 ENGINE - NO. 50 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3074951-01	MOS/MSC	03-Sep-11	O/C	TSN 0					
SN:HWFH2942	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 1 ENGINE - NO. 51 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3074951-01	MOS/MSC	03-Sep-11	O/C	TSN 0					
SN:HWFH2947	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 1 ENGINE - NO. 52 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3074951-01	MOS/MSC	03-Sep-11	O/C	TSN 0					
SN:HWFH2959	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 1 ENGINE - NO. 53 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3074951-01	MOS/MSC	03-Sep-11	O/C	TSN 0					
SN:HWFH2962	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
725010	NO. 1 ENGINE - NO. 54 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3074951-01	MOS/MSC	03-Sep-11	O/C	TSN 0					
SN:HWFH2964	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 1 ENGINE - NO. 55 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3074951-01	MOS/MSC	03-Sep-11	O/C	TSN 0					
SN:HWFH2972	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 1 ENGINE - NO. 56 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3074951-01	MOS/MSC	03-Sep-11	O/C	TSN 0					
SN:HWFH2993	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 1 ENGINE - NO. 57 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3074951-01	MOS/MSC	03-Sep-11	O/C	TSN 0					
SN:HWFH2996	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 1 ENGINE - NO. 58 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3074951-01	MOS/MSC	03-Sep-11	O/C	TSN 0					
SN:HWFH3005	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 1 ENGINE - NO. 59 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3074951-01	MOS/MSC	03-Sep-11	O/C	TSN 0					
SN:HWFH3010	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 1 ENGINE - NO. 6 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3074951-01	MOS/MSC	03-Sep-11	O/C	TSN 0					
SN:HWFE0007	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
725010	NO. 1 ENGINE - NO. 60 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3074951-01	MOS/MSC	03-Sep-11	O/C	TSN 0					
SN:HWFH3028	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 1 ENGINE - NO. 7 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3074951-01	MOS/MSC	03-Sep-11	O/C	TSN 0					
SN:HWFE0014	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010 ^U	NO. 1 ENGINE - NO. 70 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3074951-01	MOS/MSC	03-Sep-11	O/C	TSN 0					
SN:HWFH3454	HRS	0		TSN 0					
	ENC	0		TSN 0					
725010	NO. 1 ENGINE - NO. 8 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3074951-01	MOS/MSC	03-Sep-11	O/C	TSN 0					
SN:HWFE0023	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 1 ENGINE - NO. 9 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3074951-01	MOS/MSC	03-Sep-11	O/C	TSN 0					
SN:HWFE0024	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 1 ENGINE - NO.61 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3074951-01	MOS/MSC	03-Sep-11	O/C	TSN 0					
SN:HWFH3035	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 1 ENGINE - NO.62 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3074951-01	MOS/MSC	03-Sep-11	O/C	TSN 0					
SN:HWFH3040	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
725010	NO. 1 ENGINE - NO.63 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3074951-01	MOS/MSC	03-Sep-11	O/C	TSN 0					
SN:HWFH3045	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 1 ENGINE - NO.64 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3074951-01	MOS/MSC	03-Sep-11	O/C	TSN 0					
SN:HWFH3050	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 1 ENGINE - NO.65 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3074951-01	MOS/MSC	03-Sep-11	O/C	TSN 0					
SN:HWFH3051	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 1 ENGINE - NO.66 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3074951-01	MOS/MSC	03-Sep-11	O/C	TSN 0					
SN:HWFH3055	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 1 ENGINE - NO.67 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3074951-01	MOS/MSC	03-Sep-11	O/C	TSN 0					
SN:HWFH3067	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 1 ENGINE - NO.68 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3074951-01	MOS/MSC	03-Sep-11	O/C	TSN 0					
SN:HWFH3069	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 1 ENGINE - NO.69 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3074951-01	MOS/MSC	03-Sep-11	O/C	TSN 0					
SN:HWFH3453	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
725010	NO. 2 ENGINE - NO. 1 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3074951-01	MOS/MSC	02-Sep-11	O/C	TSN 0					
SN:HWFE5195	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 2 ENGINE - NO. 10 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3074951-01	MOS/MSC	02-Sep-11	O/C	TSN 0					
SN:HWFF7671	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 2 ENGINE - NO. 11 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3074951-01	MOS/MSC	02-Sep-11	O/C	TSN 0					
SN:HWFF7685	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 2 ENGINE - NO. 12 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3074951-01	MOS/MSC	02-Sep-11	O/C	TSN 0					
SN:HWFF7691	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 2 ENGINE - NO. 13 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3074951-01	MOS/MSC	02-Sep-11	O/C	TSN 0					
SN:HWFF7692	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 2 ENGINE - NO. 14 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3074951-01	MOS/MSC	02-Sep-11	O/C	TSN 0					
SN:HWFF7695	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 2 ENGINE - NO. 15 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3074951-01	MOS/MSC	02-Sep-11	O/C	TSN 0					
SN:HWFF7703	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
725010	NO. 2 ENGINE - NO. 16 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3074951-01	MOS/MSC	02-Sep-11	O/C	TSN 0					
SN:HWFF7706	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 2 ENGINE - NO. 17 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3074951-01	MOS/MSC	02-Sep-11	O/C	TSN 0					
SN:HWFF7712	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 2 ENGINE - NO. 18 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3074951-01	MOS/MSC	02-Sep-11	O/C	TSN 0					
SN:HWFF7716	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 2 ENGINE - NO. 19 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3074951-01	MOS/MSC	02-Sep-11	O/C	TSN 0					
SN:HWFF7725	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 2 ENGINE - NO. 2 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3074951-01	MOS/MSC	02-Sep-11	O/C	TSN 0					
SN:HWFE5196	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 2 ENGINE - NO. 20 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3074951-01	MOS/MSC	02-Sep-11	O/C	TSN 0					
SN:HWFF7736	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 2 ENGINE - NO. 21 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3074951-01	MOS/MSC	02-Sep-11	O/C	TSN 0					
SN:HWFF7738	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
725010	NO. 2 ENGINE - NO. 22 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3074951-01	MOS/MSC	02-Sep-11	O/C	TSN 0					
SN:HWFF7741	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 2 ENGINE - NO. 23 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3074951-01	MOS/MSC	02-Sep-11	O/C	TSN 0					
SN:HWFF7749	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 2 ENGINE - NO. 24 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3074951-01	MOS/MSC	02-Sep-11	O/C	TSN 0					
SN:HWFF7752	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 2 ENGINE - NO. 25 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3074951-01	MOS/MSC	02-Sep-11	O/C	TSN 0					
SN:HWFH1713	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 2 ENGINE - NO. 26 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3074951-01	MOS/MSC	02-Sep-11	O/C	TSN 0					
SN:HWFH1717	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 2 ENGINE - NO. 27 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3074951-01	MOS/MSC	02-Sep-11	O/C	TSN 0					
SN:HWFH1729	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 2 ENGINE - NO. 28 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3074951-01	MOS/MSC	02-Sep-11	O/C	TSN 0					
SN:HWFH1737	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
725010	NO. 2 ENGINE - NO. 29 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3074951-01	MOS/MSC	02-Sep-11	O/C	TSN 0					
SN:HWFH1740	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 2 ENGINE - NO. 3 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3074951-01	MOS/MSC	02-Sep-11	O/C	TSN 0					
SN:HWFF7633	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 2 ENGINE - NO. 30 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3074951-01	MOS/MSC	02-Sep-11	O/C	TSN 0					
SN:HWFH1742	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 2 ENGINE - NO. 31 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3074951-01	MOS/MSC	02-Sep-11	O/C	TSN 0					
SN:HWFH1744	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 2 ENGINE - NO. 32 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3074951-01	MOS/MSC	02-Sep-11	O/C	TSN 0					
SN:HWFH1766	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 2 ENGINE - NO. 33 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3074951-01	MOS/MSC	02-Sep-11	O/C	TSN 0					
SN:HWFH1768	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 2 ENGINE - NO. 34 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3074951-01	MOS/MSC	02-Sep-11	O/C	TSN 0					
SN:HWFH1769	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
725010	NO. 2 ENGINE - NO. 35 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3074951-01	MOS/MSC	02-Sep-11	O/C	TSN 0					
SN:HWFH1770	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 2 ENGINE - NO. 36 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3074951-01	MOS/MSC	02-Sep-11	O/C	TSN 0					
SN:HWFH1779	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 2 ENGINE - NO. 37 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3074951-01	MOS/MSC	02-Sep-11	O/C	TSN 0					
SN:HWFH1786	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 2 ENGINE - NO. 38 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3074951-01	MOS/MSC	02-Sep-11	O/C	TSN 0					
SN:HWFH1787	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 2 ENGINE - NO. 39 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3074951-01	MOS/MSC	02-Sep-11	O/C	TSN 0					
SN:HWFH1788	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 2 ENGINE - NO. 4 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3074951-01	MOS/MSC	02-Sep-11	O/C	TSN 0					
SN:HWFH7639	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 2 ENGINE - NO. 40 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3074951-01	MOS/MSC	02-Sep-11	O/C	TSN 0					
SN:HWFH1790	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
725010	NO. 2 ENGINE - NO. 41 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3074951-01	MOS/MSC	02-Sep-11	O/C	TSN 0					
SN:HWFH1795	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 2 ENGINE - NO. 42 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3074951-01	MOS/MSC	02-Sep-11	O/C	TSN 0					
SN:HWFH1805	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 2 ENGINE - NO. 43 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3074951-01	MOS/MSC	02-Sep-11	O/C	TSN 0					
SN:HWFH1809	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 2 ENGINE - NO. 44 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3074951-01	MOS/MSC	02-Sep-11	O/C	TSN 0					
SN:HWFH1810	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 2 ENGINE - NO. 45 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3074951-01	MOS/MSC	02-Sep-11	O/C	TSN 0					
SN:HWFH1816	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 2 ENGINE - NO. 46 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3074951-01	MOS/MSC	02-Sep-11	O/C	TSN 0					
SN:HWFH1817	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 2 ENGINE - NO. 47 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3074951-01	MOS/MSC	02-Sep-11	O/C	TSN 0					
SN:HWFH1818	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
725010	NO. 2 ENGINE - NO. 48 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3074951-01	MOS/MSC	02-Sep-11	O/C	TSN 0					
SN:HWFH1819	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 2 ENGINE - NO. 49 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3074951-01	MOS/MSC	02-Sep-11	O/C	TSN 0					
SN:HWFH1826	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 2 ENGINE - NO. 5 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3074951-01	MOS/MSC	02-Sep-11	O/C	TSN 0					
SN:HWFF7644	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 2 ENGINE - NO. 50 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3074951-01	MOS/MSC	02-Sep-11	O/C	TSN 0					
SN:HWFH1828	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 2 ENGINE - NO. 51 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3074951-01	MOS/MSC	02-Sep-11	O/C	TSN 0					
SN:HWFH1830	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 2 ENGINE - NO. 52 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3074951-01	MOS/MSC	02-Sep-11	O/C	TSN 0					
SN:HWFH1840	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 2 ENGINE - NO. 53 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3074951-01	MOS/MSC	02-Sep-11	O/C	TSN 0					
SN:HWFH3336	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
725010	NO. 2 ENGINE - NO. 54 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3074951-01	MOS/MSC	02-Sep-11	O/C	TSN 0					
SN:HWFH3342	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 2 ENGINE - NO. 55 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3074951-01	MOS/MSC	02-Sep-11	O/C	TSN 0					
SN:HWFH3351	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 2 ENGINE - NO. 56 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3074951-01	MOS/MSC	02-Sep-11	O/C	TSN 0					
SN:HWFH3362	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 2 ENGINE - NO. 57 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3074951-01	MOS/MSC	02-Sep-11	O/C	TSN 0					
SN:HWFH3364	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 2 ENGINE - NO. 58 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3074951-01	MOS/MSC	02-Sep-11	O/C	TSN 0					
SN:HWFH3371	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 2 ENGINE - NO. 59 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3074951-01	MOS/MSC	02-Sep-11	O/C	TSN 0					
SN:HWFH3381	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 2 ENGINE - NO. 6 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3074951-01	MOS/MSC	02-Sep-11	O/C	TSN 0					
SN:HWFF7654	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
725010	NO. 2 ENGINE - NO. 60 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3074951-01	MOS/MSC	02-Sep-11	O/C	TSN 0					
SN:HWFH3385	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 2 ENGINE - NO. 7 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3074951-01	MOS/MSC	02-Sep-11	O/C	TSN 0					
SN:HWFF7657	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 2 ENGINE - NO. 8 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3074951-01	MOS/MSC	02-Sep-11	O/C	TSN 0					
SN:HWFF7664	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 2 ENGINE - NO. 9 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3074951-01	MOS/MSC	02-Sep-11	O/C	TSN 0					
SN:HWFF7666	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 2 ENGINE - NO.61 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3074951-01	MOS/MSC	02-Sep-11	O/C	TSN 0					
SN:HWFH3386	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 2 ENGINE - NO.62 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3074951-01	MOS/MSC	02-Sep-11	O/C	TSN 0					
SN:HWFH3419	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 2 ENGINE - NO.63 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3074951-01	MOS/MSC	02-Sep-11	O/C	TSN 0					
SN:HWFH3420	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
725010	NO. 2 ENGINE - NO.64 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3074951-01	MOS/MSC	02-Sep-11	O/C	TSN 0					
SN:HWFH3429	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 2 ENGINE - NO.65 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3074951-01	MOS/MSC	02-Sep-11	O/C	TSN 0					
SN:HWFH3441	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 2 ENGINE - NO.66 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3074951-01	MOS/MSC	02-Sep-11	O/C	TSN 0					
SN:HWFH3460	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 2 ENGINE - NO.67 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3074951-01	MOS/MSC	02-Sep-11	O/C	TSN 0					
SN:HWFH3464	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 2 ENGINE - NO.68 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3074951-01	MOS/MSC	02-Sep-11	O/C	TSN 0					
SN:HWFH3469	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 2 ENGINE - NO.69 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3074951-01	MOS/MSC	02-Sep-11	O/C	TSN 0					
SN:HWFH3470	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 2 ENGINE - NO.70 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:3074951-01	MOS/MSC	02-Sep-11	O/C	TSN 0					
SN:HWFH3471	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
725015	NO. 1 ENGINE - LOW PRESSURE TURBINE ROTOR ASSEMBLY ROLLER CYLINDRICAL BEARING							Component	ATA:72
PN:3073355-01	MOS/MSC	03-Sep-11	O/C	TSN 0					
SN:FCN336612	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725015	NO. 2 ENGINE - LOW PRESSURE TURBINE ROTOR ASSEMBLY ROLLER CYLINDRICAL BEARING							Component	ATA:72
PN:3073355-01	MOS/MSC	02-Sep-11	O/C	TSN 0					
SN:FCN336611	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725020	NO. 1 ENGINE - TURBINE EXHAUST CASE ASSEMBLY							Component	ATA:72
PN:3076552-01	MOS/MSC	03-Sep-11	O/C	TSN 0					
SN:RWA44D119	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: MM 72-50-03									
725020	NO. 2 ENGINE - TURBINE EXHAUST CASE ASSEMBLY							Component	ATA:72
PN:3076552-01	MOS/MSC	02-Sep-11	O/C	TSN 0					
SN:RWA43D919	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: MM 72-50-03									
725025	NO. 1 ENGINE - NO. 5 CARBON SEAL BEARING RUNNER							Component	ATA:72
PN:3073353-01	MOS/MSC	03-Sep-11	O/C	TSN 0					
SN:MDAA001A131	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725025	NO. 2 ENGINE - NO. 5 CARBON SEAL BEARING RUNNER							Component	ATA:72
PN:3073353-01	MOS/MSC	02-Sep-11	O/C	TSN 0					
SN:MDAA001A133	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725030	NO. 1 ENGINE - LOW PRESSURE (CASTING) TURBINE VANE RING							Component	ATA:72
PN:3052263CL01	MOS/MSC	03-Sep-11	O/C	TSN 0					
SN:PDAH1HYT01	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
725030	NO. 2 ENGINE - LOW PRESSURE (CASTING) TURBINE VANE RING							Component	ATA:72
PN:3052263CL01	MOS/MSC	02-Sep-11	O/C	TSN 0					
SN:PDAH1W1T01	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725035	NO. 1 ENGINE - TURBINE (CASTING) VANE RING							Component	ATA:72
PN:3052361CL01	MOS/MSC	03-Sep-11	O/C	TSN 0					
SN:PDAH1FWR01	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725035	NO. 2 ENGINE - TURBINE (CASTING) VANE RING							Component	ATA:72
PN:3052361CL01	MOS/MSC	02-Sep-11	O/C	TSN 0					
SN:PDAH1UBC01	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725040	NO. 1 ENGINE - LOW PRESSURE TURBINE VANE ASSEMBLY							Component	ATA:72
PN:3073262CL02	MOS/MSC	03-Sep-11	O/C	TSN 0					
SN:BHETCBE01	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725040	NO. 2 ENGINE - LOW PRESSURE TURBINE VANE ASSEMBLY							Component	ATA:72
PN:3073262CL02	MOS/MSC	02-Sep-11	O/C	TSN 0					
SN:BHETTDY01	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
726010	NO. 1 ENGINE - ROLLER CYLINDRICAL BEARING							Component	ATA:72
PN:3052549-01	MOS/MSC	03-Sep-11	O/C	TSN 0					
SN:FCN335538	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
726010	NO. 2 ENGINE - ROLLER CYLINDRICAL BEARING							Component	ATA:72
PN:3052549-01	MOS/MSC	02-Sep-11	O/C	TSN 0					
SN:FCN335178	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
726020	NO. 1 ENGINE - FORWARD HYDRAULIC PUMP DRIVE ROLLER FLANGED BEARING							Component	ATA:72
PN:3073908-01	MOS/MSC	03-Sep-11	O/C	TSN 0					
SN:AEB0117689	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
726020	NO. 2 ENGINE - FORWARD HYDRAULIC PUMP DRIVE ROLLER FLANGED BEARING							Component	ATA:72
PN:3073908-01	MOS/MSC	02-Sep-11	O/C	TSN 0					
SN:AEB0117702	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
726030	NO. 1 ENGINE - REAR HYDRAULIC PUMP DRIVE ROLLER FLANGED BEARING							Component	ATA:72
PN:3073908-01	MOS/MSC	03-Sep-11	O/C	TSN 0					
SN:AEB0117690	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
726030	NO. 2 ENGINE - REAR HYDRAULIC PUMP DRIVE ROLLER FLANGED BEARING							Component	ATA:72
PN:3073908-01	MOS/MSC	02-Sep-11	O/C	TSN 0					
SN:AEB0117703	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
726040	NO. 1 ENGINE - FORWARD FUEL CONTROL DRIVE ROLLER FLANGED BEARING							Component	ATA:72
PN:3073908-01	MOS/MSC	03-Sep-11	O/C	TSN 0					
SN:AEB0117691	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
726040	NO. 2 ENGINE - FORWARD FUEL CONTROL DRIVE ROLLER FLANGED BEARING							Component	ATA:72
PN:3073908-01	MOS/MSC	02-Sep-11	O/C	TSN 0					
SN:AEB0117704	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
726050	NO. 1 ENGINE - REAR FUEL CONTROL DRIVE ROLLER FLANGED BEARING							Component	ATA:72
PN:3073908-01	MOS/MSC	03-Sep-11	O/C	TSN 0					
SN:AEB0117692	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
726050 NO. 2 ENGINE - REAR FUEL CONTROL DRIVE ROLLER FLANGED BEARING								Component ATA:72
PN:3073908-01	MOS/MSC	02-Sep-11	O/C	TSN 0				
SN:AEB0117705	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REF								
726070 NO. 1 ENGINE - ACCESSORY DRIVE GEARSHAFT ASSEMBLY								Component ATA:72
PN:3072949-01	MOS/MSC	03-Sep-11	O/C	TSN 0				
SN:PKAAA378271	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REF								
726070 NO. 2 ENGINE - ACCESSORY DRIVE GEARSHAFT ASSEMBLY								Component ATA:72
PN:3072949-01	MOS/MSC	02-Sep-11	O/C	TSN 0				
SN:PKAAA378267	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REF								
726080 NO. 1 ENGINE - ACCESSORY GEARBOX DRIVE SHAFT								Component ATA:72
PN:3072279-01	MOS/MSC	03-Sep-11	O/C	TSN 0				
SN:RWA34D122	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REF								
726080 NO. 2 ENGINE - ACCESSORY GEARBOX DRIVE SHAFT								Component ATA:72
PN:3072279-01	MOS/MSC	02-Sep-11	O/C	TSN 0				
SN:RWA35D892	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REF								
726090 NO. 1 ENGINE - ACCESSORY GEARBOX DRIVE SHAFT BALL FLANGED BEARING								Component ATA:72
PN:3072235-01	MOS/MSC	03-Sep-11	O/C	TSN 0				
SN:FAA1103495	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REF								
726090 NO. 2 ENGINE - ACCESSORY GEARBOX DRIVE SHAFT BALL FLANGED BEARING								Component ATA:72
PN:3072235-01	MOS/MSC	02-Sep-11	O/C	TSN 0				
SN:FAA1103489	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
726110	NO. 1 ENGINE - ACCESSORY GEARBOX DRIVE SHAFT BALL ANNULAR BEARING							Component	ATA:72
PN:3052605-01	MOS/MSC	03-Sep-11	O/C	TSN 0					
SN:FAA1110961	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
726110	NO. 2 ENGINE - ACCESSORY GEARBOX DRIVE SHAFT BALL ANNULAR BEARING							Component	ATA:72
PN:3052605-01	MOS/MSC	02-Sep-11	O/C	TSN 0					
SN:FAA1110960	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
726130	NO. 1 ENGINE - SPLINED BEVEL GEARBOX DRIVE GEAR SHAFT							Component	ATA:72
PN:3072282-01	MOS/MSC	03-Sep-11	O/C	TSN 0					
SN:PKAAA387769	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
726130	NO. 2 ENGINE - SPLINED BEVEL GEARBOX DRIVE GEAR SHAFT							Component	ATA:72
PN:3072282-01	MOS/MSC	02-Sep-11	O/C	TSN 0					
SN:PKAAA387764	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
727010	NO. 1 ENGINE - FRONT OUTER BYPASS DUCT ASSEMBLY							Component	ATA:72
PN:3075013-01	MOS/MSC	03-Sep-11	O/C	TSN 0					
SN:KYAA008A672	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
727010	NO. 2 ENGINE - FRONT OUTER BYPASS DUCT ASSEMBLY							Component	ATA:72
PN:3075013-01	MOS/MSC	02-Sep-11	O/C	TSN 0					
SN:KYAA008A670	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
727020	NO. 1 ENGINE - REAR BYPASS DUCT ASSEMBLY							Component	ATA:72
PN:3074835-01	MOS/MSC	03-Sep-11	O/C	TSN 0					
SN:KYAA008A812	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: MM 72-70-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
727020	NO. 2 ENGINE - REAR BYPASS DUCT ASSEMBLY							Component	ATA:72
PN:3074835-01	MOS/MSC	02-Sep-11	O/C	TSN 0					
SN:KYAA008A572	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: MM 72-70-01									
793010	NO. 1 ENGINE - 7 O'CLOCK OIL LEVEL INDICATOR							Component	ATA:72
PN:3052535-02	MOS/MSC	03-Sep-11	O/C	TSN 0					
SN:HA1407	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
793010	NO. 2 ENGINE - 7 O'CLOCK OIL LEVEL INDICATOR							Component	ATA:72
PN:3052535-02	MOS/MSC	02-Sep-11	O/C	TSN 0					
SN:HA1432	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
ATA 73 - ENGINE FUEL AND CONTROL									
72-00-00-280-819 ^S	NO. 1 ENGINE - SPECIAL DETAILED INSPECTION OF THE EMERGENCY FUEL SHUTOFF VALVE LEVER ASSEMBLY							Service	ATA:73
	MOS	21-Dec-23	12 (+30d)						
	HRS	1164.1	800 (+10%)						
	ENC	1054							
PROC. REF: MM 72-00-00									
72-00-00-280-819 ^S	NO. 2 ENGINE - SPECIAL DETAILED INSPECTION OF THE EMERGENCY FUEL SHUTOFF VALVE LEVER ASSEMBLY							Service	ATA:73
	MOS	21-Dec-23	12 (+30d)						
	HRS	1164.1	800 (+10%)						
	ENC	1054							
PROC. REF: MM 72-00-00									
73-10-01-212-801	NO. 1 ENGINE - EXAMINE - FUEL MANIFOLD TRANSFER TUBES							Service	ATA:73
	MOS								
	HRS	EFF	5000 (+100)		(5000) 5000 * (M)	5100	3725 (+100)		
	ENC								
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 73 - ENGINE FUEL AND CONTROL									
73-10-01-212-801	NO. 2 ENGINE - EXAMINE - FUEL MANIFOLD TRANSFER TUBES							Service	ATA:73
	MOS								
	HRS	EFF	5000 (+100)		(5000) 5000 * (M)	5100	3725 (+100)		
	ENC								
PROC. REF: GENERIC NO REF									
73-10-04-000-801	NO. 1 ENGINE - DISCARD OF FUEL MANIFOLD ADAPTER ASSEMBLIES							Service	ATA:73
	MOS								
	HRS								
	ENC	EFF	9900		(9900) 9900 *		8784		
PROC. REF: MM 73-10-04									
73-10-04-000-801	NO. 2 ENGINE - DISCARD OF FUEL MANIFOLD ADAPTER ASSEMBLIES							Service	ATA:73
	MOS								
	HRS								
	ENC	EFF	9900		(9900) 9900 *		8784		
PROC. REF: MM 73-10-04									
73-10-05-212-801	NO. 1 ENGINE - GENERAL VISUAL INSPECTION (GVI) OF THE FUEL FILTER ELEMENT							Service	ATA:73
	MOS	21-Dec-23	12 (+30d)		31-Dec-24	20-Jan-25	169 d (+20)		
	HRS	1164.1							
	ENC	1054							
PROC. REF: MM 73-10-05									
73-10-05-212-801	NO. 2 ENGINE - GENERAL VISUAL INSPECTION (GVI) OF THE FUEL FILTER ELEMENT							Service	ATA:73
	MOS	21-Dec-23	12 (+30d)		31-Dec-24	20-Jan-25	169 d (+20)		
	HRS	1164.1							
	ENC	1054							
PROC. REF: MM 73-10-05									
73-10-05-960-801	NO. 1 ENGINE - DISCARD THE FUEL FILTER							Service	ATA:73
PN:3052624-01	MOS	27-Jan-18							
SN:UNKNOWN	HRS	554.9	800 (+10%)		(1354.9) 1354.9	1434.9	79.9 (+80)		
	ENC	595							
PROC. REF: MM 73-10-05, MM 73-10-05									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 73 - ENGINE FUEL AND CONTROL									
73-10-05-960-801	NO. 2 ENGINE - DISCARD THE FUEL FILTER							Service	ATA:73
PN:3052624-01	MOS	27-Jan-18							
SN:UNKNOWN	HRS	554.9	800 (+10%)		(1354.9) 1354.9	1434.9	79.9 (+80)		
	ENC								
PROC. REF: MM 73-10-05, MM 73-10-05									
73-10-07-212-801 ^S	NO. 1 ENGINE - GENERAL VISUAL INSPECTION OF THE FSOV CABLE							Service	ATA:73
	MOS	21-Dec-23	12 (+30d)						
	HRS	1164.1	800 (+10%)						
	ENC	1054							
PROC. REF: MM 73-10-07									
73-10-07-212-801 ^S	NO. 2 ENGINE - GENERAL VISUAL INSPECTION OF THE FSOV CABLE							Service	ATA:73
	MOS	21-Dec-23	12 (+30d)						
	HRS	1164.1	800 (+10%)						
	ENC	1054							
PROC. REF: MM 73-10-07									
73-20-01-212-801	NO. 1 ENGINE - GENERAL VISUAL INSPECTION, EXAMINE, AND TEST/ REPLACE - FUEL METERING UNIT							Service	ATA:73
PN:3071682-05	MOS								
SN:F72645	HRS	EFF	5000 (+100)		(5000) 5000 * (M)	5100	3725 (+100)		
	ENC								
PROC. REF: MM 73-20-01									
73-20-01-212-801	NO. 2 ENGINE - GENERAL VISUAL INSPECTION, EXAMINE, AND TEST/ REPLACE - FUEL METERING UNIT							Service	ATA:73
PN:3071682-05	MOS								
SN:F72646	HRS	EFF	5000 (+100)		(5000) 5000 * (M)	5100	3725 (+100)		
	ENC								
PROC. REF: MM 73-20-01									
73-20-02-212-801 ^S	NO. 1 ENGINE - GENERAL VISUAL INSPECTION OF THE ENGINE WIRING HARNESS							Service	ATA:73
	MOS	21-Dec-23	12 (+30d)						
	HRS	1164.1	800 (+10%)						
	ENC	1054							
PROC. REF: MM 73-20-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 73 - ENGINE FUEL AND CONTROL									
73-20-02-212-801 ^S	NO. 2 ENGINE - GENERAL VISUAL INSPECTION OF THE ENGINE WIRING HARNESS							Service	ATA:73
	MOS	21-Dec-23	12 (+30d)						
	HRS	1164.1	800 (+10%)						
	ENC	1054							
PROC. REF: MM 73-20-02								PKG:1	
73-20-10-212-801	NO. 1 ENGINE - EXAMINE AND DO A FUNCTIONAL TEST - ENGINE WIRING HARNESS							Service	ATA:73
	MOS								
	HRS	EFF	5000 (+100)		(5000) 5000 * (M)	5100	3725 (+100)		
	ENC								
PROC. REF: GENERIC NO REF									
73-20-10-212-801	NO. 2 ENGINE - EXAMINE AND DO A FUNCTIONAL TEST - ENGINE WIRING HARNESS							Service	ATA:73
	MOS								
	HRS	EFF	5000 (+100)		(5000) 5000 * (M)	5100	3725 (+100)		
	ENC								
PROC. REF: GENERIC NO REF									
73-20-20-212-801	NO. 1 ENGINE - OVERHAUL OR REFURBISH - FUEL NOZZLES							Service	ATA:73
	MOS								
	HRS	EFF	5000 (+100)		(5000) 5000 * (M)	5100	3725 (+100)		
	ENC								
PROC. REF: GENERIC NO REF									
73-20-20-212-801	NO. 2 ENGINE - OVERHAUL OR REFURBISH - FUEL NOZZLES							Service	ATA:73
	MOS								
	HRS	EFF	5000 (+100)		(5000) 5000 * (M)	5100	3725 (+100)		
	ENC								
PROC. REF: GENERIC NO REF									
73-20-30-212-801	NO. 1 ENGINE - EXAMINE AND DO A FUNCTIONAL TEST - FUEL FILTER DIFFERENTIAL PRESSURE SWITCH							Service	ATA:73
	MOS								
	HRS		5000 (+100)		(5000) 5000 (M)	5100	3725 (+100)		
	ENC								
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 73 - ENGINE FUEL AND CONTROL									
73-20-30-212-801	NO. 2 ENGINE - EXAMINE AND DO A FUNCTIONAL TEST - FUEL FILTER DIFFERENTIAL PRESSURE SWITCH							Service	ATA:73
	MOS								
	HRS		5000 (+100)		(5000) 5000 (M)	5100	3725 (+100)		
	ENC								
PROC. REF: GENERIC NO REF									
73-21-01	LEFT FADEC							Component	ATA:73
PN:1012300-3-003	MOS/MSC	23-Dec-15	O/C						
SN:2010080012	HRS	336.55			TSN 1093.1, TSR 0				
	AFL	336			TSN 696, TSR 0				
PROC. REF: AMM 73-21-01, AMM 73-21-01									
73-21-01	RIGHT FADEC							Component	ATA:73
PN:1012300-3-003	MOS/MSC	23-Dec-15	O/C						
SN:2010080036	HRS	336.55			TSN 1093.1, TSR 0				
	AFL	336			TSN 696, TSR 0				
PROC. REF: AMM 73-21-01, AMM 73-21-01									
73-30-02-212-801 ^S	NO. 1 ENGINE - SPECIAL DETAILED INSPECTION OF THE FUEL PRESSURE TRANSDUCER SENSOR							Service	ATA:73
	MOS	21-Dec-23	12 (+30d)						
	HRS	1164.1	800 (+10%)						
	ENC	1054							
PROC. REF: MM 73-30-02									
73-30-02-212-801 ^S	NO. 2 ENGINE - SPECIAL DETAILED INSPECTION OF THE FUEL PRESSURE TRANSDUCER SENSOR							Service	ATA:73
	MOS	21-Dec-23	12 (+30d)						
	HRS	1164.1	800 (+10%)						
	ENC	1054							
PROC. REF: MM 73-30-02									
73-33-01	LEFT ENGINE LOW ACCURACY ENGINE FUEL MASS FLOW FLOWMETER							Component	ATA:73
PN:8TJ300AAB2	MOS/MSC	20-Dec-11	O/C		TSN 0				
SN:26444	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM 73-33-01, AMM 73-33-01									
73-33-01	RIGHT ENGINE LOW ACCURACY ENGINE FUEL MASS FLOW FLOWMETER							Component	ATA:73
PN:8TJ300AAB2	MOS/MSC	20-Dec-11	O/C		TSN 0				
SN:26446	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM 73-33-01, AMM 73-33-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 73 - ENGINE FUEL AND CONTROL									
731005		NO. 1 ENGINE - FUEL FILTER						Component	ATA:73
PN:3052624-01	MOS/MSC	27-Jan-18	O/C						
SN:UNKNOWN	HRS	554.9							
	ENC	595							
PROC. REF: MM 73-10-05									
731005		NO. 2 ENGINE - FUEL FILTER						Component	ATA:73
PN:3052624-01	MOS/MSC	27-Jan-18	O/C						
SN:UNKNOWN	HRS	554.9							
	ENC								
PROC. REF: MM 73-10-05									
731010		NO. 1 ENGINE - NO. 1 FUEL NOZZLE ASSEMBLY						Component	ATA:73
PN:3057135-01	MOS/MSC	03-Sep-11	O/C	TSN 0					
SN:DE1BNU2062	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
731010		NO. 1 ENGINE - NO. 10 FUEL NOZZLE ASSEMBLY						Component	ATA:73
PN:3057135-01	MOS/MSC	03-Sep-11	O/C	TSN 0					
SN:DE1BPP0549	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
731010		NO. 1 ENGINE - NO. 11 FUEL NOZZLE ASSEMBLY						Component	ATA:73
PN:3057135-01	MOS/MSC	03-Sep-11	O/C	TSN 0					
SN:DE1BPP0551	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
731010		NO. 1 ENGINE - NO. 2 FUEL NOZZLE ASSEMBLY						Component	ATA:73
PN:3057135-01	MOS/MSC	03-Sep-11	O/C	TSN 0					
SN:DE1BNU2065	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
731010		NO. 1 ENGINE - NO. 3 FUEL NOZZLE ASSEMBLY						Component	ATA:73
PN:3057135-01	MOS/MSC	03-Sep-11	O/C	TSN 0					
SN:DE1BPA0531	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 73 - ENGINE FUEL AND CONTROL									
731010	NO. 1 ENGINE - NO. 4 FUEL NOZZLE ASSEMBLY							Component	ATA:73
PN:3057135-01	MOS/MSC	03-Sep-11	O/C		TSN 0				
SN:DE1BPP0539	HRS	0			TSN 0				
	ENC	0			TSN 0				
PROC. REF: GENERIC NO REF									
731010	NO. 1 ENGINE - NO. 5 FUEL NOZZLE ASSEMBLY							Component	ATA:73
PN:3057135-01	MOS/MSC	03-Sep-11	O/C		TSN 0				
SN:DE1BPP0540	HRS	0			TSN 0				
	ENC	0			TSN 0				
PROC. REF: GENERIC NO REF									
731010	NO. 1 ENGINE - NO. 6 FUEL NOZZLE ASSEMBLY							Component	ATA:73
PN:3057135-01	MOS/MSC	03-Sep-11	O/C		TSN 0				
SN:DE1BPP0543	HRS	0			TSN 0				
	ENC	0			TSN 0				
PROC. REF: GENERIC NO REF									
731010	NO. 1 ENGINE - NO. 7 FUEL NOZZLE ASSEMBLY							Component	ATA:73
PN:3057135-01	MOS/MSC	03-Sep-11	O/C		TSN 0				
SN:DE1BPP0544	HRS	0			TSN 0				
	ENC	0			TSN 0				
PROC. REF: GENERIC NO REF									
731010	NO. 1 ENGINE - NO. 8 FUEL NOZZLE ASSEMBLY							Component	ATA:73
PN:3057135-01	MOS/MSC	03-Sep-11	O/C		TSN 0				
SN:DE1BPP0545	HRS	0			TSN 0				
	ENC	0			TSN 0				
PROC. REF: GENERIC NO REF									
731010	NO. 1 ENGINE - NO. 9 FUEL NOZZLE ASSEMBLY							Component	ATA:73
PN:3057135-01	MOS/MSC	03-Sep-11	O/C		TSN 0				
SN:DE1BPP0547	HRS	0			TSN 0				
	ENC	0			TSN 0				
PROC. REF: GENERIC NO REF									
731010	NO. 2 ENGINE - NO. 1 FUEL NOZZLE ASSEMBLY							Component	ATA:73
PN:3057135-01	MOS/MSC	02-Sep-11	O/C		TSN 0				
SN:DE1BPH0345	HRS	0			TSN 0				
	ENC	0			TSN 0				
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 73 - ENGINE FUEL AND CONTROL									
731010	NO. 2 ENGINE - NO. 10 FUEL NOZZLE ASSEMBLY							Component	ATA:73
PN:3057135-01	MOS/MSC	02-Sep-11	O/C	TSN 0					
SN:DE1BPH2160	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
731010	NO. 2 ENGINE - NO. 11 FUEL NOZZLE ASSEMBLY							Component	ATA:73
PN:3057135-01	MOS/MSC	02-Sep-11	O/C	TSN 0					
SN:DE1BPH2162	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
731010	NO. 2 ENGINE - NO. 2 FUEL NOZZLE ASSEMBLY							Component	ATA:73
PN:3057135-01	MOS/MSC	02-Sep-11	O/C	TSN 0					
SN:DE1BPH0349	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
731010	NO. 2 ENGINE - NO. 3 FUEL NOZZLE ASSEMBLY							Component	ATA:73
PN:3057135-01	MOS/MSC	02-Sep-11	O/C	TSN 0					
SN:DE1BPH0350	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
731010	NO. 2 ENGINE - NO. 4 FUEL NOZZLE ASSEMBLY							Component	ATA:73
PN:3057135-01	MOS/MSC	02-Sep-11	O/C	TSN 0					
SN:DE1BPH2151	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
731010	NO. 2 ENGINE - NO. 5 FUEL NOZZLE ASSEMBLY							Component	ATA:73
PN:3057135-01	MOS/MSC	02-Sep-11	O/C	TSN 0					
SN:DE1BPH2155	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
731010	NO. 2 ENGINE - NO. 6 FUEL NOZZLE ASSEMBLY							Component	ATA:73
PN:3057135-01	MOS/MSC	02-Sep-11	O/C	TSN 0					
SN:DE1BPH2156	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 73 - ENGINE FUEL AND CONTROL									
731010	NO. 2 ENGINE - NO. 7 FUEL NOZZLE ASSEMBLY							Component	ATA:73
PN:3057135-01	MOS/MSC	02-Sep-11	O/C	TSN 0					
SN:DE1BPH2157	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
731010	NO. 2 ENGINE - NO. 8 FUEL NOZZLE ASSEMBLY							Component	ATA:73
PN:3057135-01	MOS/MSC	02-Sep-11	O/C	TSN 0					
SN:DE1BPH2158	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
731010	NO. 2 ENGINE - NO. 9 FUEL NOZZLE ASSEMBLY							Component	ATA:73
PN:3057135-01	MOS/MSC	02-Sep-11	O/C	TSN 0					
SN:DE1BPH2159	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
732001	NO. 1 ENGINE - ENGINE ELECTRONIC CONTROL (EEC) UNIT							Component	ATA:73
PN:1012300-3-003	MOS/MSC	23-Dec-15	O/C						
SN:2010080012	HRS	336.55		TSN 1093.1, TSR 0					
	ENC	336		TSN 696, TSR 0					
PROC. REF: MM 73-20-03, MM 73-20-03									
732001	NO. 2 ENGINE - ENGINE ELECTRONIC CONTROL (EEC) UNIT							Component	ATA:73
PN:1012300-3-003	MOS/MSC	23-Dec-15	O/C						
SN:2010080036	HRS	336.55		TSN 1093.1, TSR 0					
	ENC	336		TSN 696, TSR 0					
PROC. REF: MM 73-20-03, MM 73-20-03									
732002	NO. 1 ENGINE - FUEL METERING UNIT (FMU)							Component	ATA:73
PN:3071682-05	MOS/MSC	03-Sep-11	O/C	TSN 0					
SN:F72645	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: MM 73-20-01, MM 73-20-01									
732002	NO. 2 ENGINE - FUEL METERING UNIT (FMU)							Component	ATA:73
PN:3071682-05	MOS/MSC	02-Sep-11	O/C	TSN 0					
SN:F72646	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: MM 73-20-01, MM 73-20-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 73 - ENGINE FUEL AND CONTROL									
732010	NO. 1 ENGINE - ELECTRICAL WIRING HARNESS							Component	ATA:73
PN:PN	MOS/MSC	03-Sep-11	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: MM 73-20-02, MM 73-20-02, MM 73-20-02, MM 73-20-02									
732010	NO. 2 ENGINE - ELECTRICAL WIRING HARNESS							Component	ATA:73
PN:PN	MOS/MSC	02-Sep-11	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: MM 73-20-02, MM 73-20-02, MM 73-20-02, MM 73-20-02									
732030	NO. 1 ENGINE - FUEL FILTER DIFFERENTIAL PRESSURE SWITCH							Component	ATA:73
PN:PN	MOS/MSC	03-Sep-11	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
732030	NO. 2 ENGINE - FUEL FILTER DIFFERENTIAL PRESSURE SWITCH							Component	ATA:73
PN:PN	MOS/MSC	02-Sep-11	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
ATA 74 - IGNITION									
74-00-01-750-801 ^S	NO. 1 ENGINE - DO A FUNCTIONAL TEST OF IGNITION SYSTEM							Service	ATA:74
	MOS	21-Dec-23	12						
	HRS	1164.1	800						
	ENC	1054							
PROC. REF: MM 74-00-01									
74-00-01-750-801 ^S	NO. 2 ENGINE - DO A FUNCTIONAL TEST OF IGNITION SYSTEM							Service	ATA:74
	MOS	21-Dec-23	12						
	HRS	1164.1	800						
	ENC	1054							
PROC. REF: MM 74-00-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 74 - IGNITION								
74-10-01-212-801^S NO. 1 ENGINE - GENERAL VISUAL INSPECTION EXCITER IGNITION OF THE IGNITION EXCITER Service ATA:74								
PN:31J2807-07	MOS	21-Dec-23	12 (+30d)					
SN:NNA11300123	HRS	1164.1	800 (+10%)					
	ENC	1054						
PROC. REF: MM 74-10-01								PKG:1
74-10-01-212-801^S NO. 2 ENGINE - GENERAL VISUAL INSPECTION EXCITER IGNITION OF THE IGNITION EXCITER Service ATA:74								
PN:31J2807-07	MOS	21-Dec-23	12 (+30d)					
SN:NNA11330009	HRS	1164.1	800 (+10%)					
	ENC	1054						
PROC. REF: MM 74-10-01								PKG:1
74-20-01-212-801^S NO. 1 ENGINE - GENERAL VISUAL INSPECTION OF THE IGNITION CABLES Service ATA:74								
	MOS	21-Dec-23	12 (+30d)					
	HRS	1164.1	800 (+10%)					
	ENC	1054						
PROC. REF: MM 74-20-01								PKG:1
74-20-01-212-801^S NO. 2 ENGINE - GENERAL VISUAL INSPECTION OF THE IGNITION CABLES Service ATA:74								
	MOS	21-Dec-23	12 (+30d)					
	HRS	1164.1	800 (+10%)					
	ENC	1054						
PROC. REF: MM 74-20-01								PKG:1
74-20-02-210-801^S NO. 1 ENGINE - VISUAL INSPECTION OF THE 5 O'CLOCK IGNITION IGNITOR Service ATA:74								
PN:3070508-01	MOS	21-Dec-23	12					
SN:NNA11050082	HRS	1164.1	800					
	ENC	1054						
PROC. REF: MM 74-20-02								PKG:1
74-20-02-210-801^S NO. 1 ENGINE - VISUAL INSPECTION OF THE 7 O'CLOCK IGNITION IGNITOR Service ATA:74								
PN:3070508-01	MOS	21-Dec-23	12					
SN:NNA11050047	HRS	1164.1	800					
	ENC	1054						
PROC. REF: MM 74-20-02								PKG:1
74-20-02-210-801^S NO. 2 ENGINE - VISUAL INSPECTION OF THE 5 O'CLOCK IGNITION IGNITOR Service ATA:74								
PN:3070508-01	MOS	21-Dec-23	12					
SN:NNA11050079	HRS	1164.1	800					
	ENC	1054						
PROC. REF: MM 74-20-02								PKG:1

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 74 - IGNITION								
74-20-02-210-801^S NO. 2 ENGINE - VISUAL INSPECTION OF THE 7 O'CLOCK IGNITION IGNITOR Service ATA:74								
PN:3070508-01	MOS	21-Dec-23	12					
SN:NNA11050021	HRS	1164.1	800					
	ENC	1054						
PROC. REF: MM 74-20-02								PKG:1
74-20-02-960-801 NO. 1 ENGINE - DISCARD 5 O'CLOCK IGNITER Service ATA:74								
PN:3070508-01	MOS/MSC	27-Jan-18	O/C					
SN:NNA11050082	HRS	554.9						
	ENC	595						
PROC. REF: MM 74-20-02, MM 74-20-02								
74-20-02-960-801 NO. 1 ENGINE - DISCARD 7 OCLOCK IGNITER Service ATA:74								
PN:3070508-01	MOS/MSC	27-Jan-18	O/C					
SN:NNA11050047	HRS	554.9						
	ENC	595						
PROC. REF: MM 74-20-02, MM 74-20-02								
74-20-02-960-801 NO. 2 ENGINE - DISCARD 5 O'CLOCK IGNITER Service ATA:74								
PN:3070508-01	MOS/MSC	27-Jan-18	O/C					
SN:NNA11050079	HRS	554.9						
	ENC							
PROC. REF: MM 74-20-02, MM 74-20-02								
74-20-02-960-801 NO. 2 ENGINE - DISCARD 7 OCLOCK IGNITER Service ATA:74								
PN:3070508-01	MOS/MSC	27-Jan-18	O/C					
SN:NNA11050021	HRS	554.9						
	ENC							
PROC. REF: MM 74-20-02, MM 74-20-02								
741001 NO. 1 ENGINE - EXCITER IGNITION Component ATA:74								
PN:31J2807-07	MOS/MSC	03-Sep-11	O/C	TSN 0				
SN:NNA11300123	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: MM 74-10-01, MM 74-10-01								
741001 NO. 2 ENGINE - EXCITER IGNITION Component ATA:74								
PN:31J2807-07	MOS/MSC	02-Sep-11	O/C	TSN 0				
SN:NNA11330009	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: MM 74-10-01, MM 74-10-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 74 - IGNITION									
742000		NO. 1 ENGINE - 5 O'CLOCK IGNITER						Component	ATA:74
PN:3070508-01	MOS/MSC	27-Jan-18	O/C						
SN:NNA11050082	HRS	554.9							
	ENC	595							
PROC. REF: MM 74-20-02, MM 74-20-02									
742000		NO. 2 ENGINE - 5 O'CLOCK IGNITER						Component	ATA:74
PN:3070508-01	MOS/MSC	27-Jan-18	O/C						
SN:NNA11050079	HRS	554.9							
	ENC								
PROC. REF: MM 74-20-02, MM 74-20-02									
742001		NO. 1 ENGINE - 7 O'CLOCK IGNITER						Component	ATA:74
PN:3070508-01	MOS/MSC	27-Jan-18	O/C						
SN:NNA11050047	HRS	554.9							
	ENC	595							
PROC. REF: MM 74-20-02, MM 74-20-02									
742001		NO. 2 ENGINE - 7 O'CLOCK IGNITER						Component	ATA:74
PN:3070508-01	MOS/MSC	27-Jan-18	O/C						
SN:NNA11050021	HRS	554.9							
	ENC								
PROC. REF: MM 74-20-02, MM 74-20-02									
742002		NO. 1 ENGINE - INBOARD SHORT IGNITOR LEAD						Component	ATA:74
PN:3073141-01	MOS/MSC	03-Sep-11	O/C	TSN 0					
SN:NNA11320055	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: MM 74-20-01, MM 74-20-01									
742002		NO. 2 ENGINE - INBOARD SHORT IGNITOR LEAD						Component	ATA:74
PN:3073141-01	MOS/MSC	02-Sep-11	O/C	TSN 0					
SN:NNA11320052	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: MM 74-20-01, MM 74-20-01									
742003		NO. 1 ENGINE - OUTBOARD LONG IGNITOR LEAD						Component	ATA:74
PN:3073141-02	MOS/MSC	03-Sep-11	O/C	TSN 0					
SN:NNA11330028	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: MM 74-20-01, MM 74-20-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 74 - IGNITION									
742003	NO. 2 ENGINE - OUTBOARD LONG IGNITOR LEAD							Component	ATA:74
PN:3073141-02	MOS/MSC	02-Sep-11	O/C	TSN 0					
SN:NNA11330039	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: MM 74-20-01, MM 74-20-01									
ATA 75 - AIR									
75-30-01-212-801 ^S	NO. 1 ENGINE - GENERAL VISUAL INSPECTION OF THE BOV ASSY AND BOV SERVO VALVE							Service	ATA:75
	MOS	21-Dec-23	12 (+30d)						
	HRS	1164.1	800 (+10%)						
	ENC	1054							
PROC. REF: MM 75-30-01									
75-30-01-212-801 ^S	NO. 2 ENGINE - GENERAL VISUAL INSPECTION OF THE BOV ASSY AND BOV SERVO VALVE							Service	ATA:75
	MOS	21-Dec-23	12 (+30d)						
	HRS	1164.1	800 (+10%)						
	ENC	1054							
PROC. REF: MM 75-30-01									
75-30-01-212-802	NO. 1 ENGINE - EXAMINE - P3 AIR INERTIAL SEPARATOR							Service	ATA:75
	MOS								
	HRS	EFF	5000 (+100)		(5000) 5000 * (M)	5100	3725 (+100)		
	ENC								
PROC. REF: MM 75-30-01									
75-30-01-212-802	NO. 2 ENGINE - EXAMINE - P3 AIR INERTIAL SEPARATOR							Service	ATA:75
	MOS								
	HRS	EFF	5000 (+100)		(5000) 5000 * (M)	5100	3725 (+100)		
	ENC								
PROC. REF: MM 75-30-01									
75-30-01-212-803	NO. 1 ENGINE - EXAMINE - COMPRESSOR AIR BLEED VALVE							Service	ATA:75
PN:3053367-01	MOS								
SN:AHX0500012	HRS	EFF	5000 (+100)		(5000) 5000 * (M)	5100	3725 (+100)		
	ENC								
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 75 - AIR									
75-30-01-212-803	NO. 2 ENGINE - EXAMINE - COMPRESSOR AIR BLEED VALVE							Service	ATA:75
PN:3053367-01	MOS								
SN:AHX0500015	HRS	EFF	5000 (+100)		(5000) 5000 * (M)	5100	3725 (+100)		
	ENC								
PROC. REF: GENERIC NO REF									
75-30-01-900-802	NO. 1 ENGINE - BLEED OFF VALVE (BOV) AND BOV SERVO VALVE							Component	ATA:75
PN:3075987-01	MOS/MSC	03-Sep-11	O/C	TSN 0					
SN:TR5415	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: MM 75-30-01, MM 75-30-01									
75-30-01-900-802	NO. 2 ENGINE - BLEED OFF VALVE (BOV) AND BOV SERVO VALVE							Component	ATA:75
PN:3075987-01	MOS/MSC	02-Sep-11	O/C	TSN 0					
SN:TR5442	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: MM 75-30-01, MM 75-30-01									
75-30-01-900-803	NO. 1 ENGINE - LINEAR TRANSFORMER							Component	ATA:75
PN:3071811-01	MOS/MSC	03-Sep-11	O/C	TSN 0					
SN:1436	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: MM 75-30-01, MM 75-30-01									
75-30-01-900-803	NO. 2 ENGINE - LINEAR TRANSFORMER							Component	ATA:75
PN:3071811-01	MOS/MSC	02-Sep-11	O/C	TSN 0					
SN:1440	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: MM 75-30-01, MM 75-30-01									
75-30-01-960-801	NO. 1 ENGINE - ENGINE OPERATING PROBLEMS - REPLACEMENT COMPRESSOR BLEED AIR SYSTEM INTERCONNECTING TUBES							Service	ATA:75
	MOS/MSC	03-Sep-11	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	ENC	0							
PROC. REF: MM 75-30-01, MM 75-30-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 75 - AIR									
75-30-01-960-801	NO. 2 ENGINE - ENGINE OPERATING PROBLEMS - REPLACEMENT COMPRESSOR BLEED AIR SYSTEM INTERCONNECTING TUBES							Service	ATA:75
	MOS/MSC	02-Sep-11	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	ENC	0							
	PROC. REF: MM 75-30-01, MM 75-30-01								
75-30-01-960-802	NO. 1 ENGINE - ENGINE OPERATING PROBLEMS - REPLACEMENT INTERCOMPRESSOR BLEED VALVE SERVO VALVE							Service	ATA:75
	MOS/MSC	03-Sep-11	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	ENC	0							
	PROC. REF: MM 75-30-01, MM 75-30-01								
75-30-01-960-802	NO. 2 ENGINE - ENGINE OPERATING PROBLEMS - REPLACEMENT INTERCOMPRESSOR BLEED VALVE SERVO VALVE							Service	ATA:75
	MOS/MSC	02-Sep-11	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	ENC	0							
	PROC. REF: MM 75-30-01, MM 75-30-01								
75-30-01-960-803	NO. 1 ENGINE - ENGINE OPERATING PROBLEMS - REPLACEMENT COMPRESSOR BLEED VALVE AND THE LINEAR VARIABLE DIFFERENTIAL TRANSFORMER							Service	ATA:75
PN:3071811-01	MOS/MSC	03-Sep-11	A/R					UNSCHEDULED MAINTENANCE CHECK	
SN:1436	HRS	0							
	ENC	0							
	PROC. REF: MM 75-30-01, MM 75-30-01, MM 75-30-01								
75-30-01-960-803	NO. 2 ENGINE - ENGINE OPERATING PROBLEMS - REPLACEMENT COMPRESSOR BLEED VALVE AND THE LINEAR VARIABLE DIFFERENTIAL TRANSFORMER							Service	ATA:75
PN:3071811-01	MOS/MSC	02-Sep-11	A/R					UNSCHEDULED MAINTENANCE CHECK	
SN:1440	HRS	0							
	ENC	0							
	PROC. REF: MM 75-30-01, MM 75-30-01, MM 75-30-01								
75-30-02-212-801	NO. 1 ENGINE - GENERAL VISUAL INSPECTION, EXAMINE, AND TEST/ REPLACE - LINEAR VARIABLE DIFFERENTIAL TRANSFORMER							Service	ATA:75
PN:3071811-01	MOS								
SN:1436	HRS	EFF	5000 (+100)		(5000) 5000 * (M)	5100	3725 (+100)		
	ENC								
	PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 75 - AIR									
75-30-02-212-801	NO. 2 ENGINE - GENERAL VISUAL INSPECTION, EXAMINE, AND TEST/ REPLACE - LINEAR VARIABLE DIFFERENTIAL TRANSFORMER							Service	ATA:75
PN:3071811-01	MOS								
SN:1440	HRS	EFF	5000 (+100)		(5000) 5000 * (M)	5100	3725 (+100)		
	ENC								
PROC. REF: GENERIC NO REF									
75-30-20-212-801	NO. 1 ENGINE - REPLACED WITH NEW - THE BOV TORQUE MOTOR							Service	ATA:75
	MOS								
	HRS	EFF	5000 (+100)		(5000) 5000 * (M)	5100	3725 (+100)		
	ENC								
PROC. REF: GENERIC NO REF									
75-30-20-212-801	NO. 2 ENGINE - REPLACED WITH NEW - THE BOV TORQUE MOTOR							Service	ATA:75
	MOS								
	HRS	EFF	5000 (+100)		(5000) 5000 * (M)	5100	3725 (+100)		
	ENC								
PROC. REF: GENERIC NO REF									
750010	NO. 1 ENGINE - P3 AIR INERTIAL SEPARATOR							Component	ATA:75
PN:PN	MOS/MSC	03-Sep-11	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: MM 75-00-00									
750010	NO. 2 ENGINE - P3 AIR INERTIAL SEPARATOR							Component	ATA:75
PN:PN	MOS/MSC	02-Sep-11	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: MM 75-00-00									
753010	NO. 1 ENGINE - COMPRESSOR BLEED VALVE ASSEMBLY							Component	ATA:75
PN:3053367-01	MOS/MSC	03-Sep-11	O/C	TSN 0					
SN:AHX0500012	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: MM 75-30-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 75 - AIR									
753010	NO. 2 ENGINE - COMPRESSOR BLEED VALVE ASSEMBLY							Component	ATA:75
PN:3053367-01	MOS/MSC	02-Sep-11	O/C	TSN 0					
SN:AHX0500015	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: MM 75-30-01									
753020	NO. 1 ENGINE - BOV TORQUE MOTOR							Component	ATA:75
PN:PN	MOS/MSC	03-Sep-11	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
753020	NO. 2 ENGINE - BOV TORQUE MOTOR							Component	ATA:75
PN:PN	MOS/MSC	02-Sep-11	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 77 - ENGINE INDICATING								
77-20-02-750-801 NO. 1 ENGINE - OPERATIONAL CHECK T6 TEMPERATURE INDICATING SYSTEM Service ATA:77								
	MOS	11-Jan-22	36 (+30d)		11-Jan-25	10-Feb-25	180 d (+30)	
	HRS	694.2	1600 (+100)		(2294.2) 2294.2	2394.2	1019.2 (+100)	
	ENC	761						
PROC. REF: MM 77-20-02								
77-20-02-750-801 NO. 2 ENGINE - OPERATIONAL CHECK T6 TEMPERATURE INDICATING SYSTEM Service ATA:77								
	MOS	11-Jan-22	36 (+30d)		11-Jan-25	10-Feb-25	180 d (+30)	
	HRS	694.2	1600 (+100)		(2294.2) 2294.2	2394.2	1019.2 (+100)	
	ENC	761						
PROC. REF: MM 77-20-02								
77-40-01-212-801 NO. 1 ENGINE - GENERAL VISUAL INSPECTION, EXAMINE, AND TEST/ REPLACE - DATA COLLECTION UNIT Service ATA:77								
PN:3075394-01	MOS							
SN:DP11-2167	HRS	EFF	5000 (+100)		(5000) 5000 * (M)	5100	3725 (+100)	
	ENC							
PROC. REF: GENERIC NO REF								
77-40-01-212-801 NO. 2 ENGINE - GENERAL VISUAL INSPECTION, EXAMINE, AND TEST/ REPLACE - DATA COLLECTION UNIT Service ATA:77								
PN:3075394-01	MOS							
SN:DP11-2157	HRS	EFF	5000 (+100)		(5000) 5000 * (M)	5100	3725 (+100)	
	ENC							
PROC. REF: GENERIC NO REF								
774001 NO. 1 ENGINE - DATA COLLECTION UNIT Component ATA:77								
PN:3075394-01	MOS/MSC	03-Sep-11	O/C	TSN 0				
SN:DP11-2167	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: MM 77-40-01, MM 77-40-01								
774001 NO. 2 ENGINE - DATA COLLECTION UNIT Component ATA:77								
PN:3075394-01	MOS/MSC	02-Sep-11	O/C	TSN 0				
SN:DP11-2157	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: MM 77-40-01, MM 77-40-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 79 - OIL									
79-10-02-212-801	NO. 1 ENGINE - OVERHAUL OR REFURBISH - FUEL-TO-OIL HEAT EXCHANGER (FOHE)							Service	ATA:79
PN:3052640-01	MOS								
SN:06547392	HRS	EFF	5000 (+100)		(5000) 5000 * (M)	5100	3725 (+100)		
	ENC								
PROC. REF: GENERIC NO REF									
79-10-02-212-801	NO. 2 ENGINE - OVERHAUL OR REFURBISH - FUEL-TO-OIL HEAT EXCHANGER (FOHE)							Service	ATA:79
PN:3052640-01	MOS								
SN:06547393	HRS	EFF	5000 (+100)		(5000) 5000 * (M)	5100	3725 (+100)		
	ENC								
PROC. REF: GENERIC NO REF									
79-20-00-212-801	NO. 1 ENGINE - EXAMINE AND DO A FUNCTIONAL TEST - OIL FILTER DIFFERENTIAL PRESSURE SWITCH							Service	ATA:79
	MOS								
	HRS	EFF	5000 (+100)		(5000) 5000 * (M)	5100	3725 (+100)		
	ENC								
PROC. REF: GENERIC NO REF									
79-20-00-212-801	NO. 2 ENGINE - EXAMINE AND DO A FUNCTIONAL TEST - OIL FILTER DIFFERENTIAL PRESSURE SWITCH							Service	ATA:79
	MOS								
	HRS	EFF	5000 (+100)		(5000) 5000 * (M)	5100	3725 (+100)		
	ENC								
PROC. REF: GENERIC NO REF									
79-20-01-210-801	NO. 1 ENGINE - EXAMINE AND REPLACE - OIL FILTER							Service	ATA:79
	MOS								
	HRS	EFF	5000 (+100)		(5000) 5000 * (M)	5100	3725 (+100)		
	ENC								
PROC. REF: MM 79-20-01									
79-20-01-210-801	NO. 2 ENGINE - EXAMINE AND REPLACE - OIL FILTER							Service	ATA:79
	MOS								
	HRS	EFF	5000 (+100)		(5000) 5000 * (M)	5100	3725 (+100)		
	ENC								
PROC. REF: MM 79-20-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 79 - OIL									
79-20-01-960-801	NO. 1 ENGINE - DISCARD THE OIL FILTER							Service	ATA:79
PN:3052590-01	MOS	27-Jan-18						DISCARD	
SN:UNKNOWN	HRS	554.9	800 (+10%)		(1354.9) 1354.9	1434.9	79.9 (+80)		
	ENC	595							
PROC. REF: MM 79-20-01, MM 79-20-01									
79-20-01-960-801	NO. 2 ENGINE - DISCARD THE OIL FILTER							Service	ATA:79
PN:305259-01	MOS	27-Jan-18						DISCARD	
SN:UNKNOWN	HRS	554.9	800 (+10%)		(1354.9) 1354.9	1434.9	79.9 (+80)		
	ENC								
PROC. REF: MM 79-20-01, MM 79-20-01									
79-30-01-210-801	NO. 1 ENGINE - EXAMINE - CHIP DETECTOR							Service	ATA:79
	MOS								
	HRS	EFF	5000 (+100)		(5000) 5000 * (M)	5100	3725 (+100)		
	ENC								
PROC. REF: MM 79-30-01									
79-30-01-210-801	NO. 2 ENGINE - EXAMINE - CHIP DETECTOR							Service	ATA:79
PN:011-00883-20	MOS								
SN:47203679	HRS	EFF	5000 (+100)		(5000) 5000 *	5100	3725 (+100)		
	ENC								
PROC. REF: MM 79-30-01									
79-30-01-770-801 ^S	NO. 1 ENGINE - OPERATIONAL CHECK OF THE CHIP DETECTOR							Service	ATA:79
	MOS	21-Dec-23	12 (+30d)						
	HRS	1164.1	800 (+10%)						
	ENC	1054							
PROC. REF: MM 79-30-01									
79-30-01-770-801 ^S	NO. 2 ENGINE - OPERATIONAL CHECK OF THE CHIP DETECTOR							Service	ATA:79
	MOS	21-Dec-23	12 (+30d)						
	HRS	1164.1	800 (+10%)						
	ENC	1054							
PROC. REF: MM 79-30-01									

PKG:1

PKG:1

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 79 - OIL									
79-30-02-210-801 ^S	NO. 1 ENGINE - SPECIAL DETAIL INSPECTION OF THE OIL FILTER IMPENDING BYPASS SWITCH							Service	ATA:79
	MOS	21-Dec-23	12 (+30d)						
	HRS	1164.1	800 (+10%)						
	ENC	1054							
	PROC. REF: MM 79-30-02								PKG:1
79-30-02-210-801 ^S	NO. 2 ENGINE - SPECIAL DETAIL INSPECTION OF THE OIL FILTER IMPENDING BYPASS SWITCH							Service	ATA:79
	MOS	21-Dec-23	12 (+30d)						
	HRS	1164.1	800 (+10%)						
	ENC	1054							
	PROC. REF: MM 79-30-02								PKG:1
79-30-03-212-801	NO. 1 ENGINE - OVERHAUL OR REFURBISH - OIL TANK FILLER CAP							Service	ATA:79
	MOS								
	HRS	EFF	5000 (+100)		(5000) 5000 * (M)	5100	3725 (+100)		
	ENC								
	PROC. REF: GENERIC NO REF								
79-30-03-212-801	NO. 2 ENGINE - OVERHAUL OR REFURBISH - OIL TANK FILLER CAP							Service	ATA:79
	MOS								
	HRS	EFF	5000 (+100)		(5000) 5000 * (M)	5100	3725 (+100)		
	ENC								
	PROC. REF: GENERIC NO REF								
79-30-20-212-801	NO. 1 ENGINE - INSPECT - OIL LEVEL INDICATOR (SIGHT GLASS)							Service	ATA:79
	MOS								
	HRS	EFF	5000 (+100)		(5000) 5000 * (M)	5100	3725 (+100)		
	ENC								
	PROC. REF: GENERIC NO REF								
79-30-20-212-801	NO. 2 ENGINE - INSPECT - OIL LEVEL INDICATOR (SIGHT GLASS)							Service	ATA:79
	MOS								
	HRS	EFF	5000 (+100)		(5000) 5000 * (M)	5100	3725 (+100)		
	ENC								
	PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 79 - OIL									
79-31-05	LEFT ENGINE MAIN OIL PRESSURE SENSOR							Component	ATA:79
PN:APTE-478A-1000-270D	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:00176	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 79-31-05, AMM 79-31-05									
79-31-05	RIGHT ENGINE MAIN OIL PRESSURE SENSOR							Component	ATA:79
PN:APTE-478A-1000-270D	MOS/MSC	20-Dec-11	O/C	TSN 0					
SN:00178	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 79-31-05, AMM 79-31-05									
790000	NO. 1 ENGINE - OIL FILTER							Component	ATA:79
PN:3052590-01	MOS/MSC	27-Jan-18	O/C						
SN:UNKNOWN	HRS	554.9							
	ENC	595							
PROC. REF: MM 79-20-01, MM 79-20-01									
790000	NO. 2 ENGINE - OIL FILTER							Component	ATA:79
PN:305259-01	MOS/MSC	27-Jan-18	O/C	TSN 0					
SN:UNKNOWN	HRS	554.9		TSN 0					
	ENC			TSN 0					
PROC. REF: MM 79-20-01, MM 79-20-01									
790020	NO. 1 ENGINE - CHANGE OIL							Service	ATA:79
	MOS/MSC	03-Sep-11	A/R						
	HRS	0							
	ENC	0							
PROC. REF: MM 72-00-00, MM 72-00-00									
790020	NO. 2 ENGINE - CHANGE OIL							Service	ATA:79
	MOS/MSC	02-Sep-11	A/R						
	HRS	0							
	ENC	0							
PROC. REF: MM 72-00-00, MM 72-00-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 79 - OIL									
792010	NO. 1 ENGINE - TEMPERATURE SENSOR							Component	ATA:79
PN:ATS-9-800	MOS/MSC	03-Sep-11	O/C		TSN 0				
SN:2-9-11-3	HRS	0			TSN 0				
	ENC	0			TSN 0				
PROC. REF: GENERIC NO REF									
792010	NO. 2 ENGINE - TEMPERATURE SENSOR							Component	ATA:79
PN:ATS-9-800	MOS/MSC	02-Sep-11	O/C		TSN 0				
SN:2-9-11-2	HRS	0			TSN 0				
	ENC	0			TSN 0				
PROC. REF: GENERIC NO REF									
793001	NO. 2 ENGINE - CHIP DETECTOR							Component	ATA:79
PN:011-00883-20	MOS/MSC	13-Dec-12	O/C						
SN:47203679	HRS	137.95							
	ENC	119							
PROC. REF: MM 79-30-01, MM 79-30-01									
793003	NO. 1 ENGINE - FUEL OIL HEAT EXCHANGER							Component	ATA:79
PN:3052640-01	MOS/MSC	03-Sep-11	O/C		TSN 0				
SN:06547392	HRS	0			TSN 0				
	ENC	0			TSN 0				
PROC. REF: MM 73-10-02, MM 73-10-02									
793003	NO. 2 ENGINE - FUEL OIL HEAT EXCHANGER							Component	ATA:79
PN:3052640-01	MOS/MSC	02-Sep-11	O/C		TSN 0				
SN:06547393	HRS	0			TSN 0				
	ENC	0			TSN 0				
PROC. REF: MM 73-10-02, MM 73-10-02									
793010	NO. 1 ENGINE - 5 O'CLOCK OIL LEVEL INDICATOR							Component	ATA:79
PN:3052535-02	MOS/MSC	03-Sep-11	O/C		TSN 0				
SN:HA1437	HRS	0			TSN 0				
	ENC	0			TSN 0				
PROC. REF: GENERIC NO REF									
793010	NO. 2 ENGINE - 5 O'CLOCK OIL LEVEL INDICATOR							Component	ATA:79
PN:3052535-02	MOS/MSC	02-Sep-11	O/C		TSN 0				
SN:HA1434	HRS	0			TSN 0				
	ENC	0			TSN 0				
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 300 Serial: 50500085 RegNo: N494BA HRS: 1275 AFL: 1116 As Of: 10-Jul-2024

15-Jul-2024 03:31 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 79 - OIL									
793020	NO. 1 ENGINE - OIL TANK FILLER CAP							Component	ATA:79
PN:PN	MOS/MSC	03-Sep-11	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
793020	NO. 2 ENGINE - OIL TANK FILLER CAP							Component	ATA:79
PN:PN	MOS/MSC	02-Sep-11	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
793025	NO. 1 ENGINE - OIL LEVEL INDICATOR (SIGHT GLASS)							Component	ATA:79
PN:PN	MOS/MSC	03-Sep-11	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
793025	NO. 2 ENGINE - OIL LEVEL INDICATOR (SIGHT GLASS)							Component	ATA:79
PN:PN	MOS/MSC	02-Sep-11	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task