



Status Report

PHENOM 100

S/N 5000159 N367ER

OWNER: HEATH FAMILY AVIATION ADDRESS: 2348 RED PINE RD PARK CITY UT 84098 OFFICE: FAX:	OPERATOR: HEATH FAMILY AVIATION ADDRESS: 2348 RED PINE RD PARK CITY UT 84098 OFFICE: FAX:	OPERATOR: BAILEY FLIGHT, LLC ADDRESS: PO BOX 694 EPHRAIM UT 84627 OFFICE: 435-851-2413 FAX:	
ANALYST: ADRIAN SABOU EMAIL: ASABOU@CAMPSYSTEMS.COM	+1-514-448-1151 (DIRECT) +1-631-588-3200 (MAIN) WWW.CAMPSYSTEMS.COM	800-787-9749 (EFAX-CARDS) 631-980-4222 (EFAX-CARDS)	PLEASE REACH OUT TO YOUR ANALYST TO RECORD CHANGES TO ADDRESS, LAST ACTUALS (IF ANY).

FILTER CRITERIA : Spl. Reqs:INCLUDE;Task Type:PACKAGE, COMPONENT, SERVICE;PN/SN-UNKNOWN Components:INCLUDE

AIRCRAFT	SERIAL/REGNO: 5000159/N367ER	MODEL: PHENOM 100	MANUFACTURER: EMBRAER
----------	------------------------------	-------------------	-----------------------

CERTIFICATION DATE: 11-MAY-2010

LAST ACTUALS:

1886	A/C HRS	as of 02-OCT-2024
1429	AFL	as of 02-OCT-2024

ENGINE NO. 1	SERIAL/PART: PCE-LC0321/35C3100-01	MODEL: PW617F-E	MANUFACTURER: PRATT & WHITNEY CANADA CORP.
--------------	------------------------------------	-----------------	--

INSTALLED ON: 15-MAR-2010

LAST ACTUALS:

0	ENG. HRS	0 A/C HRS	1886	ENG. HRS	as of 02-OCT-2024
0	ENC		1429	ENC	as of 02-OCT-2024

ENGINE NO. 2	SERIAL/PART: PCE-LC0323/35C3100-01	MODEL: PW617F-E	MANUFACTURER: PRATT & WHITNEY CANADA CORP.
--------------	------------------------------------	-----------------	--

INSTALLED ON: 15-MAR-2010

LAST ACTUALS:

0	ENG. HRS	0 A/C HRS	1886	ENG. HRS	as of 02-OCT-2024
0	ENC		1429	ENC	as of 02-OCT-2024



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 00 - INFORMATION									
EM50-160520	REVIEW EMBRAER PHENOM 100 AMM 2432 TIME LIMITS / MAINTENANCE CHECKS (TLMC) CHAPTER 5 REVISION 42 DATED MAY 20/16							Service	ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS	
	HRS								
	AFL								
	PROC. REF: RCF EM50-160520								
EM50-160822	REVIEW EMBRAER PHENOM 100 (EM50) TIME LIMITS/MAINTENANCE CHECKS (TLMC) CHAPTER -5, REVISION 43 DATED 22 AUGUST 2016 REQUIREMENT SUMMARY CHANGE FORM							Service	ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS	
	HRS								
	AFL								
	PROC. REF: RCF EM50-160822								
EM50-161022	REVIEW EMBRAER PHENOM 100 (EM50) TIME LIMITS/MAINTENANCE CHECKS (TLMC) CHAPTER-5, REVISION 44 DATED OCT 22/2016 REQUIREMENT SUMMARY CHANGE FORM							Service	ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS	
	HRS								
	AFL								
	PROC. REF: RCF EM50-161022								
EM50-161122	REVIEW EMBRAER PHENOM 100 (EM50) TIME LIMITS/MAINTENANCE CHECKS (TLMC) CHAPTER-5, REVISION 46 DATED NOV 22/2016							Service	ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS	
	HRS								
	AFL								
	PROC. REF: RCF EM50-161122								
EM50-161202	REVIEW EMBRAER PHENOM 100 (EM50) TIME LIMITS/MAINTENANCE CHECK (CHAPTER-5) ADVANCE REVISION DATED DEC 02/2016 REQUIREMENT SUMMARY CHANGE FORM							Service	ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS	
	HRS								
	AFL								
	PROC. REF: RCF EM50-161202								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 00 - INFORMATION									
EM50-161216	REVIEW EMBRAER PHENOM 100 (EM50) TIME LIMITS/ MAINTENANCE CHECKS/CHAPTER-5 REVISION 47 DATED DEC 16/2016 REQUIREMENT SUMMARY CHANGE FORM							Service	ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS	
	HRS								
	AFL								
	PROC. REF: RCF EM50-161216								
EM50-200626	REVIEW EMBRAER PHENOM 100 - AMM 2432, SMR REV. 03, DATED JUNE 26TH, 2020							Service	ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS	
	HRS								
	AFL								
	PROC. REF: RCF 00								
EM50-210507-CAMP ADJUSTMENT	REVIEW CAMP ADJUSTMENT FORM FOR PHENOM 100, DATED MAY 07, 2021							Service	ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS	
	HRS								
	AFL								
	PROC. REF: RCF 00								
EM50-211103-SMR	REVIEW EMBRAER PHENOM 100 - AMM 2432, SMR REV. 04, DATED NOV 3, 2021							Service	ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS	
	HRS								
	AFL								
EM50-220812-CAMP ADJUSTMENT	REVIEW CAMP ADJUSTMENT FORM DATED AUG 12/2022 FOR MODEL EMB-500 - PHENOM 100							Service	ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS	
	HRS								
	AFL								
	PROC. REF: RCF 00								
EM50-221017-AWL	REVIEW EMB-500 - PHENOM 100 AIRWORTINESS LIMITATIONS REV 01 DATED OCT 17, 2022							Service	ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS	
	HRS								
	AFL								
	PROC. REF: RCF 00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 00 - INFORMATION									
EM50-221103-SMR	REVIEW EMB-500 - PHENOM 100 SCHEDULED MAINTENANCE REQUIREMENTS REV 05, DATED NOV 03, 2022							Service	ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS	
	HRS								
	AFL								
				PROC. REF: RCF 00					
EM50-230103-CAMP ADJUSTMENT	REVIEW EMB-500 - PHENOM 100 - AUDIT OF ITEM CODES 30-11-04 AND 30-11-04-001, DATED JAN 03, 2023							Service	ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS	
	HRS								
	AFL								
				PROC. REF: RCF 00					
EM50-230112-CAMP ADJUSTMENT	REVIEW CAMP ADJUSTMENT FOR EMB-500 - PHENOM 100 - AUDIT OF TASK CODE 32-43-11-002							Service	ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS	
	HRS								
	AFL								
EM50-230124-CAMP ADJUSTMENT	REVIEW CAMP ADJUSTMENT FORM FOR EMB-500 - PHENOM 100 - AUDIT OF PN TASK 35-31-01							Service	ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS	
	HRS								
	AFL								
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
05-30-01	800 FH MAINTENANCE PACKAGE							Package	ATA:05
	MOS	24-May-22							
	HRS	1509.4	800 (+30/-30)		2309.4	2339.4	423.4 (+30)		
	AFL	1183							
				PROC. REF: SMR 05-30-01				PKG:1	
05-30-02 ^S	600 FH/12 MO MAINTENANCE PACKAGE							Package	ATA:05
	MOS	20-Jul-20	12 (+1m/-1m)						
	HRS	1250.1	600 (+30/-30)						
	AFL	1020							
				PROC. REF: GENERIC NO REF				PKG:2	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
05-30-10	1600 FH MAINTENANCE PACKAGE							Package	ATA:05
	MOS	20-Jul-20							
	HRS	1250.1	1600 (+30/-30)		2850.1	2880.1	964.1 (+30)		
	AFL	1020							
				PROC. REF: SMR 05-30-10				PKG:10	
05-30-12 ^S	1200 FH/24 MO MAINTENANCE PACKAGE							Package	ATA:05
	MOS	20-Jul-20	24 (+1m/-1m)						
	HRS	1250.1	1200 (+30/-30)						
	AFL	1020							
				PROC. REF: GENERIC NO REF				PKG:12	
05-30-20	2400 FH MAINTENANCE PACKAGE							Package	ATA:05
	MOS	11-May-10							
	HRS	0	2400 (+30/-30)		2400	2430	514 (+30)		
	AFL	0							
				PROC. REF: SMR 05-30-20				PKG:20	
05-30-40	3200 FH MAINTENANCE PACKAGE							Package	ATA:05
	MOS	11-May-10							
	HRS	0	3200 (+30/-30)		3200	3230	1314 (+30)		
	AFL	0							
				PROC. REF: SMR 05-30-40				PKG:40	
05-30-42	3200 FH/60 MO MAINTENANCE PACKAGE							Package	ATA:05
	MOS	20-Jul-20	60 (+1m/-1m)		20-Jul-25	20-Aug-25	286 d (+31)		
	HRS	1250.1	3200 (+30/-30)		4450.1	4480.1	2564.1 (+30)		
	AFL	1020							
				PROC. REF: SMR 05-30-42				PKG:42	
05-30-50	5600 FH MAINTENANCE PACKAGE							Package	ATA:05
	MOS	11-May-10							
	HRS	0	5600 (+30/-30)		5600	5630	3714 (+30)		
	AFL	0							
				PROC. REF: SMR 05-30-50				PKG:50	
05-30-60	6400 FH MAINTENANCE PACKAGE							Package	ATA:05
	MOS	EFF							
	HRS	EFF	6400 (+30/-30)		6400 *	6430	4514 (+30)		
	AFL								
				PROC. REF: SMR 05-30-60				PKG:60	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
05-30-80	12 MO MAINTENANCE PACKAGE							
	MOS	13-May-24	12 (+1m/-1m)	Adj 11d	24-May-25	24-Jun-25	229 d (+31)	Package ATA:05
	HRS	1794.8						
	AFL	1380						
				PROC. REF: SMR 05-30-80				PKG:80
05-30-81	24 MO MAINTENANCE PACKAGE							
	MOS	13-May-24	24 (+1m/-1m)	Adj 11d	24-May-26	24-Jun-26	594 d (+31)	Package ATA:05
	HRS	1794.8						
	AFL	1380						
				PROC. REF: SMR 05-30-81				PKG:81
05-30-82	36 MO MAINTENANCE PACKAGE							
	MOS	24-May-22	36 (+1m/-1m)	Adj 11d	04-Jun-25	04-Jul-25	240 d (+30)	Package ATA:05
	HRS	1509.4						
	AFL	1183						
				PROC. REF: SMR 05-30-82				PKG:82
05-30-83	48 MO MAINTENANCE PACKAGE							
	MOS	24-May-22	48 (+1m/-1m)	Adj -42d	12-Apr-26	12-May-26	552 d (+30)	Package ATA:05
	HRS	1509.4						
	AFL	1183						
				PROC. REF: SMR 05-30-83				PKG:83
05-30-84	60 MO MAINTENANCE PACKAGE							
	MOS	20-Jul-20	60 (+1m/-1m)		20-Jul-25	20-Aug-25	286 d (+31)	Package ATA:05
	HRS	1250.1						
	AFL	1020						
				PROC. REF: SMR 05-30-84				PKG:84
05-30-87	120 MO MAINTENANCE PACKAGE							
	MOS	20-Jul-20	120 (+1m/-1m)		20-Jul-30	20-Aug-30	2112 d (+31)	Package ATA:05
	HRS	1250.1						
	AFL	1020						
				PROC. REF: SMR 05-30-87				PKG:87
05-30-90	120 MO THRESHOLD/ 60 MO MAINTENANCE PACKAGE							
	MOS	20-Jul-20	60 (+1m/-1m)		20-Jul-25	20-Aug-25	286 d (+31)	Package ATA:05
	HRS	1250.1						
	AFL	1020						
				PROC. REF: SMR 05-30-90				PKG:90

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
05-50-00-210-805	NO. 1 ENGINE - TROUBLESHOOT - FOREIGN OBJECT DAMAGE							Service	ATA:05
	MOS/MSC	28-Feb-10	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	ENC	0							
	PROC. REF: MM 05-50-00								
05-50-00-210-805	NO. 2 ENGINE - TROUBLESHOOT - FOREIGN OBJECT DAMAGE							Service	ATA:05
	MOS/MSC	27-Feb-10	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	ENC	0							
	PROC. REF: MM 05-50-00								
050600	NO. 1 ENGINE - 800 HOURS							Package	ATA:05
	MOS	24-May-22							
	HRS	1509.4	600 (+10%)		(2109.4) 2109.4	2169.4	223.4 (+60)		
	ENC	1183							
	PROC. REF: LMM 05-20-00								
	PKG:2								
050600	NO. 2 ENGINE - 800 HOURS							Package	ATA:05
	MOS	24-May-22							
	HRS	1509.4	600 (+10%)		(2109.4) 2109.4	2169.4	223.4 (+60)		
	ENC	1183							
	PROC. REF: LMM 05-20-00								
	PKG:2								
051254	NO. 1 ENGINE - 800 HOURS/ 12 MONTHS INSPECTION							Package	ATA:05
	MOS	13-May-24	12 (+30d)		13-May-25	12-Jun-25	218 d (+30)		
	HRS	1794.8	800 (+10%)		(2594.8) 2594.8	2674.8	708.8 (+80)		
	ENC	1380							
	PROC. REF: LMM 05-20-00								
	PKG:1								
051254	NO. 2 ENGINE - 800 HOURS/ 12 MONTHS INSPECTION							Package	ATA:05
	MOS	13-May-24	12 (+30d)		13-May-25	12-Jun-25	218 d (+30)		
	HRS	1794.8	800 (+10%)		(2594.8) 2594.8	2674.8	708.8 (+80)		
	ENC	1380							
	PROC. REF: LMM 05-20-00								
	PKG:1								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
H242-001^S INTERNAL GENERAL VISUAL INSPECTION OF INTERFACE CONNECTORS IN THE REAR CENTER FUSELAGE								
	MOS	20-Jul-20	120 (+1m/-1m)					Service ATA:05
	HRS	1250.1						
	AFL	1020						
					PROC. REF: AMM 05-42-00			PKG:87
H340-001^S INTERNAL GENERAL VISUAL INSPECTION OF PITCH TRIM ACTUATOR ELECTRICAL BONDING								
	MOS	20-Jul-20	120 (+1m/-1m)					Service ATA:05
	HRS	1250.1						
	AFL	1020						
					PROC. REF: AMM 05-44-00			PKG:87
H430-001^S INTERNAL DETAILED INSPECTION OF ENGINE/PYLON INTERFACE CONNECTORS AND BONDING JUMPERS								
	MOS	20-Jul-20	60 (+1m/-1m)					Service ATA:05
	HRS	1250.1						
	AFL	1020						
					PROC. REF: AMM 05-46-00			PKG:84
H700-001^S EXTERNAL GENERAL VISUAL INSPECTION OF MAIN LANDING GEAR AND MAIN LANDING GEAR BAY BONDING JUMPERS AND CONNECTORS								
	MOS	20-Jul-20	60 (+1m/-1m)					Service ATA:05
	HRS	1250.1						
	AFL	1020						
					PROC. REF: AMM 05-47-00			PKG:84
H700-002^S EXTERNAL GENERAL VISUAL INSPECTION OF NOSE LANDING GEAR AND NOSE LANDING GEAR BAY BONDING JUMPERS AND CONNECTORS								
	MOS	20-Jul-20	60 (+1m/-1m)					Service ATA:05
	HRS	1250.1						
	AFL	1020						
					PROC. REF: AMM 05-47-00			PKG:84
ATA 08 - LEVELING AND WEIGHING								
8-0001-1^U PERFORM WEIGHT AND BALANCE CHECK (FAR 91.423 OR 135.185)								
	MOS	20-Mar-21	60		20-Mar-26		529 d	Service ATA:08
	HRS	1333.8						FAR
	AFL	1075						
ATA 21 - AIR CONDITIONING								
21-00-00 ELECTROMECHANICAL LINEAR ACTUATOR								
PN:100000-77	MOS/MSC	13-May-24	O/C		TSR 1			Component ATA:21
SN:31402	HRS	1794.8			TSR 0			

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
	AFL	1380		TSR 0					
PROC. REF: AMM 21-23-03, AMM 21-23-03									
21-01-01	PRESSURIZATION AND AIR CONDITIONING CONTROL PANEL							Component	ATA:21
PN:441-40931-002	MOS/MSC	11-May-10	O/C	TSN 0					
SN:0150	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 21-01-01, AMM 21-01-01									
21-20-02-900-801-01	COCKPIT - CONDITIONED AIR DUCT							Component	ATA:21
PN:PN	MOS/MSC	11-May-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 21-20-02, AMM 21-20-02									
21-20-02-900-801-02	PAX CABIN - CONDITIONED AIR DUCT							Component	ATA:21
PN:PN	MOS/MSC	11-May-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 21-20-02, AMM 21-20-02									
21-20-02-900-801-03	AFT CABIN - CONDITIONED AIR DUCT							Component	ATA:21
PN:PN	MOS/MSC	11-May-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 21-20-02, AMM 21-20-02									
21-21-01	LEFT REAR FUS FLOW CONTROL SHUT OFF VALVE ASSEMBLY							Component	ATA:21
PN:1300230-17	MOS/MSC	31-Aug-16	O/C	TSR 0					
SN:250	HRS	648.9		TSR 0					
	AFL	613		TSR 0					
PROC. REF: AMM 21-21-01, AMM 21-21-01									
21-21-01	RIGHT REAR FUS FLOW CONTROL SHUT OFF VALVE ASSEMBLY							Component	ATA:21
PN:1300230-25	MOS/MSC	11-May-10	O/C	TSN 0					
SN:358	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 21-21-01, AMM 21-21-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
21-21-02		LH AFT INLET AIR CHECK VALVE					Component	ATA:21	
PN:PN	MOS/MSC	11-May-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 21-21-02, AMM 21-21-02									
21-21-02		RH AFT INLET AIR CHECK VALVE					Component	ATA:21	
PN:PN	MOS/MSC	11-May-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 21-21-02, AMM 21-21-02									
21-21-02-001 ^S		OPERATIONAL CHECK LH AFT INLET AIR CHECK VALVE					Service	ATA:21	
PN:PN	MOS	11-May-10							
SN:UNKNOWN	HRS	0	6400 (+30/-30)						
	AFL	0							
PROC. REF: AMM 21-21-02									
PKG:60									
21-21-02-001 ^S		OPERATIONAL CHECK RH AFT INLET AIR CHECK VALVE					Service	ATA:21	
PN:PN	MOS	11-May-10							
SN:UNKNOWN	HRS	0	6400 (+30/-30)						
	AFL	0							
PROC. REF: AMM 21-21-02									
PKG:60									
21-23-03		RAM AIR VALVE					Component	ATA:21	
PN:PN	MOS/MSC	11-May-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 21-23-03, AMM 21-23-03									
21-23-03-002 ^S		OPERATIONAL CHECK OF RAM AIR VALVE POSITION					Service	ATA:21	
PN:PN	MOS	11-May-10							
SN:UNKNOWN	HRS	0	6400 (+30/-30)						
	AFL	0							
PROC. REF: AMM 21-23-03									
PKG:60									
21-23-03-003 ^S		OPERATIONAL CHECK OF RAM AIR VALVE ACTUATION					Service	ATA:21	
	MOS	24-May-22							
	HRS	1509.4	800 (+30/-30)						
	AFL	1183							
PROC. REF: AMM 21-23-03									
PKG:1									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
21-23-04		LH AFT FUSELAGE RAM AIR CHECK VALVE					Component	ATA:21	
PN:PN	MOS/MSC	11-May-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 21-23-04, AMM 21-23-04									
21-23-04		LH CENTER FUSELAGE RAM AIR CHECK VALVE					Component	ATA:21	
PN:PN	MOS/MSC	11-May-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 21-23-04, AMM 21-23-04									
21-23-04		RH AFT FUSELAGE RAM AIR CHECK VALVE					Component	ATA:21	
PN:PN	MOS/MSC	11-May-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 21-23-04, AMM 21-23-04									
21-23-04-001 ^S		OPERATIONAL CHECK LH AFT FUSELAGE RAM AIR CHECK VALVE					Service	ATA:21	
PN:PN	MOS	11-May-10							
SN:UNKNOWN	HRS	0	5600 (+30/-30)						
	AFL	0							
PROC. REF: AMM 21-23-04									
PKG:50									
21-23-04-001 ^S		OPERATIONAL CHECK LH CENTER FUSELAGE RAM AIR CHECK VALVE					Service	ATA:21	
PN:PN	MOS	11-May-10							
SN:UNKNOWN	HRS	0	5600 (+30/-30)						
	AFL	0							
PROC. REF: AMM 21-23-04									
PKG:50									
21-23-04-001 ^S		OPERATIONAL CHECK RH AFT FUSELAGE RAM AIR CHECK VALVE					Service	ATA:21	
PN:PN	MOS	11-May-10							
SN:UNKNOWN	HRS	0	5600 (+30/-30)						
	AFL	0							
PROC. REF: AMM 21-23-04									
PKG:50									
21-23-05		TAIL CONE GROUND BLOWER (COOLING FAN) ASSEMBLY					Component	ATA:21	
PN:1133710-5	MOS/MSC	10-Aug-12	O/C						
SN:124	HRS	165.7							
	AFL	167							
PROC. REF: AMM 21-23-05, AMM 21-23-05									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
21-23-05-001^S GENERAL VISUAL INSPECTION TAIL CONE GROUND BLOWER (COOLING FAN) ASSEMBLY Service ATA:21								
PN:1133710-5	MOS	20-Jul-20						
SN:124	HRS	1250.1	1600 (+30/-30)					
	AFL	1020						
PROC. REF: AMM 21-23-05								PKG:10
21-31-00-002^S OPERATIONAL CHECK AFT BULKHEAD OUTFLOW (OFV) VALVE MANUAL PRESSURIZATION CONTROL MODE Service ATA:21								
PN:103920-1	MOS	24-May-22						
SN:103920-00179	HRS	1509.4	800 (+30/-30)					
	AFL	1183						
PROC. REF: AMM 21-31-00								PKG:1
21-31-00-003^S OPERATIONAL CHECK OF EMERGENCY CABIN DECOMPRESSION (AUTO MODE) Service ATA:21								
	MOS	24-May-22						
	HRS	1509.4	800 (+30/-30)					
	AFL	1183						
PROC. REF: AMM 21-31-00								PKG:1
21-31-00-004^S OPERATIONAL CHECK OF ECMU-TO-AVIONICS DIGITAL AND DISCRETE SIGNALS Service ATA:21								
	MOS	11-May-10						
	HRS	0	5600 (+30/-30)					
	AFL	0						
PROC. REF: AMM 21-31-00								PKG:50
21-31-00-005^S OPERATIONAL CHECK OF ECMU-TO-AVIONICS ANALOG SIGNAL Service ATA:21								
	MOS	11-May-10						
	HRS	0	5600 (+30/-30)					
	AFL	0						
PROC. REF: AMM 21-31-00								PKG:50
21-31-01 ELECTRONIC CONTROL AND MONITORING UNIT Component ATA:21								
PN:2119286-5	MOS/MSC	02-Sep-11	O/C	TSN 0				
SN:2119286-00415	HRS	66.1		TSN 0				
	AFL	72		TSN 0				
PROC. REF: AMM 21-31-01, AMM 21-31-01								
21-31-01-001 RESTORATION (REPAIR) OF ELECTRONIC CONTROL AND MONITORING UNIT (ECMU) Service ATA:21								
PN:2119286-5	MOS	02-Sep-11						
SN:2119286-00415	HRS	66.1	5600 (+30/-30)		6066.1 (M)	6096.1	4180.1 (+30)	
	AFL	72						
PROC. REF: AMM 21-31-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
21-31-02		AFT BULKHEAD OUTFLOW (OFV) VALVE						Component	ATA:21
PN:103920-1	MOS/MSC	11-May-10	O/C	TSN 0					
SN:103920-00179	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 21-31-02, AMM 21-31-02									
21-31-02-001		RESTORATION (REPAIR) OF AFT BULKHEAD OUTFLOW VALVE						Service	ATA:21
PN:103920-1	MOS	11-May-10							
SN:103920-00179	HRS	0	7200 (+30/-30)		7200	7230	5314 (+30)		
	AFL	0							
PROC. REF: AMM 21-31-02									
21-31-03		NEGATIVE PRESSURE RELIEF VALVE						Component	ATA:21
PN:130664-2	MOS/MSC	11-May-10	O/C	TSN 0					
SN:34163-0179	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 21-31-03, AMM 21-31-03									
21-31-03-001 ^S		OPERATIONAL CHECK NEGATIVE PRESSURE RELIEF VALVE						Service	ATA:21
PN:130664-2	MOS	11-May-10							
SN:34163-0179	HRS	0	5600 (+30/-30)						
	AFL	0							
PROC. REF: AMM 21-31-03									
21-31-04		AFT BULKHEAD PRESSURE RELIEF (PRV) VALVE						Component	ATA:21
PN:103916-2	MOS/MSC	11-May-10	O/C	TSN 0					
SN:103916-00156	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 21-31-04, AMM 21-31-04									
21-31-04-001 ^S		FUNCTIONAL CHECK AFT BULKHEAD PRESSURE RELIEF (PRV) VALVE						Service	ATA:21
PN:103916-2	MOS	11-May-10							
SN:103916-00156	HRS	0	5600 (+30/-30)						
	AFL	0							
PROC. REF: AMM 21-31-04									
21-52-01-001		DETAILED VISUAL INSPECTION VCS COMPRESSOR DRIVE MODULE OF VCS COMPRESSOR MOTOR DRIVE						Service	ATA:21
PN:1133630-12	MOS/MSC	24-May-22	O/C						
SN:181	HRS	1509.4							
	AFL	1183							
PROC. REF: AMM 21-52-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
21-52-01-002		DISCARD OF COMPRESSOR DRIVE MODULE BELT						Service	ATA:21
	MOS	15-Apr-16							
	HRS	574.5	2000 (+30/-30)		2574.5	2604.5	688.5 (+30)		
	AFL	550							
PROC. REF: AMM 21-52-01									
21-52-01-003 ^S		FUNCTIONAL CHECK OF COMPRESSOR BELT TENSION						Service	ATA:21
	MOS	24-May-22							
	HRS	1509.4	800 (+30/-30)						
	AFL	1183							
PROC. REF: AMM 21-52-01									
21-52-01-004		RESTORATION (OVERHAUL) VCS COMPRESSOR DRIVE MODULE						Service	ATA:21
PN:1133630-12	MOS	24-May-22							
SN:181	HRS	1509.4	2000 (+30/-30)		3509.4	3539.4	1623.4 (+30)		
	AFL	1183							
PROC. REF: AMM 21-52-01									
21-52-02		HEAT EXCHANGER PACK						Component	ATA:21
PN:1133750-3	MOS/MSC	11-May-10	O/C	TSN 0					
SN:273	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 21-52-02, AMM 21-52-02									
21-52-02-001 ^S		GENERAL VISUAL INSPECTION HEAT EXCHANGER PACK						Service	ATA:21
PN:1133750-3	MOS	20-Jul-20							
SN:273	HRS	1250.1	1600 (+30/-30)						
	AFL	1020							
PROC. REF: AMM 21-52-02									
21-52-03-001 ^S		GENERAL VISUAL INSPECTION OF EVAPORATOR MODULES						Service	ATA:21
	MOS	24-May-22							
	HRS	1509.4	800 (+30/-30)						
	AFL	1183							
PROC. REF: AMM 21-52-03									
21-52-04		FWD FUS VCS SYSTEM FWD EVAPORATOR BLOWER						Component	ATA:21
PN:1133850-104	MOS/MSC	11-May-10	O/C	TSN 0					
SN:317	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 21-52-04, AMM 21-52-04									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
21-52-06-001^S SERVICING OF VCS REFRIGERANT FLUID Service ATA:21								
	MOS	13-May-24	12 (+1m/-1m)					
	HRS	1794.8						
	AFL	1380						
PROC. REF: AMM 12-17-00								PKG:80
21-61-00-001^S OPERATIONAL CHECK OF MANUAL TEMPERATURE CONTROL SYSTEM Service ATA:21								
	MOS	24-May-22						
	HRS	1509.4	800 (+30/-30)					
	AFL	1183						
PROC. REF: AMM 21-61-00								PKG:1
21-61-01 REAR FUS ECS TEMPERATURE CONTROLLER Component ATA:21								
PN:1300650-12	MOS/MSC	11-Jun-12	O/C					
SN:240	HRS	157						
	AFL	159						
PROC. REF: AMM 21-61-01, AMM 21-61-01								
21-61-03 COCKPIT DUCT TEMPERATURE SENSOR SWITCH Component ATA:21								
PN:1300450-10	MOS/MSC	11-May-10	O/C	TSN 0				
SN:936	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 21-61-03, AMM 21-61-03								
21-61-03 LH REAR DUCT TEMPERATURE SENSOR SWITCH Component ATA:21								
PN:1300450-10	MOS/MSC	11-May-10	O/C	TSN 0				
SN:683	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 21-61-03, AMM 21-61-03								
21-61-03 PAX DUCT TEMPERATURE SENSOR SWITCH Component ATA:21								
PN:1300450-10	MOS/MSC	11-May-10	O/C	TSN 0				
SN:670	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 21-61-03, AMM 21-61-03								
21-61-03 RH REAR DUCT TEMPERATURE SENSOR SWITCH Component ATA:21								
PN:1300450-10	MOS/MSC	11-May-10	O/C	TSN 0				
SN:698	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 21-61-03, AMM 21-61-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
21-61-06-001 ^S	OPERATIONAL CHECK OF E-BAY OVERTEMPERATURE SENSOR							Service	ATA:21
	MOS	11-May-10							
	HRS	0	6400 (+30/-30)						
	AFL	0							
				PROC. REF: AMM 21-61-06				PKG:60	
215201-0101	VCS COMPRESSOR DRIVE MODULE							Component	ATA:21
PN:1133630-12	MOS/MSC	24-May-22	O/C						
SN:181	HRS	1509.4							
	AFL	1183							
				PROC. REF: AMM 21-52-01, AMM 21-52-01, AMM 21-52-01, AMM 21-52-01					
215201-0102	CDM COMPRESSOR MODULE							Component	ATA:21
PN:PN-UNKNOWN	MOS/MSC	24-May-22	O/C						
SN:UNKNOWN	HRS	1509.4							
	AFL	1183							
				PROC. REF: AMM 21-52-01, AMM 21-52-01					
215201-0201	COMPRESSOR DRIVE MODULE BELT							Component	ATA:21
PN:PN	MOS/MSC	11-May-10	H/T	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
				PROC. REF: AMM 21-52-01, AMM 21-52-01					
ATA 22 - AUTO FLIGHT									
22-11-00-001	FUNCTIONAL CHECK OF AILERON SERVO							Service	ATA:22
PN:011-01436-01	MOS	13-May-24	12 (+30d/-30d)	Adj 11d	24-May-25	23-Jun-25	229 d (+30)	AIRWORTHINESS	
SN:22305532	HRS	1794.8							
	AFL	1380							
				PROC. REF: AMM 22-11-00					
22-11-00-001	FUNCTIONAL CHECK OF ELEVATOR SERVO							Service	ATA:22
PN:011-01436-01	MOS	13-May-24	12 (+30d/-30d)	Adj 11d	24-May-25	23-Jun-25	229 d (+30)	AIRWORTHINESS	
SN:22305529	HRS	1794.8							
	AFL	1380							
				PROC. REF: AMM 22-11-00					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 22 - AUTO FLIGHT									
22-11-00-001		FUNCTIONAL CHECK OF RUDDER SERVO							Service ATA:22
PN:011-01436-01	MOS	13-May-24	12 (+30d/-30d)	Adj 11d	24-May-25	23-Jun-25	229 d (+30)	AIRWORTHINESS	
SN:22305550	HRS	1794.8							
	AFL	1380							
PROC. REF: AMM 22-11-00									
22-11-00-002 ^S		LUBRICATION OF SERVO ACTUATORS							Service ATA:22
	MOS	13-May-24	12 (+1m/-1m)						
	HRS	1794.8							
	AFL	1380							
PROC. REF: AMM 22-11-00									
PKG:80									
22-11-00-003 ^S		DETAILED VISUAL INSPECTION OF AUTOPILOT SERVO CABLE							Service ATA:22
	MOS	20-Jul-20	60 (+1m/-1m)						
	HRS	1250.1	3200 (+30/-30)						
	AFL	1020							
PROC. REF: AMM 22-11-00									
PKG:42									
22-11-01		GMC 715 GUIDANCE PANEL							Component ATA:22
PN:011-01430-00	MOS/MSC	11-May-10	O/C	TSN 0					
SN:15900308	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 22-11-01, AMM 22-11-01									
22-11-02		AILERON GSA 81 LOW TORQUE AUTOPILOT SERVO ACTUATOR							Component ATA:22
PN:011-00878-10	MOS/MSC	30-Apr-14	O/C	TSN 47					
SN:71307450	HRS	377.3		TSN 377					
	AFL	354							
PROC. REF: AMM 22-11-02, AMM 22-11-02									
22-11-03		AILERON GSM 85A MED TORQUE SERVO MOUNT							Component ATA:22
PN:011-01436-01	MOS/MSC	11-May-10	O/C	TSN 0					
SN:22305532	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 22-11-03, AMM 22-11-03									
22-11-05		ELEVATOR GSA 81 LOW TORQUE AUTOPILOT SERVO ACTUATOR							Component ATA:22
PN:011-00878-10	MOS/MSC	30-Apr-14	O/C	TSN 47					
SN:71307486	HRS	377.3		TSN 377					
	AFL	354							
PROC. REF: AMM 22-11-05, AMM 22-11-05									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 22 - AUTO FLIGHT									
22-11-06		ELEVATOR GSM 85A MED TORQUE SERVO MOUNT					Component	ATA:22	
PN:011-01436-01	MOS/MSC	11-May-10	O/C	TSN 0					
SN:22305529	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 22-11-06, AMM 22-11-06									
22-11-08		RUDDER GSA 81 LOW TORQUE AUTOPILOT SERVO ACTUATOR					Component	ATA:22	
PN:011-00878-20	MOS/MSC	24-May-22	O/C	TSR 1					
SN:1A1013354	HRS	1509.4		TSR 0					
	AFL	1183		TSR 0					
PROC. REF: AMM 22-11-08, AMM 22-11-08									
22-11-09		RUDDER GSM 85A MED TORQUE SERVO MOUNT					Component	ATA:22	
PN:011-01436-01	MOS/MSC	11-May-10	O/C	TSN 0					
SN:22305550	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 22-11-09, AMM 22-11-09									
ATA 23 - COMMUNICATIONS									
23-12-02		BOTTOM VHF ANTENNA					Component	ATA:23	
PN:S65-8280-41	MOS/MSC	11-May-10	O/C	TSN 0					
SN:322-2184	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 23-12-02, AMM 23-12-02									
23-12-02		TOP VHF ANTENNA					Component	ATA:23	
PN:S65-8280-41	MOS/MSC	11-May-10	O/C	TSN 0					
SN:322-2183	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 23-12-02, AMM 23-12-02									
23-15-03		IRIDIUM ANTENNA					Component	ATA:23	
PN:PN	MOS/MSC	11-May-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 23-15-03, AMM 23-15-03									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 23 - COMMUNICATIONS									
23-23-03		WIFI - DATALINK ANTENNA						Component	ATA:23
PN:PN	MOS/MSC	11-May-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 23-23-03, AMM 23-23-03									
23-51-00-001 ^S		OPERATIONAL CHECK OF AIRBORNE AUDIO SYSTEM FAIL-SAFE MODE						Service	ATA:23
	MOS	11-May-10							
	HRS	0	3200 (+30/-30)						
	AFL	0							
PROC. REF: AMM 23-51-00									
PKG:40									
23-51-01		COPILOT GMA 1347D AUDIO PANEL						Component	ATA:23
PN:011-01257-20	MOS/MSC	11-May-10	O/C	TSN 0					
SN:17105984	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 23-51-01, AMM 23-51-01									
23-51-01		PILOT GMA 1347D AUDIO PANEL						Component	ATA:23
PN:011-01257-20	MOS/MSC	11-May-10	O/C	TSN 0					
SN:17105981	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 23-51-01, AMM 23-51-01									
23-51-05		LH AUDIO JACK CONTROL PANEL						Component	ATA:23
PN:441-40943-002	MOS/MSC	11-May-10	O/C	TSN 0					
SN:0302	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 23-51-05, AMM 23-51-05									
23-51-05		RH AUDIO JACK CONTROL PANEL						Component	ATA:23
PN:441-40943-002	MOS/MSC	11-May-10	O/C	TSN 0					
SN:0308	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 23-51-05, AMM 23-51-05									
23-51-09		LH MODEL HME 25-KA-2 HEADSET						Component	ATA:23
PN:025-250-015	MOS/MSC	11-May-10	O/C	TSN 0					
SN:003286	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 23 - COMMUNICATIONS									
23-51-09		RH MODEL HME 25-KA-2 HEADSET					Component	ATA:23	
PN:025-250-015	MOS/MSC	11-May-10	O/C	TSN 0					
SN:003290	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
23-51-11		COCKPIT ELECTRODYNAMIC MICROPHONE					Component	ATA:23	
PN:85-03-12369-04	MOS/MSC	11-May-10	O/C	TSN 0					
SN:202520	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
23-61-00-001 ^S		FUNCTIONAL CHECK OF STATIC DISCHARGERS					Service	ATA:23	
	MOS	24-May-22	48 (+1m/-1m)						
	HRS	1509.4							
	AFL	1183							
PROC. REF: AMM 23-61-00									
PKG:83									
ATA 24 - ELECTRICAL POWER									
24-00-07		RELAY ASSEMBLY					Component	ATA:24	
PN:PN	MOS/MSC	11-May-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
24-01-01		ELECTRICAL CONTROL PANEL					Component	ATA:24	
PN:441-40929-002	MOS/MSC	11-May-10	O/C	TSN 0					
SN:0180	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 24-01-01, AMM 24-01-01									
24-31-01		NO.1 ENGINE STARTER-GENERATOR					Component	ATA:24	
PN:MG94F-2	MOS/MSC	24-May-22	O/C	TSO 4					
SN:0464	HRS	1509.4		TSO 0					
	AFL	1183		TSO 0					
PROC. REF: AMM 24-31-01, AMM 24-31-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 24 - ELECTRICAL POWER									
24-31-01	NO.2 ENGINE STARTER-GENERATOR							Component	ATA:24
PN:MG94F-2	MOS/MSC	24-May-22	O/C		TSO 4				
SN:0217	HRS	1509.4			TSO 0				
	AFL	1183			TSO 0				
PROC. REF: AMM 24-31-01, AMM 24-31-01									
24-31-01-001	NO. 1 ENGINE STARTER/GENERATOR - RESTORATION (OVERHAUL) OF STARTER GENERATOR ON EMBRAER 500 ACFT WITH STARTER GENERATOR PN MG94F-2 OR PN 400SG180Q SERIES OR POST-MOD SB 500-24-0007							Service	ATA:24
PN:MG94F-2	MOS	24-May-22							
SN:0464	HRS	1509.4	800 (+30/-30)		2309.4	2339.4	423.4 (+30)		
	AFL	1183							
PROC. REF: AMM 24-31-01									
24-31-01-001	NO. 2 ENGINE STARTER/GENERATOR - RESTORATION (OVERHAUL) OF STARTER GENERATOR ON EMBRAER 500 ACFT WITH STARTER GENERATOR PN MG94F-2 OR PN 400SG180Q SERIES OR POST-MOD SB 500-24-0007							Service	ATA:24
PN:MG94F-2	MOS	24-May-22							
SN:0217	HRS	1509.4	800 (+30/-30)		2309.4	2339.4	423.4 (+30)		
	AFL	1183							
PROC. REF: AMM 24-31-01									
24-31-01-003	RESTORATION (OVERHAUL) OF NO.1 ENGINE STARTER-GENERATOR (P/N MG94F-1)							Service	ATA:24
PN:MG94F-2	MOS/MSC		N/A						
SN:0464	HRS								
	AFL								
PROC. REF: AMM 24-31-01									
24-31-01-003	RESTORATION (OVERHAUL) OF NO.2 ENGINE STARTER-GENERATOR (P/N MG94F-1)							Service	ATA:24
PN:MG94F-2	MOS/MSC		N/A						
SN:0217	HRS								
	AFL								
PROC. REF: AMM 24-31-01									
24-31-02	NO.1 GENERATOR - DC, 28V CONTROL UNIT							Component	ATA:24
PN:CG301A-12	MOS/MSC	06-Feb-16	O/C						
SN:492	HRS	554.7							
	AFL	531							
PROC. REF: AMM 24-31-02, AMM 24-31-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 24 - ELECTRICAL POWER									
24-31-02		NO.2 GENERATOR - DC, 28V CONTROL UNIT					Component	ATA:24	
PN:CG301A-12	MOS/MSC	06-Feb-16	O/C						
SN:657	HRS	554.7							
	AFL	531							
PROC. REF: AMM 24-31-02, AMM 24-31-02									
24-31-07-001 ^S		RESTORATION (CLEANING) OF LH SHUNT GENERATOR					Service	ATA:24	
	MOS	20-Jul-20	60 (+1m/-1m)						
	HRS	1250.1							
	AFL	1020							
PROC. REF: AMM 24-31-07									
PKG:84									
24-31-07-001 ^S		RESTORATION (CLEANING) OF RH SHUNT GENERATOR					Service	ATA:24	
	MOS	20-Jul-20	60 (+1m/-1m)						
	HRS	1250.1							
	AFL	1020							
PROC. REF: AMM 24-31-07									
PKG:84									
24-36-01		NO.1 MAIN BATTERY					Component	ATA:24	
PN:RG-390E	MOS/MSC	03-Dec-22	O/C						
SN:41129025	HRS	1604.1							
	AFL	1242							
PROC. REF: AMM 24-36-01, AMM 24-36-01, AMM 24-36-01									
24-36-01		NO.2 MAIN BATTERY					Component	ATA:24	
PN:RG-390E	MOS/MSC	03-Dec-22	O/C						
SN:41115310	HRS	1604.1							
	AFL	1242							
PROC. REF: AMM 24-36-01, AMM 24-36-01, AMM 24-36-01									
24-36-02		BATTERY CURRENT (HB2) SENSOR					Component	ATA:24	
PN:PN	MOS/MSC	11-May-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 24-36-02, AMM 24-36-02									
24-36-02-001 ^S		OPERATIONAL CHECK BATTERY CURRENT (HB2) SENSOR					Service	ATA:24	
PN:PN	MOS	11-May-10							
SN:UNKNOWN	HRS	0	6400 (+30/-30)						
	AFL	0							
PROC. REF: AMM 24-36-02									
PKG:60									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 24 - ELECTRICAL POWER									
24-36-STC-003 ^U		DISCARD NO.1 MAIN BATTERY (CONCORDE BATTERY)						Service	ATA:24
PN:RG-390E	MOS	20-Mar-21	48		20-Mar-25		164 d		
SN:41129025	HRS	1333.8							
	AFL	1075							
24-36-STC-003 ^U		DISCARD NO.2 MAIN BATTERY (CONCORDE BATTERY)						Service	ATA:24
PN:RG-390E	MOS	20-Mar-21	48		20-Mar-25		164 d		
SN:41115310	HRS	1333.8							
	AFL	1075							
24-36-STC-005 ^U		CAPACITY CHECK NO.1 MAIN BATTERY (CONCORDE BATTERY)						Service	ATA:24
PN:RG-390E	MOS	13-May-24	6 (+1m/-1m)		13-Nov-24	13-Dec-24	37 d (+30)		
SN:41129025	HRS	1794.8							
	AFL	1380							
24-36-STC-005 ^U		CAPACITY CHECK NO.2 MAIN BATTERY (CONCORDE BATTERY)						Service	ATA:24
PN:RG-390E	MOS	13-May-24	6 (+1m/-1m)		13-Nov-24	13-Dec-24	37 d (+30)		
SN:41115310	HRS	1794.8							
	AFL	1380							
24-54-05		28 VDC / 115 VAC STATIC INVERTER						Component	ATA:24
PN:AS-24-0026-001	MOS/MSC	14-Jul-21	O/C						
SN:0803	HRS	1378.5							
	AFL	1104							
PROC. REF: AMM 24-54-05, AMM 24-54-05									
24-65-00		CABLE W109 LPDU/RPDU FEEDER						Component	ATA:24
PN:PN	MOS/MSC	11-May-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 24-65-01, AMM 24-65-01, AMM 24-65-02, AMM 24-65-02									
24-65-01		LEFT POWER DISTRIBUTION UNIT ASSEMBLY						Component	ATA:24
PN: SX7EG16-1B	MOS/MSC	15-May-13	O/C						
SN:0041	HRS	246.5							
	AFL	251							
PROC. REF: AMM 24-65-01, AMM 24-65-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 24 - ELECTRICAL POWER									
24-65-02		RIGHT POWER DISTRIBUTION UNIT ASSEMBLY					Component	ATA:24	
PN: SX7EG17-1B	MOS/MSC	15-May-13	O/C						
SN: 0030	HRS	246.5							
	AFL	251							
PROC. REF: AMM 24-65-02, AMM 24-65-02									
24-65-03		CENTER POWER DISTRIBUTION UNIT ASSEMBLY					Component	ATA:24	
PN: SX7EG18-1B	MOS/MSC	15-May-13	O/C						
SN: 0148	HRS	246.5							
	AFL	251							
PROC. REF: AMM 24-65-03, AMM 24-65-03									
ATA 25 - EQUIPMENT/FURNISHINGS									
25-11-01		COPILOT CITRINE FINISH GOODRICH SEAT					Component	ATA:25	
PN: 1429-621AH	MOS/MSC	11-May-10	O/C	TSN 0					
SN: 1029-1429	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 25-11-01, AMM 25-11-01									
25-11-01		PILOT CITRINE FINISH GOODRICH SEAT					Component	ATA:25	
PN: 1429-521AH	MOS/MSC	11-May-10	O/C	TSN 0					
SN: 1028-1429	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 25-11-01, AMM 25-11-01									
25-11-01-001 ^S		DETAILED VISUAL INSPECTION COPILOT CITRINE FINISH GOODRICH SEAT					Service	ATA:25	
PN: 1429-621AH	MOS	30-Apr-14							
SN: 1029-1429	HRS	377.3	2400 (+30/-30)						
	AFL	354							
PROC. REF: AMM 25-11-01									
25-11-01-001 ^S		DETAILED VISUAL INSPECTION PILOT CITRINE FINISH GOODRICH SEAT					Service	ATA:25	
PN: 1429-521AH	MOS	30-Apr-14							
SN: 1028-1429	HRS	377.3	2400 (+30/-30)						
	AFL	354							
PROC. REF: AMM 25-11-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 25 - EQUIPMENT/FURNISHINGS									
25-11-01-002 ^S		DETAILED VISUAL INSPECTION OF COCKPIT SEAT BELTS							Service ATA:25
	MOS	30-Apr-14							
	HRS	377.3	2400 (+30/-30)						
	AFL	354							
PROC. REF: AMM 25-11-01								PKG:20	
25-21-01		LH AFT PAX SEAT							Component ATA:25
PN:403176-2AF	MOS/MSC	11-May-10	O/C	TSN 0					
SN:46886	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 25-21-01, AMM 25-21-01, AMM 25-21-00, AMM 25-21-00									
25-21-01		LH FWD PAX SEAT							Component ATA:25
PN:403176-1AF	MOS/MSC	11-May-10	O/C	TSN 0					
SN:46885	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 25-21-01, AMM 25-21-01, AMM 25-21-00, AMM 25-21-00									
25-21-01		RH AFT PAX SEAT							Component ATA:25
PN:403176-4AF	MOS/MSC	11-May-10	O/C	TSN 0					
SN:46888	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 25-21-01, AMM 25-21-01, AMM 25-21-00, AMM 25-21-00									
25-21-01		RH FWD PAX SEAT							Component ATA:25
PN:403176-3AF	MOS/MSC	11-May-10	O/C	TSN 0					
SN:46887	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 25-21-01, AMM 25-21-01, AMM 25-21-00, AMM 25-21-00									
25-21-01-001 ^S		DETAILED VISUAL INSPECTION LH AFT PAX SEAT							Service ATA:25
PN:403176-2AF	MOS	30-Apr-14							
SN:46886	HRS	377.3	2400 (+30/-30)						
	AFL	354							
PROC. REF: AMM 25-21-01								PKG:20	
25-21-01-001 ^S		DETAILED VISUAL INSPECTION LH FWD PAX SEAT							Service ATA:25
PN:403176-1AF	MOS	30-Apr-14							
SN:46885	HRS	377.3	2400 (+30/-30)						
	AFL	354							
PROC. REF: AMM 25-21-01								PKG:20	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
25-21-01-001^S DETAILED VISUAL INSPECTION RH AFT PAX SEAT Service ATA:25								
PN:403176-4AF	MOS	30-Apr-14						
SN:46888	HRS	377.3	2400 (+30/-30)					
	AFL	354						
PROC. REF: AMM 25-21-01								PKG:20
25-21-01-001^S DETAILED VISUAL INSPECTION RH FWD PAX SEAT Service ATA:25								
PN:403176-3AF	MOS	30-Apr-14						
SN:46887	HRS	377.3	2400 (+30/-30)					
	AFL	354						
PROC. REF: AMM 25-21-01								PKG:20
25-21-01-002^S DETAILED VISUAL INSPECTION OF PASSENGER SEAT BELTS Service ATA:25								
	MOS	30-Apr-14						
	HRS	377.3	2400 (+30/-30)					
	AFL	354						
PROC. REF: AMM 25-21-01								PKG:20
25-21-03-001^S DETAILED INSPECTION OF FIFTH SEAT Service ATA:25								
	MOS	30-Apr-14						
	HRS	377.3	2400 (+30/-30)					
	AFL	354						
PROC. REF: AMM 25-21-03								PKG:20
25-21-03-002^S DETAILED INSPECTION OF THE FIFTH SEAT BELT Service ATA:25								
	MOS	30-Apr-14						
	HRS	377.3	2400 (+30/-30)					
	AFL	354						
PROC. REF: AMM 25-21-03								PKG:20
25-43-01-001^S DETAILED VISUAL INSPECTION OF BELTED TOILET UNIT Service ATA:25								
	MOS	30-Apr-14						
	HRS	377.3	3200 (+30/-30)					
	AFL	354						
PROC. REF: AMM 25-43-02								PKG:40
25-43-01-002^S DETAILED VISUAL INSPECTION OF BELTED TOILET SEAT BELT Service ATA:25								
	MOS	30-Apr-14						
	HRS	377.3	3200 (+30/-30)					
	AFL	354						
PROC. REF: AMM 25-43-02								PKG:40

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
25-61-00-001 OPERATIONAL CHECK EMERGENCY LOCATOR TRANSMITTER SYSTEM								
PN:S1821502-02	MOS	13-May-24	12		13-May-25		218 d	Service ATA:25
SN:2621684-0008	HRS	1794.8						
	AFL	1380						
PROC. REF: AMM 25-61-00								
25-61-00-002 GENERAL VISUAL INSPECTION OF EMERGENCY LOCATOR TRANSMITTER								
PN:S1821502-02	MOS	13-May-24	12		13-May-25		218 d	Service ATA:25
SN:2621684-0008	HRS	1794.8						
	AFL	1380						
PROC. REF: AMM 25-61-00								
25-61-01 EMERGENCY LOCATOR TRANSMITTER								
PN:S1821502-02	MOS/MSC	11-May-10	O/C	TSN 0				Component ATA:25
SN:2621684-0008	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-61-01, AMM 25-61-01								
25-61-02 EMERGENCY LOCATOR TRANSMITTER BATTERY								
PN:S1820506-01	MOS/MSC	24-May-22	H/T	TSN 3				Component ATA:25
SN:2206 0369	HRS	1509.4		TSN 0				
	AFL	1183		TSN 0				
PROC. REF: AMM 25-61-04								
25-61-03 ELT ANTENNA								
PN:S65-8282-406	MOS/MSC	11-May-10	O/C	TSN 0				Component ATA:25
SN:401-1626	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-61-03, AMM 25-61-03								
25-61-04-001 DISCARD EMERGENCY LOCATOR TRANSMITTER BATTERY								
PN:S1820506-01	MOS/MSC	24-May-22	DUE		01-Jan-29 (M)		1547 d	Service ATA:25
SN:2206 0369	HRS	1509.4						
	AFL	1183						
PROC. REF: AMM 25-61-04								
25-61-05-001 RESTORATION (REPAIR) OF ELT/NAV INTERFACE MODULE								
PN:S1825502-02	MOS	20-Jul-20	120		20-Jul-30		2112 d	Service ATA:25
SN:0000175893	HRS	1250.1	16000		17250.1		15364.1	
	AFL	1020						
		OverHaul Date:: 20-Jul-20						
PROC. REF: AMM 25-61-07								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 25 - EQUIPMENT/FURNISHINGS									
25-61-05-01		ELT/NAV INTERFACE - CS144-A MODULE						Component	ATA:25
PN:S1825502-02	MOS/MSC	20-Jul-20	O/C	TSN 0					
SN:0000175893	HRS	1250.1		TSN 0					
	AFL	1020		TSN 0					
PROC. REF: AMM 25-61-05, AMM 25-61-05									
25-62-01		FIRST AID KIT						Component	ATA:25
PN:019708-0005L	MOS/MSC	13-May-24	H/T		01-May-25 (M)		206 d		
SN:UNKNOWN	HRS	1794.8							
	AFL	1380							
PROC. REF: GENERIC NO REF									
25-62-01-001		VISUAL CHECK FIRST AID KIT						Service	ATA:25
PN:019708-0005L	MOS	13-May-24	12		13-May-25		218 d		
SN:UNKNOWN	HRS	1794.8							
	AFL	1380							
PROC. REF: AMM 25-62-01									
25-62-02		COPILOT CREW LIFE VEST						Component	ATA:25
PN:66601-505	MOS/MSC	26-Jul-19	H/T	TSN 0					
SN:L4720470	HRS	1134.9		TSN 0					
	AFL	898		TSN 0					
PROC. REF: AMM 25-62-02, AMM 25-62-02									
25-62-02		NO.1 PAX LIFE VEST						Component	ATA:25
PN:66601-105	MOS/MSC	26-Jul-19	H/T	TSN 0					
SN:L3816427	HRS	1134.9		TSN 0					
	AFL	898		TSN 0					
PROC. REF: AMM 25-62-02, AMM 25-62-02									
25-62-02		NO.2 PAX LIFE VEST						Component	ATA:25
PN:66601-105	MOS/MSC	26-Jul-19	H/T	TSN 0					
SN:L3816436	HRS	1134.9		TSN 0					
	AFL	898		TSN 0					
PROC. REF: AMM 25-62-02, AMM 25-62-02									
25-62-02		NO.3 PAX LIFE VEST						Component	ATA:25
PN:66601-105	MOS/MSC	26-Jul-19	H/T	TSN 0					
SN:L3816429	HRS	1134.9		TSN 0					
	AFL	898		TSN 0					
PROC. REF: AMM 25-62-02, AMM 25-62-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 25 - EQUIPMENT/FURNISHINGS									
25-62-02		NO.4 PAX LIFE VEST							Component ATA:25
PN:66601-105	MOS/MSC	26-Jul-19	H/T	TSN 0					
SN:L3816430	HRS	1134.9		TSN 0					
	AFL	898		TSN 0					
PROC. REF: AMM 25-62-02, AMM 25-62-02									
25-62-02		PILOT CREW LIFE VEST							Component ATA:25
PN:66601-505	MOS/MSC	26-Jul-19	H/T	TSN 0					
SN:L4720471	HRS	1134.9		TSN 0					
	AFL	898		TSN 0					
PROC. REF: AMM 25-62-02, AMM 25-62-02									
25-62-02-001		RESTORATION (OVERHAUL) OF COPILOT LIFE VEST							Service ATA:25
PN:66601-505	MOS		120		25-May-27 (M)		960 d	OVERHAUL	
SN:L4720470	HRS								
	AFL								
PROC. REF: AMM 25-62-02									
25-62-02-001		RESTORATION (OVERHAUL) OF NO. 1 LIFE VEST							Service ATA:25
PN:66601-105	MOS		120		29-Jun-27 (M)		995 d	OVERHAUL	
SN:L3816427	HRS								
	AFL								
PROC. REF: AMM 25-62-02									
25-62-02-001		RESTORATION (OVERHAUL) OF NO. 2 LIFE VEST							Service ATA:25
PN:66601-105	MOS		120		29-Jun-27 (M)		995 d	OVERHAUL	
SN:L3816436	HRS								
	AFL								
PROC. REF: AMM 25-62-02									
25-62-02-001		RESTORATION (OVERHAUL) OF NO. 3 LIFE VEST							Service ATA:25
PN:66601-105	MOS		120		29-Jun-27 (M)		995 d	OVERHAUL	
SN:L3816429	HRS								
	AFL								
PROC. REF: AMM 25-62-02									
25-62-02-001		RESTORATION (OVERHAUL) OF NO. 4 LIFE VEST							Service ATA:25
PN:66601-105	MOS		120		29-Jun-27 (M)		995 d	OVERHAUL	
SN:L3816430	HRS								
	AFL								
PROC. REF: AMM 25-62-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 25 - EQUIPMENT/FURNISHINGS									
25-62-02-001		RESTORATION (OVERHAUL) OF PILOT LIFE VEST							Service ATA:25
PN:66601-505	MOS		120		25-May-29 (M)		1691 d	OVERHAUL	
SN:L4720471	HRS								
	AFL								
PROC. REF: AMM 25-62-02									
25-62-04		LAV WATER BARRIER							Component ATA:25
PN:PN	MOS/MSC	11-May-10	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
25-62-04-001 ^S		DETAILED DIMENSIONAL INSPECTION LAV WATER BARRIER							Service ATA:25
PN:PN	MOS	13-May-24	24 (+1m/-1m)						
SN:UNKNOWN	HRS	1794.8							
	AFL	1380							
PROC. REF: AMM 25-62-04									
25FAR01 ^U		OPERATIONAL CHECK EMERGENCY LOCATOR TRANSMITTER (FAR 91.207)							Service ATA:25
PN:S1821502-02	MOS	13-May-24	12		13-May-25		218 d	FAR	
SN:2621684-0008	HRS	1794.8							
	AFL	1380							
PROC. REF: AMM 25-62-04									
ATA 26 - FIRE PROTECTION									
26-11-01		LH ENGINE FIRE DETECTOR							Component ATA:26
PN:3951-49-565/211C-3.7M	MOS/MSC	11-May-10	O/C		TSN 0				
SN:42674	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM 26-11-01, AMM 26-11-01									
26-11-01		RH ENGINE FIRE DETECTOR							Component ATA:26
PN:3951-49-565/211C-3.7M	MOS/MSC	11-May-10	O/C		TSN 0				
SN:42705	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM 26-11-01, AMM 26-11-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 26 - FIRE PROTECTION									
26-11-01-001 ^S		DETAILED VISUAL INSPECTION LH ENGINE FIRE DETECTOR						Service	ATA:26
PN:3951-49-565/211C-3.7M	MOS	20-Jul-20							
SN:42674	HRS	1250.1	1600 (+30/-30)						
	AFL	1020							
PROC. REF: AMM 26-11-01								PKG:10	
26-11-01-001 ^S		DETAILED VISUAL INSPECTION RH ENGINE FIRE DETECTOR						Service	ATA:26
PN:3951-49-565/211C-3.7M	MOS	20-Jul-20							
SN:42705	HRS	1250.1	1600 (+30/-30)						
	AFL	1020							
PROC. REF: AMM 26-11-01								PKG:10	
26-11-01-002		OPERATIONAL CHECK LH ENGINE FIRE DETECTOR						Service	ATA:26
PN:3951-49-565/211C-3.7M	MOS	26-Jul-19						AIRWORTHINESS	
SN:42674	HRS	1134.9	1600 (+30/-30)		2734.9	2764.9	848.9 (+30)		
	AFL	898							
PROC. REF: AMM 26-11-01									
26-11-01-002		OPERATIONAL CHECK RH ENGINE FIRE DETECTOR						Service	ATA:26
PN:3951-49-565/211C-3.7M	MOS	26-Jul-19						AIRWORTHINESS	
SN:42705	HRS	1134.9	1600 (+30/-30)		2734.9	2764.9	848.9 (+30)		
	AFL	898							
PROC. REF: AMM 26-11-01									
26-21-01		FIRE/ENGINE START STOP/IGNITION/TRIM CONTROL PANEL						Component	ATA:26
PN:441-42702-002	MOS/MSC	11-May-10	O/C	TSN 0					
SN:0236	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 26-21-01, AMM 26-21-01, AMM 26-21-02, AMM 26-21-02									
26-21-01-001		FUNCTIONAL CHECK FIRE/ENGINE START STOP/IGNITION/TRIM CONTROL PANEL FIREX PANEL/SYSTEM						Service	ATA:26
PN:441-42702-002	MOS	11-May-10						AIRWORTHINESS	
SN:0236	HRS	0	2400 (+30/-30)		2400	2430	514 (+30)		
	AFL	0							
PROC. REF: AMM 26-21-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 26 - FIRE PROTECTION									
26-21-03		ENGINE FIRE EXTINGUISHING BOTTLE						Component	ATA:26
PN:33000073-4	MOS/MSC	22-Feb-20	O/C	TSN 0					
SN:92912A1	HRS	1216.4		TSN 0					
	AFL	996		TSN 0					
PROC. REF: AMM 26-21-03, AMM 26-21-03									
26-21-03-001		HYDROSTATIC TEST ENGINE FIRE EXTINGUISHING BOTTLE						Service	ATA:26
PN:33000073-4	MOS		120		28-Sep-29 (M)		1817 d	AIRWORTHINESS	
SN:92912A1	HRS								
	AFL								
PROC. REF: AMM 26-21-03									
26-21-05-001		OPERATIONAL CHECK OF TEMPERATURE COMPENSATED PRESSURE SWITCH (TCPS)						Service	ATA:26
	MOS	11-May-10						AIRWORTHINESS	
	HRS	0	2400 (+30/-30)		2400	2430	514 (+30)		
	AFL	0							
PROC. REF: AMM 26-21-05									
26-21-07		LEFT ENG FIREX CARTRIDGE						Component	ATA:26
PN:30903962-1	MOS/MSC	22-Feb-20	O/C	TSN 0					
SN:00200	HRS	1216.4		TSN 0					
	AFL	996		TSN 0					
PROC. REF: AMM 26-21-07, AMM 26-21-07									
26-21-07		RIGHT ENG FIREX CARTRIDGE						Component	ATA:26
PN:30903963-1	MOS/MSC	22-Feb-20	O/C	TSN 0					
SN:1506YB	HRS	1216.4		TSN 0					
	AFL	996		TSN 0					
PROC. REF: AMM 26-21-07, AMM 26-21-07									
26-21-07-001		DISCARD LEFT ENG FIREX CARTRIDGE						Service	ATA:26
PN:30903962-1	MOS	01-Dec-19	120		01-Dec-29		1881 d	LIFE LIMIT	
SN:00200	HRS								
	AFL								
		Manufacture Date:: 01-Dec-19						PROC. REF: AMM 26-21-07	
26-21-07-001		DISCARD RIGHT ENG FIREX CARTRIDGE						Service	ATA:26
PN:30903963-1	MOS	01-Dec-19	120		01-Dec-29		1881 d	LIFE LIMIT	
SN:1506YB	HRS								
	AFL								
		Manufacture Date:: 01-Dec-19						PROC. REF: AMM 26-21-07	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 26 - FIRE PROTECTION									
26-21-09-001 ^S	DETAILED VISUAL INSPECTION OF ENGINE FIRE EXTINGUISHING DISCHARGE PIPING							Service	ATA:26
	MOS	11-May-10							
	HRS	0	2400 (+30/-30)						
	AFL	0							
				PROC. REF: AMM 26-21-09				PKG:20	
26-24-01	CABIN PORTABLE EXTINGUISHER							Component	ATA:26
PN:PN	MOS/MSC	11-May-10	H/T	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
				PROC. REF: AMM 26-24-01, AMM 26-24-01					
26-24-01	COCKPIT PORTABLE EXTINGUISHER							Component	ATA:26
PN:RT-A1200	MOS/MSC	03-Aug-21	H/T	TSN 0					
SN:D58317427	HRS			TSN 0					
	AFL			TSN 0					
				PROC. REF: AMM 26-24-01, AMM 26-24-01					
26-24-01-001	WEIGHT CHECK COCKPIT PORTABLE EXTINGUISHER							Service	ATA:26
PN:RT-A1200	MOS	13-May-24	12		13-May-25		218 d		
SN:D58317427	HRS	1794.8							
	AFL	1380							
		WeightCheck Date : : 13-May-24		PROC. REF: AMM 26-24-01					
26-24-01-002	DISCARD COCKPIT PORTABLE EXTINGUISHER							Service	ATA:26
PN:RT-A1200	MOS	02-Jun-21	144		02-Jun-33		3160 d		
SN:D58317427	HRS								
	AFL								
		Manufacture Date:: 02-Jun-21		PROC. REF: AMM 26-24-01					
26-24-01-003	DISCARD COCKPIT PORTABLE EXTINGUISHER							Service	ATA:26
PN:RT-A1200	MOS/MSC	03-Aug-21	N/A						
SN:D58317427	HRS								
	AFL								
				PROC. REF: AMM 26-24-01					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 26 - FIRE PROTECTION									
26-24-01-004	WEIGHT CHECK CABIN PORTABLE EXTINGUISHER							Service	ATA:26
	MOS/MSC		N/A						
	HRS								
	AFL								
PROC. REF: AMM 26-24-01									
26-24-01-004	WEIGHT CHECK COCKPIT PORTABLE EXTINGUISHER							Service	ATA:26
PN:RT-A1200	MOS/MSC	03-Aug-21	N/A						
SN:D58317427	HRS								
	AFL								
PROC. REF: AMM 26-24-01									
ATA 27 - FLIGHT CONTROLS									
27-001	LEFT FLAP ACTUATOR							Component	ATA:27
PN:6094A0001-05	MOS	15-May-13						LIFE LIMIT	
SN:0058	HRS	246.5	21000	TSN 270.5	20976		19090		
	AFL	251		TSN 294					
PROC. REF: AMM 27-51-01, AMM 27-51-01									
27-001	RIGHT FLAP ACTUATOR							Component	ATA:27
PN:6094A0001-05	MOS	15-May-13						LIFE LIMIT	
SN:0367	HRS	246.5	21000	TSN 799	20447.5		18561.5		
	AFL	251		TSN 627					
PROC. REF: AMM 27-51-01, AMM 27-51-01									
27-002	ROLL TRIM ACTUATOR							Component	ATA:27
PN:452900-1007	MOS	11-May-10		TSN 0				LIFE LIMIT	
SN:0227	HRS	0	35000	TSN 0	35000		33114		
	AFL	0		TSN 0					
PROC. REF: AMM 27-14-02, AMM 27-14-02									
27-003	YAW TRIM ACTUATOR							Component	ATA:27
PN:453000-1007	MOS	11-May-10		TSN 0				LIFE LIMIT	
SN:0077	HRS	0	35000	TSN 0	35000		33114		
	AFL	0		TSN 0					
PROC. REF: AMM 27-24-02, AMM 27-24-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-004		LEFT PITCH TRIM ACTUATOR						Component	ATA:27
PN:453100-1009	MOS	11-May-10		TSN 0				LIFE LIMIT	
SN:0453	HRS	0	3200	TSN 0	3200		1314		
	AFL	0		TSN 0					
PROC. REF: AMM 27-34-02, AMM 27-34-02									
27-004		RIGHT PITCH TRIM ACTUATOR						Component	ATA:27
PN:453100-1009	MOS	11-May-10		TSN 0				LIFE LIMIT	
SN:0455	HRS	0	3200	TSN 0	3200		1314		
	AFL	0		TSN 0					
PROC. REF: AMM 27-34-02, AMM 27-34-02									
27-005		LH WING GROUND SPOILER ACTUATOR						Component	ATA:27
PN:PN	MOS	11-May-10		TSN 0				LIFE LIMIT	
SN:UNKNOWN	HRS	0	35000	TSN 0	35000		33114		
	AFL	0		TSN 0					
PROC. REF: AMM 27-62-01, AMM 27-62-01									
27-01-01		LEFT CONTROL YOKE						Component	ATA:27
PN:83912139	MOS/MSC	11-May-10	O/C	TSN 0					
SN:00275	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-01-01, AMM 27-01-01									
27-01-01		RIGHT CONTROL YOKE						Component	ATA:27
PN:83912140	MOS/MSC	11-May-10	O/C	TSN 0					
SN:00277	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-01-01, AMM 27-01-01									
27-01-02		LH PEDAL ASSEMBLY						Component	ATA:27
PN:500-15010-417	MOS/MSC	11-May-10	O/C	TSN 0					
SN:0000540904	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-01-02, AMM 27-01-02									
27-01-03-001 ^S		LUBRICATION OF ROTARY BALL SPLINE						Service	ATA:27
	MOS	13-May-24	24 (+1m/-1m)						
	HRS	1794.8							
	AFL	1380							
PROC. REF: AMM 12-21-00									

PKG:81

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-04-01		NO.1 TRIM ACTUATOR CONTROLLER					Component		ATA:27
PN:461600-1007	MOS/MSC	11-May-10	O/C	TSN 0					
SN:0428	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-04-01, AMM 27-04-01									
27-04-01		NO.2 TRIM ACTUATOR CONTROLLER					Component		ATA:27
PN:461600-1007	MOS/MSC	11-May-10	O/C	TSN 0					
SN:0489	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-04-01, AMM 27-04-01									
27-04-01-001 ^S		FUNCTIONAL CHECK OF TRIM ACTUATION TIME LIMITER					Service		ATA:27
	MOS	11-May-10							
	HRS	0	5600 (+30/-30)						
	AFL	0							
PROC. REF: AMM 27-04-01									
27-04-01-002 ^S		FUNCTIONAL CHECK OF TRIM TABS ELECTRICAL STOP					Service		ATA:27
	MOS	11-May-10							
	HRS	0	5600 (+30/-30)						
	AFL	0							
PROC. REF: AMM 27-04-01									
27-04-01-003 ^S		OPERATIONAL CHECK OF TRIM TAB JAM MONITORING FUNCTION					Service		ATA:27
	MOS	11-May-10							
	HRS	0	5600 (+30/-30)						
	AFL	0							
PROC. REF: AMM 27-04-01									
27-11-00-001 ^S		GENERAL VISUAL INSPECTION OF AILERON ACTUATING SYSTEM MECHANICAL COMPONENTS					Service		ATA:27
	MOS	20-Jul-20	60 (+1m/-1m)						
	HRS	1250.1	3200 (+30/-30)						
	AFL	1020							
PROC. REF: AMM 27-11-00									
27-11-01		LH AILERON BALANCED ASSEMBLY					Component		ATA:27
PN:500-14650-413	MOS/MSC	11-May-10	O/C	TSN 0					
SN:0000537588	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-11-01, AMM 27-11-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-11-01		RH AILERON BALANCED ASSEMBLY						Component	ATA:27
PN:500-14651-409	MOS/MSC	11-May-10	O/C	TSN 0					
SN:0000536960	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-11-01, AMM 27-11-01									
27-11-02-001		FUNCTIONAL CHECK OF AILERON CONTROL CABLES TENSION						Service	ATA:27
	MOS	20-Jul-20	60 (+1m/-1m)		20-Jul-25	20-Aug-25	286 d (+31)		
	HRS	1250.1	3200 (+30/-30)		4450.1	4480.1	2564.1 (+30)		
	AFL	1020							
PROC. REF: AMM 27-11-02									
27-11-02-001(INITIAL)		FUNCTION CHECK OF AILERON CONTROL CABLES TENSION - INITIAL 12 MOS CHECK						Service	ATA:27
	MOS/MSC	11-May-10	-						
	HRS	0							
	AFL	0							
PROC. REF: AMM 27-11-02									
27-11-02-002 ^S		DETAILED VISUAL INSPECTION OF AILERON CONTROL CABLES						Service	ATA:27
	MOS	20-Jul-20	60 (+1m/-1m)						
	HRS	1250.1	3200 (+30/-30)						
	AFL	1020							
PROC. REF: AMM 27-11-02									
27-14-02-001		FUNCTIONAL CHECK ROLL TRIM ACTUATOR AILERON TRIM BACKLASH/ INTEGRITY						Service	ATA:27
PN:452900-1007	MOS	11-May-10						AIRWORTHINESS	
SN:0227	HRS	0	6000 (+30/-30)		6000	6030	4114 (+30)		
	AFL	0							
PROC. REF: AMM 27-14-03									
27-14-03		LEFT AILERON TRIM TAB						Component	ATA:27
PN:500-14630-405	MOS/MSC	11-May-10	O/C	TSN 0					
SN:0000535824	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-14-03, AMM 27-14-03									
27-21-00-001 ^S		GENERAL VISUAL INSPECTION OF RUDDER ACTUATING SYSTEM MECHANICAL COMPONENTS						Service	ATA:27
	MOS	20-Jul-20	60 (+1m/-1m)						
	HRS	1250.1	3200 (+30/-30)						
	AFL	1020							
PROC. REF: AMM 27-21-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-21-01		RUDDER BALANCED ASSEMBLY						Component	ATA:27
PN:500-10520-411	MOS/MSC	11-May-10	O/C	TSN 0					
SN:0000536956	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-21-01, AMM 27-21-01									
27-21-02-001		FUNCTIONAL CHECK OF RUDDER CONTROL CABLES TENSION						Service	ATA:27
	MOS	20-Jul-20	60 (+1m/-1m)		20-Jul-25	20-Aug-25	286 d (+31)		
	HRS	1250.1	3200 (+30/-30)		4450.1	4480.1	2564.1 (+30)		
	AFL	1020							
PROC. REF: AMM 27-21-02									
27-21-02-001(INITIAL)		FUNCTIONAL CHECK OF RUDDER CONTROL CABLES TENSION - INITIAL 12 MOS CHECK						Service	ATA:27
	MOS/MSC	11-May-10	-						
	HRS	0							
	AFL	0							
PROC. REF: GENERIC NO REF									
27-21-02-002 ^S		DETAILED VISUAL INSPECTION OF RUDDER CONTROL CABLES						Service	ATA:27
	MOS	20-Jul-20	60 (+1m/-1m)						
	HRS	1250.1	3200 (+30/-30)						
	AFL	1020							
PROC. REF: AMM 27-21-02									
27-24-02-001		FUNCTIONAL CHECK YAW TRIM ACTUATOR RUDDER TRIM BACKLASH INTEGRITY						Service	ATA:27
PN:453000-1007	MOS	11-May-10						AIRWORTHINESS	
SN:0077	HRS	0	6000 (+30/-30)		6000	6030	4114 (+30)		
	AFL	0							
PROC. REF: AMM 27-24-03									
27-24-03		TAB RUDDER						Component	ATA:27
PN:500-10420-407	MOS/MSC	11-May-10	O/C	TSN 0					
SN:0000535693	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-24-03, AMM 27-24-03									
27-31-00-001 ^S		GENERAL VISUAL INSPECTION OF ELEVATOR ACTUATING SYSTEM MECHANICAL COMPONENTS						Service	ATA:27
	MOS	20-Jul-20	60 (+1m/-1m)						
	HRS	1250.1	3200 (+30/-30)						
	AFL	1020							
PROC. REF: AMM 27-31-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-31-01		LEFT ELEVATOR						Component	ATA:27
PN:500-11121-4001	MOS/MSC	11-May-10	O/C	TSN 0					
SN:0000536990	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-31-01, AMM 27-31-01									
27-31-01		RIGHT ELEVATOR						Component	ATA:27
PN:500-11121-4002	MOS/MSC	11-May-10	O/C	TSN 0					
SN:0000538271	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-31-01, AMM 27-31-01									
27-31-02-001	FUNCTIONAL CHECK OF ELEVATOR CONTROL CABLES TENSION						Service	ATA:27	
	MOS	20-Jul-20	60 (+1m/-1m)		20-Jul-25	20-Aug-25	286 d (+31)		
	HRS	1250.1	3200 (+30/-30)		4450.1	4480.1	2564.1 (+30)		
	AFL	1020							
PROC. REF: AMM 27-31-02									
PKG:84									
27-31-02-001(INITIAL)	FUNCTIONAL CHECK OF ELEVATOR CONTROL CABLES TENSION - INITIAL 12 MOS CHECK						Service	ATA:27	
	MOS/MSC	11-May-10	-						
	HRS	0							
	AFL	0							
PROC. REF: GENERIC NO REF									
27-31-02-002 ^S	DETAILED VISUAL INSPECTION OF ELEVATOR CONTROL CABLES						Service	ATA:27	
	MOS	20-Jul-20	60 (+1m/-1m)						
	HRS	1250.1	3200 (+30/-30)						
	AFL	1020							
PROC. REF: AMM 27-31-02									
PKG:42									
27-34-02-001	FUNCTIONAL CHECK OF PITCH TRIM BACKLASH/ INTEGRITY						Service	ATA:27	
	MOS	11-May-10						AIRWORTHINESS	
	HRS	0	6000 (+30/-30)		6000	6030	4114 (+30)		
	AFL	0							
PROC. REF: AMM 27-34-05									
27-34-04	PITCH TRIM INTERCONNECTION ACTUATOR						Component	ATA:27	
PN:453110-1001	MOS/MSC	11-May-10	O/C	TSN 0					
SN:0300	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-34-04, AMM 27-34-04									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-34-05		LEFT ELEVATOR TRIM TAB					Component	ATA:27	
PN:500-11073-4001	MOS/MSC	11-May-10	O/C	TSN 0					
SN:0000537540	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-34-05, AMM 27-34-05									
27-34-05		RIGHT ELEVATOR TRIM TAB					Component	ATA:27	
PN:500-11073-4002	MOS/MSC	11-May-10	O/C	TSN 0					
SN:0000533313	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-34-05, AMM 27-34-05									
27-36-01		LEFT ANGLE-OF-ATTACK SENSOR					Component	ATA:27	
PN:C100117-4	MOS/MSC	30-Apr-14	O/C						
SN:142874-09	HRS	377.3							
	AFL	354							
PROC. REF: AMM 27-36-01, AMM 27-36-01									
27-36-01		RIGHT ANGLE-OF-ATTACK SENSOR					Component	ATA:27	
PN:C100117-4	MOS/MSC	19-Apr-17	O/C						
SN:303	HRS	827							
	AFL	754							
PROC. REF: AMM 27-36-01, AMM 27-36-01									
27-36-01-001 ^S		OPERATIONAL CHECK OF ANGLE-OF-ATTACK (AOA) SENSOR					Service	ATA:27	
	MOS	24-May-22							
	HRS	1509.4	800 (+30/-30)						
	AFL	1183							
PROC. REF: AMM 27-36-01									
27-36-02		STICK PUSHER LINEAR ACTUATOR					Component	ATA:27	
PN:260926258-0101	MOS/MSC	11-May-10	O/C	TSN 0					
SN:281	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-36-02, AMM 27-36-02									
27-36-03-001 ^S		OPERATIONAL CHECK OF SPWS CUTOUT SWITCH					Service	ATA:27	
	MOS	20-Jul-20							
	HRS	1250.1	1600 (+30/-30)						
	AFL	1020							
PROC. REF: AMM 27-36-03									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-36-04		STALL WARNING AND PROTECTION COMPUTER					Component	ATA:27	
PN:C-100106-2	MOS/MSC	19-Apr-17	O/C						
SN:164416A-01	HRS	827							
	AFL	754							
PROC. REF: AMM 27-36-04, AMM 27-36-04									
27-51-01-001 ^S		LUBRICATION OF FLAP ACTUATORS BALL SCREWS					Service	ATA:27	
	MOS	13-May-24	12 (+1m/-1m)						
	HRS	1794.8							
	AFL	1380							
PROC. REF: AMM 12-21-00									
PKG:80									
27-51-01-002 ^S		DETAILED VISUAL INSPECTION LEFT FLAP ACTUATOR					Service	ATA:27	
PN:6094A0001-05	MOS	15-May-13							
SN:0058	HRS	246.5	6400 (+30/-30)	TAC 270.5					
	AFL	251		TAC 294					
PROC. REF: AMM 27-51-01, AMM 27-51-01									
PKG:60									
27-51-01-002 ^S		DETAILED VISUAL INSPECTION RIGHT FLAP ACTUATOR					Service	ATA:27	
PN:6094A0001-05	MOS	15-May-13							
SN:0367	HRS	246.5	6400 (+30/-30)	TAC 799					
	AFL	251		TAC 627					
PROC. REF: AMM 27-51-01, AMM 27-51-01									
PKG:60									
27-51-01-003		RESTORE (OVERHAUL) LEFT FLAP ACTUATOR					Service	ATA:27	
PN:6094A0001-05	MOS	15-May-13							
SN:0058	HRS	246.5	4000 (+30/-30)	TAC 270.5	3976	4006	2090 (+30)		
	AFL	251		TAC 294					
PROC. REF: AMM 27-51-01									
27-51-01-003		RESTORE (OVERHAUL) RIGHT FLAP ACTUATOR					Service	ATA:27	
PN:6094A0001-05	MOS	15-May-13							
SN:0367	HRS	246.5	4000 (+30/-30)	TAC 799	3447.5	3477.5	1561.5 (+30)		
	AFL	251		TAC 627					
PROC. REF: AMM 27-51-01									
27-51-03		LH WING FLAP					Component	ATA:27	
PN:500-14301-403	MOS/MSC	11-May-10	O/C	TSN 0					
SN:0000535856	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-51-03, AMM 27-51-03									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-51-03		RH WING FLAP						Component	ATA:27
PN:500-14301-404	MOS/MSC	11-May-10	O/C	TSN 0					
SN:0000535867	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-51-03, AMM 27-51-03									
27-53-01		FLAP SELECTOR LEVER						Component	ATA:27
PN:780501-9	MOS/MSC	11-May-10	O/C	TSN 0					
SN:1053	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-53-01, AMM 27-53-01									
27-53-02		FLAP SYSTEM CONTROL UNIT						Component	ATA:27
PN:8025B0001-04	MOS/MSC	15-May-13	O/C						
SN:0518	HRS	246.5							
	AFL	251							
PROC. REF: AMM 27-53-02, AMM 27-53-02									
27-53-03		LH WING FLAP POSITION SENSOR UNIT						Component	ATA:27
PN:7906A0001-01	MOS/MSC	11-May-10	O/C	TSN 0					
SN:KA1588	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-53-03, AMM 27-53-03									
27-53-03		RH WING FLAP POSITION SENSOR UNIT						Component	ATA:27
PN:7906A0001-01	MOS/MSC	11-May-10	O/C	TSN 0					
SN:KA1570	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-53-03, AMM 27-53-03									
27-60-00-001		OPERATIONAL CHECK OF GROUND SPOILER SYSTEM						Service	ATA:27
	MOS	11-May-10						AIRWORTHINESS	
	HRS	0	6400 (+30/-30)		6400	6430	4514 (+30)		
	AFL	0							
PROC. REF: AMM 27-60-00									
ATA 28 - FUEL									
28-11-00-001 ^S		FUNCTIONAL CHECK OF FUEL TANKS FOR MICRO-ORGANISMS						Service	ATA:28
	MOS	13-May-24	12 (+1m/-1m)						
	HRS	1794.8							
	AFL	1380							
PROC. REF: AMM 28-11-00									

PKG:80

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
28-11-05		LH WING WATER DRAIN VALVE					Component		ATA:28
PN:L83A13-628	MOS/MSC	13-May-24	O/C	TSN 1					
SN:N41218	HRS	1794.8		TSN 0					
	AFL	1380		TSN 0					
PROC. REF: AMM 28-11-05, AMM 28-11-05									
28-11-05		RH WING WATER DRAIN VALVE					Component		ATA:28
PN:L83A13-628	MOS/MSC	11-May-10	O/C	TSN 0					
SN:E14583	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-11-05, AMM 28-11-05									
28-11-07		LH WING DUMP VALVE					Component		ATA:28
PN:V98A32-001	MOS/MSC	11-May-10	O/C	TSN 0					
SN:E15613	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-11-07, AMM 28-11-07									
28-11-07		RH WING DUMP VALVE					Component		ATA:28
PN:V98A32-001	MOS/MSC	11-May-10	O/C	TSN 0					
SN:E15643	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-11-07, AMM 28-11-07									
28-12-01-001 ^S		SPECIAL DETAILED INSPECTION OF FUEL VENT NACA					Service		ATA:28
	MOS	24-May-22							
	HRS	1509.4	800 (+30/-30)						
	AFL	1183							
PROC. REF: AMM 28-12-01									
28-12-03		LH WING FUEL TANK FLOAT VENT VALVE					Component		ATA:28
PN:L87-19-001P2	MOS/MSC	11-May-10	O/C	TSN 0					
SN:E17369	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-12-03, AMM 28-12-03, AMM 28-12-07, AMM 28-12-07									
28-12-03		RH WING FUEL TANK FLOAT VENT VALVE					Component		ATA:28
PN:L87-19-001P2	MOS/MSC	11-May-10	O/C	TSN 0					
SN:E17480	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-12-03, AMM 28-12-03, AMM 28-12-07, AMM 28-12-07									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
28-12-03-001 ^S OPERATIONAL CHECK LH WING FUEL TANK FLOAT VENT VALVE								Service ATA:28
PN:L87-19-001P2	MOS	11-May-10						
SN:E17369	HRS	0	6400 (+30/-30)					
	AFL	0						
PROC. REF: AMM 28-12-03								PKG:60
28-12-03-001 ^S OPERATIONAL CHECK RH WING FUEL TANK FLOAT VENT VALVE								Service ATA:28
PN:L87-19-001P2	MOS	11-May-10						
SN:E17480	HRS	0	6400 (+30/-30)					
	AFL	0						
PROC. REF: AMM 28-12-03								PKG:60
28-12-05 LH WING DRAIN CHECK VALVE								Component ATA:28
PN:PN	MOS/MSC	11-May-10	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-11-05, AMM 28-11-05								
28-12-05 RH WING DRAIN CHECK VALVE								Component ATA:28
PN:PN	MOS/MSC	11-May-10	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-11-05, AMM 28-11-05								
28-21-00 NO.1 3/4 IN CHECK VALVE								Component ATA:28
PN:PN	MOS/MSC	11-May-10	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-21-01, AMM 28-21-01								
28-21-00 NO.2 3/4 IN CHECK VALVE								Component ATA:28
PN:PN	MOS/MSC	11-May-10	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-21-01, AMM 28-21-01								
28-21-00 NO.3 3/4 IN CHECK VALVE								Component ATA:28
PN:PN	MOS/MSC	11-May-10	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-21-01, AMM 28-21-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
28-21-00		NO.4 3/4 IN CHECK VALVE					Component		ATA:28
PN:PN	MOS/MSC	11-May-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-21-01, AMM 28-21-01									
28-21-03		LH WING DC AUXILIARY CANISTER BOOST PUMP					Component		ATA:28
PN:C93R19-601	MOS/MSC	11-May-10	O/C	TSN 0					
SN:E17878	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-21-03, AMM 28-21-03									
28-21-03		RH WING DC AUXILIARY CANISTER BOOST PUMP					Component		ATA:28
PN:C93R19-601	MOS/MSC	11-May-10	O/C	TSN 0					
SN:E17883	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-21-03, AMM 28-21-03									
28-21-04		LH WING DC AUXILIARY CARTRIDGE BOOST PUMP					Component		ATA:28
PN:P99C19-601	MOS/MSC	11-May-10	O/C	TSN 0					
SN:E32376	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-21-03, AMM 28-21-03									
28-21-04		RH WING DC AUXILIARY CARTRIDGE BOOST PUMP					Component		ATA:28
PN:P99C19-601	MOS/MSC	11-May-10	O/C	TSN 0					
SN:E32734	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-21-03, AMM 28-21-03									
28-21-05		LH WING MAIN EJECTOR PUMP					Component		ATA:28
PN:T99A19-601	MOS/MSC	11-May-10	O/C	TSN 0					
SN:E43130	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-21-05, AMM 28-21-05									
28-21-05		RH WING MAIN EJECTOR PUMP					Component		ATA:28
PN:T99A19-601	MOS/MSC	11-May-10	O/C	TSN 0					
SN:E27472	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-21-05, AMM 28-21-05									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
28-21-07-001		OPERATIONAL CHECK LEFT WING 0.75 IN SHUTOFF VALVE						Service	ATA:28
PN:B97-15-601	MOS	26-Jul-19						AIRWORTHINESS	
SN:E11777	HRS	1134.9	1200 (+30/-30)		2334.9	2364.9	448.9 (+30)		
	AFL	898							
PROC. REF: AMM 28-21-07									
28-21-07-001		OPERATIONAL CHECK RIGHT WING 0.75 IN SHUTOFF VALVE						Service	ATA:28
PN:B97-15-601	MOS	26-Jul-19						AIRWORTHINESS	
SN:E16431	HRS	1134.9	1200 (+30/-30)		2334.9	2364.9	448.9 (+30)		
	AFL	898							
PROC. REF: AMM 28-21-07									
28-21-07-01		LEFT WING 0.75 IN SHUTOFF VALVE						Component	ATA:28
PN:B97-15-601	MOS/MSC	11-May-10	O/C	TSN 0					
SN:E11777	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-21-07, AMM 28-21-07									
28-21-07-01		RIGHT WING 0.75 IN SHUTOFF VALVE						Component	ATA:28
PN:B97-15-601	MOS/MSC	11-May-10	O/C	TSN 0					
SN:E16431	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-21-07, AMM 28-21-07									
28-21-07-02		LH WING 28-V DC ENGINE SHUTOFF VALVE ACTUATOR ASSEMBLY						Component	ATA:28
PN:D97C00-644P2	MOS/MSC	11-May-10	O/C	TSN 0					
SN:C70542	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-21-07, AMM 28-21-07									
28-21-07-02		RH WING 28-V DC ENGINE SHUTOFF VALVE ACTUATOR ASSEMBLY						Component	ATA:28
PN:D97C00-644P2	MOS/MSC	11-May-10	O/C	TSN 0					
SN:C70574	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-21-07, AMM 28-21-07									
28-21-08-001 ^S		OPERATIONAL CHECK OF FUEL TRANSFER VALVE						Service	ATA:28
PN:B97-38-603P2	MOS	20-Jul-20							
SN:E16528	HRS	1250.1	1600 (+30/-30)						
	AFL	1020							
PROC. REF: AMM 28-21-08									

PKG:10

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
28-21-08-01		1.5 IN FUEL SYSTEM SHUTOFF VALVE					Component		ATA:28
PN:B97-38-603P2	MOS/MSC	11-May-10	O/C	TSN 0					
SN:E16528	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-21-08, AMM 28-21-08									
28-21-08-02		ENGINE 28-V DC TRANSFER VALVE ACTUATOR ASSEMBLY					Component		ATA:28
PN:D97C00-644P2	MOS/MSC	11-May-10	O/C	TSN 0					
SN:C70604	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-21-08, AMM 28-21-08									
28-21-11		LH WING MOTIVE FLOW 3/8 IN CHECK VALVE					Component		ATA:28
PN:L96-09-001P4	MOS/MSC	11-May-10	O/C	TSN 0					
SN:E39798	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-21-11, AMM 28-21-11									
28-21-11		RH WING MOTIVE FLOW 3/8 IN CHECK VALVE					Component		ATA:28
PN:L96-09-001P4	MOS/MSC	11-May-10	O/C	TSN 0					
SN:E42622	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-21-11, AMM 28-21-11									
28-21-13		FUEL CONTROL PANEL					Component		ATA:28
PN:441-42854-002	MOS/MSC	11-May-10	O/C	TSN 0					
SN:0185	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-21-13, AMM 28-21-13									
28-41-01		NO. 1 LEFT WING FUEL QUANTITY PROBE					Component		ATA:28
PN:765551-1-0	MOS/MSC	11-May-10	O/C	TSN 0					
SN:765551IN00219	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-41-01, AMM 28-41-01									
28-41-01		NO. 1 RIGHT WING FUEL QUANTITY PROBE					Component		ATA:28
PN:765826-1-0	MOS/MSC	11-May-10	O/C	TSN 0					
SN:765826IN00261	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-41-01, AMM 28-41-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
28-41-01	NO. 2 LEFT WING FUEL QUANTITY PROBE							Component	ATA:28
PN:765548-1-0	MOS/MSC	11-May-10	O/C	TSN 0					
SN:765548IN00252	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-41-01, AMM 28-41-01									
28-41-01	NO. 2 RIGHT WING FUEL QUANTITY PROBE							Component	ATA:28
PN:765827-1-0	MOS/MSC	11-May-10	O/C	TSN 0					
SN:765827IN00257	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-41-01, AMM 28-41-01									
28-41-01	NO. 3 LEFT WING FUEL QUANTITY PROBE							Component	ATA:28
PN:765549-1-0	MOS/MSC	11-May-10	O/C	TSN 0					
SN:765549IN00502	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-41-01, AMM 28-41-01									
28-41-01	NO. 3 RIGHT WING FUEL QUANTITY PROBE							Component	ATA:28
PN:765549-1-0	MOS/MSC	11-May-10	O/C	TSN 0					
SN:765549IN00504	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-41-01, AMM 28-41-01									
28-41-01	NO. 4 LEFT WING FUEL QUANTITY PROBE							Component	ATA:28
PN:765550-1-0	MOS/MSC	11-May-10	O/C	TSN 0					
SN:765550IN00452	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-41-01, AMM 28-41-01									
28-41-01	NO. 4 RIGHT WING FUEL QUANTITY PROBE							Component	ATA:28
PN:765550-1-0	MOS/MSC	11-May-10	O/C	TSN 0					
SN:765550IN00448	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-41-01, AMM 28-41-01									
28-41-05	ELECTRONIC FUEL CONTROL UNIT							Component	ATA:28
PN:738667-2-6	MOS/MSC	11-May-10	O/C	TSN 0					
SN:738790IN00296	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-41-05, AMM 28-41-05									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
28-43-01	FUEL TEMPERATURE SENSOR							Component	ATA:28
PN:798840-1-0	MOS/MSC	11-May-10	O/C	TSN 0					
SN:02054	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-43-01, AMM 28-43-01									
28-43-01-001 ^S	FUNCTIONAL CHECK FUEL TEMPERATURE SENSOR							Service	ATA:28
PN:798840-1-0	MOS	11-May-10							
SN:02054	HRS	0	6400 (+30/-30)						
	AFL	0							
PROC. REF: AMM 28-43-01									
PKG:60									
28-45-01	NO.1 FUEL LOW PRESSURE SWITCH							Component	ATA:28
PN:D98C07-611	MOS/MSC	11-May-10	O/C	TSN 0					
SN:0375	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-45-01, AMM 28-45-01									
28-45-01	NO.2 FUEL LOW PRESSURE SWITCH							Component	ATA:28
PN:D98C07-611	MOS/MSC	11-May-10	O/C	TSN 0					
SN:0372	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-45-01, AMM 28-45-01									
ATA 29 - HYDRAULIC POWER									
29-00-00-001 ^S	VISUAL CHECK OF HYDRAULIC SYSTEM FILTER DIFFERENTIAL PRESSURE INDICATOR (DPI)							Service	ATA:29
PN:PN	MOS	13-May-24	12 (+1m/-1m)						
SN:UNKNOWN	HRS	1794.8							
	AFL	1380							
PROC. REF: AMM 29-31-02									
PKG:80									
29-11-01	HYDRAULIC POWERPACK							Component	ATA:29
PN:3032683-104	MOS/MSC	26-Jul-19	O/C	TSO 4					
SN:MX727536	HRS	1134.9		TSO 0					
	AFL	898		TSO 0					
PROC. REF: AMM 29-11-01, AMM 29-11-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 29 - HYDRAULIC POWER									
29-11-01-001		RESTORATION (OVERHAUL) OF THE HYDRAULIC POWERPACK						Service	ATA:29
PN:3032683-104	MOS/MSC		N/A						
SN:MX727536	HRS								
	AFL								
PROC. REF: AMM 29-11-01									
29-11-01-002		RESTORATION (OVERHAUL) OF THE HYDRAULIC POWERPACK						Service	ATA:29
PN:3032683-104	MOS	26-Jul-19					OVERHAUL		
SN:MX727536	HRS	1134.9	1600 (+30/-30)		2934.9 (M)	2964.9	1048.9 (+30)		
	AFL	898							
PROC. REF: AMM 29-11-01									
29-11-09		HYDRAULIC POWERPACK TEMPERATURE SWITCH						Component	ATA:29
PN:PN	MOS/MSC	11-May-10	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM 29-11-09, AMM 29-11-09									
29-11-09-001 ^S		FUNCTIONAL CHECK OF TEMPERATURE SWITCH						Service	ATA:29
PN:PN	MOS	11-May-10							
SN:UNKNOWN	HRS	0	6400 (+30/-30)						
	AFL	0							
PROC. REF: AMM 29-11-09									
PKG:60									
29-15-01		LH WING - GROUND SPOILER ACTUATOR PRESSURE HOSE						Component	ATA:29
PN:PN	MOS/MSC	15-Apr-16	H/T		TSN 0				
SN:UNKNOWN	HRS	574.5			TSN 0				
	AFL	550			TSN 0				
PROC. REF: AMM 29-15-01, AMM 29-15-01									
29-15-01		LH WING - GROUND SPOILER ACTUATOR RETURN HOSE						Component	ATA:29
PN:PN	MOS/MSC	15-Apr-16	H/T		TSN 0				
SN:UNKNOWN	HRS	574.5			TSN 0				
	AFL	550			TSN 0				
PROC. REF: AMM 29-15-01, AMM 29-15-01									
29-15-01		RH WING - GROUND SPOILER ACTUATOR PRESSURE HOSE						Component	ATA:29
PN:PN	MOS/MSC	15-Apr-16	H/T		TSN 0				
SN:UNKNOWN	HRS	574.5			TSN 0				
	AFL	550			TSN 0				
PROC. REF: AMM 29-15-01, AMM 29-15-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 29 - HYDRAULIC POWER								
29-15-01 RH WING - GROUND SPOILER ACTUATOR RETURN HOSE								Component ATA:29
PN:PN	MOS/MSC	15-Apr-16	H/T	TSN 0				
SN:UNKNOWN	HRS	574.5		TSN 0				
	AFL	550		TSN 0				
PROC. REF: AMM 29-15-01, AMM 29-15-01								
29-15-01-001 ^S DISCARD LH WING - GROUND SPOILER ACTUATOR PRESSURE HOSE								Service ATA:29
PN:PN	MOS	15-Apr-16						DISCARD
SN:UNKNOWN	HRS	574.5	800 (+30/-30)					
	AFL	550						
PROC. REF: AMM 29-15-01								
29-15-01-001 ^S DISCARD LH WING - GROUND SPOILER ACTUATOR RETURN HOSE								Service ATA:29
PN:PN	MOS	20-Jul-20						DISCARD
SN:UNKNOWN	HRS	1250.1	800 (+30/-30)					
	AFL	1020						
PROC. REF: AMM 29-15-01								
29-15-01-001 ^S DISCARD RH WING - GROUND SPOILER ACTUATOR PRESSURE HOSE								Service ATA:29
PN:PN	MOS	15-Apr-16						DISCARD
SN:UNKNOWN	HRS	574.5	800 (+30/-30)					
	AFL	550						
PROC. REF: AMM 29-15-01								
29-15-01-001 ^S DISCARD RH WING - GROUND SPOILER ACTUATOR RETURN HOSE								Service ATA:29
PN:PN	MOS	15-Apr-16						DISCARD
SN:UNKNOWN	HRS	574.5	800 (+30/-30)					
	AFL	550						
PROC. REF: AMM 29-15-01								
29-15-03 HYDRAULIC ACCUMULATOR								Component ATA:29
PN:MS28797-3	MOS/MSC	11-May-10	O/C	TSN 0				
SN:8423-12761	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 29-15-03, AMM 29-15-03								
29-15-03-001 DISCARD OF HYDRAULIC ACCUMULATOR								Service ATA:29
	MOS	11-May-10						DISCARD
	HRS	0						
	AFL	0	28000		28000		26571	
PROC. REF: AMM 29-15-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 29 - HYDRAULIC POWER									
29-20-01		POWERPACK VENTILATION FAN					Component	ATA:29	
PN:SF9202D00	MOS/MSC	13-May-24	O/C						
SN:L008110089	HRS	1794.8							
	AFL	1380							
PROC. REF: AMM 29-20-01, AMM 29-20-01									
29-20-01-001 ^S		OPERATIONAL CHECK OF POWERPACK VENTILATION FAN					Service	ATA:29	
PN:SF9202D00	MOS								
SN:L008110089	HRS		800 (+30/-30)						
	AFL								
PROC. REF: AMM 29-20-01									
PKG:1									
29-31-02		HYDRAULIC SYSTEM FILTER DIFFERENTIAL PRESSURE INDICATOR					Component	ATA:29	
PN:PN	MOS/MSC	11-May-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 29-31-02, AMM 29-31-02									
ATA 30 - ICE AND RAIN PROTECTION									
30-01-01		ICE PROTECTION/HEATING SYSTEM CONTROL PANEL					Component	ATA:30	
PN:441-43199-001	MOS/MSC	11-May-10	O/C	TSN 0					
SN:0233	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 30-01-01, AMM 30-01-01									
30-10-00-001 ^S		OPERATIONAL CHECK OF PNEUMATIC DE-ICING SYSTEM					Service	ATA:30	
	MOS	24-May-22							
	HRS	1509.4	800 (+30/-30)						
	AFL	1183							
PROC. REF: AMM 30-10-00									
PKG:1									
30-11-01		DE-ICING SYSTEM CONTROLLER					Component	ATA:30	
PN:4D2037-24	MOS/MSC	11-May-10	O/C	TSN 0					
SN:U0222	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 30-11-01, AMM 30-11-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 30 - ICE AND RAIN PROTECTION									
30-11-02		NO.1 REAR FUSELAGE CHECK VALVE					Component		ATA:30
PN:3D3555-01	MOS/MSC	11-May-10	O/C	TSN 0					
SN:N090768	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 30-11-02, AMM 30-11-02									
30-11-02		NO.2 REAR FUSELAGE CHECK VALVE					Component		ATA:30
PN:3D3555-01	MOS/MSC	11-May-10	O/C	TSN 0					
SN:N093858	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 30-11-02, AMM 30-11-02									
30-11-03		REAR FUS PRESSURE REGULATOR/RELIEVER VALVE					Component		ATA:30
PN:4D2095-2011	MOS/MSC	11-May-10	O/C	TSN 0					
SN:N100174	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 30-11-03, AMM 30-11-03									
30-11-03-001^S		CLEANING REAR FUS PRESSURE REGULATOR/RELIEVER VALVE					Service		ATA:30
PN:4D2095-2011	MOS	11-May-10							
SN:N100174	HRS	0	6400 (+30/-30)						
	AFL	0							
PROC. REF: AMM 30-11-03									
PKG:60									
30-11-04		AFT WATER SEPARATOR					Component		ATA:30
PN:44E13-5A	MOS/MSC	15-May-13	O/C						
SN:N120191	HRS	246.5							
	AFL	251							
PROC. REF: AMM 30-11-04, AMM 30-11-04									
30-11-04		FORWARD WATER SEPARATOR					Component		ATA:30
PN:PN	MOS/MSC	11-May-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 30-11-04, AMM 30-11-04									
30-11-04-001^S		RESTORATION (CLEANING) OF THE AFT WATER SEPARATOR					Service		ATA:30
PN:44E13-5A	MOS	15-May-13							
SN:N120191	HRS	246.5	6400 (+30/-30)						
	AFL	251							
PROC. REF: AMM 30-11-04									
PKG:60									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
30-11-04-001 ^S RESTORATION (CLEANING) OF THE FORWARD WATER SEPARATOR								Service ATA:30
PN:PN	MOS	11-May-10						
SN:UNKNOWN	HRS	0	6400 (+30/-30)					
	AFL	0						
PROC. REF: AMM 30-11-04								PKG:60
30-11-05 REAR FUS LOW PRESSURE SWITCH								Component ATA:30
PN:3D3552-02	MOS/MSC	11-May-10	O/C	TSN 0				
SN:0237	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-11-05, AMM 30-11-05								
30-11-05-001 ^S FUNCTIONAL CHECK OF DE-ICING LOW PRESSURESWITCH (REAR FUS)								Service ATA:30
PN:3D3552-02	MOS	11-May-10						
SN:0237	HRS	0	5600 (+30/-30)					
	AFL	0						
PROC. REF: AMM 30-11-05								PKG:50
30-13-01 INBOARD WING FLOW CONTROL VALVE								Component ATA:30
PN:3D2376-07	MOS/MSC	11-May-10	O/C	TSN 0				
SN:N094101	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-13-01, AMM 30-13-01								
30-13-01 OUTBOARD WING FLOW CONTROL VALVE								Component ATA:30
PN:3D2376-07	MOS/MSC	11-May-10	O/C	TSN 0				
SN:N094110	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-13-01, AMM 30-13-01								
30-13-02 NO.1 L/H WING DE ICE PRESSURE SWITCH								Component ATA:30
PN:3D3533-04	MOS/MSC	11-May-10	O/C	TSN 0				
SN:0923	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-13-02, AMM 30-13-02								
30-13-02 NO.1 R/H WING DE ICE PRESSURE SWITCH								Component ATA:30
PN:3D3533-04	MOS/MSC	11-May-10	O/C	TSN 0				
SN:0914	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-13-02, AMM 30-13-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 30 - ICE AND RAIN PROTECTION									
30-13-02		NO.2 L/H WING DE ICE PRESSURE SWITCH					Component	ATA:30	
PN:3D3533-04	MOS/MSC	11-May-10	O/C	TSN 0					
SN:0945	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 30-13-02, AMM 30-13-02									
30-13-02		NO.2 R/H WING DE ICE PRESSURE SWITCH					Component	ATA:30	
PN:3D3533-04	MOS/MSC	11-May-10	O/C	TSN 0					
SN:0920	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 30-13-02, AMM 30-13-02									
30-13-02-001 ^S		FUNCTIONAL CHECK NO.1 L/H WING DE ICE PRESSURE SWITCH					Service	ATA:30	
PN:3D3533-04	MOS	11-May-10							
SN:0923	HRS	0	5600 (+30/-30)						
	AFL	0							
PROC. REF: AMM 30-13-02									
PKG:50									
30-13-02-001 ^S		FUNCTIONAL CHECK NO.1 R/H WING DE ICE PRESSURE SWITCH					Service	ATA:30	
PN:3D3533-04	MOS	11-May-10							
SN:0914	HRS	0	5600 (+30/-30)						
	AFL	0							
PROC. REF: AMM 30-13-02									
PKG:50									
30-13-02-001 ^S		FUNCTIONAL CHECK NO.2 L/H WING DE ICE PRESSURE SWITCH					Service	ATA:30	
PN:3D3533-04	MOS	11-May-10							
SN:0945	HRS	0	5600 (+30/-30)						
	AFL	0							
PROC. REF: AMM 30-13-02									
PKG:50									
30-13-02-001 ^S		FUNCTIONAL CHECK NO.2 R/H WING DE ICE PRESSURE SWITCH					Service	ATA:30	
PN:3D3533-04	MOS	11-May-10							
SN:0920	HRS	0	5600 (+30/-30)						
	AFL	0							
PROC. REF: AMM 30-13-02									
PKG:50									
30-13-03		LH WING DE-ICER BOOT					Component	ATA:30	
PN:PS29S4D5321-23	MOS/MSC	11-May-10	O/C	TSN 0					
SN:MCAG990	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 30-13-03, AMM 30-13-03									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
30-13-03 RH WING DE-ICER BOOT								Component ATA:30
PN:PS29S4D5321-24	MOS/MSC	11-May-10	O/C	TSN 0				
SN:MBXL330	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-13-03, AMM 30-13-03								
30-13-03-001^S GENERAL VISUAL INSPECTION LH WING DE-ICER BOOT								Service ATA:30
PN:PS29S4D5321-23	MOS	13-May-24	12 (+1m/-1m)					
SN:MCAG990	HRS	1794.8						
	AFL	1380						
PROC. REF: AMM 30-13-03								
30-13-03-001^S GENERAL VISUAL INSPECTION RH WING DE-ICER BOOT								Service ATA:30
PN:PS29S4D5321-24	MOS	13-May-24	12 (+1m/-1m)					
SN:MBXL330	HRS	1794.8						
	AFL	1380						
PROC. REF: AMM 30-13-03								
30-15-01 REAR FUS FLOW CONTROL VALVE								Component ATA:30
PN:3D2376-07	MOS/MSC	11-May-10	O/C	TSN 0				
SN:N094156	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-15-01, AMM 30-15-01								
30-15-02 REAR FUS DE ICE PRESSURE SWITCH								Component ATA:30
PN:3D3533-04	MOS/MSC	11-May-10	O/C	TSN 0				
SN:0912	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-15-02, AMM 30-15-02								
30-15-02-001^S FUNCTIONAL CHECK OF HORIZONTAL STABILIZER DE-ICER PRESSURE SWITCH (REAR FUS)								Service ATA:30
PN:3D3533-04	MOS	11-May-10						
SN:0912	HRS	0	5600 (+30/-30)					
	AFL	0						
PROC. REF: AMM 30-15-02								
30-15-03 LH TAIL DE-ICER BOOT								Component ATA:30
PN:PS29S4D5321-21	MOS/MSC	11-May-10	O/C	TSN 0				
SN:MBPD800	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-15-03, AMM 30-15-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
30-15-03 RH TAIL DE-ICER BOOT								Component ATA:30
PN:PS29S4D5321-22	MOS/MSC	11-May-10	O/C	TSN 0				
SN:MBZY520	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-15-03, AMM 30-15-03								
30-15-03-001^S GENERAL VISUAL INSPECTION OF LH TAIL DE-ICER BOOT								Service ATA:30
PN:PS29S4D5321-21	MOS	13-May-24	12 (+1m/-1m)					
SN:MBPD800	HRS	1794.8						
	AFL	1380						
PROC. REF: AMM 30-15-03								
30-15-03-001^S GENERAL VISUAL INSPECTION OF RH TAIL DE-ICER BOOT								Service ATA:30
PN:PS29S4D5321-22	MOS	13-May-24	12 (+1m/-1m)					
SN:MBZY520	HRS	1794.8						
	AFL	1380						
PROC. REF: AMM 30-15-03								
30-21-00-900-801-01 LH ENGINE ANTI ICING DUCT								Component ATA:30
PN:PN	MOS/MSC	11-May-10	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-21-00, AMM 30-21-00								
30-21-00-900-801-02 RH ENGINE ANTI ICING DUCT								Component ATA:30
PN:PN	MOS/MSC	11-May-10	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-21-00, AMM 30-21-00								
30-21-01 LEFT ENGINE ANTI-ICE SYSTEM SHUTOFF VALVE								Component ATA:30
PN:5727-00-5	MOS/MSC	11-May-10	O/C	TSN 0				
SN:0339A	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-21-01, AMM 30-21-01								
30-21-01 RIGHT ENGINE ANTI-ICE SYSTEM SHUTOFF VALVE								Component ATA:30
PN:5727-00-5	MOS/MSC	11-May-10	O/C	TSN 0				
SN:0355A	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-21-01, AMM 30-21-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 30 - ICE AND RAIN PROTECTION									
30-21-02		LH ENG ANTI-ICE PRESSURE TRANSDUCER					Component	ATA:30	
PN:APTE-473A-1000-50G	MOS/MSC	11-May-10	O/C	TSN 0					
SN:7651-9-203	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 30-21-02, AMM 30-21-02									
30-21-02		RH ENG ANTI-ICE PRESSURE TRANSDUCER					Component	ATA:30	
PN:APTE-473A-1000-50G	MOS/MSC	11-May-10	O/C	TSN 0					
SN:7612-4-357	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 30-21-02, AMM 30-21-02									
30-21-02-001		FUNCTIONAL CHECK OF LH ENG ANTI-ICE PRESSURE TRANSDUCER					Service	ATA:30	
PN:APTE-473A-1000-50G	MOS	11-May-10							
SN:7651-9-203	HRS	0	12000 (+30/-30)		12000	12030	10114 (+30)		
	AFL	0							
PROC. REF: AMM 30-21-02									
30-21-02-001		FUNCTIONAL CHECK OF RH ENG ANTI-ICE PRESSURE TRANSDUCER					Service	ATA:30	
PN:APTE-473A-1000-50G	MOS	11-May-10							
SN:7612-4-357	HRS	0	12000 (+30/-30)		12000	12030	10114 (+30)		
	AFL	0							
PROC. REF: AMM 30-21-02									
30-21-03-001 ^S		BORESCOPE INSPECTION OF PICCOLO TUBE					Service	ATA:30	
	MOS	11-May-10							
	HRS	0	5600 (+30/-30)						
	AFL	0							
PROC. REF: AMM 30-21-03									
30-21-04-001 ^S		DETAILED VISUAL INSPECTION OF ENGINE ANTI-ICE DUCTS					Service	ATA:30	
	MOS	11-May-10							
	HRS	0	2400 (+30/-30)						
	AFL	0							
PROC. REF: AMM 30-21-00									
30-31-00-001 ^S		OPERATIONAL CHECK OF PITOT, STATIC, AOA AND P-STATIC HEATING					Service	ATA:30	
	MOS	13-May-24	24 (+1m/-1m)						
	HRS	1794.8							
	AFL	1380							
PROC. REF: AMM 30-30-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
30-31-01 AIR DATA PROBES HEATER CURRENT MONITOR- Component ATA:30								
PN:C-100131-1	MOS/MSC	11-May-10	O/C	TSN 0				
SN:274	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-31-01, AMM 30-31-01								
30-41-01-001 FUNCTIONAL CHECK OF WINDSHIELD RAIN REPELLENT COATING Service ATA:30								
	MOS/MSC	12-Apr-18	O/C					
	HRS	985.1						
	AFL	849						
PROC. REF: AMM 30-41-01								
30-41-01-002^S DISCARD OF WINDSHIELD RAIN REPELLENT COATING Service ATA:30								
	MOS	13-May-24	12 (+1m/-1m)					DISCARD
	HRS	1794.8						
	AFL	1380						
PROC. REF: AMM 30-41-01								
30-41-01-003 FUNCTIONAL CHECK OF RAIN REPELLENT COATING (RRC) LAYER ON WINDSHIELD SURFACE Service ATA:30								
	MOS	13-May-24	12 (+1m/-1m)	Adj 11d	24-May-25	24-Jun-25	229 d (+31)	
	HRS	1794.8						
	AFL	1380						
PROC. REF: AMM 30-41-01								
30-42-00-001^S OPERATIONAL CHECK OF WINDSHIELD HEATING SYSTEM Service ATA:30								
	MOS	24-May-22						
	HRS	1509.4	800 (+30/-30)					
	AFL	1183						
PROC. REF: AMM 30-42-00								
30-42-01 LH WINDSHIELD HEATER CONTROL UNIT Component ATA:30								
PN:EPM-112-2	MOS/MSC	11-May-10	O/C	TSN 0				
SN:00635	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-42-01, AMM 30-42-01								
30-42-01 RH WINDSHIELD HEATER CONTROL UNIT Component ATA:30								
PN:EPM-112-4	MOS/MSC	15-Apr-16	O/C					
SN:02914	HRS	574.5						
	AFL	550						
PROC. REF: AMM 30-42-01, AMM 30-42-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 30 - ICE AND RAIN PROTECTION									
30-81-01		CREW CABIN LIGHT ICING INDICATOR					Component		ATA:30
PN:PN	MOS/MSC	11-May-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 30-81-02, AMM 30-81-02									
ATA 31 - INDICATING/RECORDING SYSTEMS									
31-31-00-002^S		OPERATIONAL CHECK OF COCKPIT VOICE AND DATA RECORDER SYSTEM					Service		ATA:31
PN:2100-3083-50	MOS	13-May-24	12 (+1m/-1m)						
SN:000608849	HRS	1794.8							
	AFL	1380							
PROC. REF: AMM 31-31-00									
31-31-01		CVDR - COCKPIT VOICE AND DATA RECORDER					Component		ATA:31
PN:2100-3083-50	MOS/MSC	31-May-23	O/C	TSR 0					
SN:000608849	HRS	1674.6		TSR 0					
	AFL	1293		TSR 0					
PROC. REF: AMM 31-31-01, AMM 31-31-01									
31-31-03		CVDR/ULB UNDERWATER LOCATOR BEACON BATTERY					Component		ATA:31
PN:PN-UNKNOWN	MOS/MSC	31-May-23	A/R						
SN:UNKNOWN	HRS	1674.6							
	AFL	1293							
PROC. REF: AMM 31-31-03, AMM 31-31-03									
31-31-03-001		DISCARD CVDR/ULB UNDERWATER LOCATOR BEACON BATTERY					Service		ATA:31
PN:PN-UNKNOWN	MOS/MSC	31-May-23	DUE		01-Apr-27 (M)		906 d	DISCARD	
SN:UNKNOWN	HRS	1674.6							
	AFL	1293							
PROC. REF: AMM 31-31-03									
31-31-04		IMPACT SWITCH					Component		ATA:31
PN:5930-4-000	MOS/MSC	11-May-10	O/C	TSN 0					
SN:4591	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 31-31-04, AMM 31-31-04									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 31 - INDICATING/RECORDING SYSTEMS									
31-31-09		CVDR INSC ILLUM PANEL						Component	ATA:31
PN:441-42635-003	MOS/MSC	11-May-10	O/C		TSN 0				
SN:0145	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM 31-31-09, AMM 31-31-09									
31-31-13		CVDR/UNDERWATER LOCATOR BEACON						Component	ATA:31
PN:DK120/90	MOS/MSC	31-May-23	A/R						
SN:AT146593	HRS	1674.6							
	AFL	1293							
PROC. REF: AMM 31-31-03, AMM 31-31-03									
31-41-01		GSD 41 DATA CONCENTRATOR UNIT						Component	ATA:31
PN:011-01457-00	MOS/MSC	11-May-10	O/C		TSN 0				
SN:16905192	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM 31-41-01, AMM 31-41-01									
31-41-03		NO.1 ENGINE/AIRFRAME INTERFACE UNIT						Component	ATA:31
PN:011-00831-00	MOS/MSC	11-May-10	O/C		TSN 0				
SN:46711227	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM 31-41-03, AMM 31-41-03									
31-41-03		NO.2 ENGINE/AIRFRAME INTERFACE UNIT						Component	ATA:31
PN:011-00831-00	MOS/MSC	11-May-10	O/C		TSN 0				
SN:46711505	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM 31-41-03, AMM 31-41-03									
31-41-03		NO.3 ENGINE/AIRFRAME INTERFACE UNIT						Component	ATA:31
PN:011-00831-00	MOS/MSC	11-May-10	O/C		TSN 0				
SN:46711613	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM 31-41-03, AMM 31-41-03									
31-41-05		NO.1 GIA63W INTEGRATED AVIONICS UNIT						Component	ATA:31
PN:011-01105-01	MOS/MSC	22-Feb-20	O/C		TSR 19				
SN:15W007615	HRS	1216.4			TSR 0				
	AFL				TSR 0				
PROC. REF: AMM 31-41-05, AMM 31-41-05									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 31 - INDICATING/RECORDING SYSTEMS									
31-41-05		NO.2 GIA63W INTEGRATED AVIONICS UNIT							Component ATA:31
PN:011-01105-01	MOS/MSC	30-Apr-14	O/C		TSR 2				
SN:15W011000	HRS	377.3			TSR 0				
	AFL	354			TSR 0				
PROC. REF: AMM 31-41-05, AMM 31-41-05									
31-42-00-001 ^S		OPERATIONAL CHECK OF HSDB SWITCH REVERSION							Service ATA:31
	MOS	11-May-10							
	HRS	0	6400 (+30/-30)						
	AFL	0							
PROC. REF: AMM 31-42-00									
31-42-01		MAINTENANCE CONTROL PANEL							Component ATA:31
PN:441-40947-001	MOS/MSC	11-May-10	O/C		TSN 0				
SN:0185	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM 31-42-01, AMM 31-42-01									
31-61-00-001 ^S		OPERATIONAL CHECK MFD FLIGHT DISPLAY SYSTEM (MANUAL AND AUTOMATIC REVERSION MODE)							Service ATA:31
	MOS	11-May-10							
	HRS	0	3200 (+30/-30)						
	AFL	0							
PROC. REF: AMM 31-61-00									
31-61-00-001 ^S		OPERATIONAL CHECK PFD 1 FLIGHT DISPLAY SYSTEM (MANUAL AND AUTOMATIC REVERSION MODE)							Service ATA:31
	MOS	11-May-10							
	HRS	0	3200 (+30/-30)						
	AFL	0							
PROC. REF: AMM 31-61-00									
31-61-00-001 ^S		OPERATIONAL CHECK PFD 2 FLIGHT DISPLAY SYSTEM (MANUAL AND AUTOMATIC REVERSION MODE)							Service ATA:31
	MOS	11-May-10							
	HRS	0	3200 (+30/-30)						
	AFL	0							
PROC. REF: AMM 31-61-00									
31-61-01		MFD (MULTI-FUNCTION FLIGHT DISPLAY)							Component ATA:31
PN:011-01440-10	MOS/MSC	12-Apr-17	O/C		TSR 4				
SN:18T006071	HRS	820.5			TSR 0				
	AFL	751			TSR 0				
PROC. REF: AMM 31-61-01, AMM 31-61-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 31 - INDICATING/RECORDING SYSTEMS									
31-61-01		PFD 1 (PRIMARY FLIGHT DISPLAY)					Component	ATA:31	
PN:011-01440-10	MOS/MSC	10-Oct-17	O/C	TSO 20					
SN:18T006240	HRS	940.3		TSO 0					
	AFL	811		TSO 0					
PROC. REF: AMM 31-61-01, AMM 31-61-01									
31-61-01		PFD 2 (PRIMARY FLIGHT DISPLAY)					Component	ATA:31	
PN:011-01440-10	MOS/MSC	11-May-10	O/C	TSN 0					
SN:18T005374	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 31-61-01, AMM 31-61-01									
ATA 32 - LANDING GEAR									
32-00-00-001 ^S		EXTERNAL GENERAL VISUAL INSPECTION OF OF LANDING GEAR POLYURETHANE FILMS					Service	ATA:32	
	MOS	24-May-22							
	HRS	1509.4	800 (+30/-30)						
	AFL	1183							
PROC. REF: AMM 32-00-20									
32-000		LEFT MAIN GEAR ASSEMBLY					Component	ATA:32	
PN:PN	MOS/MSC	20-Jul-20	O/C	TSO 0					
SN:UNKNOWN	HRS	1250.1		TSO 0					
	AFL	1020		TSO 0					
PROC. REF: GENERIC NO REF									
32-000		RIGHT MAIN GEAR ASSEMBLY					Component	ATA:32	
PN:PN	MOS/MSC	20-Jul-20	O/C	TSO 0					
SN:UNKNOWN	HRS	1250.1		TSO 0					
	AFL	1020		TSO 0					
PROC. REF: GENERIC NO REF									
32-001		LEFT MAIN GEAR SHOCK STRUT - MAIN FITTING					Component	ATA:32	
PN:2310-2206-501	MOS	20-Jul-20		TSN 122, TSR 0				LIFE LIMIT	
SN:1325162/001	HRS	1250.1		TSN 1250.1, TSR 0					
	AFL	1020	3500	TSN 1020, TSR 0	3500		2071		
PROC. REF: AMM 32-11-01, AMM 32-11-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
32-002		RIGHT MAIN GEAR SHOCK STRUT - MAIN FITTING						Component	ATA:32
PN:2310-2206-502	MOS	20-Jul-20		TSN 122, TSR 0				LIFE LIMIT	
SN:1325179/001	HRS	1250.1		TSN 1250.1, TSR 0					
	AFL	1020	3500	TSN 1020, TSR 0	3500		2071		
PROC. REF: AMM 32-11-01, AMM 32-11-01									
32-005		NO.1 LEFT MAIN GEAR PINTLE PIN						Component	ATA:32
PN:2310-2107-001	MOS	11-May-10		TSN 0				LIFE LIMIT	
SN:1302127/003	HRS	0		TSN 0					
	AFL	0	3500	TSN 0	3500		2071		
PROC. REF: GENERIC NO REF									
32-005		NO.1 RIGHT MAIN GEAR PINTLE PIN						Component	ATA:32
PN:2310-2107-003	MOS	20-Jul-20		TSN 0				LIFE LIMIT	
SN:1697604/008	HRS	1250.1		TSN 0					
	AFL	1020	3500	TSN 0	4520		3091		
PROC. REF: GENERIC NO REF									
32-005		NO.2 LEFT MAIN GEAR PINTLE PIN						Component	ATA:32
PN:2310-2107-001	MOS	11-May-10		TSN 0				LIFE LIMIT	
SN:1302127/012	HRS	0		TSN 0					
	AFL	0	3500	TSN 0	3500		2071		
PROC. REF: GENERIC NO REF									
32-005		NO.2 RIGHT MAIN GEAR PINTLE PIN						Component	ATA:32
PN:2310-2107-003	MOS	20-Jul-20		TSN 0				LIFE LIMIT	
SN:1719187/001	HRS	1250.1		TSN 0					
	AFL	1020	3500	TSN 0	4520		3091		
PROC. REF: GENERIC NO REF									
32-006		LEFT MAIN GEAR UPPER AXLE						Component	ATA:32
PN:2310-2104-001	MOS	11-May-10		TSN 0				LIFE LIMIT	
SN:1302140/003	HRS	0		TSN 0					
	AFL	0	3500	TSN 0	3500		2071		
PROC. REF: GENERIC NO REF									
32-006		RIGHT MAIN GEAR UPPER AXLE						Component	ATA:32
PN:2310-2104-001	MOS	11-May-10		TSN 0				LIFE LIMIT	
SN:1302140/012	HRS	0		TSN 0					
	AFL	0	3500	TSN 0	3500		2071		
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
32-007		LEFT MAIN GEAR LOWER AXLE						Component	ATA:32
PN:2310-2108-003	MOS	20-Jul-20		TSN 0				LIFE LIMIT	
SN:1626748/009	HRS	1250.1		TSN 0					
	AFL	1020	3500	TSN 0	4520		3091		
PROC. REF: GENERIC NO REF									
32-007		RIGHT MAIN GEAR LOWER AXLE						Component	ATA:32
PN:2310-2108-003	MOS	11-May-10		TSN 0				LIFE LIMIT	
SN:1298835/011	HRS	0		TSN 0					
	AFL	0	3500	TSN 0	3500		2071		
PROC. REF: GENERIC NO REF									
32-008		LEFT MAIN GEAR JACKING PIN						Component	ATA:32
PN:2310-2109-001	MOS	11-May-10		TSN 0				LIFE LIMIT	
SN:1299543/008	HRS	0		TSN 0					
	AFL	0	3500	TSN 0	3500		2071		
PROC. REF: GENERIC NO REF									
32-008		RIGHT MAIN GEAR JACKING PIN						Component	ATA:32
PN:2310-2109-001	MOS	11-May-10		TSN 0				LIFE LIMIT	
SN:1299543/012	HRS	0		TSN 0					
	AFL	0	3500	TSN 0	3500		2071		
PROC. REF: GENERIC NO REF									
32-009		LEFT MAIN GEAR PIN						Component	ATA:32
PN:2310-2103-001	MOS	11-May-10		TSN 0				LIFE LIMIT	
SN:1289985/010	HRS	0		TSN 0					
	AFL	0	3500	TSN 0	3500		2071		
PROC. REF: GENERIC NO REF									
32-009		RIGHT MAIN GEAR PIN						Component	ATA:32
PN:2310-2103-001	MOS	11-May-10		TSN 0				LIFE LIMIT	
SN:1289985/009	HRS	0		TSN 0					
	AFL	0	3500	TSN 0	3500		2071		
PROC. REF: GENERIC NO REF									
32-010		LEFT MAIN GEAR PIN						Component	ATA:32
PN:2310-2113-003	MOS	11-May-10		TSN 0				LIFE LIMIT	
SN:1304704/006	HRS	0		TSN 0					
	AFL	0	3500	TSN 0	3500		2071		
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
32-010		RIGHT MAIN GEAR PIN						Component	ATA:32
PN:2310-2113-003	MOS	20-Jul-20		TSN 122, TSR 0				LIFE LIMIT	
SN:1304704/001	HRS	1250.1		TSN 1250.1, TSR 0					
	AFL	1020	3500	TSN 1020, TSR 0	3500		2071		
PROC. REF: GENERIC NO REF									
32-100		LEFT MAIN GEAR TRAILING ARM ASSEMBLY						Component	ATA:32
PN:2310-3000-401	MOS/MSC	20-Jul-20	O/C	TSN 122					
SN:00170	HRS	1250.1		TSN 1250.1					
	AFL	1020		TSN 1020					
PROC. REF: AMM 32-11-04, AMM 32-11-04									
32-100		RIGHT MAIN GEAR TRAILING ARM ASSEMBLY						Component	ATA:32
PN:2310-3000-402	MOS/MSC	20-Jul-20	O/C	TSN 122					
SN:00158	HRS	1250.1		TSN 1250.1					
	AFL	1020		TSN 1020					
PROC. REF: AMM 32-11-04, AMM 32-11-04									
32-101		LEFT MAIN GEAR TRAILING ARM AXLE						Component	ATA:32
PN:2310-2102-001	MOS	11-May-10		TSN 0				LIFE LIMIT	
SN:1287339/010	HRS	0		TSN 0					
	AFL	0	3500	TSN 0	3500		2071		
PROC. REF: AMM 32-11-04, AMM 32-11-04									
32-101		RIGHT MAIN GEAR TRAILING ARM AXLE						Component	ATA:32
PN:2310-2102-001	MOS	11-May-10		TSN 0				LIFE LIMIT	
SN:1287339/005	HRS	0		TSN 0					
	AFL	0	3500	TSN 0	3500		2071		
PROC. REF: AMM 32-11-04, AMM 32-11-04									
32-102		LEFT MAIN GEAR TRAILING ARM						Component	ATA:32
PN:2310-3002-501	MOS	11-May-10		TSN 0				LIFE LIMIT	
SN:1295719/003	HRS	0		TSN 0					
	AFL	0	3500	TSN 0	3500		2071		
PROC. REF: AMM 32-11-04, AMM 32-11-04									
32-103		RIGHT MAIN GEAR TRAILING ARM						Component	ATA:32
PN:2310-3002-502	MOS	11-May-10		TSN 0				LIFE LIMIT	
SN:1303423/004	HRS	0		TSN 0					
	AFL	0	3500	TSN 0	3500		2071		
PROC. REF: AMM 32-11-04, AMM 32-11-04									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
32-106		LEFT MAIN GEAR TRAILING ARM WHEEL AXLE							Component ATA:32
PN:2310-3010-001	MOS	11-May-10		TSN 0				LIFE LIMIT	
SN:1304556/010	HRS	0		TSN 0					
	AFL	0	3500	TSN 0	3500		2071		
PROC. REF: AMM 32-11-04, AMM 32-11-04									
32-106		RIGHT MAIN GEAR TRAILING ARM WHEEL AXLE							Component ATA:32
PN:2310-3010-001	MOS	20-Jul-20		TSN 0				LIFE LIMIT	
SN:1614885/002	HRS	1250.1		TSN 0					
	AFL	1020	3500	TSN 0	4520		3091		
PROC. REF: AMM 32-11-04, AMM 32-11-04									
32-11-00-001^S		GENERAL VISUAL INSPECTION LEFT MAIN GEAR ASSEMBLY							Service ATA:32
PN:PN	MOS	13-May-24	12 (+1m/-1m)						
SN:UNKNOWN	HRS	1794.8							
	AFL	1380							
PROC. REF: AMM 32-11-00									
PKG:80									
32-11-00-001^S		GENERAL VISUAL INSPECTION RIGHT MAIN GEAR ASSEMBLY							Service ATA:32
PN:PN	MOS	13-May-24	12 (+1m/-1m)						
SN:UNKNOWN	HRS	1794.8							
	AFL	1380							
PROC. REF: AMM 32-11-00									
PKG:80									
32-11-00-002		RESTORE (OVERHAUL) LEFT MAIN GEAR ASSEMBLY							Service ATA:32
PN:PN	MOS/MSC	10-Jul-20	O/C						
SN:UNKNOWN	HRS	1250.1							
	AFL	1020							
PROC. REF: AMM 32-11-00									
32-11-00-002		RESTORE (OVERHAUL) RIGHT MAIN GEAR ASSEMBLY							Service ATA:32
PN:PN	MOS/MSC	10-Jul-20	O/C						
SN:UNKNOWN	HRS	1250.1							
	AFL	1020							
PROC. REF: AMM 32-11-00									
32-11-00-003		LUBRICATION OF LEFT MAIN GEAR ASSEMBLY							Service ATA:32
PN:PN	MOS	13-May-24	12 (+1m/-1m)	Adj 11d	24-May-25	24-Jun-25	229 d (+31)		
SN:UNKNOWN	HRS	1794.8							
	AFL	1380	650 (+30/-30)		2030	2060	601 (+30)		
PROC. REF: AMM 12-21-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
32-11-00-003		LUBRICATION OF RIGHT MAIN GEAR ASSEMBLY						Service	ATA:32
PN:PN	MOS	13-May-24	12 (+1m/-1m)	Adj 11d	24-May-25	24-Jun-25	229 d (+31)		
SN:UNKNOWN	HRS	1794.8							
	AFL	1380	650 (+30/-30)		2030	2060	601 (+30)		
PROC. REF: AMM 12-21-00									
32-11-01		LEFT MAIN GEAR SHOCK STRUT						Component	ATA:32
PN:2310-2000-601	MOS/MSC	20-Jul-20	O/C	TSO 0					
SN:00166	HRS	1250.1		TSN 1250.1, TSO 0					
	AFL	1020		TSN 1020, TSO 0					
PROC. REF: AMM 32-11-01, AMM 32-11-01									
32-11-01		RIGHT MAIN GEAR SHOCK STRUT						Component	ATA:32
PN:2310-2000-602	MOS/MSC	20-Jul-20	O/C	TSO 0					
SN:00160	HRS	1250.1		TSN 1250.1, TSO 0					
	AFL	1020		TSN 1020, TSO 0					
PROC. REF: AMM 32-11-01, AMM 32-11-01									
32-11-01-001		RESTORATION (OVERHAUL) OF MAIN LANDING GEAR - STRUT ASSY (LH)						Service	ATA:32
PN:2310-2000-601	MOS	20-Jul-20	120 (+1m/-1m)		20-Jul-30	20-Aug-30	2112 d (+31)	OVERHAUL	
SN:00166	HRS	1250.1							
	AFL	1020	12000 (+30/-30)		13020	13050	11591 (+30)		
PROC. REF: AMM 32-11-00									
32-11-01-002		RESTORATION (OVERHAUL) OF MAIN LANDING GEAR - STRUT ASSY (RH)						Service	ATA:32
PN:2310-2000-602	MOS	20-Jul-20	120 (+1m/-1m)		20-Jul-30	20-Aug-30	2112 d (+31)	OVERHAUL	
SN:00160	HRS	1250.1							
	AFL	1020	12000 (+30/-30)		13020	13050	11591 (+30)		
PROC. REF: AMM 32-11-00									
32-11-02-001		RESTORATION (OVERHAUL) OF MAIN LANDING GEAR - LOCKING ACTUATOR (LH)						Service	ATA:32
PN:2136-1000-405	MOS	20-Jul-20	120 (+1m/-1m)		20-Jul-30	20-Aug-30	2112 d (+31)	OVERHAUL	
SN:00491	HRS	1250.1							
	AFL	1020	12000 (+30/-30)		13020	13050	11591 (+30)		
PROC. REF: AMM 32-11-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
32-11-02-002		RESTORATION (OVERHAUL) OF MAIN LANDING GEAR - LOCKING ACTUATOR (RH)						Service	ATA:32
PN:2136-1000-405	MOS	20-Jul-20	120 (+1m/-1m)		20-Jul-30	20-Aug-30	2112 d (+31)	OVERHAUL	
SN:00360	HRS	1250.1							
	AFL	1020	12000 (+30/-30)		13020	13050	11591 (+30)		
PROC. REF: AMM 32-11-00									
32-11-03-001		RESTORATION (OVERHAUL) OF MAIN LANDING GEAR - SHOCK ABSORBER (LH)						Service	ATA:32
PN:2310-4000-407	MOS	20-Jul-20	120 (+1m/-1m)		20-Jul-30	20-Aug-30	2112 d (+31)	OVERHAUL	
SN:00487	HRS	1250.1							
	AFL	1020	12000 (+30/-30)		13020	13050	11591 (+30)		
PROC. REF: AMM 32-11-00									
32-11-03-002		RESTORATION (OVERHAUL) OF MAIN LANDING GEAR - SHOCK ABSORBER (RH)						Service	ATA:32
PN:2310-4000-407	MOS	20-Jul-20	120 (+1m/-1m)		20-Jul-30	20-Aug-30	2112 d (+31)	OVERHAUL	
SN:00630	HRS	1250.1							
	AFL	1020	12000 (+30/-30)		13020	13050	11591 (+30)		
PROC. REF: AMM 32-11-00									
32-11-03-004		SERVICING LEFT MAIN GEAR SHOCK ABSORBER ASSEMBLY						Service	ATA:32
PN:2310-4000-407	MOS	13-May-24	12 (+1m/-1m)	Adj 11d	24-May-25	24-Jun-25	229 d (+31)		
SN:00487	HRS	1794.8							
	AFL	1380	650 (+30/-30)		2030	2060	601 (+30)		
PROC. REF: AMM 12-14-02									
32-11-03-004		SERVICING RIGHT MAIN GEAR SHOCK ABSORBER ASSEMBLY						Service	ATA:32
PN:2310-4000-407	MOS	13-May-24	12 (+1m/-1m)	Adj 11d	24-May-25	24-Jun-25	229 d (+31)		
SN:00630	HRS	1794.8							
	AFL	1380	650 (+30/-30)		2030	2060	601 (+30)		
PROC. REF: AMM 12-14-02									
32-11-04-001		RESTORATION (OVERHAUL) OF MAIN LANDING GEAR - TRAILING ARM (LH)						Service	ATA:32
PN:2310-3000-401	MOS	20-Jul-20	120 (+1m/-1m)		20-Jul-30	20-Aug-30	2112 d (+31)	OVERHAUL	
SN:00170	HRS	1250.1							
	AFL	1020	12000 (+30/-30)		13020	13050	11591 (+30)		
PROC. REF: AMM 32-11-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
32-11-04-002		RESTORATION (OVERHAUL) OF MAIN LANDING GEAR - TRAILING ARM (RH)							Service ATA:32
PN:2310-3000-402	MOS	20-Jul-20	120 (+1m/-1m)		20-Jul-30	20-Aug-30	2112 d (+31)	OVERHAUL	
SN:00158	HRS	1250.1							
	AFL	1020	12000 (+30/-30)		13020	13050	11591 (+30)		
PROC. REF: AMM 32-11-00									
32-200		LEFT MAIN GEAR SHOCK ABSORBER ASSEMBLY							Component ATA:32
PN:2310-4000-407	MOS/MSC	20-Jul-20	O/C	TSO 0					
SN:00487	HRS	1250.1		TSN 1250.1, TSO 0					
	AFL	1020		TSN 1020, TSO 0					
PROC. REF: AMM 32-11-03, AMM 32-11-03									
32-200		RIGHT MAIN GEAR SHOCK ABSORBER ASSEMBLY							Component ATA:32
PN:2310-4000-407	MOS/MSC	20-Jul-20	O/C	TSO 0					
SN:00630	HRS	1250.1		TSN 1250.1, TSO 0					
	AFL	1020		TSN 1020, TSO 0					
PROC. REF: AMM 32-11-03, AMM 32-11-03									
32-201		LEFT MAIN GEAR SHOCK ABSORBER CYLINDER							Component ATA:32
PN:2310-4102-501	MOS	11-May-10		TSN 0				LIFE LIMIT	
SN:1310219/005	HRS	0		TSN 0					
	AFL	0	3500	TSN 0	3500		2071		
PROC. REF: GENERIC NO REF									
32-201		RIGHT MAIN GEAR SHOCK ABSORBER CYLINDER							Component ATA:32
PN:2310-4102-501	MOS	11-May-10		TSN 0				LIFE LIMIT	
SN:1262143/005	HRS	0		TSN 0					
	AFL	0	3500	TSN 0	3500		2071		
PROC. REF: GENERIC NO REF									
32-204		LEFT MAIN GEAR SHOCK ABSORBER SLIDING TUBE							Component ATA:32
PN:2310-4201-003	MOS	20-Jul-20		TSN 122, TSR 0				LIFE LIMIT	
SN:1294235/009	HRS	1250.1		TSN 1250.1, TSR 0					
	AFL	1020	3500	TSN 1020, TSR 0	3500		2071		
PROC. REF: GENERIC NO REF									
32-204		RIGHT MAIN GEAR SHOCK ABSORBER SLIDING TUBE							Component ATA:32
PN:2310-4201-003	MOS	20-Jul-20		TSN 122, TSR 0				LIFE LIMIT	
SN:1290118/008	HRS	1250.1		TSN 1250.1, TSR 0					
	AFL	1020	3500	TSN 1020, TSR 0	3500		2071		
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
32-206		LEFT MAIN GEAR SHOCK ABSORBER BEARING						Component	ATA:32
PN:2310-4006-007	MOS	11-May-10		TSN 0				LIFE LIMIT	
SN:1318499/016	HRS	0		TSN 0					
	AFL	0	3500	TSN 0	3500		2071		
PROC. REF: GENERIC NO REF									
32-206		RIGHT MAIN GEAR SHOCK ABSORBER BEARING						Component	ATA:32
PN:2310-4006-007	MOS	11-May-10		TSN 0				LIFE LIMIT	
SN:1280881/010	HRS	0		TSN 0					
	AFL	0	3500	TSN 0	3500		2071		
PROC. REF: GENERIC NO REF									
32-207		LEFT MAIN GEAR SHOCK ABSORBER BEARING CAP						Component	ATA:32
PN:2310-4014-001	MOS	11-May-10		TSN 0				LIFE LIMIT	
SN:1301468/019	HRS	0		TSN 0					
	AFL	0	3500	TSN 0	3500		2071		
PROC. REF: GENERIC NO REF									
32-207		RIGHT MAIN GEAR SHOCK ABSORBER BEARING CAP						Component	ATA:32
PN:2310-4014-001	MOS	11-May-10		TSN 0				LIFE LIMIT	
SN:1290010/016	HRS	0		TSN 0					
	AFL	0	3500	TSN 0	3500		2071		
PROC. REF: GENERIC NO REF									
32-21-00-001^S		GENERAL VISUAL INSPECTION OF NOSE LANDING GEAR ASSEMBLY						Service	ATA:32
PN:PN	MOS	13-May-24	12 (+1m/-1m)						
SN:UNKNOWN	HRS	1794.8							
	AFL	1380							
PROC. REF: AMM 32-21-00									
PKG:80									
32-21-00-002		RESTORE (OVERHAUL) NOSE LANDING GEAR ASSEMBLY						Service	ATA:32
PN:PN	MOS/MSC	10-Jul-20	O/C						
SN:UNKNOWN	HRS	1250.1							
	AFL	1020							
PROC. REF: AMM 32-21-00									
32-21-00-003		LUBRICATION OF NOSE LANDING GEAR ASSEMBLY						Service	ATA:32
PN:PN	MOS	13-May-24	12 (+1m/-1m)	Adj 11d	24-May-25	24-Jun-25	229 d (+31)		
SN:UNKNOWN	HRS	1794.8							
	AFL	1380	650 (+30/-30)		2030	2060	601 (+30)		
PROC. REF: AMM 12-21-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
32-21-01		NOSE LANDING GEAR SHOCK STRUT						Component	ATA:32
PN:2310-1000-403	MOS/MSC	20-Jul-20	O/C	TSN 122, TSO 0					
SN:00168	HRS	1250.1		TSN 1250.1, TSO 0					
	AFL	1020		TSN 1020, TSO 0					
PROC. REF: AMM 32-21-01, AMM 32-21-01									
32-21-01-001		RESTORATION (OVERHAUL) OF NOSE LANDING GEAR - STRUT ASSY						Service	ATA:32
PN:2310-1000-403	MOS	20-Jul-20	120 (+1m/-1m)		20-Jul-30	20-Aug-30	2112 d (+31)	OVERHAUL	
SN:00168	HRS	1250.1							
	AFL	1020	12000 (+30/-30)		13020	13050	11591 (+30)		
PROC. REF: AMM 32-21-00									
32-21-02		NOSE LANDING GEAR RETRACT ACTUATOR ASSEMBLY						Component	ATA:32
PN:2135-1000-403	MOS/MSC	11-May-10	O/C	TSN 0					
SN:00183	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-21-02, AMM 32-21-02									
32-21-03		NOSE LANDING GEAR DOWNLOCK RELEASE ACTUATOR ASSEMBLY						Component	ATA:32
PN:2137-1000-401	MOS/MSC	11-May-10	O/C	TSN 0					
SN:00170	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-21-03, AMM 32-21-03									
32-21-04-001		RESTORATION (OVERHAUL) OF NOSE LANDING GEAR - LOCKING STAY						Service	ATA:32
PN:2310-1700-403	MOS	20-Jul-20	120 (+1m/-1m)		20-Jul-30	20-Aug-30	2112 d (+31)	OVERHAUL	
SN:00164	HRS	1250.1							
	AFL	1020	12000 (+30/-30)		13020	13050	11591 (+30)		
PROC. REF: AMM 32-21-00									
32-21-05-001		RESTORATION (OVERHAUL) OF NOSE LANDING GEAR - SHOCK ABSORBER						Service	ATA:32
PN:2310-1100-403	MOS	20-Jul-20	120 (+1m/-1m)		20-Jul-30	20-Aug-30	2112 d (+31)	OVERHAUL	
SN:00148	HRS	1250.1							
	AFL	1020	12000 (+30/-30)		13020	13050	11591 (+30)		
PROC. REF: AMM 32-21-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
32-21-05-004		SERVICING NOSE LANDING GEAR (ALUM STRUT) SHOCK ABSORBER					Service	ATA:32	
PN:2310-1100-403	MOS	13-May-24	12 (+1m/-1m)	Adj 11d	24-May-25	24-Jun-25	229 d (+31)		
SN:00148	HRS	1794.8							
	AFL	1380	650 (+30/-30)		2030	2060	601 (+30)		
PROC. REF: AMM 12-14-03									
32-21-06-005 ^S		VISUAL CHECK OF NOSE LANDING GEAR SHIMMY DAMPER					Service	ATA:32	
PN:2310-1500-403	MOS	13-May-24	12 (+1m/-1m)						
SN:00181	HRS	1794.8							
	AFL	1380							
PROC. REF: AMM 32-21-06									
PKG:80									
32-21-09-001		RESTORATION (OVERHAUL) OF NOSE LANDING GEAR - DRAG BRACE ASSY					Service	ATA:32	
PN:2310-1400-403	MOS	20-Jul-20	120 (+1m/-1m)		20-Jul-30	20-Aug-30	2112 d (+31)	OVERHAUL	
SN:00169	HRS	1250.1							
	AFL	1020	12000 (+30/-30)		13020	13050	11591 (+30)		
PROC. REF: AMM 32-21-00									
32-300		LEFT MAIN GEAR LOCKING ACTUATOR ASSEMBLY					Component	ATA:32	
PN:2136-1000-405	MOS/MSC	20-Jul-20	O/C	TSO 0					
SN:00491	HRS	1250.1		TSN 1250.1, TSO 0					
	AFL	1020		TSN 1020, TSO 0					
PROC. REF: AMM 32-11-02, AMM 32-11-02									
32-300		RIGHT MAIN GEAR LOCKING ACTUATOR ASSEMBLY					Component	ATA:32	
PN:2136-1000-405	MOS/MSC	20-Jul-20	O/C	TSO 0					
SN:00360	HRS	1250.1		TSN 1250.1, TSO 0					
	AFL	1020		TSN 1020, TSO 0					
PROC. REF: AMM 32-11-02, AMM 32-11-02									
32-301		LEFT MAIN GEAR LOCKING ACTUATOR CYLINDER					Component	ATA:32	
PN:2136-1013-503	MOS	11-May-10		TSN 0				LIFE LIMIT	
SN:1311030/004	HRS	0		TSN 0					
	AFL	0	21000	TSN 0	21000		19571		
PROC. REF: GENERIC NO REF									
32-301		RIGHT MAIN GEAR LOCKING ACTUATOR CYLINDER					Component	ATA:32	
PN:2136-1013-503	MOS	11-May-10		TSN 0				LIFE LIMIT	
SN:1311030/006	HRS	0		TSN 0					
	AFL	0	21000	TSN 0	21000		19571		
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-304 LEFT MAIN GEAR LOCKING ACTUATOR PISTON								
PN:2136-1035-003	MOS	11-May-10		TSN 0				Component ATA:32 LIFE LIMIT
SN:1311475/009	HRS	0		TSN 0				
	AFL	0	21000	TSN 0	21000		19571	
PROC. REF: GENERIC NO REF								
32-304 RIGHT MAIN GEAR LOCKING ACTUATOR PISTON								
PN:2136-1035-003	MOS	11-May-10		TSN 0				Component ATA:32 LIFE LIMIT
SN:1311474/004	HRS	0		TSN 0				
	AFL	0	21000	TSN 0	21000		19571	
PROC. REF: GENERIC NO REF								
32-305 LEFT MAIN GEAR LOCKING ACTUATOR FINGER								
PN:2136-1050-003	MOS	11-May-10		TSN 0				Component ATA:32 LIFE LIMIT
SN:1305312/002	HRS	0		TSN 0				
	AFL	0	21000	TSN 0	21000		19571	
PROC. REF: GENERIC NO REF								
32-305 RIGHT MAIN GEAR LOCKING ACTUATOR FINGER								
PN:2136-1050-003	MOS	11-May-10		TSN 0				Component ATA:32 LIFE LIMIT
SN:1305310/009	HRS	0		TSN 0				
	AFL	0	21000	TSN 0	21000		19571	
PROC. REF: GENERIC NO REF								
32-306 LEFT MAIN GEAR LOCKING ACTUATOR ROD								
PN:2136-1020-001	MOS	11-May-10		TSN 0				Component ATA:32 LIFE LIMIT
SN:1306444/004	HRS	0		TSN 0				
	AFL	0	21000	TSN 0	21000		19571	
PROC. REF: GENERIC NO REF								
32-306 RIGHT MAIN GEAR LOCKING ACTUATOR ROD								
PN:2136-1020-001	MOS	11-May-10		TSN 0				Component ATA:32 LIFE LIMIT
SN:1312191/009	HRS	0		TSN 0				
	AFL	0	21000	TSN 0	21000		19571	
PROC. REF: GENERIC NO REF								
32-307 LEFT MAIN GEAR LOCKING ACTUATOR LOCKING PISTON								
PN:2136-1046-009	MOS	11-May-10		TSN 0				Component ATA:32 LIFE LIMIT
SN:1309217/002	HRS	0		TSN 0				
	AFL	0	19500	TSN 0	19500		18071	
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-307 RIGHT MAIN GEAR LOCKING ACTUATOR LOCKING PISTON								
PN:2136-1046-009	MOS	11-May-10		TSN 0				Component ATA:32 LIFE LIMIT
SN:1308816/008	HRS	0		TSN 0				
	AFL	0	19500	TSN 0	19500		18071	
PROC. REF: GENERIC NO REF								
32-309 LEFT MAIN GEAR LOCKING ACTUATOR PIN								
PN:2136-1049-001	MOS	11-May-10		TSN 0				Component ATA:32 LIFE LIMIT
SN:1305265/009	HRS	0		TSN 0				
	AFL	0	21000	TSN 0	21000		19571	
PROC. REF: GENERIC NO REF								
32-309 RIGHT MAIN GEAR LOCKING ACTUATOR PIN								
PN:2136-1049-001	MOS	11-May-10		TSN 0				Component ATA:32 LIFE LIMIT
SN:1305265/002	HRS	0		TSN 0				
	AFL	0	21000	TSN 0	21000		19571	
PROC. REF: GENERIC NO REF								
32-31-01 LANDING GEAR CONTROL LEVER PANEL								
PN:827101-5	MOS/MSC	11-May-10	O/C	TSN 0				Component ATA:32
SN:1151	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-31-01, AMM 32-31-01								
32-31-02 LANDING GEAR HYDRAULIC SYSTEM (MANIFOLD) ASSEMBLY								
PN:72375-1	MOS/MSC	11-May-10	O/C	TSN 0				Component ATA:32
SN:0180	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-31-02, AMM 32-31-02								
32-310 LEFT MAIN GEAR LOCKING ACTUATOR LOCKING SLEEVE								
PN:2136-1036-003	MOS	11-May-10		TSN 0				Component ATA:32 LIFE LIMIT
SN:1310281/002	HRS	0		TSN 0				
	AFL	0	21000	TSN 0	21000		19571	
PROC. REF: GENERIC NO REF								
32-310 RIGHT MAIN GEAR LOCKING ACTUATOR LOCKING SLEEVE								
PN:2136-1036-003	MOS	11-May-10		TSN 0				Component ATA:32 LIFE LIMIT
SN:1306951/007	HRS	0		TSN 0				
	AFL	0	21000	TSN 0	21000		19571	
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-311 LEFT MAIN GEAR LOCKING ACTUATOR CAP BEARING								
PN:2136-1005-003	MOS	11-May-10		TSN 0				Component ATA:32 LIFE LIMIT
SN:1310190/005	HRS	0		TSN 0				
	AFL	0	21000	TSN 0	21000		19571	
PROC. REF: GENERIC NO REF								
32-311 RIGHT MAIN GEAR LOCKING ACTUATOR CAP BEARING								
PN:2136-1005-003	MOS	11-May-10		TSN 0				Component ATA:32 LIFE LIMIT
SN:1305640/001	HRS	0		TSN 0				
	AFL	0	21000	TSN 0	21000		19571	
PROC. REF: GENERIC NO REF								
32-312 LEFT MAIN GEAR LOCKING ACTUATOR NUT								
PN:2136-1042-003	MOS	11-May-10		TSN 0				Component ATA:32 LIFE LIMIT
SN:1305295/005	HRS	0		TSN 0				
	AFL	0	21000	TSN 0	21000		19571	
PROC. REF: GENERIC NO REF								
32-312 RIGHT MAIN GEAR LOCKING ACTUATOR NUT								
PN:2136-1042-003	MOS	11-May-10		TSN 0				Component ATA:32 LIFE LIMIT
SN:1306692/009	HRS	0		TSN 0				
	AFL	0	21000	TSN 0	21000		19571	
PROC. REF: GENERIC NO REF								
32-313 LEFT MAIN GEAR LOCKING ACTUATOR STOP								
PN:2136-1008-003	MOS	11-May-10		TSN 0				Component ATA:32 LIFE LIMIT
SN:1306948/019	HRS	0		TSN 0				
	AFL	0	21000	TSN 0	21000		19571	
PROC. REF: GENERIC NO REF								
32-313 RIGHT MAIN GEAR LOCKING ACTUATOR STOP								
PN:2136-1008-003	MOS	11-May-10		TSN 0				Component ATA:32 LIFE LIMIT
SN:1306948/006	HRS	0		TSN 0				
	AFL	0	21000	TSN 0	21000		19571	
PROC. REF: GENERIC NO REF								
32-314 LEFT MAIN GEAR LOCKING ACTUATOR ROD END								
PN:MEK12EL	MOS	20-Jul-20		TSN 0				Component ATA:32 LIFE LIMIT
SN:01047	HRS	1250.1		TSN 0				
	AFL	1020	21000	TSN 0	22020		20591	
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
32-314		RIGHT MAIN GEAR LOCKING ACTUATOR ROD END					Component	ATA:32	
PN:MEK12EL	MOS	20-Jul-20		TSN 0				LIFE LIMIT	
SN:01046	HRS	1250.1		TSN 0					
	AFL	1020	21000	TSN 0	22020		20591		
PROC. REF: GENERIC NO REF									
32-35-00-001^S		FUNCTIONAL CHECK OF LANDING GEAR EMERGENCY EXTENSION SYSTEM					Service	ATA:32	
	MOS	13-May-24	24 (+1m/-1m)						
	HRS	1794.8							
	AFL	1380							
PROC. REF: AMM 32-35-00									
PKG:81									
32-35-00-002^S		GENERAL VISUAL INSPECTION OF EMERGENCY EXTENSION SYSTEM LINKAGES					Service	ATA:32	
	MOS	20-Jul-20	60 (+1m/-1m)						
	HRS	1250.1							
	AFL	1020							
PROC. REF: AMM 32-35-00									
PKG:84									
32-400		NOSE LANDING GEAR ASSEMBLY					Component	ATA:32	
PN:PN	MOS/MSC	20-Jul-20	O/C	TSO 0					
SN:UNKNOWN	HRS	1250.1		TSO 0					
	AFL	1020		TSO 0					
PROC. REF: GENERIC NO REF									
32-401		LEFT SIDE NLG SIDE PINTLE PIN					Component	ATA:32	
PN:2310-1137-003	MOS	11-May-10		TSN 0				LIFE LIMIT	
SN:1304706/004	HRS	0		TSN 0					
	AFL	0	35000	TSN 0	35000		33571		
PROC. REF: GENERIC NO REF									
32-401		RIGHT SIDE NLG SIDE PINTLE PIN					Component	ATA:32	
PN:2310-1137-003	MOS	11-May-10		TSN 0				LIFE LIMIT	
SN:1304706/007	HRS	0		TSN 0					
	AFL	0	35000	TSN 0	35000		33571		
PROC. REF: GENERIC NO REF									
32-402		NOSE LANDING GEAR MAIN FITTING					Component	ATA:32	
PN:2310-1204-501	MOS	11-May-10		TSN 0				LIFE LIMIT	
SN:1299610/001	HRS	0		TSN 0					
	AFL	0	35000	TSN 0	35000		33571		
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-404 (1) NOSE LANDING GEAR TORQUE LINK Component ATA:32								
PN:2310-1124-501	MOS	11-May-10		TSN 0				LIFE LIMIT
SN:1299610/001	HRS	0		TSN 0				
	AFL	0	35000	TSN 0	35000		33571	
PROC. REF: AMM 32-21-07, AMM 32-21-07								
32-406 NOSE LANDING GEAR SHOCK STRUT PIN Component ATA:32								
PN:2310-1407-001	MOS	11-May-10		TSN 0				LIFE LIMIT
SN:1301439/002	HRS	0		TSN 0				
	AFL	0	35000	TSN 0	35000		33571	
PROC. REF: AMM 32-21-01, AMM 32-21-01								
32-407 NOSE LANDING GEAR AXLE Component ATA:32								
PN:2310-1165-001	MOS	11-May-10		TSN 0				LIFE LIMIT
SN:1299547/003	HRS	0		TSN 0				
	AFL	0	35000	TSN 0	35000		33571	
PROC. REF: GENERIC NO REF								
32-408 NOSE LANDING GEAR STEERING BELLCRANK Component ATA:32								
PN:2310-1131-001	MOS	11-May-10		TSN 0				LIFE LIMIT
SN:1310115/009	HRS	0		TSN 0				
	AFL	0	35000	TSN 0	35000		33571	
PROC. REF: GENERIC NO REF								
32-409 NOSE LANDING GEAR SHIMMY DAMPER Component ATA:32								
PN:2310-1500-403	MOS/MSC	20-Jul-20	O/C	TSN 122				
SN:00181	HRS	1250.1		TSN 1250.1				
	AFL	1020		TSN 1020				
PROC. REF: AMM 32-21-06, AMM 32-21-06								
32-41-01 DIGITAL BRAKE CONTROL UNIT Component ATA:32								
PN:90005034-8	MOS/MSC	13-May-24	O/C					
SN:NOV09-1106	HRS	1794.8						
	AFL	1380						
PROC. REF: AMM 32-41-01, AMM 32-41-01								
32-41-02 LH BRAKE PEDAL TRANSDUCER Component ATA:32								
PN:Q3008	MOS/MSC	11-May-10	O/C	TSN 0				
SN:807270	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-41-02, AMM 32-41-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
32-41-02		RH BRAKE PEDAL TRANSDUCER					Component	ATA:32	
PN:Q3008	MOS/MSC	11-May-10	O/C	TSN 0					
SN:845839	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-41-02, AMM 32-41-02									
32-41-02-001 ^S		OPERATIONAL CHECK LH BRAKE PEDAL TRANSDUCER					Service	ATA:32	
PN:Q3008	MOS	12-Apr-18							
SN:807270	HRS	985.1	6400 (+30/-30)						
	AFL	849							
PROC. REF: AMM 32-41-02									
PKG:60									
32-41-02-001 ^S		OPERATIONAL CHECK RH BRAKE PEDAL TRANSDUCER					Service	ATA:32	
PN:Q3008	MOS	12-Apr-18							
SN:845839	HRS	985.1	6400 (+30/-30)						
	AFL	849							
PROC. REF: AMM 32-41-02									
PKG:60									
32-41-02-002 ^S		FUNCTIONAL CHECK LH BRAKE PEDAL TRANSDUCER					Service	ATA:32	
PN:Q3008	MOS	20-Jul-20							
SN:807270	HRS	1250.1	1600 (+30/-30)						
	AFL	1020							
PROC. REF: AMM 32-41-02									
PKG:10									
32-41-02-002 ^S		FUNCTIONAL CHECK RH BRAKE PEDAL TRANSDUCER					Service	ATA:32	
PN:Q3008	MOS	20-Jul-20							
SN:845839	HRS	1250.1	1600 (+30/-30)						
	AFL	1020							
PROC. REF: AMM 32-41-02									
PKG:10									
32-41-03		MAIN BRAKE SHUT-OFF VALVE					Component	ATA:32	
PN:90005027	MOS/MSC	11-May-10	O/C	TSN 0					
SN:JUL09-0196	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-41-03, AMM 32-41-03									
32-41-04		LH BRAKE CONTROL VALVE					Component	ATA:32	
PN:90005035-2	MOS/MSC	02-Sep-11	O/C						
SN:09-12-0450	HRS	66.1							
	AFL	72							
PROC. REF: AMM 32-41-04, AMM 32-41-04									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
32-41-04		RH BRAKE CONTROL VALVE					Component	ATA:32	
PN:90005035-2	MOS/MSC	02-Sep-11	O/C						
SN:10-06-0540	HRS	66.1							
	AFL	72							
PROC. REF: AMM 32-41-04, AMM 32-41-04									
32-41-05		LH MAIN BRAKE SYSTEM PRESSURE TRANSDUCER					Component	ATA:32	
PN:90005191-1	MOS/MSC	11-May-10	O/C	TSN 0					
SN:JUL09-0339	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-41-05, AMM 32-41-05									
32-41-05		RH MAIN BRAKE SYSTEM PRESSURE TRANSDUCER					Component	ATA:32	
PN:90005191-1	MOS/MSC	11-May-10	O/C	TSN 0					
SN:AUG09-0372	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-41-05, AMM 32-41-05									
32-41-06		LEFT MAIN GEAR WHEEL SPEED TRANSDUCER					Component	ATA:32	
PN:90005036	MOS/MSC	11-May-10	O/C	TSN 0					
SN:APR09-0310	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-41-06, AMM 32-41-06									
32-41-06		RIGHT MAIN GEAR WHEEL SPEED TRANSDUCER					Component	ATA:32	
PN:90005036	MOS/MSC	11-May-10	O/C	TSN 0					
SN:APR09-0316	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-41-06, AMM 32-41-06									
32-41-11-001 ^S		FUNCTIONAL CHECK OF BRAKE HYDRAULIC ACCUMULATOR					Service	ATA:32	
	MOS	11-May-10							
	HRS	0	5600 (+30/-30)						
	AFL	0							
PROC. REF: AMM 32-41-11									
32-410		NOSE LANDING GEAR WHEEL AXLE					Component	ATA:32	
PN:2317-5101-001	MOS	11-May-10		TSN 0				LIFE LIMIT	
SN:1301631/006	HRS	0		TSN 0					
	AFL	0	35000	TSN 0	35000		33571		
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-411 NOSE LANDING GEAR LOCK PIN Component ATA:32								
PN:57675-1	MOS	20-Jul-20		TSN 0				LIFE LIMIT
SN:01381	HRS	1250.1		TSN 0				
	AFL	1020	35000	TSN 0	36020		34591	
PROC. REF: GENERIC NO REF								
32-412 NOSE LANDING GEAR AXLE BOLT Component ATA:32								
PN:2310-1144-005	MOS	11-May-10		TSN 0				LIFE LIMIT
SN:1305203/001	HRS	0		TSN 0				
	AFL	0	35000	TSN 0	35000		33571	
PROC. REF: GENERIC NO REF								
32-413 NOSE LANDING GEAR BOLT Component ATA:32								
PN:2310-1172-003	MOS	11-May-10		TSN 0				LIFE LIMIT
SN:1293335/010	HRS	0		TSN 0				
	AFL	0	35000	TSN 0	35000		33571	
PROC. REF: GENERIC NO REF								
32-414 NOSE LANDING GEAR PIN Component ATA:32								
PN:2310-1173-001	MOS	11-May-10		TSN 0				LIFE LIMIT
SN:1301484/001	HRS	0		TSN 0				
	AFL	0	35000	TSN 0	35000		33571	
PROC. REF: GENERIC NO REF								
32-415 NOSE LANDING GEAR BOLT Component ATA:32								
PN:2310-1183-001	MOS	11-May-10		TSN 0				LIFE LIMIT
SN:1301488/008	HRS	0		TSN 0				
	AFL	0	35000	TSN 0	35000		33571	
PROC. REF: GENERIC NO REF								
32-43-00-001^S FUNCTIONAL CHECK OF EMERGENCY/PARKING BRAKE SYSTEM Service ATA:32								
	MOS	24-May-22						
	HRS	1509.4	800 (+30/-30)					
	AFL	1183						
PROC. REF: AMM 32-43-00								
PKG:1								
32-43-01-001^S GENERAL VISUAL INSPECTION OF EMERGENCY/PARKING BRAKE SYSTEM Service ATA:32								
	MOS	24-May-22						
	HRS	1509.4	800 (+30/-30)					
	AFL	1183						
PROC. REF: AMM 32-43-00								
PKG:1								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
32-43-02		EMERGENCY/PARKING BRAKE VALVE					Component ATA:32		
PN:11056-5	MOS/MSC	15-Apr-16	O/C	TSR 0					
SN:0717	HRS	574.5		TSR 0					
	AFL	550		TSR 0					
PROC. REF: AMM 32-43-02, AMM 32-43-02									
32-43-04		EMERGENCY/PARKING BRAKE ACCUMULATOR					Component ATA:32		
PN:0860231003	MOS/MSC	11-Jun-12	O/C	TSN 0					
SN:60231-2429	HRS	157		TSN 0					
	AFL	159		TSN 0					
PROC. REF: AMM 32-43-04, AMM 32-43-04									
32-43-05		EMERGENCY/PARKING BRAKE PRESSURE SWITCH					Component ATA:32		
PN:15H0126PH	MOS/MSC	30-Apr-14	O/C	TSN 0					
SN:0521	HRS	377.3		TSN 0					
	AFL	354		TSN 0					
PROC. REF: AMM 32-43-05, AMM 32-43-05									
32-43-06		EMERGENCY/PARKING BRAKE PRESSURE- TRANSDUCER					Component ATA:32		
PN:APT-218A-1000-3000A	MOS/MSC	11-May-10	O/C	TSN 0					
SN:7539-9-111	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-43-06, AMM 32-43-06									
32-43-11		EMERGENCY/PARKING BRAKE SHUT OFF VALVE					Component ATA:32		
PN:2216-0001-401	MOS/MSC	11-May-10	O/C	TSN 0					
SN:00159	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-43-11, AMM 32-43-11									
32-43-11-001		OPERATIONAL CHECK OF EMERGENCY/PARKING BRAKE HYDRAULIC LINE SHUT-OFF VALVE					Service ATA:32		
PN:2216-0001-401	MOS	13-May-24	12 (+30d/-30d)	Adj 11d	24-May-25	23-Jun-25	229 d (+30)	AIRWORTHINESS	
SN:00159	HRS	1794.8	800 (+30/-30)		2594.8	2624.8	708.8 (+30)		
	AFL	1380							
PROC. REF: AMM 32-43-11									
32-43-11-002		OPERATIONAL CHECK OF EMERGENCY/PARKING BRAKE HYDRAULIC LINE SHUT-OFF VALVE					Service ATA:32		
PN:2216-0001-401	MOS/MSC	11-May-10	N/A						
SN:00159	HRS	0							
	AFL	0							
PROC. REF: AMM 32-43-11									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-45-01 LH MLG 21X6.5-10 12PR TIRE Component ATA:32								
PN:215K26-2	MOS/MSC	10-Sep-24	O/C	TSN 0				
SN:20380388	HRS	1865		TSN 0				
	AFL	1417		TSN 0				
PROC. REF: AMM 32-45-02, AMM 32-45-02								
32-45-01 RH MLG 21X6.5-10 12PR TIRE Component ATA:32								
PN:215K26-2	MOS/MSC	10-Sep-24	O/C	TSN 0				
SN:41560337	HRS	1865		TSN 0				
	AFL	1417		TSN 0				
PROC. REF: AMM 32-45-02, AMM 32-45-02								
32-45-01-001 RESTORATION (OVERHAUL) OF LH MLG WHEEL ASSEMBLY Service ATA:32								
PN:500-19026-605	MOS/MSC	06-Oct-23	T/C					
SN:APR11-0854	HRS	1865						
	AFL	1417	1500 (+30/-30)		2917	2947	1488 (+30)	
PROC. REF: SMR 500-32-0012, AMM 32-45-00								
32-45-01-001 RESTORATION (OVERHAUL) OF RH MLG WHEEL ASSEMBLY Service ATA:32								
PN:500-19026-605	MOS/MSC	10-Sep-24	T/C					
SN:MAY10-0552	HRS	1865						
	AFL	1417	1500 (+30/-30)	TAC 338	2579	2609	1150 (+30)	
PROC. REF: SMR 500-32-0012, AMM 32-45-00								
32-45-01-002 SPECIAL DETAILED INSPECTION (EDDY CURRENT) OF LH MLG WHEEL ASSEMBLY Service ATA:32								
PN:500-19026-605	MOS/MSC	10-Sep-24	O/C					
SN:APR11-0854	HRS	1865						
	AFL	1417						
PROC. REF: AMM 32-45-00								
32-45-01-002 SPECIAL DETAILED INSPECTION (EDDY CURRENT) OF RH MLG WHEEL ASSEMBLY Service ATA:32								
PN:500-19026-605	MOS/MSC	10-Sep-24	O/C					
SN:MAY10-0552	HRS	1865						
	AFL	1417						
PROC. REF: AMM 32-45-00								
32-45-02 LH MLG 21X6.5-10, AL WHEEL Component ATA:32								
PN:90005024	MOS/MSC	10-Sep-24	O/C	TSO 11				
SN:APR11-0854	HRS	1865		TSO 0				
	AFL	1417		TSO 0				
PROC. REF: AMM 32-45-02, AMM 32-45-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
32-45-02		RH MLG 21X6.5-10, AL WHEEL						Component	ATA:32
PN:90005024	MOS/MSC	10-Sep-24	O/C	TSR 0					
SN:MAY10-0552	HRS	1865		TSR 0					
	AFL	1417		TSO 338, TSR 0					
PROC. REF: AMM 32-45-02, AMM 32-45-02									
32-45-03		LH MLG WHEEL ASSEMBLY						Component	ATA:32
PN:500-19026-605	MOS/MSC	10-Sep-24	O/C	TSO 11					
SN:APR11-0854	HRS	1865		TSO 0					
	AFL	1417		TSO 0					
PROC. REF: AMM 32-45-01, AMM 32-45-01									
32-45-03		RH MLG WHEEL ASSEMBLY						Component	ATA:32
PN:500-19026-605	MOS/MSC	10-Sep-24	O/C	TSR 0					
SN:MAY10-0552	HRS	1865		TSR 0					
	AFL	1417		TSO 338, TSR 0					
PROC. REF: AMM 32-45-01, AMM 32-45-01									
32-45-10		NLG 15X6.0-6 10PR TIRE						Component	ATA:32
PN:PN-UNKNOWN	MOS/MSC	31-May-23	O/C						
SN:UNKNOWN	HRS	1674.6							
	AFL	1293							
PROC. REF: AMM 32-45-11, AMM 32-45-11									
32-45-11		NLG WHEEL ASSEMBLY						Component	ATA:32
PN:500-19001-601	MOS/MSC	31-May-23	O/C	TSR 0					
SN:MAY11-0479	HRS	1674.6		TSR 0					
	AFL	1293		TSO 148, TSR 0					
PROC. REF: AMM 32-45-11, AMM 32-45-11									
32-45-11-001		RESTORATION (OVERHAUL) OF NLG WHEEL ASSEMBLY						Service	ATA:32
PN:500-19001-601	MOS/MSC	31-May-23	T/C						
SN:MAY11-0479	HRS	1674.6							
	AFL	1293	1500 (+30/-30)	TAC 148	2645	2675	1216 (+30)		
PROC. REF: SMR 500-32-0012, AMM 32-45-00									
32-45-11-002		SPECIAL DETAILED INSPECTION (EDDY CURRENT) OF NLG WHEEL ASSEMBLY						Service	ATA:32
PN:500-19001-601	MOS/MSC	31-May-23	O/C						
SN:MAY11-0479	HRS	1674.6							
	AFL	1293		TAC 148					
PROC. REF: AMM 32-45-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
32-45-12		NLG 15X6.0-6, AL WHEEL					Component	ATA:32	
PN:90005023-1	MOS/MSC	31-May-23	O/C	TSR 0					
SN:MAY11-0479	HRS	1674.6		TSR 0					
	AFL	1293		TSO 148, TSR 0					
PROC. REF: AMM 32-45-11, AMM 32-45-11									
32-45-21		LH MLG STEEL BRAKE ASSEMBLY					Component	ATA:32	
PN:90005025-3	MOS/MSC	24-May-22	O/C	TSO 4					
SN:NOV12-0905	HRS	1509.4		TSO 0					
	AFL	1183		TSO 0					
PROC. REF: AMM 32-45-21, AMM 32-45-21									
32-45-21		RH MLG STEEL BRAKE ASSEMBLY					Component	ATA:32	
PN:90005025-3	MOS/MSC	24-May-22	O/C	TSO 1					
SN:APR18-1125	HRS	1509.4		TSO 0					
	AFL	1183		TSO 0					
PROC. REF: AMM 32-45-21, AMM 32-45-21									
32-45-21-20		LH MLG SHUTTLE VALVE					Component	ATA:32	
PN:PN	MOS/MSC	11-May-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
32-45-21-20		RH MLG SHUTTLE VALVE					Component	ATA:32	
PN:PN	MOS/MSC	11-May-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
32-500		NOSE LANDING GEAR (ALUM STRUT) SHOCK ABSORBER					Component	ATA:32	
PN:2310-1100-403	MOS/MSC	11-May-10	O/C	TSN 0					
SN:00148	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
32-501		NOSE LANDING GEAR SHOCK ABSORBER PISTON TUBE					Component	ATA:32	
PN:2310-1225-003	MOS	11-May-10		TSN 0				LIFE LIMIT	
SN:1262118/004	HRS	0		TSN 0					
	AFL	0	35000	TSN 0	35000		33571		
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
32-502		NOSE LANDING GEAR SHOCK ABSORBER BEARING					Component	ATA:32	
PN:2310-1221-009	MOS	11-May-10		TSN 0				LIFE LIMIT	
SN:1292240/004	HRS	0		TSN 0					
	AFL	0	35000	TSN 0	35000		33571		
PROC. REF: GENERIC NO REF									
32-504		NOSE LANDING GEAR SHOCK ABSORBER TURNING CYLINDER					Component	ATA:32	
PN:2310-1241-501	MOS	11-May-10		TSN 0				LIFE LIMIT	
SN:1311062/003	HRS	0		TSN 0					
	AFL	0	35000	TSN 0	35000		33571		
PROC. REF: GENERIC NO REF									
32-506		NOSE LANDING GEAR SHOCK ABSORBER FORK					Component	ATA:32	
PN:2310-1308-501	MOS	11-May-10		TSN 0				LIFE LIMIT	
SN:1255989/003	HRS	0		TSN 0					
	AFL	0	35000	TSN 0	35000		33571		
PROC. REF: GENERIC NO REF									
32-600		NLG DRAG BRACE ASSEMBLY					Component	ATA:32	
PN:2310-1400-403	MOS/MSC	20-Jul-20	O/C	TSN 122, TSO 0					
SN:00169	HRS	1250.1		TSN 1250.1, TSO 0					
	AFL	1020		TSN 1020, TSO 0					
PROC. REF: AMM 32-21-09, AMM 32-21-09									
32-601		NOSE LANDING GEAR UPPER DRAG BRACE					Component	ATA:32	
PN:2310-1424-501	MOS	11-May-10		TSN 0				LIFE LIMIT	
SN:1310247/003	HRS	0		TSN 0					
	AFL	0	35000	TSN 0	35000		33571		
PROC. REF: AMM 32-21-09, AMM 32-21-09									
32-603		NOSE LANDING GEAR LOWER DRAG BRACE					Component	ATA:32	
PN:2310-1451-005	MOS	11-May-10		TSN 0				LIFE LIMIT	
SN:1294208/010	HRS	0		TSN 0					
	AFL	0	35000	TSN 0	35000		33571		
PROC. REF: AMM 32-21-09, AMM 32-21-09									
32-605		LEFT SIDE NLG DRAG BRACE PINTLE PIN					Component	ATA:32	
PN:2310-1415-003	MOS	11-May-10		TSN 0				LIFE LIMIT	
SN:1280255/031	HRS	0		TSN 0					
	AFL	0	35000	TSN 0	35000		33571		
PROC. REF: AMM 32-21-09, AMM 32-21-09									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-605 RIGHT SIDE NLG DRAG BRACE PINTLE PIN Component ATA:32								
PN:2310-1415-003	MOS	11-May-10		TSN 0				LIFE LIMIT
SN:1280255/041	HRS	0		TSN 0				
	AFL	0	35000	TSN 0	35000		33571	
PROC. REF: AMM 32-21-09, AMM 32-21-09								
32-606 NOSE LANDING GEAR DRAG BRACE PIN Component ATA:32								
PN:2310-1407-001	MOS	11-May-10		TSN 0				LIFE LIMIT
SN:1301439/005	HRS	0		TSN 0				
	AFL	0	35000	TSN 0	35000		33571	
PROC. REF: AMM 32-21-09, AMM 32-21-09								
32-61-01 LH MLG PROXIMITY SWITCH Component ATA:32								
PN:80-057-01	MOS/MSC	11-May-10	O/C	TSN 0				
SN:22906	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
32-61-01 NO. 1 NLG PROXIMITY SWITCH Component ATA:32								
PN:80-057-01	MOS/MSC	11-May-10	O/C	TSN 0				
SN:23963	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
32-61-01 RH MLG PROXIMITY SWITCH Component ATA:32								
PN:80-057-01	MOS/MSC	11-May-10	O/C	TSN 0				
SN:22912	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
32-61-02 LH MLG PROXIMITY SWITCH Component ATA:32								
PN:80-057-01	MOS/MSC	11-May-10	O/C	TSN 0				
SN:23981	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
32-61-02 RH MLG PROXIMITY SWITCH Component ATA:32								
PN:80-057-01	MOS/MSC	11-May-10	O/C	TSN 0				
SN:23992	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-700 NLG LOCKING STAY ASSEMBLY								Component ATA:32
PN:2310-1700-403	MOS/MSC	20-Jul-20	O/C	TSN 122, TSO 0				
SN:00164	HRS	1250.1		TSN 1250.1, TSO 0				
	AFL	1020		TSN 1020, TSO 0				
PROC. REF: AMM 32-21-04, AMM 32-21-04								
32-701 LOWER NLG LOCKING STAY								Component ATA:32
PN:2310-1712-501	MOS	11-May-10		TSN 0				LIFE LIMIT
SN:1310215/007	HRS	0		TSN 0				
	AFL	0	35000	TSN 0		35000	33571	
PROC. REF: AMM 32-21-04, AMM 32-21-04								
32-703 UPPER NLG LOCKING STAY								Component ATA:32
PN:2310-1722-501	MOS	11-May-10		TSN 0				LIFE LIMIT
SN:1294182/003	HRS	0		TSN 0				
	AFL	0	35000	TSN 0		35000	33571	
PROC. REF: AMM 32-21-04, AMM 32-21-04								
32-706 LOWER NLG LOCKING STAY BOLT								Component ATA:32
PN:2310-1734-001	MOS	11-May-10		TSN 0				LIFE LIMIT
SN:1308982/002	HRS	0		TSN 0				
	AFL	0	35000	TSN 0		35000	33571	
PROC. REF: AMM 32-21-04, AMM 32-21-04								
32-706 UPPER NLG LOCKING STAY BOLT								Component ATA:32
PN:2310-1734-001	MOS	11-May-10		TSN 0				LIFE LIMIT
SN:1308982/001	HRS	0		TSN 0				
	AFL	0	35000	TSN 0		35000	33571	
PROC. REF: AMM 32-21-04, AMM 32-21-04								
32-801 BRAKE SYSTEM ACCUMULATOR								Component ATA:32
PN:PN	MOS/MSC	11-May-10	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-41-11, AMM 32-41-11								
Z700-001^S EXTERNAL GENERAL VISUAL INSPECTION OF OF THE MAIN LANDING GEAR BAY								Service ATA:32
	MOS	20-Jul-20	60 (+1m/-1m)					
	HRS	1250.1						
	AFL	1020						
PROC. REF: AMM 05-47-00								

PKG:84

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 33 - LIGHTS								
33-01-01 UPPER COCKPIT LIGHTING SYSTEM CONTROL PANEL Component ATA:33								
PN:441-40941-003	MOS/MSC	20-Mar-21	O/C					
SN:0437	HRS	1333.8						
	AFL	1075						
PROC. REF: AMM 33-01-01, AMM 33-01-01								
33-12-01 FORWARD FUSELAGE BOTTOM DIMMER Component ATA:33								
PN:81-01760-002	MOS/MSC	11-May-10	O/C	TSN 0				
SN:0216	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 33-12-01, AMM 33-12-01								
33-12-02 MAIN TEST ANUNCIATOR/FIRE PANEL ASSEMBLY Component ATA:33								
PN:441-43213-001	MOS/MSC	11-May-10	O/C	TSN 0				
SN:0214	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 33-12-02, AMM 33-12-02								
33-21-05 PASSENGER-CABIN LED LIGHT DIMMER Component ATA:33								
PN:AS-33-0038-001	MOS/MSC	11-May-10	O/C	TSN 0				
SN:0183	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 33-21-05, AMM 33-21-05								
33-31-02 W001 ELECTRICAL NOSE HARNESS Component ATA:33								
PN:PN	MOS/MSC	11-May-10	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
33-41-01 LEFT LANDING/TAXI LIGHT Component ATA:33								
PN:81012-3	MOS/MSC	11-May-10	O/C	TSN 0				
SN:000173	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 33-41-01, AMM 33-41-01								
33-41-01 RIGHT LANDING/TAXI LIGHT Component ATA:33								
PN:81012-4	MOS/MSC	11-May-10	O/C	TSN 0				
SN:000183	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 33-41-01, AMM 33-41-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 33 - LIGHTS									
33-43-01		LH WING NAVIGATION/STROBE LIGHTS					Component		ATA:33
PN:84016-1	MOS/MSC	11-May-10	O/C	TSN 0					
SN:000182	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 33-43-01, AMM 33-43-01									
33-43-01		RH WING NAVIGATION/STROBE LIGHTS					Component		ATA:33
PN:84016-2	MOS/MSC	11-May-10	O/C	TSN 0					
SN:000194	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 33-43-01, AMM 33-43-01									
33-43-01-001		DISCARD LH WING NAVIGATION/STROBE LIGHTS					Service		ATA:33
PN:84016-1	MOS	11-May-10							
SN:000182	HRS	0	8000 (+30/-30)		8000	8030	6114 (+30)		
	AFL	0							
PROC. REF: AMM 33-43-01									
33-43-01-001		DISCARD RH WING NAVIGATION/STROBE LIGHTS					Service		ATA:33
PN:84016-2	MOS	11-May-10							
SN:000194	HRS	0	8000 (+30/-30)		8000	8030	6114 (+30)		
	AFL	0							
PROC. REF: AMM 33-43-01									
33-43-01-002 ^S		GENERAL VISUAL INSPECTION OF LH WING NAVIGATION/STROBE LIGHTS					Service		ATA:33
PN:84016-1	MOS	11-May-10							
SN:000182	HRS	0	2400 (+30/-30)						
	AFL	0							
PROC. REF: AMM 33-43-01									
PKG:20									
33-43-01-002 ^S		GENERAL VISUAL INSPECTION OF RH WING NAVIGATION/STROBE LIGHTS					Service		ATA:33
PN:84016-2	MOS	11-May-10							
SN:000194	HRS	0	2400 (+30/-30)						
	AFL	0							
PROC. REF: AMM 33-43-01									
PKG:20									
ATA 34 - NAVIGATION									
34-11-00-001		FUNCTIONAL CHECK INTEGRATED ELECTRONIC STANDBY INSTRUMENT UNIT					Service		ATA:34
PN:C16221ANA01	MOS	13-May-24	24 (+1m/-1m)	Adj 4d	17-May-26	17-Jun-26	587 d (+31)		
SN:C16221015100	HRS	1794.8							
	AFL	1380							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
PROC. REF: AMM 34-11-00									
34-11-01	INTEGRATED ELECTRONIC STANDBY INSTRUMENT UNIT							Component	ATA:34
PN:C16221ANA01	MOS/MSC	24-May-22	O/C						
SN:C16221015100	HRS	1509.4							
	AFL	1183							
PROC. REF: AMM 34-11-01, AMM 34-11-01									
34-11-02	PITOT-STATIC PROBE							Component	ATA:34
PN:101469-4-004	MOS/MSC	20-Jul-20	O/C	TSN 29					
SN:ER1107	HRS	1250.1		TSN 265					
	AFL	1020							
PROC. REF: AMM 34-11-02, AMM 34-11-02									
34-11-02-001	RESTORATION PITOT-STATIC PROBE (CLEANING)							Service	ATA:34
PN:101469-4-004	MOS	13-May-24	24 (+1m/-1m)	Adj 11d	24-May-26	24-Jun-26	594 d (+31)		
SN:ER1107	HRS	1794.8							
	AFL	1380							
PROC. REF: AMM 34-11-02									
34-15-00-001	FUNCTIONAL CHECK (CALIBRATION) OF AIR DATA SYSTEM							Service	ATA:34
	MOS	13-May-24	24 (+1m/-1m)	Adj -2d	11-May-26	11-Jun-26	581 d (+31)		
	HRS	1794.8							
	AFL	1380							
PROC. REF: AMM 34-15-00									
34-15-00-002	SPECIAL DETAILED INSPECTION OF RVSM CRITICAL REGION (SKIN) FOR WAVINESS							Service	ATA:34
	MOS	20-Jul-20	60 (+1m/-1m)		20-Jul-25	20-Aug-25	286 d (+31)		
	HRS	1250.1							
	AFL	1020							
PROC. REF: AMM 34-15-00									
34-15-00-003	SPECIAL DETAILED INSPECTION OF STATIC PORT SURROUNDING PLATE FOR FLUSHNESS							Service	ATA:34
	MOS	13-May-24	24 (+1m/-1m)	Adj 11d	24-May-26	24-Jun-26	594 d (+31)		
	HRS	1794.8							
	AFL	1380							
PROC. REF: AMM 34-15-00									

PKG:84

PKG:81

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
34-15-01		NO. 1 GDC 74B AIR DATA COMPUTER UNIT					Component		ATA:34
PN:011-01110-00	MOS/MSC	14-Apr-16	O/C						
SN:43805391	HRS	574.5							
	AFL	550							
PROC. REF: AMM 34-15-01, AMM 34-15-01									
34-15-01		NO. 2 GDC 74B AIR DATA COMPUTER UNIT					Component		ATA:34
PN:011-01110-00	MOS/MSC	11-May-10	O/C	TSN 0					
SN:43805930	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-15-01, AMM 34-15-01									
34-15-03		LH FWD PITOT TUBE					Component		ATA:34
PN:0851LP	MOS/MSC	11-May-10	O/C	TSN 0					
SN:272879	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-15-03, AMM 34-15-03									
34-15-03		RH FWD PITOT TUBE					Component		ATA:34
PN:0851LP	MOS/MSC	11-May-10	O/C	TSN 0					
SN:273217	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-15-03, AMM 34-15-03									
34-15-03-001 ^S		RESTORATION OF PITOT PROBE (CLEANING)					Service		ATA:34
	MOS	13-May-24	24 (+1m/-1m)						
	HRS	1794.8							
	AFL	1380							
PROC. REF: AMM 34-15-03									
34-15-05		LH FWD DUAL STATIC PORT					Component		ATA:34
PN:100442-106	MOS/MSC	02-Sep-11	O/C	TSN 0					
SN:865007	HRS	66.1		TSN 0					
	AFL	72		TSN 0					
PROC. REF: AMM 34-15-05, AMM 34-15-05									
34-15-05		RH FWD DUAL STATIC PORT					Component		ATA:34
PN:100442-107	MOS/MSC	02-Sep-11	O/C	TSN 0					
SN:807467	HRS	66.1		TSN 0					
	AFL	72		TSN 0					
PROC. REF: AMM 34-15-05, AMM 34-15-05									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
34-21-00-001 ^S FUNCTIONAL CHECK MAGNETIC INTERFERENCE CHECK ON THE LH WING MAGNETOMETER								Service ATA:34
PN:011-00870-10	MOS	24-May-22	36 (+1m/-1m)					
SN:1CM008044	HRS	1509.4						
	AFL	1183						
PROC. REF: AMM 34-21-02								PKG:82
34-21-00-001 ^S FUNCTIONAL CHECK MAGNETIC INTERFERENCE CHECK ON THE RH WING MAGNETOMETER								Service ATA:34
PN:011-00870-00	MOS	24-May-22	36 (+1m/-1m)					
SN:47515103	HRS	1509.4						
	AFL	1183						
PROC. REF: AMM 34-21-02								PKG:82
34-21-01 LH ATTITUDE AND HEADING REFERENCE UNIT								Component ATA:34
PN:011-00868-10	MOS/MSC	11-May-10	O/C	TSN 0				
SN:42013557	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-21-01, AMM 34-21-01								
34-21-01 RH ATTITUDE AND HEADING REFERENCE UNIT								Component ATA:34
PN:011-00868-10	MOS/MSC	11-May-10	O/C	TSN 0				
SN:42013589	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-21-01, AMM 34-21-01								
34-21-02 LH WING MAGNETOMETER								Component ATA:34
PN:011-00870-10	MOS/MSC	12-Apr-18	O/C	TSR 1				
SN:1CM008044	HRS	985.1		TSR 0				
	AFL	849		TSR 0				
PROC. REF: AMM 34-21-02, AMM 34-21-02								
34-21-02 RH WING MAGNETOMETER								Component ATA:34
PN:011-00870-00	MOS/MSC	11-May-10	O/C	TSN 0				
SN:47515103	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-21-02, AMM 34-21-02								
34-23-00-001 ^S FUNCTIONAL CHECK OF STANDBY COMPASS								Service ATA:34
PN:KCA0120W	MOS	24-May-22	36 (+1m/-1m)					
SN:BE0650110	HRS	1509.4						
	AFL	1183						
PROC. REF: AMM 34-23-00								PKG:82

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
34-23-01		MAGNETIC COMPASS						Component	ATA:34
PN:KCA0120W	MOS/MSC	11-May-10	O/C	TSN 0					
SN:BE0650110	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-23-01, AMM 34-23-01									
34-32-01		TAIL PHASING COUPLER						Component	ATA:34
PN:SSPD-113-10	MOS/MSC	11-May-10	O/C	TSN 0					
SN:6189	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-32-01, AMM 34-32-01									
34-32-03		LEFT VOR/LOC 2&3 ANTENNA BLADE						Component	ATA:34
PN:S65-247170	MOS/MSC	11-May-10	O/C	TSN 0					
SN:8907	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-32-03, AMM 34-32-03									
34-32-03		RIGHT VOR/LOC 2&3 ANTENNA BLADE						Component	ATA:34
PN:S65-247170	MOS/MSC	11-May-10	O/C	TSN 0					
SN:8892	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-32-03, AMM 34-32-03									
34-32-04		LW FWR MARKER BEACON ANTENNA						Component	ATA:34
PN:S35-1000-2	MOS/MSC	11-May-10	O/C	TSN 0					
SN:102-8463	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-32-04, AMM 34-32-04									
34-42-01		WEATHER RADAR ANTENNA						Component	ATA:34
PN:011-00883-20	MOS/MSC	22-Apr-11	O/C	TSR 0					
SN:47203125	HRS	40.5		TSR 0					
	AFL	40		TSR 0					
PROC. REF: AMM 34-42-01, AMM 34-42-01									
34-43-00		BAGGAGE COMPARTMENT GTS 850 TRAFFIC PROCESSOR UNIT						Component	ATA:34
PN:011-01553-00	MOS/MSC	11-May-10	O/C	TSN 0					
SN:1EB000632	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
34-43-02		TRC899 TRANSMITTER RECEIVER COMPUTER					Component ATA:34		
PN:PN	MOS/MSC	11-May-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
34-43-05		LOWER DIRECTIONAL ANTENNA					Component ATA:34		
PN:011-01346-00	MOS/MSC	11-May-10	O/C	TSN 0					
SN:124000824	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-43-05, AMM 34-43-05									
34-43-05		UPPER DIRECTIONAL ANTENNA					Component ATA:34		
PN:011-01346-00	MOS/MSC	11-May-10	O/C	TSN 0					
SN:124000804	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-43-05, AMM 34-43-05									
34-43-08		LOW NOISE (TCAS) POWER AMPLIFIER					Component ATA:34		
PN:011-01347-00	MOS/MSC	11-May-10	O/C	TSN 0					
SN:140003051	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-43-08, AMM 34-43-08									
34-51-01		NO.1 CENTER DISTANCE MEASURING EQUIP UNIT					Component ATA:34		
PN:066-01070-0001	MOS/MSC	11-May-10	O/C	TSN 0					
SN:33512	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-51-01, AMM 34-51-01									
34-51-01		NO.2 CENTER DISTANCE MEASURING EQUIP UNIT					Component ATA:34		
PN:PN	MOS/MSC	11-May-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-51-01, AMM 34-51-01									
34-51-02		NO. 1 DME L BAND ANTENNA					Component ATA:34		
PN:S65-5366-7L	MOS/MSC	11-May-10	O/C	TSN 0					
SN:261-85991	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-51-02, AMM 34-51-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
34-51-02		NO. 2 DME L BAND ANTENNA						Component	ATA:34
PN:PN	MOS/MSC	11-May-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-51-02, AMM 34-51-02									
34-52-00-001		FUNCTIONAL CHECK LH TRANSPONDER MODULE TRANSPONDER SYSTEM						Service	ATA:34
PN:011-00779-30	MOS	13-May-24	24	Adj -2d	11-May-26		581 d		
SN:89109451	HRS	1794.8							
	AFL	1380							
PROC. REF: AMM 34-52-00									
34-52-00-001		FUNCTIONAL CHECK RH TRANSPONDER MODULE TRANSPONDER SYSTEM						Service	ATA:34
PN:011-00779-21	MOS	13-May-24	24	Adj -2d	11-May-26		581 d		
SN:84805771	HRS	1794.8							
	AFL	1380							
PROC. REF: AMM 34-52-00									
34-52-01		LH TRANSPONDER MODULE						Component	ATA:34
PN:011-00779-30	MOS/MSC	12-Apr-18	O/C	TSN 95					
SN:89109451	HRS	985.1		TSN 985.1					
	AFL	849		TSN 849					
PROC. REF: AMM 34-52-01, AMM 34-52-01									
34-52-01		RH TRANSPONDER MODULE						Component	ATA:34
PN:011-00779-21	MOS/MSC	12-Apr-18	O/C	TSN 95					
SN:84805771	HRS	985.1		TSN 985.1					
	AFL	849		TSN 849					
PROC. REF: AMM 34-52-01, AMM 34-52-01									
34-52-02		BOTTOM TRANSPONDOR 1 L BAND ANTENNA						Component	ATA:34
PN:S65-5366-7L	MOS/MSC	11-May-10	O/C	TSN 0					
SN:261-86021	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-52-02, AMM 34-52-02									
34-52-02		TOP TRANSPONDOR 2 L BAND ANTENNA						Component	ATA:34
PN:S65-5366-7L	MOS/MSC	11-May-10	O/C	TSN 0					
SN:261-86022	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-52-02, AMM 34-52-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
34-52-04		COAXIAL SWITCH						Component	ATA:34
PN:D2-729B005	MOS/MSC	11-May-10	O/C	TSN 0					
SN:555131	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-52-04, AMM 34-52-04									
34-56-02		LH TOP CENTER GPS WAAS - GA 36 ANTENNA						Component	ATA:34
PN:013-00244-00	MOS/MSC	11-May-10	O/C	TSN 0					
SN:6733	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-56-02, AMM 34-56-02									
34-56-02		RH TOP CENTER WAAS & SATELLITE WEATHER AND RADAR ANTENNA						Component	ATA:34
PN:013-00245-00	MOS/MSC	11-May-10	O/C	TSN 0					
SN:6695	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-56-02, AMM 34-56-02									
34-57-01		SATELLITE WEATHER AND RADIO RECIEVER						Component	ATA:34
PN:011-00987-00	MOS/MSC	11-May-10	O/C	TSN 0					
SN:47762629	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-57-01, AMM 34-57-01									
34-61-01		FLIGHT MANAGEMENT SYSTEM PANEL						Component	ATA:34
PN:011-01054-10	MOS/MSC	11-May-10	O/C	TSN 0					
SN:21805469	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-61-01, AMM 34-61-01									
ATA 35 - OXYGEN									
35-00-00-001		FUNCTIONAL CHECK OF OXYGEN SYSTEM PRESSURE LINES FOR LEAKAGE						Service	ATA:35
	MOS	24-May-22	36 (+30d/-30d)	Adj 11d	04-Jun-25	04-Jul-25	240 d (+30)	AIRWORTHINESS	
	HRS	1509.4	1800 (+30/-30)		3309.4	3339.4	1423.4 (+30)		
	AFL	1183							
PROC. REF: AMM 35-00-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 35 - OXYGEN									
35-01-00-001 ^S		FUNCTIONAL CHECK OF CREW OXYGEN PRESSURE INDICATION					Service	ATA:35	
	MOS	20-Jul-20	60 (+1m/-1m)						
	HRS	1250.1							
	AFL	1020							
PROC. REF: AMM 35-01-02								PKG:84	
35-01-02		OXYGEN CYLINDER PRESSURE AND TEMPERATURE TRANSDUCER					Component	ATA:35	
PN:4441125-000	MOS/MSC	11-May-10	O/C	TSN 0					
SN:7536-8-57	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 35-01-02, AMM 35-01-02									
35-01-05		OXYGEN SYSTEM LOW PRESSURE SWITCH					Component	ATA:35	
PN:4421134-000	MOS/MSC	11-May-10	O/C	TSN 0					
SN:0176	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 35-01-05, AMM 35-01-05									
35-01-06		LH CSL OXYGEN SYSTEM CONTROL PANEL					Component	ATA:35	
PN:441-40945-002	MOS/MSC	11-May-10	O/C	TSN 0					
SN:0167	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 35-01-06, AMM 35-01-06									
35-01-07		OXYGEN SYSTEM CABIN ALTITUDE SWITCH					Component	ATA:35	
PN:4421133-000	MOS/MSC	11-May-10	O/C	TSN 0					
SN:0907219	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 35-01-07, AMM 35-01-07									
35-01-09		CENTER FUSELAGE ALTITUDE COMPENSATING REGULATOR					Component	ATA:35	
PN:4421135-001	MOS/MSC	11-May-10	O/C	TSN 0					
SN:00053	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 35-01-09, AMM 35-01-09									
35-01-10		OXYGEN LOW PRESSURE 3 POSITION VALVE					Component	ATA:35	
PN:4421132-109	MOS/MSC	22-Feb-20	O/C	TSN 0					
SN:01005	HRS	1216.4		TSN 0					
	AFL			TSN 0					
PROC. REF: AMM 35-01-10, AMM 35-01-10									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 35 - OXYGEN									
35-02-01	50 CU.FT OXYGEN CYLINDER							Component	ATA:35
PN:4441122-050	MOS/MSC	20-Mar-21	O/C	TSO 0					
SN:412486001	HRS	1333.8		TSN 2016, TSO 0					
	AFL	1075		TSN 1342, TSO 0					
PROC. REF: AMM 35-02-01, AMM 35-02-01									
35-02-01-001	FUNCTIONAL CHECK OF OXYGEN CYLINDER REGULATOR							Service	ATA:35
PN:4441122-050	MOS	01-Feb-21	60		01-Feb-26		482 d		
SN:412486001	HRS								
	AFL								
HydroCheck Date: : 01-Feb-21 PROC. REF: AMM 35-02-01									
35-02-01-003	DISCARD 50 CU.FT OXYGEN CYLINDER							Service	ATA:35
PN:4441122-050	MOS	01-Jul-10	180		01-Jul-25		267 d		
SN:412486001	HRS								
	AFL								
Manufacture Date:: 01-Jul-10 PROC. REF: AMM 35-02-01									
35-02-01-004	RESTORATION (HYDROSTATIC TEST) OF OXYGEN CYLINDER							Service	ATA:35
	MOS	01-Feb-21	60		01-Feb-26		482 d		
	HRS								
	AFL								
HydroCheck Date: : 01-Feb-21 PROC. REF: AMM 35-02-01									
35-02-05	OXYGEN PRESSURE REGULATOR							Component	ATA:35
PN:PN	MOS/MSC	11-May-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
35-11-00-001	OPERATIONAL CHECK OF LH CREW OXYGEN MASK AND STOWAGE BOX							Service	ATA:35
	MOS	13-May-24	24 (+1m/-1m)	Adj 11d	24-May-26	24-Jun-26	594 d (+31)		
	HRS	1794.8							
	AFL	1380							
PROC. REF: AMM 35-11-02									
35-11-00-001	OPERATIONAL CHECK OF RH CREW OXYGEN MASK AND STOWAGE BOX							Service	ATA:35
	MOS	13-May-24	24 (+1m/-1m)	Adj 11d	24-May-26	24-Jun-26	594 d (+31)		
	HRS	1794.8							
	AFL	1380							
PROC. REF: AMM 35-11-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 35 - OXYGEN									
35-11-01		LH CREW OXYGEN-MASK STOWAGE BOX					Component		ATA:35
PN:1186F6-23	MOS/MSC	11-May-10	O/C	TSN 0					
SN:00359	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 35-11-01, AMM 35-11-01									
35-11-01		RH CREW OXYGEN-MASK STOWAGE BOX					Component		ATA:35
PN:1186F6-23	MOS/MSC	11-May-10	O/C	TSN 0					
SN:00361	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 35-11-01, AMM 35-11-01									
35-11-02		LH CREW OXYGEN MASK					Component		ATA:35
PN:174232-93	MOS/MSC	20-Jul-20	O/C	TSO 0					
SN:30554	HRS	1250.1		TSO 0					
	AFL	1020		TSO 0					
PROC. REF: AMM 35-11-02, AMM 35-11-02									
35-11-02		RH CREW OXYGEN MASK					Component		ATA:35
PN:174232-93	MOS/MSC	21-Jun-21	O/C	TSO 0					
SN:38057	HRS	1365.6		TSO 0					
	AFL	1095		TSO 0					
PROC. REF: AMM 35-11-02, AMM 35-11-02									
35-11-02-001		DETAILED VISUAL INSPECTION OF LH CREW OXYGEN MASK					Service		ATA:35
PN:174232-93	MOS	13-May-24	24 (+1m/-1m)	Adj 11d	24-May-26	24-Jun-26	594 d (+31)		
SN:30554	HRS	1794.8							
	AFL	1380							
PROC. REF: AMM 35-11-02									
35-11-02-001		DETAILED VISUAL INSPECTION OF RH CREW OXYGEN MASK					Service		ATA:35
PN:174232-93	MOS	13-May-24	24 (+1m/-1m)	Adj 11d	24-May-26	24-Jun-26	594 d (+31)		
SN:38057	HRS	1794.8							
	AFL	1380							
PROC. REF: AMM 35-11-02									
35-11-02-002		RESTORATION (OVERHAUL) OF LH CREW OXYGEN MASK					Service		ATA:35
PN:174232-93	MOS	20-Jul-20	72 (+1m/-1m)		20-Jul-26	20-Aug-26	651 d (+31)		
SN:30554	HRS	1250.1	3600 (+30/-30)		4850.1	4880.1	2964.1 (+30)		
	AFL	1020							
		Restoration Date:: 20-Jul-20							
PROC. REF: AMM 35-11-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 35 - OXYGEN								
35-11-02-002 RESTORATION (OVERHAUL) OF RH CREW OXYGEN MASK Service ATA:35								
PN:174232-93	MOS	07-Jun-21	72 (+1m/-1m)		07-Jun-27	07-Jul-27	973 d (+30)	
SN:38057	HRS	1365.6	3600 (+30/-30)		4965.6	4995.6	3079.6 (+30)	
	AFL	1095						
		Restoration Date:: 07-Jun-21		PROC. REF: AMM 35-11-02				
35-11-04-001^S DETAILED VISUAL INSPECTION OF CREW GOGGLES Service ATA:35								
	MOS	24-May-22	36 (+1m/-1m)					
	HRS	1509.4						
	AFL	1183						
				PROC. REF: AMM 35-11-04				
35-21-00-001 FUNCTIONAL CHECK OF PASSENGER OXYGEN SYSTEM IN AUTO MODE Service ATA:35								
	MOS	24-May-22	36 (+30d/-30d)	Adj 11d	04-Jun-25	04-Jul-25	240 d (+30)	AIRWORTHINESS
	HRS	1509.4	1800 (+30/-30)		3309.4	3339.4	1423.4 (+30)	
	AFL	1183						
				PROC. REF: AMM 35-21-00				
35-21-00-002 OPERATIONAL CHECK OF PASSENGER OXYGEN SYSTEM IN MANUAL MODE Service ATA:35								
	MOS	24-May-22	36 (+30d/-30d)	Adj 11d	04-Jun-25	04-Jul-25	240 d (+30)	AIRWORTHINESS
	HRS	1509.4	1800 (+30/-30)		3309.4	3339.4	1423.4 (+30)	
	AFL	1183						
				PROC. REF: AMM 35-21-00				
35-21-01 PAX 1 OXYGEN MASK Component ATA:35								
PN:PN	MOS/MSC	11-May-10	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
		PROC. REF: AMM 35-21-01, AMM 35-21-01						
35-21-01 PAX 2 OXYGEN MASK Component ATA:35								
PN:PN	MOS/MSC	11-May-10	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
		PROC. REF: AMM 35-21-01, AMM 35-21-01						
35-21-01 PAX 3 OXYGEN MASK Component ATA:35								
PN:PN	MOS/MSC	11-May-10	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
		PROC. REF: AMM 35-21-01, AMM 35-21-01						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 35 - OXYGEN									
35-21-01		PAX 4 OXYGEN MASK					Component	ATA:35	
PN:PN	MOS/MSC	11-May-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 35-21-01, AMM 35-21-01									
35-21-01-001 ^S		DETAILED INSPECTION OF PASSENGER OXYGEN-MASKS ASSEMBLY					Service	ATA:35	
	MOS	24-May-22	36 (+1m/-1m)						
	HRS	1509.4							
	AFL	1183							
PROC. REF: AMM 35-21-01									
35-21-02		CABIN OXYGEN THREE MASK DEPLOYMENT CONTAINER					Component	ATA:35	
PN:4411073-001	MOS/MSC	15-Apr-16	O/C	TSR 5					
SN:4411073-001-00235	HRS	574.5		TSR 0					
	AFL	550		TSR 0					
PROC. REF: AMM 35-21-02, AMM 35-21-02									
35-21-02		LH OXYGEN TWO MASK DEPLOYMENT CONTAINER					Component	ATA:35	
PN:4411072-111	MOS/MSC	04-Jun-19	O/C	TSN 6					
SN:4411072-111-00236	HRS	1122.8		TSN 0					
	AFL	891		TSN 0					
PROC. REF: AMM 35-21-02, AMM 35-21-02									
35-21-02		RH OXYGEN TWO MASK DEPLOYMENT CONTAINER					Component	ATA:35	
PN:4411072-001	MOS/MSC	11-May-10	O/C	TSN 0					
SN:4411072-001-00398	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 35-21-02, AMM 35-21-02									
35-31-01		PROTECTIVE BREATHING EQUIPMENT (PBE)					Component	ATA:35	
PN:MR-10022NEMB	MOS/MSC	05-Aug-21	H/T	TSN 0					
SN:E2004847	HRS	1378.5		TSN 0					
	AFL	1104		TSN 0					
PROC. REF: AMM 35-31-01, AMM 35-31-01									
35-31-01-001		DISCARD PROTECTIVE BREATHING EQUIPMENT (PBE)					Service	ATA:35	
PN:MR-10022NEMB	MOS	05-Aug-21	126 (+1m/-1m)		31-Aug-31 (M)	30-Sep-31	2519 d (+30)		
SN:E2004847	HRS	1378.5							
	AFL	1104							
PROC. REF: AMM 35-31-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 36 - PNEUMATIC								
36-11-00-001^S OPERATIONAL CHECK LH BLEED SHUT-OFF FUNCTION Service ATA:36								
PN:1330310-5	MOS	24-May-22						
SN:0342	HRS	1509.4	800 (+30/-30)					
	AFL	1183						
PROC. REF: AMM 36-11-00								PKG:1
36-11-00-001^S OPERATIONAL CHECK RH BLEED SHUT-OFF FUNCTION Service ATA:36								
PN:1330310-5	MOS	24-May-22						
SN:0491	HRS	1509.4	800 (+30/-30)					
	AFL	1183						
PROC. REF: AMM 36-11-00								PKG:1
36-11-01 LH PYLON PRESSURE REGULATING SHUTOFF VALVE Component ATA:36								
PN:1330310-5	MOS/MSC	12-Apr-17	O/C					
SN:0342	HRS	820.5						
	AFL	751						
PROC. REF: AMM 36-11-01, AMM 36-11-01								
36-11-01 RH PYLON PRESSURE REGULATING SHUTOFF VALVE Component ATA:36								
PN:1330310-5	MOS/MSC	12-Apr-17	O/C					
SN:0491	HRS	820.5						
	AFL	751						
PROC. REF: AMM 36-11-01, AMM 36-11-01								
36-11-02-001 DETAILED INSPECT OF BLEED LINE WATER DRAINS Service ATA:36								
	MOS/MSC	15-Apr-16	N/A					
	HRS	574.5						
	AFL	550						
PROC. REF: AMM 36-11-02								
36-21-01-001 OPERATIONAL CHECK OF BLEED LEAKAGE SENSORS Service ATA:36								
	MOS	11-May-10						AIRWORTHINESS
	HRS	0	6400 (+30/-30)		6400	6430	4514 (+30)	
	AFL	0						
PROC. REF: AMM 36-21-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 44 - CABIN SYSTEMS									
24-21-03	DC CONVERTER							Component	ATA:44
PN:PN	MOS/MSC	11-May-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 44-21-03, AMM 44-21-03									
ATA 52 - DOORS									
52-10-00	OPTIONAL DOOR EQUIPPED STEP ASSEMBLY							Component	ATA:52
PN:PN	MOS/MSC	11-May-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
52-10-01-001 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF MAIN PAX DOOR ASSEMBLY STRUCTURE							Service	ATA:52
PN:500-09910-447	MOS	20-Jul-20	60 (+1m/-1m)						
SN:0000541548	HRS	1250.1							
	AFL	1020							
PROC. REF: NDT 52-10-00									
52-10-01-002 ^S	INTERNAL GENERAL VISUAL INSPECTION MAIN PAX DOOR ASSEMBLY STRUCTURE							Service	ATA:52
PN:500-09910-447	MOS	20-Jul-20	60 (+1m/-1m)						
SN:0000541548	HRS	1250.1							
	AFL	1020							
PROC. REF: NDT 52-10-00									
52-10-01-01-901	INTERNAL DETAILED VISUAL INSPECTION MAIN DOOR STRUCTURE UPPER EXTERNAL FRAME, UPPER HORIZONTAL STRINGER, EXTERNAL VERTICAL FRAME, AND LOWER HORIZONTAL FRAME.							Service	ATA:52
	MOS	11-May-10						AIRWORTHINESS	
	HRS	0							
	AFL	0	T:17500		17500		16071		
PROC. REF: NDT 52-10-00									
52-10-01-01-902	EXTERNAL DETAILED VISUAL INSPECTION MAIN DOOR STRUCTURE DOOR SKIN, VENT FLAP SKIN AND SKIN/VENT FLAP SKIN FASTENER.							Service	ATA:52
	MOS	11-May-10						AIRWORTHINESS	
	HRS	0							
	AFL	0	T:17500		17500		16071		
PROC. REF: NDT 52-10-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 52 - DOORS									
52-10-02-01-901	INTERNAL DETAILED VISUAL INSPECTION MAIN DOOR LATCH MECHANISM LATCH PINS.							Service	ATA:52
	MOS	11-May-10						AIRWORTHINESS	
	HRS	0							
	AFL	0	T:17500		17500		16071		
PROC. REF: NDT 52-10-00									
52-10-20-001 ^S	GENERAL VISUAL INSPECTION MAIN PAX DOOR ASSEMBLY RUBBER SEAL							Service	ATA:52
PN:500-09910-447	MOS	13-May-24	12 (+1m/-1m)						
SN:0000541548	HRS	1794.8							
	AFL	1380							
PROC. REF: AMM 52-10-20									
PKG:80									
52-11-00	MAIN PAX DOOR ASSEMBLY							Component	ATA:52
PN:500-09910-447	MOS/MSC	11-May-10	O/C	TSN 0					
SN:0000541548	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 52-10-00, AMM 52-10-00									
52-11-00-001 ^S	GENERAL VISUAL INSPECTION MAIN PAX DOOR ASSEMBLY LOCKING AND ACTUATING MECHANISM							Service	ATA:52
PN:500-09910-447	MOS	24-May-22	48 (+1m/-1m)						
SN:0000541548	HRS	1509.4							
	AFL	1183							
PROC. REF: AMM 52-11-00									
PKG:83									
52-11-00-002 ^S	LUBRICATION OF MAIN DOOR LATCH PINS							Service	ATA:52
	MOS	13-May-24	12 (+1m/-1m)						
	HRS	1794.8							
	AFL	1380							
PROC. REF: AMM 52-11-21									
PKG:80									
52-11-01	DOOR KEY LOCK KIT							Component	ATA:52
PN:500-38850-901	MOS/MSC	11-May-10	O/C	TSN 0					
SN:100173-10173	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
52-13-00	MAIN DOOR BALANCE ASSEMBLY							Component	ATA:52
PN:PN	MOS/MSC	11-May-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 52-13-00, AMM 52-13-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 52 - DOORS									
52-13-01	MAIN DOOR BALANCE ASSY GEAR SECTOR							Component	ATA:52
PN:PN	MOS/MSC	11-May-10	H/T	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 52-13-21, AMM 52-13-21									
52-13-02	MAIN DOOR BALANCE ASSY PINION SHAFT							Component	ATA:52
PN:PN	MOS/MSC	11-May-10	H/T	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 52-13-23, AMM 52-13-23									
52-13-21-001 ^S	DISCARD GEAR GEAR SECTOR							Service	ATA:52
PN:PN	MOS	11-May-10							
SN:UNKNOWN	HRS	0	6400 (+30/-30)						
	AFL	0							
PROC. REF: AMM 52-13-21									
52-13-22-002 ^S	DISCARD MAIN DOOR BALANCE ASSEMBLY MECHANISM CABLE							Service	ATA:52
PN:PN	MOS	24-May-22							
SN:UNKNOWN	HRS	1509.4	800 (+30/-30)						
	AFL	1183							
PROC. REF: AMM 52-13-22									
52-13-22-004	DETAILED VISUAL INSPECTION OF MAIN DOOR BALANCING MECHANISM CABLES							Service	ATA:52
PN:PN	MOS/MSC	11-May-10	N/A						
SN:UNKNOWN	HRS	0							
	AFL	0							
PROC. REF: AMM 52-13-22									
52-13-23-001 ^S	DISCARD SHAFT PINION SHAFT							Service	ATA:52
PN:PN	MOS	11-May-10							
SN:UNKNOWN	HRS	0	6400 (+30/-30)						
	AFL	0							
PROC. REF: AMM 52-13-23									
52-20-01-01-901	INTERNAL DETAILED VISUAL INSPECTION EMERGENCY DOOR STRUCTURE SPAR AND FRAMES.							Service	ATA:52
	MOS	11-May-10						AIRWORTHINESS	
	HRS	0							
	AFL	0	T:17500		17500		16071		
PROC. REF: NDT 52-20-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 52 - DOORS									
52-20-01-01-902	EXTERNAL - DETAILED INSPECTION EMERGENCY DOOR STRUCTURE DOOR SKIN, VENT FLAP SKIN AND SKIN/VENT FLAP SKIN FASTENER.							Service	ATA:52
	MOS	11-May-10						AIRWORTHINESS	
	HRS	0							
	AFL	0	T:17500		17500		16071		
PROC. REF: NDT 52-20-00									
52-20-20-001 ^S	GENERAL VISUAL INSPECTION CENTER FUSELAGE EMERGENCY DOOR ASSEMBLY LOCKING AND ACTUATING MECHANISM							Service	ATA:52
PN:500-09700-431	MOS	24-May-22	48 (+1m/-1m)						
SN:0000537031	HRS	1509.4							
	AFL	1183							
PROC. REF: AMM 52-20-20									
52-20-21	CENTER FUSELAGE EMERGENCY DOOR ASSEMBLY							Component	ATA:52
PN:500-09700-431	MOS/MSC	11-May-10	O/C	TSN 0					
SN:0000537031	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
52-20-21-001 ^S	GENERAL VISUAL INSPECTION CENTER FUSELAGE EMERGENCY DOOR ASSEMBLY RUBBER SEAL							Service	ATA:52
PN:500-09700-431	MOS	13-May-24	24 (+1m/-1m)						
SN:0000537031	HRS	1794.8							
	AFL	1380							
PROC. REF: AMM 52-20-21									
52-31-20-001 ^S	GENERAL VISUAL INSPECTION OF FORWARD BAGGAGE DOOR LOCKING AND ACTUATING MECHANISM							Service	ATA:52
	MOS	24-May-22	48 (+1m/-1m)						
	HRS	1509.4							
	AFL	1183							
PROC. REF: AMM 52-31-20									
52-32-20-001 ^S	GENERAL VISUAL INSPECTION OF AFT BAGGAGE DOOR LOCKING ACTUATING MECHANISM							Service	ATA:52
	MOS	24-May-22	48 (+1m/-1m)						
	HRS	1509.4							
	AFL	1183							
PROC. REF: AMM 52-32-20									
52-71-20	LOWER DOOR MICRO SWITCH							Component	ATA:52
PN:PN	MOS/MSC	11-May-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 52-71-20, AMM 52-71-20									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 52 - DOORS									
52-71-20	UPPER DOOR MICRO SWITCH							Component	ATA:52
PN:PN	MOS/MSC	11-May-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 52-71-20, AMM 52-71-20									
ATA 53 - FUSELAGE									
53-00-001 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF OF FUSELAGE POLYURETHANE FILMS							Service	ATA:53
	MOS	24-May-22							
	HRS	1509.4	800 (+30/-30)						
	AFL	1183							
PROC. REF: AMM 53-00-20									
PKG:1									
53-05-00-001 ^S	DETAILED VISUAL INSPECTION OF FUSELAGE DRAINS							Service	ATA:53
	MOS	20-Jul-20	60 (+1m/-1m)						
	HRS	1250.1							
	AFL	1020							
PROC. REF: AMM 53-05-00									
PKG:84									
53-10-00-001 ^S	INTERNAL DETAILED VISUAL INSPECTION OF FORWARD FUSELAGE LOWER SKIN PANEL AND COCKPIT FLOOR STRUCTURES							Service	ATA:53
	MOS	20-Jul-20	60 (+1m/-1m)						
	HRS	1250.1							
	AFL	1020							
PROC. REF: NDT 53-10-00									
PKG:90									
53-10-00-002 ^S	INTERNAL DETAILED VISUAL INSPECTION OF FORWARD FUSELAGE SKIN PANELS, SKIN SPLICES AND WINDSHIELD CUTOUT STRUCTURE							Service	ATA:53
	MOS	20-Jul-20	60 (+1m/-1m)						
	HRS	1250.1							
	AFL	1020							
PROC. REF: NDT 53-10-00									
PKG:90									
53-10-01-01-901	INTERNAL DETAILED INSPECTION FORWARD FUSELAGE UPPER SKIN PANEL AND WINDSHIELD CUTOUT STRUCTURE MACHINE FR07, BEAMS, POSTS, GUSSET (SPLICES)							Service	ATA:53
	MOS	11-May-10						AIRWORTHINESS	
	HRS								
	AFL	0	T:6300		6300		4871		
PROC. REF: NDT 53-10-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-10-01-01-902	INTERNAL DETAILED INSPECTION FORWARD FUSELAGE UPPER SKIN PANEL AND WINDSHIELD CUTOUT STRUCTURE MACHINE FR07, BEAMS, POSTS, GUSSET (SPLICES)							Service	ATA:53
	MOS	11-May-10						AIRWORTHINESS	
	HRS								
	AFL	0	T:14000		14000		12571		
	PROC. REF: NDT 53-10-00								
53-10-01-01-903	EXTERNAL - DETAILED INSPECTION FORWARD FUSELAGE UPPER SKIN PANEL AND WINDSHIELD CUTOUT STRUCTURE SKIN PANEL AND FASTENERS.							Service	ATA:53
	MOS	11-May-10						AIRWORTHINESS	
	HRS	0							
	AFL	0	T:17500		17500		16071		
	PROC. REF: NDT 53-10-00								
53-10-02-01-901	INTERNAL GENERAL VISUAL INSPECTION FORWARD FUSELAGE LEFT AND RIGHT SIDE SKIN PANELS FRAMES AND SPLICES.							Service	ATA:53
	MOS	11-May-10						AIRWORTHINESS	
	HRS	0							
	AFL	0	T:17500		17500		16071		
	PROC. REF: NDT 53-10-00								
53-10-02-01-902	EXTERNAL - DETAILED INSPECTION FORWARD FUSELAGE LEFT AND RIGHT SIDE SKIN PANELS SKIN-TO-FRAMES AREA.							Service	ATA:53
	MOS	11-May-10						AIRWORTHINESS	
	HRS	0							
	AFL	0	T:17500		17500		16071		
	PROC. REF: NDT 53-10-00								
53-10-02-02-901	INTERNAL GENERAL VISUAL INSPECTION FORWARD FUSELAGE LEFT AND RIGHT SIDE SKIN PANELS STRINGERS.							Service	ATA:53
	MOS	11-May-10						AIRWORTHINESS	
	HRS	0							
	AFL	0	T:17500		17500		16071		
	PROC. REF: NDT 53-10-00								
53-10-02-02-902	EXTERNAL - DETAILED INSPECTION FORWARD FUSELAGE LEFT AND RIGHT SIDE SKIN PANELS SKIN-TO-STRINGERS AREA.							Service	ATA:53
	MOS	11-May-10						AIRWORTHINESS	
	HRS	0							
	AFL	0	T:17500		17500		16071		
	PROC. REF: NDT 53-10-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-10-03-01-901	INTERNAL GENERAL VISUAL INSPECTION FORWARD FUSELAGE LOWER SKIN PANEL FRAMES AND STRINGERS.							Service	ATA:53
	MOS	11-May-10						AIRWORTHINESS	
	HRS	0							
	AFL	0	T:17500		17500		16071		
	PROC. REF: NDT 53-10-00								
53-10-03-01-902	EXTERNAL - DETAILED INSPECTION FORWARD FUSELAGE LOWER SKIN PANEL SKIN-TO-FRAME/STRINGERS AREA.							Service	ATA:53
	MOS	11-May-10						AIRWORTHINESS	
	HRS	0							
	AFL	0	T:17500		17500		16071		
	PROC. REF: NDT 53-10-00								
53-10-04-01-901	INTERNAL DETAILED INSPECTION FORWARD FUSELAGE LONGITUDINAL AND CIRCUMFERENTIAL SKIN SPLICES LONGITUDINAL SPLICE							Service	ATA:53
	MOS	11-May-10						AIRWORTHINESS	
	HRS	0							
	AFL	0	T:17500		17500		16071		
	PROC. REF: NDT 53-10-00								
53-10-04-01-902	EXTERNAL - DETAILED INSPECTION FORWARD FUSELAGE LONGITUDINAL AND CIRCUMFERENTIAL SKIN SPLICES - SKIN-TO-LONGITUDINAL SPLICE AREA.							Service	ATA:53
	MOS	11-May-10						AIRWORTHINESS	
	HRS	0							
	AFL	0	T:17500		17500		16071		
	PROC. REF: NDT 53-10-00								
53-10-04-02-901	INTERNAL DETAILED INSPECTION FORWARD FUSELAGE LONGITUDINAL AND CIRCUMFERENTIAL SKIN SPLICES CIRCUMFERENTIAL SPLICE.							Service	ATA:53
	MOS	11-May-10						AIRWORTHINESS	
	HRS	0							
	AFL	0	T:17500		17500		16071		
	PROC. REF: NDT 53-10-00								
53-10-04-02-902	EXTERNAL - DETAILED INSPECTION FORWARD FUSELAGE LONGITUDINAL AND CIRCUMFERENTIAL SKIN SPLICES SKIN-TO-CIRCUMFERENTIAL-SPLICE AREA.							Service	ATA:53
	MOS	11-May-10						AIRWORTHINESS	
	HRS	0							
	AFL	0	T:17500		17500		16071		
	PROC. REF: NDT 53-10-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-10-05-001 ^S	EXTERNAL DETAILED VISUAL INSPECTION OF FORWARD FUSELAGE PRESSURE BULKHEAD							Service	ATA:53
	MOS	20-Jul-20	60 (+1m/-1m)						
	HRS	1250.1							
	AFL	1020							
	PROC. REF: NDT 53-10-00							PKG:90	
53-10-05-002 ^S	INTERNAL DETAILED VISUAL INSPECTION OF FORWARD FUSELAGE PRESSURE BULKHEAD							Service	ATA:53
	MOS	20-Jul-20	60 (+1m/-1m)						
	HRS	1250.1							
	AFL	1020							
	PROC. REF: NDT 53-10-00							PKG:90	
53-10-05-01-901	INTERNAL GENERAL VISUAL INSPECTION FORWARD FUSELAGE PRESSURE BULKHEAD.							Service	ATA:53
	MOS	11-May-10						AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		16071		
	PROC. REF: NDT 53-10-00								
53-10-06-002 ^S	INTERNAL DETAILED VISUAL INSPECTION OF FORWARD FUSELAGE FORWARD SKIN PANELS							Service	ATA:53
	MOS	20-Jul-20	60 (+1m/-1m)						
	HRS	1250.1							
	AFL	1020							
	PROC. REF: NDT 53-10-00							PKG:90	
53-10-07-001 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF OF NOSE LANDING GEAR WHEELWELL METALLIC STRUCTURE							Service	ATA:53
	MOS	13-May-24	24 (+1m/-1m)						
	HRS	1794.8							
	AFL	1380							
	PROC. REF: NDT 53-10-00							PKG:81	
53-10-07-01-901	EXTERNAL SPECIAL DETAILED INSPECTION NOSE LANDING GEAR WHEEL WEEL METALLIC STRUCTURE (EDDY CURRENT) TRUNION.							Service	ATA:53
	MOS	11-May-10						AIRWORTHINESS	
	HRS	0							
	AFL	0	T:17500		17500		16071		
	PROC. REF: NDT 53-10-00								
53-10-07-02-901	EXTERNAL - DETAILED INSPECTION NOSE LANDING GEAR WHEEL WEEL METALLIC STRUCTURE.							Service	ATA:53
	MOS	11-May-10						AIRWORTHINESS	
	HRS	0							
	AFL	0	T:17500		17500		16071		
	PROC. REF: NDT 53-10-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-10-07-02-902	EXTERNAL SPECIAL DETAILED INSPECTION NOSE LANDING GEAR WHEEL WHEEL METALLIC STRUCTURE (EDDY CURRENT) DRAG LOCKING STRUTS.							Service	ATA:53
	MOS	11-May-10						AIRWORTHINESS	
	HRS	0							
	AFL	0	T:17500		17500		16071		
PROC. REF: NDT 53-10-00									
53-10-08-002	INTERNAL GENERAL VISUAL INSPECTION OF NOSE LANDING GEAR WHEELWELL COMPOSITE STRUCTURE							Service	ATA:53
	MOS/MSC	20-Jul-20	O/C						
	HRS	1250.1							
	AFL	1020							
PROC. REF: NDT 53-10-00									
53-10-08-01-901	EXTERNAL - DETAILED INSPECTION NOSE LANDING GEAR WHEEL COMPOSITE STRUCTURE UPPER PANEL AND SIDE SKIN.							Service	ATA:53
	MOS	11-May-10						AIRWORTHINESS	
	HRS	0							
	AFL	0	T:17500		17500		16071		
PROC. REF: NDT 53-10-00									
53-14-00	NOSE RADOME							Component	ATA:53
PN:5190-102-1	MOS/MSC	11-May-10	O/C	TSN 0					
SN:193	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 53-14-00, AMM 53-14-00									
53-20-00-001 ^S	EXTERNAL DETAILED VISUAL INSPECTION OF CENTER FUSELAGE SKIN PANELS AND SKIN SPLICES							Service	ATA:53
	MOS	20-Jul-20	60 (+1m/-1m)						
	HRS	1250.1							
	AFL	1020							
PROC. REF: NDT 53-20-00									
53-20-00-002 ^S	INTERNAL DETAILED VISUAL INSPECTION OF CENTER FUSELAGE SKIN PANELS, SKIN SPLICES, AND FLOOR STRUCTURE							Service	ATA:53
	MOS	20-Jul-20	60 (+1m/-1m)						
	HRS	1250.1							
	AFL	1020							
PROC. REF: NDT 53-20-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-20-00-003 ^S	EXTERNAL DETAILED VISUAL INSPECTION OF CENTER FUSELAGE-TO-WING LATERAL AND CENTER LINKS							Service	ATA:53
	MOS	20-Jul-20	60 (+1m/-1m)						
	HRS	1250.1							
	AFL	1020							
	PROC. REF: NDT 53-20-00							PKG:90	
53-20-01-01-901	INTERNAL GENERAL VISUAL INSPECTION CENTER FUSELAGE UPPER SKIN PANEL (FROM FRAME 8 TO 19 AND FROM STRINGER 1R TO 6L) FRAMES.							Service	ATA:53
	MOS	11-May-10						AIRWORTHINESS	
	HRS	0							
	AFL	0	T:17500		17500		16071		
	PROC. REF: NDT 53-20-00								
53-20-01-01-902	EXTERNAL - DETAILED INSPECTION CENTER FUSELAGE UPPER SKIN PANEL (FROM FRAME 8 TO 19 AND FROM STRINGER 1R TO 6L) SKIN TO FRAMES AREA.							Service	ATA:53
	MOS	11-May-10						AIRWORTHINESS	
	HRS	0							
	AFL	0	T:17500		17500		16071		
	PROC. REF: NDT 53-20-00								
53-20-01-02-901	INTERNAL GENERAL VISUAL INSPECTION CENTER FUSELAGE UPPER SKIN PANEL (FROM STRINGER 1R TO 6L AND FROM FRAME 8 TO 19) STRINGERS.							Service	ATA:53
	MOS	11-May-10						AIRWORTHINESS	
	HRS	0							
	AFL	0	T:17500		17500		16071		
	PROC. REF: NDT 53-20-00								
53-20-01-02-902	EXTERNAL - DETAILED INSPECTION CENTER FUSELAGE UPPER SKIN PANEL (FROM STRINGER 1R TO 6L AND FROM FRAME 8 TO 19) SKIN TO STRINGERS AREA.							Service	ATA:53
	MOS	11-May-10						AIRWORTHINESS	
	HRS	0							
	AFL	0	T:17500		17500		16071		
	PROC. REF: NDT 53-20-00								
53-20-02-01-901	INTERNAL GENERAL VISUAL INSPECTION CENTER FUSELAGE SIDE SKIN PANEL (FROM FRAME 8 TO 19 AND FROM STRINGER 2R TO 11R) FRAMES.							Service	ATA:53
	MOS	11-May-10						AIRWORTHINESS	
	HRS	0							
	AFL	0	T:17500		17500		16071		
	PROC. REF: NDT 53-20-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-20-02-01-902	EXTERNAL - DETAILED INSPECTION CENTER FUSELAGE SIDE SKIN PANEL (FROM FRAME 8 TO 19 AND FROM STRINGER 2R TO 11R) SKIN TO FRAMES AREA.							Service	ATA:53
	MOS	11-May-10						AIRWORTHINESS	
	HRS	0							
	AFL	0	T:17500		17500		16071		
PROC. REF: NDT 53-20-00									
53-20-02-02-901	INTERNAL GENERAL VISUAL INSPECTION CENTER FUSELAGE SIDE SKIN PANEL (FROM STRINGER 2R TO 11R AND FROM FRAME 8 TO 19) STRINGERS.							Service	ATA:53
	MOS	11-May-10						AIRWORTHINESS	
	HRS	0							
	AFL	0	T:17500		17500		16071		
PROC. REF: NDT 53-20-00									
53-20-02-02-902	EXTERNAL - DETAILED INSPECTION CENTER FUSELAGE SIDE SKIN PANEL (FROM STRINGER 2R TO 11R AND FROM FRAME 8 TO 19) SKIN TO STRINGERS AREA.							Service	ATA:53
	MOS	11-May-10						AIRWORTHINESS	
	HRS	0							
	AFL	0	T:17500		17500		16071		
PROC. REF: NDT 53-20-00									
53-20-03-01-901	INTERNAL GENERAL VISUAL INSPECTION CENTER FUSELAGE LOWER SKIN PANEL (FROM STRINGER 7L TO 12R AND FROM FRAME 8 TO 19) CUT-OUT REINFORCEMENT (SKIN DOUBLER).							Service	ATA:53
	MOS	11-May-10						AIRWORTHINESS	
	HRS	0							
	AFL	0	T:17500		17500		16071		
PROC. REF: NDT 53-20-00									
53-20-03-01-902	EXTERNAL - DETAILED INSPECTION CENTER FUSELAGE LOWER SKIN PANEL (FROM STRINGER 7L TO 12R AND FROM FRAME 8 TO 19) SKIN TO CUT-OUT AREA.							Service	ATA:53
	MOS	11-May-10						AIRWORTHINESS	
	HRS	0							
	AFL	0	T:17500		17500		16071		
PROC. REF: NDT 53-20-00									
53-20-03-02-901	INTERNAL GENERAL VISUAL INSPECTION CENTER FUSELAGE LOWER SKIN PANEL (FROM STRINGER 7L TO 12R AND FROM FRAME 8 TO 19) FRAMES AND STRINGERS.							Service	ATA:53
	MOS	11-May-10						AIRWORTHINESS	
	HRS	0							
	AFL	0	T:17500		17500		16071		
PROC. REF: NDT 53-20-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-20-03-02-902	EXTERNAL - DETAILED INSPECTION CENTER FUSELAGE LOWER SKIN PANEL (FROM STRINGER 7L TO 12R AND FROM FRAME 8 TO 19) SKIN TO FRAMES AND STRINGERS AREA.							Service	ATA:53
	MOS	11-May-10						AIRWORTHINESS	
	HRS	0							
	AFL	0	T:17500		17500		16071		
PROC. REF: NDT 53-20-00									
53-20-04-01-901	INTERNAL DETAILED INSPECTION CENTER FUSELAGE LONGITUDINAL LAPJOINT SKIN SPLICE AND CIRCUMFERENTIALSKIN SPLICE LONGITUDINAL LAP JOINT SKIN SPLICE.							Service	ATA:53
	MOS	11-May-10						AIRWORTHINESS	
	HRS	0							
	AFL	0	T:17500		17500		16071		
PROC. REF: NDT 53-20-00									
53-20-04-01-902	EXTERNAL - DETAILED INSPECTION CENTER FUSELAGE LONGITUDINAL LAPJOINT SKIN SPLICE AND CIRCUMFERENTIALSKIN SPLICE LONGITUDINAL LAP JOINT SKIN SPLICE.							Service	ATA:53
	MOS	11-May-10						AIRWORTHINESS	
	HRS	0							
	AFL	0	T:17500		17500		16071		
PROC. REF: NDT 53-20-00									
53-20-04-02-901	INTERNAL DETAILED INSPECTION CENTER FUSELAGE LONGITUDINAL LAPJOINT SKIN SPLICE AND CIRCUMFERENTIALSKIN SPLICE CIRCUNFERENTIAL SKIN SPLICE.							Service	ATA:53
	MOS	11-May-10						AIRWORTHINESS	
	HRS	0							
	AFL	0	T:17500		17500		16071		
PROC. REF: NDT 53-20-00									
53-20-04-02-902	EXTERNAL - DETAILED INSPECTION CENTER FUSELAGE LONGITUDINAL LAPJOINT SKIN SPLICE AND CIRCUMFERENTIALSKIN SPLICESKIN AT CIRCUMFERENTIAL SKIN SPLICE AREA.							Service	ATA:53
	MOS	11-May-10						AIRWORTHINESS	
	HRS	0							
	AFL	0	T:17500		17500		16071		
PROC. REF: NDT 53-20-00									
53-20-05-002 ^S	INTERNAL DETAILED VISUAL INSPECTION OF CENTER FUSELAGE CIRCUMFERENTIAL SKIN SPLICES AND END FITTINGS							Service	ATA:53
	MOS	20-Jul-20	60 (+1m/-1m)						
	HRS	1250.1							
	AFL	1020							
PROC. REF: NDT 53-20-00									
								PKG:90	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-20-05-01-901	INTERNAL DETAILED INSPECTION CENTER FUSELAGE TO AFT FUSELAGE CIRCUMFERENTIAL SKIN SPLICES AND END FITTINGS SKIN (FROM STRINGER 12L TO 12R).							Service	ATA:53
	MOS	11-May-10						AIRWORTHINESS	
	HRS	0							
	AFL	0	T:17500		17500		16071		
PROC. REF: NDT 53-20-00									
53-20-05-01-902	EXTERNAL SPECIAL DETAILED INSPECTION CENTER FUSELAGE TO AFT FUSELAGE CIRCUMFERENTIAL SKIN SPLICES AND END FITTINGS (EDDY CURRENT) SPLICE (1ST AND 3RD ROWS) (FROM STRINGER 01R TO 01L, FROM STRINGER 04R TO 07R AND FROM STRINGER 04L TO 07L).							Service	ATA:53
	MOS	11-May-10						AIRWORTHINESS	
	HRS	0							
	AFL	0	T:17500		17500		16071		
PROC. REF: NDT 53-20-00									
53-20-05-01-903	EXTERNAL - DETAILED INSPECTION CENTER FUSELAGE TO AFT FUSELAGE CIRCUMFERENTIAL SKIN SPLICES AND END FITTINGS SKIN (FROM STRINGER 01R TO 01L, FROM STRINGER 04R TO 07R AND FROM STRINGER 04L TO 07L).							Service	ATA:53
	MOS	11-May-10						AIRWORTHINESS	
	HRS	0							
	AFL	0	T:17500		17500		16071		
PROC. REF: NDT 53-20-00									
53-20-05-01-904	INTERNAL DETAILED INSPECTION CENTER FUSELAGE TO AFT FUSELAGE CIRCUMFERENTIAL SKIN SPLICES END FITTINGS							Service	ATA:53
	MOS	11-May-10						AIRWORTHINESS	
	HRS	0							
	AFL	0	T:17500		17500		16071		
PROC. REF: NDT 53-20-00									
53-20-06-001 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF MAIN DOOR CUTOUT STRUCTURE							Service	ATA:53
	MOS	20-Jul-20	60 (+1m/-1m)						
	HRS	1250.1							
	AFL	1020							
PROC. REF: NDT 53-20-00									
53-20-06-002	INTERNAL DETAILED VISUAL INSPECTION OF MAIN DOOR CUTOUT STRUCTURE							Service	ATA:53
	MOS	20-Jul-20	60 (+1m/-1m)		20-Jul-25	20-Aug-25	286 d (+31)		
	HRS	1250.1							
	AFL	1020							
PROC. REF: NDT 53-20-00									

PKG:84

PKG:90

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-20-06-01-901	EXTERNAL SPECIAL DETAILED INSPECTION (EDDY CURRENT) THE DOUBLER 1 AT CORNERS OF MAIN DOOR CUTOUT STRUCTURE.							Service	ATA:53
	MOS	11-May-10						AIRWORTHINESS	
	HRS	0							
	AFL	0	T:17500		17500		16071		
	PROC. REF: NDT 53-20-00								
53-20-06-01-902	EXTERNAL SPECIAL DETAILED INSPECTION (EDDY CURRENT) THE SKIN AT CORNERS OF THE MAIN DOOR CUTOUT STRUCTURE.							Service	ATA:53
	MOS	11-May-10						AIRWORTHINESS	
	HRS	0							
	AFL	0	T:17500		17500		16071		
	PROC. REF: NDT 53-20-00								
53-20-06-01-903	EXTERNAL - DETAILED INSPECTION THE MAIN DOOR CUTOUT STRUCTURE SKIN TO DOOR CUTOUT STRUCTURE.							Service	ATA:53
	MOS	11-May-10						AIRWORTHINESS	
	HRS	0							
	AFL	0	T:17500		17500		16071		
	PROC. REF: NDT 53-20-00								
53-20-06-01-904	INTERNAL GENERAL VISUAL INSPECTION THE MAIN DOOR CUT-OUT STRUCTURE.							Service	ATA:53
	MOS	11-May-10						AIRWORTHINESS	
	HRS	0							
	AFL	0	T:17500		17500		16071		
	PROC. REF: NDT 53-20-00								
53-20-06-01-905	INTERNAL DETAILED INSPECTION MAIN DOOR CUTOUT STRUCTURE MACHINED FRAME AT LATCH PIN BOX AREA .							Service	ATA:53
	MOS	11-May-10						AIRWORTHINESS	
	HRS	0							
	AFL	0	T:17500		17500		16071		
	PROC. REF: NDT 53-20-00								
53-20-07-001 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF OF EMERGENCY DOOR CUTOUT STRUCTURE							Service	ATA:53
	MOS	20-Jul-20	60 (+1m/-1m)						
	HRS	1250.1							
	AFL	1020							
	PROC. REF: NDT 53-20-00								
	PKG:84								
53-20-07-002 ^S	INTERNAL GENERAL VISUAL INSPECTION OF EMERGENCY DOOR CUTOUT STRUCTURE							Service	ATA:53
	MOS	20-Jul-20	60 (+1m/-1m)						
	HRS	1250.1							
	AFL	1020							
	PROC. REF: NDT 53-20-00								
	PKG:90								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-20-07-01-901	INTERNAL GENERAL VISUAL INSPECTION EMERGENCY DOOR CUTOUT STRUCTURE (FROM STRINGER 3R TO 7R AND FROM FRAME 14 TO 16)							Service	ATA:53
	MOS	11-May-10						AIRWORTHINESS	
	HRS	0							
	AFL	0	T:17500		17500		16071		
PROC. REF: NDT 53-20-00									
53-20-07-01-902	EXTERNAL - DETAILED INSPECTION THE SKIN TO EMERGENCY DOOR CUTOUT STRUCTURE (FROM STRINGER 3R TO 7R AND FROM FRAME 14 TO 16)							Service	ATA:53
	MOS	11-May-10						AIRWORTHINESS	
	HRS	0							
	AFL	0	T:17500		17500		16071		
PROC. REF: NDT 53-20-00									
53-20-08-002 ^S	INTERNAL GENERAL VISUAL INSPECTION OF PASSENGER WINDOW CUT-OUT STRUCTURE							Service	ATA:53
	MOS	20-Jul-20	60 (+1m/-1m)						
	HRS	1250.1							
	AFL	1020							
PROC. REF: NDT 53-20-00									
53-20-08-01-901	INTERNAL GENERAL VISUAL INSPECTION PASSENGER WINDOW CUTOUT STRUCTURE PASSENGER WINDOW FRAME (FROM STRINGER 4L TO 6L AND STRINGER 4R TO 6R AND FROM FRAME 10 TO 18)							Service	ATA:53
	MOS	11-May-10						AIRWORTHINESS	
	HRS	0							
	AFL	0	T:17500		17500		16071		
PROC. REF: NDT 53-20-00									
53-20-08-01-902	EXTERNAL - DETAILED INSPECTION PASSENGER WINDOW CUTOUT STRUCTURE PASSENGER (FROM STRINGER 4L TO 6L AND STRINGER 4R TO 6R AND FROM FRAME 10 TO 18) SKIN AT WINDOW AREA.							Service	ATA:53
	MOS	11-May-10						AIRWORTHINESS	
	HRS	0							
	AFL	0	T:17500		17500		16071		
PROC. REF: NDT 53-20-00									
53-20-10-01-901	INTERNAL DETAILED INSPECTION CENTER FUSELAGE-TO-WING LATERAL LINKS.							Service	ATA:53
	MOS	11-May-10						AIRWORTHINESS	
	HRS	0							
	AFL	0	T:17500		17500		16071		
PROC. REF: NDT 53-20-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-20-10-01-902	INTERNAL DETAILED INSPECTION CENTER FUSELAGE-TO-WING LATERAL LINKSMACHINED FRAME (FRAME 14 AND FRAME 18) AND FASTENERS							Service	ATA:53
	MOS	11-May-10						AIRWORTHINESS	
	HRS	0							
	AFL	0	T:17500		17500		16071		
PROC. REF: NDT 53-20-00									
53-20-11-01-901	INTERNAL SPECIAL DETAILED INSPECTION CENTER FUSELAGE-TO-WING CONNECTION LINK(EDDY CURRENT) CONNECTION LINK FITTING (LUG AND INNER CAP).							Service	ATA:53
	MOS	11-May-10						AIRWORTHINESS	
	HRS	0							
	AFL	0	T:17500		17500		16071		
PROC. REF: NDT 53-20-00									
53-20-11-01-902	INTERNAL DETAILED INSPECTION CENTER FUSELAGE-TO-WING CONNECTION LINK FITTING.							Service	ATA:53
	MOS	11-May-10						AIRWORTHINESS	
	HRS	0							
	AFL	0	T:17500		17500		16071		
PROC. REF: NDT 53-20-00									
53-20-12-01-901	INTERNAL DETAILED INSPECTION AFT PRESSURE BULKHEAD.							Service	ATA:53
	MOS	11-May-10						AIRWORTHINESS	
	HRS	0							
	AFL	0	T:17500		17500		16071		
PROC. REF: NDT 53-20-00									
53-30-00-001 ^S	EXTERNAL DETAILED VISUAL INSPECTION OF AFT FUSELAGE SKINS AND ATTACHMENTS							Service	ATA:53
	MOS	20-Jul-20	60 (+1m/-1m)						
	HRS	1250.1							
	AFL	1020							
PROC. REF: NDT 53-30-00									
53-30-00-002 ^S	INTERNAL DETAILED VISUAL INSPECTION OF AFT FUSELAGE UPPER SKIN, JUNCTIONS AND ATTACHMENTS							Service	ATA:53
	MOS	20-Jul-20	60 (+1m/-1m)						
	HRS	1250.1							
	AFL	1020							
PROC. REF: NDT 53-30-00									

PKG:90

PKG:90

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-30-00-003 ^S	INTERNAL DETAILED VISUAL INSPECTION OF AFT FUSELAGE SIDE SKIN, CUTOUTS AND ATTACHMENTS							Service	ATA:53
	MOS	20-Jul-20	60 (+1m/-1m)						
	HRS	1250.1							
	AFL	1020							
				PROC. REF: NDT 53-30-00				PKG:90	
53-30-01-01-901	INTERNAL DETAILED INSPECTION AFT FUSELAGE UPPER SKIN PANELBEDPLATE AND ITS ATTACHMENTS, BEDPLATES TO STRINGER ATTACHMENTS AND SKIN TO BEDPLATE AREA.							Service	ATA:53
	MOS	11-May-10						AIRWORTHINESS	
	HRS	0							
	AFL	0	T:17500		17500		16071		
				PROC. REF: NDT 53-30-00					
53-30-01-01-902	EXTERNAL - DETAILED INSPECTION AFT FUSELAGE UPPER SKIN PANEL SKIN TO BEDPLATE AREA.							Service	ATA:53
	MOS	11-May-10						AIRWORTHINESS	
	HRS	0							
	AFL	0	T:17500		17500		16071		
				PROC. REF: NDT 53-30-00					
53-30-02-01-901	INTERNAL GENERAL VISUAL INSPECTION AFT FUSELAGE SIDE SKIN PANEL FORWARD MACHINED FRAME (FRAME 22 AND FRAME 23)							Service	ATA:53
	MOS	11-May-10						AIRWORTHINESS	
	HRS	0							
	AFL	0	T:17500		17500		16071		
				PROC. REF: NDT 53-30-00					
53-30-02-01-902	EXTERNAL - DETAILED INSPECTION AFT FUSELAGE SIDE SKIN PANEL SKIN TO FRAME AREA							Service	ATA:53
	MOS	11-May-10						AIRWORTHINESS	
	HRS	0							
	AFL	0	T:17500		17500		16071		
				PROC. REF: NDT 53-30-00					
53-30-02-02-901	INTERNAL GENERAL VISUAL INSPECTION AFT FUSELAGE SIDE SKIN PANEL AFT MACHINED FRAME (FRAME 25 AND FR25A)							Service	ATA:53
	MOS	11-May-10						AIRWORTHINESS	
	HRS	0							
	AFL	0	T:17500		17500		16071		
				PROC. REF: NDT 53-30-00					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-30-02-02-902	EXTERNAL - DETAILED INSPECTION AFT FUSELAGE SIDE SKIN PANEL - SKIN TO FRAME AREA							Service	ATA:53
	MOS	11-May-10						AIRWORTHINESS	
	HRS	0							
	AFL	0	T:17500		17500		16071		
	PROC. REF: NDT 53-30-00								
53-30-04-01-901	EXTERNAL - DETAILED INSPECTION AFT FUSELAGE LONGITUDINAL AND CIRCUMFERENTIALSKIN SPLICES AFT FUSELAGE SKIN TO LONGITUDINAL SPLICE.							Service	ATA:53
	MOS	11-May-10						AIRWORTHINESS	
	HRS	0							
	AFL	0	T:17500		17500		16071		
	PROC. REF: NDT 53-30-00								
53-30-04-01-902	INTERNAL DETAILED INSPECTION AFT FUSELAGE LONGITUDINAL AND CIRCUMFERENTIALSKIN SPLICES LONGITUDINAL SPLICE							Service	ATA:53
	MOS	11-May-10						AIRWORTHINESS	
	HRS	0							
	AFL	0	T:17500		17500		16071		
	PROC. REF: NDT 53-30-00								
53-30-04-02-901	EXTERNAL - DETAILED INSPECTION AFT FUSELAGE LONGITUDINAL AND CIRCUMFERENTIALSKIN SPLICES TO CIRCUMFERENTIAL SPLICE.							Service	ATA:53
	MOS	11-May-10						AIRWORTHINESS	
	HRS	0							
	AFL	0	T:17500		17500		16071		
	PROC. REF: NDT 53-30-00								
53-30-04-02-902	INTERNAL DETAILED INSPECTION AFT FUSELAGE LONGITUDINAL AND CIRCUMFERENTIALSKIN SPLICES TO CIRCUMFERENTIAL SPLICE.							Service	ATA:53
	MOS	11-May-10						AIRWORTHINESS	
	HRS	0							
	AFL	0	T:17500		17500		16071		
	PROC. REF: NDT 53-30-00								
53-30-05-001 ^S	INTERNAL DETAILED VISUAL INSPECTION OF AFT FUSELAGE BAGGAGE DOOR CUTOUT STRUCTURE							Service	ATA:53
	MOS	20-Jul-20	60 (+1m/-1m)						
	HRS	1250.1							
	AFL	1020							
	PROC. REF: NDT 53-30-00								
	PKG:84								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-30-05-01-901	INTERNAL GENERAL VISUAL INSPECTION AFT FUSELAGE BAGGAGE DOOR CUTOUT STRUCTURE.							Service	ATA:53
	MOS	11-May-10						AIRWORTHINESS	
	HRS	0							
	AFL	0	T:17500		17500		16071		
	PROC. REF: NDT 53-30-00								
53-30-05-01-902	EXTERNAL - DETAILED INSPECTION AFT FUSELAGE BAGGAGE DOOR CUTOUTSTRUCTUREAFT FUSELAGE THE SKIN TO BAGGAGE DOOR CUTOUT STRUCTURE.							Service	ATA:53
	MOS	11-May-10						AIRWORTHINESS	
	HRS	0							
	AFL	0	T:17500		17500		16071		
	PROC. REF: NDT 53-30-00								
53-30-06-01-901	INTERNAL GENERAL VISUAL INSPECTION AFT FUSELAGE CUTOUT STRUCTURES -INTERNALFRAMES, STRINGER, REINFORCEMENT, AND DOUBLER OF AFT FUSELAGE CUTOUT STRUCTURES.							Service	ATA:53
	MOS	11-May-10						AIRWORTHINESS	
	HRS	0							
	AFL	0	T:17500		17500		16071		
	PROC. REF: NDT 53-30-00								
53-30-07-001 ^S	INTERNAL DETAILED VISUAL INSPECTION OF AFT FUSELAGE UPPER FRAMES 29 TO 32							Service	ATA:53
	MOS	20-Jul-20	60 (+1m/-1m)						
	HRS	1250.1							
	AFL	1020							
	PROC. REF: NDT 53-30-00								
	PKG:84								
53-30-07-01-901	INTERNAL GENERAL VISUAL INSPECTION AFT FUSELAGE UPPER FRAMES (FROM FRAME 29 TO FRAME 32) MACHINED FRAMES.							Service	ATA:53
	MOS	11-May-10						AIRWORTHINESS	
	HRS	0							
	AFL	0	T:17500		17500		16071		
	PROC. REF: NDT 53-30-00								
53-30-07-01-902	EXTERNAL - DETAILED INSPECTION AFT FUSELAGE UPPER FRAMES (FROM FRAME 29 TO FRAME 32) SKIN TO FRAME AREA.							Service	ATA:53
	MOS	11-May-10						AIRWORTHINESS	
	HRS	0							
	AFL	0	T:17500		17500		16071		
	PROC. REF: NDT 53-30-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-30-07-02-901	INTERNAL GENERAL VISUAL INSPECTION AFT FUSELAGE UPPER FRAMES (FROM FRAME 29 TO FRAME 32) BEDPLATES AND FASTENERS.							Service	ATA:53
	MOS	11-May-10						AIRWORTHINESS	
	HRS	0							
	AFL	0	T:17500		17500		16071		
PROC. REF: NDT 53-30-00									
53-30-08-001 ^S	EXTERNAL DETAILED VISUAL INSPECTION OF AFT FUSELAGE MACHINED FRAME 32							Service	ATA:53
	MOS	20-Jul-20	120 (+1m/-1m)						
	HRS	1250.1							
	AFL	1020							
PROC. REF: NDT 53-30-00									
PKG:87									
Z210-001 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF OF THE FORWARD FUSELAGE NOSE SECTION							Service	ATA:53
	MOS	20-Jul-20	120 (+1m/-1m)						
	HRS	1250.1							
	AFL	1020							
PROC. REF: AMM 05-41-00									
PKG:87									
Z210-002 ^S	INTERNAL GENERAL VISUAL INSPECTION OF THE FORWARD FUSELAGE NOSE SECTION							Service	ATA:53
	MOS	20-Jul-20	120 (+1m/-1m)						
	HRS	1250.1							
	AFL	1020							
PROC. REF: AMM 05-41-00									
PKG:87									
Z220-001 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF OF THE FORWARD FUSELAGE COCKPIT SECTION							Service	ATA:53
	MOS	20-Jul-20	60 (+1m/-1m)						
	HRS	1250.1							
	AFL	1020							
PROC. REF: AMM 05-41-00									
PKG:84									
Z220-002 ^S	INTERNAL GENERAL VISUAL INSPECTION OF THE FORWARD FUSELAGE COCKPIT SECTION							Service	ATA:53
	MOS	20-Jul-20	120 (+1m/-1m)						
	HRS	1250.1							
	AFL	1020							
PROC. REF: AMM 05-41-00									
PKG:87									
Z230-001 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF OF THE CENTER FUSELAGE FRONT SECTION							Service	ATA:53
	MOS	20-Jul-20	120 (+1m/-1m)						
	HRS	1250.1							
	AFL	1020							
PROC. REF: AMM 05-42-00									
PKG:87									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
Z230-002 ^S	INTERNAL GENERAL VISUAL INSPECTION OF THE CENTER FUSELAGE FRONT SECTION							Service	ATA:53
	MOS	20-Jul-20	120 (+1m/-1m)						
	HRS	1250.1							
	AFL	1020							
				PROC. REF: AMM 05-42-00				PKG:87	
Z240-001 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF OF THE CENTER FUSELAGE REAR SECTION							Service	ATA:53
	MOS	20-Jul-20	120 (+1m/-1m)						
	HRS	1250.1							
	AFL	1020							
				PROC. REF: AMM 05-42-00				PKG:87	
Z240-002 ^S	INTERNAL GENERAL VISUAL INSPECTION OF THE CENTER FUSELAGE REAR SECTION							Service	ATA:53
	MOS	20-Jul-20	60 (+1m/-1m)						
	HRS	1250.1							
	AFL	1020							
				PROC. REF: AMM 05-42-00				PKG:84	
Z310-001 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF OF THE AFT FUSELAGE FRONT SECTION							Service	ATA:53
	MOS	20-Jul-20	120 (+1m/-1m)						
	HRS	1250.1							
	AFL	1020							
				PROC. REF: AMM 05-43-00				PKG:87	
Z310-002 ^S	INTERNAL GENERAL VISUAL INSPECTION OF THE AFT FUSELAGE FRONT SECTION							Service	ATA:53
	MOS	20-Jul-20	120 (+1m/-1m)						
	HRS	1250.1							
	AFL	1020							
				PROC. REF: AMM 05-43-00				PKG:87	
Z320-001 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF OF THE AFT FUSELAGE REAR SECTION							Service	ATA:53
	MOS	20-Jul-20	120 (+1m/-1m)						
	HRS	1250.1							
	AFL	1020							
				PROC. REF: AMM 05-43-00				PKG:87	
Z320-002 ^S	INTERNAL GENERAL VISUAL INSPECTION OF THE AFT FUSELAGE REAR SECTION							Service	ATA:53
	MOS	20-Jul-20	120 (+1m/-1m)						
	HRS	1250.1							
	AFL	1020							
				PROC. REF: AMM 05-43-00				PKG:87	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 54 - NACELLES/PYLONS									
54-00-00-001 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF OF PYLON POLYURETHANE FILMS							Service	ATA:54
	MOS	24-May-22							
	HRS	1509.4	800 (+30/-30)						
	AFL	1183							
				PROC. REF: AMM 54-51-20				PKG:1	
54-50-00-001 ^S	INTERNAL DETAILED VISUAL INSPECTION OF PYLON MAIN BOX							Service	ATA:54
	MOS	20-Jul-20	60 (+1m/-1m)						
	HRS	1250.1							
	AFL	1020							
				PROC. REF: NDT 54-50-00				PKG:90	
54-50-00-002 ^S	INTERNAL DETAILED VISUAL INSPECTION OF FORWARD BEAM							Service	ATA:54
	MOS	20-Jul-20	60 (+1m/-1m)						
	HRS	1250.1							
	AFL	1020							
				PROC. REF: NDT 54-50-00				PKG:90	
54-50-01-01-901	INTERNAL DETAILED INSPECTION PYLON FORWARD BEAM PYLON SPARS 1 AND 2, UPPER AND LOWER SKIN AND FASTENERS.							Service	ATA:54
	MOS	11-May-10						AIRWORTHINESS	
	HRS	0							
	AFL	0	T:17500		17500		16071		
				PROC. REF: NDT 54-50-00					
54-50-02-01-901	INTERNAL DETAILED INSPECTION PYLON AFT BEAMPYLON SPARS 3 AND 4 AND FASTENERS.							Service	ATA:54
	MOS	11-May-10						AIRWORTHINESS	
	HRS	0							
	AFL	0	T:17500		17500		16071		
				PROC. REF: NDT 54-50-00					
54-50-03-001 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF OF PYLON MAIN BOX							Service	ATA:54
	MOS	20-Jul-20	60 (+1m/-1m)						
	HRS	1250.1							
	AFL	1020							
				PROC. REF: NDT 54-50-00				PKG:90	
54-50-03-01-901	EXTERNAL GENERAL VISUAL INSPECTION OF PYLON MAIN BOX MAIN BOX SKIN AND FASTENERS.							Service	ATA:54
	MOS	11-May-10						AIRWORTHINESS	
	HRS	0							
	AFL	0	T:17500		17500		16071		
				PROC. REF: NDT 54-50-00					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 54 - NACELLES/PYLONS									
54-50-04-01-901	INTERNAL DETAILED INSPECTION PYLON-TO-FUSELAGE CONNECTIONS OF BOLTS.							Service	ATA:54
	MOS	11-May-10						AIRWORTHINESS	
	HRS	0							
	AFL	0	T:17500		17500		16071		
	PROC. REF: NDT 54-50-00								
54-50-05-001 ^S	EXTERNAL DETAILED VISUAL INSPECTION OF PYLON YOKES							Service	ATA:54
	MOS	20-Jul-20	60 (+1m/-1m)						
	HRS	1250.1							
	AFL	1020							
	PROC. REF: NDT 54-50-00								
	PKG:84								
54-50-05-01-901	INTERNAL DETAILED INSPECTION PYLON YOKESLUG HOLES AT YOKES, YOKES, GUSSETS AND SHIELD.							Service	ATA:54
	MOS	11-May-10						AIRWORTHINESS	
	HRS	0							
	AFL	0	T:17500		17500		16071		
	PROC. REF: NDT 54-50-00								
54-50-06-001 ^S	INTERNAL DETAILED VISUAL INSPECTION OF AFT MOUNT FITTINGS							Service	ATA:54
	MOS	20-Jul-20	60 (+1m/-1m)						
	HRS	1250.1							
	AFL	1020							
	PROC. REF: NDT 54-50-00								
	PKG:84								
54-50-06-01-901	INTERNAL DETAILED INSPECTION PYLON AFT FITTINGAFT MOUNT FITTING AND FASTENERS.							Service	ATA:54
	MOS	11-May-10						AIRWORTHINESS	
	HRS	0							
	AFL	0	T:17500		17500		16071		
	PROC. REF: NDT 54-50-00								
Z410-001 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF OF THE PYLON							Service	ATA:54
	MOS	20-Jul-20	120 (+1m/-1m)						
	HRS	1250.1							
	AFL	1020							
	PROC. REF: AMM 05-46-00								
	PKG:87								
Z410-002 ^S	INTERNAL GENERAL VISUAL INSPECTION OF THE PYLON							Service	ATA:54
	MOS	20-Jul-20	120 (+1m/-1m)						
	HRS	1250.1							
	AFL	1020							
	PROC. REF: AMM 05-46-00								
	PKG:87								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 54 - NACELLES/PYLONS									
Z430-001 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF OF THE NACELLE							Service	ATA:54
	MOS	20-Jul-20	120 (+1m/-1m)						
	HRS	1250.1							
	AFL	1020							
					PROC. REF: AMM 05-46-00			PKG:87	
Z430-002 ^S	INTERNAL GENERAL VISUAL INSPECTION OF THE NACELLE							Service	ATA:54
	MOS	20-Jul-20	120 (+1m/-1m)						
	HRS	1250.1							
	AFL	1020							
					PROC. REF: AMM 05-46-00			PKG:87	
ATA 55 - STABILIZERS									
55-00-00-001 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF OF STABILIZER POLYURETHANE FILMS							Service	ATA:55
	MOS	24-May-22							
	HRS	1509.4	800 (+30/-30)						
	AFL	1183							
					PROC. REF: AMM 55-00-20			PKG:1	
55-10-00	HORIZONTAL STABILIZER							Component	ATA:55
PN:500-10700-409	MOS/MSC	11-May-10	O/C		TSN 0				
SN:0000534576	HRS	0			TSN 0				
	AFL	0			TSN 0				
					PROC. REF: GENERIC NO REF				
55-10-00-001 ^S	EXTERNAL - DETAILED INSPECTION OF HORIZONTAL-STABILIZER SPARS							Service	ATA:55
	MOS	20-Jul-20	120 (+1m/-1m)						
	HRS	1250.1							
	AFL	1020							
					PROC. REF: NDT 55-10-00			PKG:87	
55-10-00-002 ^S	SPECIAL DETAILED INSPECTION (BOREScope METHOD) OF HORIZONTAL-STABILIZER MAIN BOX							Service	ATA:55
	MOS	20-Jul-20	60 (+1m/-1m)						
	HRS	1250.1							
	AFL	1020							
					PROC. REF: NDT 55-10-00			PKG:84	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 55 - STABILIZERS									
55-10-01-001 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF OF VERTICAL-TO-HORIZONTAL STABILIZER ATTACHMENTS							Service	ATA:55
	MOS	20-Jul-20	60 (+1m/-1m)						
	HRS	1250.1							
	AFL	1020							
	PROC. REF: NDT 55-10-00							PKG:84	
55-10-01-01-901	INTERNAL DETAILED INSPECTION FIN-TO-HORIZONTAL STABILIZER CONNECTIONS IN HORIZONTAL STABILIZER AND FASTENERS.							Service	ATA:55
	MOS	11-May-10						AIRWORTHINESS	
	HRS	0							
	AFL	0	T:17500		17500		16071		
	PROC. REF: NDT 55-10-00								
55-10-02-01-901	INTERNAL SPECIAL DETAILED INSPECTION HORIZONTAL STABILIZER FRONT SPAR (BORESCOPIC) FRONT SPAR AND FASTENERS.							Service	ATA:55
	MOS	11-May-10						AIRWORTHINESS	
	HRS	0							
	AFL	0	T:17500		17500		16071		
	PROC. REF: NDT 55-10-00								
55-10-02-01-902	EXTERNAL - DETAILED INSPECTION HORIZONTAL STABILIZER FRONT SPAR FRONT SPAR AND FASTENERS.							Service	ATA:55
	MOS	11-May-10						AIRWORTHINESS	
	HRS	0							
	AFL	0	T:17500		17500		16071		
	PROC. REF: NDT 55-10-00								
55-10-03-01-901	INTERNAL SPECIAL DETAILED INSPECTION HORIZONTAL STABILIZER REAR SPAR(BORESCOPIC) REAR SPAR.							Service	ATA:55
	MOS	11-May-10						AIRWORTHINESS	
	HRS	0							
	AFL	0	T:17500		17500		16071		
	PROC. REF: NDT 55-10-00								
55-10-03-01-902	EXTERNAL - DETAILED INSPECTION HORIZONTAL STABILIZER REAR SPAR					REAR SPAR AND FASTENERS.		Service	ATA:55
	MOS	11-May-10						AIRWORTHINESS	
	HRS	0							
	AFL	0	T:17500		17500		16071		
	PROC. REF: NDT 55-10-00								
55-10-04-01-901	INTERNAL SPECIAL DETAILED INSPECTION HORIZONTAL STABILIZER MAIN BOX UPPER SKIN					(BORESCOPIC) STRINGERS.		Service	ATA:55
	MOS	11-May-10						AIRWORTHINESS	
	HRS	0							
	AFL	0	T:17500		17500		16071		
	PROC. REF: NDT 55-10-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 55 - STABILIZERS								
55-10-04-01-902	EXTERNAL - DETAILED INSPECTION HORIZONTAL STABILIZER MAIN BOX UPPER SKIN FASTENERS.					UPPER SKIN AND		Service ATA:55
	MOS	11-May-10						AIRWORTHINESS
	HRS	0						
	AFL	0	T:17500		17500		16071	
	PROC. REF: NDT 55-10-00							
55-10-05-01-901	EXTERNAL - DETAILED INSPECTION HORIZONTAL STABILIZER MAIN BOX LOWER SKIN - LOWER SKIN.							Service ATA:55
	MOS	11-May-10						AIRWORTHINESS
	HRS	0						
	AFL	0	T:17500		17500		16071	
	PROC. REF: NDT 55-10-00							
55-10-05-01-902	INTERNAL DETAILED INSPECTION HORIZONTAL STABILIZER MAIN BOX LOWER SKIN HORIZONTAL STABILIZER LINK AREA AND STRINGERS, INCLUDING FASTENERS.					LOWER SKIN AT FIN TO		Service ATA:55
	MOS	11-May-10						AIRWORTHINESS
	HRS	0						
	AFL	0	T:17500		17500		16071	
	PROC. REF: NDT 55-10-00							
55-10-06-01-901	INTERNAL SPECIAL DETAILED INSPECTION HORIZONTAL STABILIZER COMPOSITE RIBS AND FASTENERS.					(BORESCOPIC) COMPOSITE RIBS		Service ATA:55
	MOS	11-May-10						AIRWORTHINESS
	HRS	0						
	AFL	0	T:17500		17500		16071	
	PROC. REF: NDT 55-10-00							
55-10-07-001 ^S	SPECIAL DETAILED INSPECTION (BOREScope METHOD) ON HORIZONTAL-STABILIZER TIP RIBS							Service ATA:55
	MOS	20-Jul-20	60 (+1m/-1m)					
	HRS	1250.1						
	AFL	1020						
	PROC. REF: NDT 55-10-00							
55-10-07-01-901	INTERNAL DETAILED INSPECTION HORIZONTAL STABILIZER METALLIC RIBS INCLUDING FASTENERS.					ROOT AND TIP METALLIC RIBS,		Service ATA:55
	MOS	11-May-10						AIRWORTHINESS
	HRS	0						
	AFL	0	T:17500		17500		16071	
	PROC. REF: NDT 55-10-00							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 55 - STABILIZERS									
55-10-08-001 ^S	EXTERNAL - DETAILED INSPECTION ON HORIZONTAL STABILIZER ROOT RIBS							Service	ATA:55
	MOS	20-Jul-20	60 (+1m/-1m)						
	HRS	1250.1							
	AFL	1020							
				PROC. REF: NDT 55-10-00				PKG:90	
55-10-08-01-901	INTERNAL SPECIAL DETAILED INSPECTION HORIZONTAL STABILIZER LEADING EDGE HORIZONTAL STABILIZER LEADING EDGE SKIN AND SPAR.					(BORESCOPIC)		Service	ATA:55
	MOS	11-May-10						AIRWORTHINESS	
	HRS	0							
	AFL	0	T:17500		17500		16071		
				PROC. REF: NDT 55-10-00					
55-10-08-01-902	EXTERNAL - DETAILED INSPECTION HORIZONTAL STABILIZER LEADING EDGE EDGE SKIN AND FASTENERS.					HORIZONTAL STABILIZER LEADING		Service	ATA:55
	MOS	11-May-10						AIRWORTHINESS	
	HRS	0							
	AFL	0	T:17500		17500		16071		
				PROC. REF: NDT 55-10-00					
55-10-09-002 ^S	SPECIAL DETAILED INSPECTION (BORESCOPE METHOD) OF HORIZONTAL STABILIZER LEADING EDGE							Service	ATA:55
	MOS	20-Jul-20	120 (+1m/-1m)						
	HRS	1250.1							
	AFL	1020							
				PROC. REF: NDT 55-10-00				PKG:87	
55-10-09-01-901	EXTERNAL - DETAILED INSPECTION HORIZONTAL STABILIZER ELEVATOR FITTING					HINGE FITTINGS, AND FASTENERS.		Service	ATA:55
	MOS	11-May-10						AIRWORTHINESS	
	HRS	0							
	AFL	0	T:17500		17500		16071		
				PROC. REF: NDT 55-10-00					
55-10-09-02-901	INTERNAL SPECIAL DETAILED INSPECTION HORIZONTAL STABILIZER ELEVATOR FITTING (EDDY CURRENT) LUGS.							Service	ATA:55
	MOS	11-May-10						AIRWORTHINESS	
	HRS	0							
	AFL	0	T:17500		17500		16071		
				PROC. REF: NDT 55-10-00					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 55 - STABILIZERS									
55-10-09-03-901	INTERNAL DETAILED INSPECTION HORIZONTAL STABILIZER ELEVATOR FITTING TORQUE BOX AND FASTENERS.							Service	ATA:55
	MOS	11-May-10						AIRWORTHINESS	
	HRS	0							
	AFL	0	T:17500		17500		16071		
	PROC. REF: NDT 55-10-00								
55-10-10-001 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF OF HORIZONTAL-STABILIZER HINGE FITTINGS							Service	ATA:55
	MOS	20-Jul-20	60 (+1m/-1m)						
	HRS	1250.1							
	AFL	1020							
	PROC. REF: NDT 55-10-00								
55-10-10-01-901	INTERNAL DETAILED INSPECTION HORIZONTAL STABILIZER TRIM TAB ACTUATOR SUPPORT FITTINGS TAB SUPPORTING FITTING AND FASTENERS.						TRIM	Service	ATA:55
	MOS	11-May-10						AIRWORTHINESS	
	HRS	0							
	AFL	0	T:17500		17500		16071		
	PROC. REF: NDT 55-10-00								
55-10-10-02-901	EXTERNAL - DETAILED INSPECTION HORIZONTAL STABILIZER TRIM TAB ACTUATOR SUPPORT FITTINGS TAB LINK SUPPORT FITTING AND FASTENERS.						TRIM	Service	ATA:55
	MOS	11-May-10						AIRWORTHINESS	
	HRS	0							
	AFL	0	T:17500		17500		16071		
	PROC. REF: NDT 55-10-00								
55-10-11-002 ^S	INTERNAL DETAILED VISUAL INSPECTION OF TRIM-TAB SUPPORT FITTINGS							Service	ATA:55
	MOS	20-Jul-20	60 (+1m/-1m)						
	HRS	1250.1							
	AFL	1020							
	PROC. REF: NDT 55-10-00								
55-20-00-001 ^S	EXTERNAL - DETAILED INSPECTION OF ELEVATOR FITTINGS AND TORQUE-TUBE ATTACHMENTS							Service	ATA:55
	MOS	20-Jul-20	60 (+1m/-1m)						
	HRS	1250.1							
	AFL	1020							
	PROC. REF: NDT 55-20-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 55 - STABILIZERS									
55-20-01-002 ^S	SPECIAL DETAILED INSPECTION (BORESCOPE METHOD) OF ELEVATOR MAIN BOX							Service	ATA:55
	MOS	20-Jul-20	120 (+1m/-1m)						
	HRS	1250.1							
	AFL	1020							
	PROC. REF: NDT 55-20-00							PKG:87	
55-20-01-01-901	INTERNAL SPECIAL DETAILED INSPECTION ELEVATOR MAIN BOX (SKIN, SPARS AND RIBS) SKIN, SPARS, RIBS AND FASTENERS.					(BORESCOPIK)	Service	ATA:55	
	MOS	11-May-10					AIRWORTHINESS		
	HRS	0							
	AFL	0	T:17500		17500		16071		
	PROC. REF: NDT 55-20-00								
55-20-01-01-902	EXTERNAL - DETAILED INSPECTION ELEVATOR MAIN BOX (SKIN, SPARS AND RIBS) INCLUDING MAIN BOX, TRAILING EDGE, LEADING EDGE AND HORN.					SKIN AND FASTENERS,	Service	ATA:55	
	MOS	11-May-10					AIRWORTHINESS		
	HRS	0							
	AFL	0	T:17500		17500		16071		
	PROC. REF: NDT 55-20-00								
55-20-02-01-901	INTERNAL SPECIAL DETAILED INSPECTION ELEVATOR HINGE FITTINGS				(DYE PENETRANT) ELEVATOR HINGE PINS.		Service	ATA:55	
	MOS	11-May-10					AIRWORTHINESS		
	HRS	0							
	AFL	0	T:17500		17500		16071		
	PROC. REF: NDT 55-20-00								
55-20-02-02-901	INTERNAL SPECIAL DETAILED INSPECTION ELEVATOR HINGE FITTINGS				(EDDY CURRENT) ELEVATOR HINGE FITTINGS.		Service	ATA:55	
	MOS	11-May-10					AIRWORTHINESS		
	HRS	0							
	AFL	0	T:17500		17500		16071		
	PROC. REF: NDT 55-20-00								
55-20-02-02-902	INTERNAL DETAILED INSPECTION ELEVATOR HINGE FITTINGS				ELEVATOR HINGE FITTINGS.		Service	ATA:55	
	MOS	11-May-10					AIRWORTHINESS		
	HRS	0							
	AFL	0	T:17500		17500		16071		
	PROC. REF: NDT 55-20-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 55 - STABILIZERS									
55-20-03-01-901	INTERNAL SPECIAL DETAILED INSPECTION ELEVATOR TORQUE TUBE ASSY (EDDY CURRENT) ELEVATOR TORQUE TUBE FLANGE.							Service	ATA:55
	MOS	11-May-10						AIRWORTHINESS	
	HRS	0							
	AFL	0	T:17500		17500		16071		
	PROC. REF: NDT 55-20-00								
55-20-03-02-901	INTERNAL SPECIAL DETAILED INSPECTION ELEVATOR TORQUE TUBE ASSY (DYE PENETRANT) ELEVATOR TORQUE TUBE.							Service	ATA:55
	MOS	11-May-10						AIRWORTHINESS	
	HRS	0							
	AFL	0	T:17500		17500		16071		
	PROC. REF: NDT 55-20-00								
55-22-01-001	EXTERNAL GENERAL VISUAL INSPECTION OF OF ELEVATOR TAB PIANO HINGE							Service	ATA:55
	MOS/MSC	20-Jul-20	O/C						
	HRS	1250.1							
	AFL	1020							
	PROC. REF: NDT 55-22-00								
55-22-02-001 ^S	SPECIAL DETAILED INSPECTION (BORESCOPE METHOD) OF ELEVATOR TAB BOX							Service	ATA:55
	MOS	20-Jul-20	60 (+1m/-1m)						
	HRS	1250.1							
	AFL	1020							
	PROC. REF: NDT 55-22-00							PKG:90	
55-30-01-001 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF OF VERTICAL STABILIZER TO AFT FUSELAGE CONNECTIONS AT VERTICAL STABILIZER							Service	ATA:55
	MOS	20-Jul-20	120 (+1m/-1m)						
	HRS	1250.1							
	AFL	1020							
	PROC. REF: NDT 55-30-00							PKG:87	
55-30-01-002 ^S	SPECIAL DETAILED INSPECTION (BORESCOPE METHOD) OF FIN-TO-REAR FUSELAGE CONNECTIONS AT VERTICAL STABILIZER							Service	ATA:55
	MOS	20-Jul-20	60 (+1m/-1m)						
	HRS	1250.1							
	AFL	1020							
	PROC. REF: NDT 55-30-00							PKG:84	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 55 - STABILIZERS									
55-30-01-01-901	INTERNAL SPECIAL DETAILED INSPECTION FIN-TO-FUSELAGE CONNECTIONS IN VERTICAL STABILIZER FITTING, PINS AND SPARS ATTACHMENTS (UPPER PART OF CONNECTIONS).						(BORESCOPIC)		Service ATA:55
	MOS	11-May-10						AIRWORTHINESS	
	HRS	0							
	AFL	0	T:17500		17500		16071		
	PROC. REF: NDT 55-30-00								
55-30-01-01-902	INTERNAL DETAILED INSPECTION FIN-TO-FUSELAGE CONNECTIONS IN VERTICAL STABILIZER SPAR ATTACHMENTS (LOWER PART OF CONNECTIONS), NUT, SEAL AND FASTENERS.						FITTING, PINS AND		Service ATA:55
	MOS	11-May-10						AIRWORTHINESS	
	HRS	0							
	AFL	0	T:17500		17500		16071		
	PROC. REF: NDT 55-30-00								
55-30-01-02-901	INTERNAL DETAILED INSPECTION FIN-TO-FUSELAGE CONNECTIONS IN VERTICAL STABILIZER L SHAPE, RIB AND FASTENERS.								Service ATA:55
	MOS	11-May-10						AIRWORTHINESS	
	HRS	0							
	AFL	0	T:17500		17500		16071		
	PROC. REF: NDT 55-30-00								
55-30-02-002 ^S	SPECIAL DETAILED INSPECTION (BOREScope METHOD) OF FIN-TO-HORIZONTAL STABILIZER CONNECTIONS ON VERTICAL STABILIZER								Service ATA:55
	MOS	20-Jul-20	60 (+1m/-1m)						
	HRS	1250.1							
	AFL	1020							
	PROC. REF: NDT 55-30-00								
	PKG:84								
55-30-02-01-901	INTERNAL SPECIAL DETAILED INSPECTION FIN-TO-HORIZONTAL STABILIZER CONNECTIONS ON VERTICAL STABILIZER (BORESCOPIC) DOUBLER AND TIP RIB.								Service ATA:55
	MOS	11-May-10						AIRWORTHINESS	
	HRS	0							
	AFL	0	T:17500		17500		16071		
	PROC. REF: NDT 55-30-00								
55-30-02-01-902	INTERNAL SPECIAL DETAILED INSPECTION FIN-TO-HORIZONTAL STABILIZER CONNECTIONS ON VERTICAL STABILIZER (EDDY CURRENT) DOUBLER AND TIP RIB AT FRONT AND REAR FITTING AREA.								Service ATA:55
	MOS	11-May-10						AIRWORTHINESS	
	HRS	0							
	AFL	0	T:17500		17500		16071		
	PROC. REF: NDT 55-30-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 55 - STABILIZERS									
55-30-02-02-901	INTERNAL DETAILED INSPECTION FIN-TO-HORIZONTAL STABILIZER CONNECTIONS ON VERTICAL STABILIZER L SHAPE AND FASTENERS.							Service	ATA:55
	MOS	11-May-10						AIRWORTHINESS	
	HRS	0							
	AFL	0	T:17500		17500		16071		
	PROC. REF: NDT 55-30-00								
55-30-02-02-902	INTERNAL SPECIAL DETAILED INSPECTION FIN-TO-HORIZONTAL STABILIZER CONNECTIONS ON VERTICAL STABILIZER (BORESCOPIC) L SHAPE AND FASTENERS.							Service	ATA:55
	MOS	11-May-10						AIRWORTHINESS	
	HRS	0							
	AFL	0	T:17500		17500		16071		
	PROC. REF: NDT 55-30-00								
55-30-02-03-901	INTERNAL DETAILED INSPECTION FIN-TO-HORIZONTAL STABILIZER CONNECTIONS ON VERTICAL STABILIZER FITTINGS AND FASTENERS.							Service	ATA:55
	MOS	11-May-10						AIRWORTHINESS	
	HRS	0							
	AFL	0	T:17500		17500		16071		
	PROC. REF: NDT 55-30-00								
55-30-02-04-901	INTERNAL DETAILED INSPECTION FIN-TO-HORIZONTAL STABILIZER CONNECTIONS ON VERTICAL STABILIZER COMPOSITE PLATES AND FASTENERS.							Service	ATA:55
	MOS	11-May-10						AIRWORTHINESS	
	HRS	0							
	AFL	0	T:17500		17500		16071		
	PROC. REF: NDT 55-30-00								
55-30-03-001 ^S	SPECIAL DETAILED INSPECTION (BORESCOPE METHOD) OF VERTICAL STABILIZER MAIN BOX							Service	ATA:55
	MOS	20-Jul-20	120 (+1m/-1m)						
	HRS	1250.1							
	AFL	1020							
	PROC. REF: NDT 55-30-00								
	PKG:87								
55-30-03-01-901	EXTERNAL - DETAILED INSPECTION VERTICAL STABILIZER MAIN BOX (SKIN AND SPARS) SKIN AND SPAR.							Service	ATA:55
	MOS	11-May-10						AIRWORTHINESS	
	HRS	0							
	AFL	0	T:17500		17500		16071		
	PROC. REF: NDT 55-30-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 55 - STABILIZERS									
55-30-03-01-902	INTERNAL SPECIAL DETAILED INSPECTION VERTICAL STABILIZER MAIN BOX (SKIN AND SPARS) (BORESCOPIC) SPAR.							Service	ATA:55
	MOS	11-May-10						AIRWORTHINESS	
	HRS	0							
	AFL	0	T:17500		17500		16071		
	PROC. REF: NDT 55-30-00								
55-30-05-001 ^S	EXTERNAL DETAILED VISUAL INSPECTION OF VERTICAL STABILIZER-TO-RUDDER FITTING							Service	ATA:55
	MOS	20-Jul-20	60 (+1m/-1m)						
	HRS	1250.1							
	AFL	1020							
	PROC. REF: NDT 55-30-00							PKG:84	
55-30-05-01-901	EXTERNAL - DETAILED INSPECTION RUDDER HINGE FITTINGS HINGE FITTING 1 AND FASTENERS.							Service	ATA:55
	MOS	11-May-10						AIRWORTHINESS	
	HRS	0							
	AFL	0	T:17500		17500		16071		
	PROC. REF: NDT 55-30-00								
55-30-05-02-901	INTERNAL SPECIAL DETAILED INSPECTION RUDDER HINGE FITTINGS (EDDY CURRENT) HINGE FITTING 2 FLANGES.							Service	ATA:55
	MOS	11-May-10						AIRWORTHINESS	
	HRS	0							
	AFL	0	T:17500		17500		16071		
	PROC. REF: NDT 55-30-00								
55-30-05-03-901	INTERNAL SPECIAL DETAILED INSPECTION RUDDER HINGE FITTINGS (EDDY CURRENT) RUDDER LUG HINGE FITTINGS 1 AND 2.							Service	ATA:55
	MOS	11-May-10						AIRWORTHINESS	
	HRS	0							
	AFL	0	T:17500		17500		16071		
	PROC. REF: NDT 55-30-00								
55-30-06-001 ^S	EXTERNAL DETAILED VISUAL INSPECTION OF RUDDER TAB ACTUATOR FITTING AND SUPPORT FITTINGS							Service	ATA:55
	MOS	20-Jul-20	60 (+1m/-1m)						
	HRS	1250.1							
	AFL	1020							
	PROC. REF: NDT 55-30-00							PKG:90	
55-30-06-01-901	EXTERNAL - DETAILED INSPECTION VERTICAL STABILIZER TAB ACTUATOR AND SUPPORT FITTINGS FITTINGS, LUGS AND FASTENERS.							Service	ATA:55
	MOS	11-May-10						AIRWORTHINESS	
	HRS	0							
	AFL	0	T:17500		17500		16071		
	PROC. REF: NDT 55-30-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 55 - STABILIZERS									
55-33-00	VERTICAL STABILIZER							Component	ATA:55
PN:500-10100-417	MOS/MSC	11-May-10	O/C	TSN 0					
SN:0000540705	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
55-40-01-001	EXTERNAL GENERAL VISUAL INSPECTION OF OF RUDDER ASSEMBLY							Service	ATA:55
	MOS/MSC	20-Jul-20	O/C						
	HRS	1250.1							
	AFL	1020							
PROC. REF: NDT 55-40-00									
55-40-01-002 ^S	SPECIAL DETAILED INSPECTION (BORESCOPE METHOD) OF RUDDER ASSEMBLY							Service	ATA:55
	MOS	20-Jul-20	120 (+1m/-1m)						
	HRS	1250.1							
	AFL	1020							
PROC. REF: NDT 55-40-00									
55-40-01-01-901	INTERNAL SPECIAL DETAILED INSPECTION RUDDER MAIN BOX				(BORESCOPIK) SKIN, SPARS, RIBS AND FASTENERS.		Service	ATA:55	
	MOS	11-May-10						AIRWORTHINESS	
	HRS	0							
	AFL	0	T:17500		17500		16071		
PROC. REF: NDT 55-40-00									
55-40-01-01-902	EXTERNAL - DETAILED INSPECTION RUDDER MAIN BOX			FASTENERS. MAIN BOX, TRAILING EDGE AND LEADING EDGE SKINS, INCLUDING			Service	ATA:55	
	MOS	11-May-10						AIRWORTHINESS	
	HRS	0							
	AFL	0	T:17500		17500		16071		
PROC. REF: NDT 55-40-00									
55-40-02-001 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF OF RUDDER HINGE FITTINGS							Service	ATA:55
	MOS	20-Jul-20	120 (+1m/-1m)						
	HRS	1250.1							
	AFL	1020							
PROC. REF: NDT 55-40-00									

PKG:87

PKG:87

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 55 - STABILIZERS								
55-40-02-01-901	INTERNAL SPECIAL DETAILED INSPECTION RUDDER HINGE FITTINGS		(DYE PENETRANT) RUDDER HINGE FITTINGS PINS.					Service ATA:55
	MOS	11-May-10						AIRWORTHINESS
	HRS	0						
	AFL	0	T:17500		17500		16071	
	PROC. REF: NDT 55-40-00							
55-40-02-02-901	INTERNAL SPECIAL DETAILED INSPECTION RUDDER HINGE FITTINGS		(EDDY CURRENT) RUDDER HINGE FITTINGS.					Service ATA:55
	MOS	11-May-10						AIRWORTHINESS
	HRS	0						
	AFL	0	T:17500		17500		16071	
	PROC. REF: NDT 55-40-00							
55-40-02-02-902	INTERNAL DETAILED INSPECTION RUDDER HINGE FITTINGS		RUDDER HINGE FITTINGS.					Service ATA:55
	MOS	11-May-10						AIRWORTHINESS
	HRS	0						
	AFL	0	T:17500		17500		16071	
	PROC. REF: NDT 55-40-00							
55-40-03-001 ^S	EXTERNAL DETAILED VISUAL INSPECTION OF RUDDER TORQUE-TUBE ASSEMBLY							Service ATA:55
	MOS	20-Jul-20	120 (+1m/-1m)					
	HRS	1250.1						
	AFL	1020						
	PROC. REF: NDT 55-40-00							
	PKG:87							
55-40-03-01-901	INTERNAL SPECIAL DETAILED INSPECTION RUDDER TORQUE TUBE ASSEMBLY		(EDDY CURRENT) RUDDER TORQUE					Service ATA:55
	TUBE FLANGE.							AIRWORTHINESS
	MOS	11-May-10						
	HRS	0						
	AFL	0	T:17500		17500		16071	
	PROC. REF: NDT 55-40-00							
55-40-03-02-901	INTERNAL SPECIAL DETAILED INSPECTION RUDDER TORQUE TUBE ASSEMBLY		(DYE PENETRANT) RUDDER TORQUE					Service ATA:55
	TUBE.							AIRWORTHINESS
	MOS	11-May-10						
	HRS	0						
	AFL	0	T:17500		17500		16071	
	PROC. REF: NDT 55-40-00							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 55 - STABILIZERS									
55-41-00	RUDDER ASSEMBLY							Component	ATA:55
PN:PN	MOS/MSC	11-May-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
55-42-01-001 ^S	EXTERNAL DETAILED VISUAL INSPECTION OF RUDDER TAB PIANO HINGE							Service	ATA:55
	MOS	20-Jul-20	60 (+1m/-1m)						
	HRS	1250.1							
	AFL	1020							
PROC. REF: NDT 55-42-00									
PKG:90									
Z330-001 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF OF THE VERTICAL STABILIZER							Service	ATA:55
	MOS	20-Jul-20	60 (+1m/-1m)						
	HRS	1250.1							
	AFL	1020							
PROC. REF: AMM 05-44-00									
PKG:84									
Z330-002 ^S	INTERNAL GENERAL VISUAL INSPECTION OF THE VERTICAL STABILIZER							Service	ATA:55
	MOS	20-Jul-20	120 (+1m/-1m)						
	HRS	1250.1							
	AFL	1020							
PROC. REF: AMM 05-44-00									
PKG:87									
Z340-001 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF OF THE HORIZONTAL STABILIZER							Service	ATA:55
	MOS	20-Jul-20	60 (+1m/-1m)						
	HRS	1250.1							
	AFL	1020							
PROC. REF: AMM 05-44-00									
PKG:84									
Z340-002 ^S	INTERNAL GENERAL VISUAL INSPECTION OF THE HORIZONTAL STABILIZER							Service	ATA:55
	MOS	20-Jul-20	120 (+1m/-1m)						
	HRS	1250.1							
	AFL	1020							
PROC. REF: AMM 05-44-00									
PKG:87									
ATA 56 - WINDOWS									
56-10-01-001 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF COCKPIT SIDE-WINDOWS PANE (BOTH SIDES)							Service	ATA:56
	MOS	20-Jul-20	60 (+1m/-1m)						
	HRS	1250.1							
	AFL	1020							
PROC. REF: NDT 56-10-00									
PKG:84									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 56 - WINDOWS									
56-10-01-002	FUNCTIONAL CHECK (TORQUE) OF COPILOT SIDE WINDOW ATTACHING BOLTS							Service	ATA:56
PN:NP-195302-4	MOS	13-May-24							
SN:09294H5988	HRS	1794.8	1600 (+30/-30)		3394.8	3424.8	1508.8 (+30)		
	AFL	1380							
PROC. REF: AMM 56-10-00									
56-10-01-002	FUNCTIONAL CHECK (TORQUE) OF COPILOT WINDSHIELD ATTACHING BOLTS							Service	ATA:56
PN:NP-195301-2	MOS	13-May-24							
SN:09215H7414	HRS	1794.8	1600 (+30/-30)		3394.8	3424.8	1508.8 (+30)		
	AFL	1380							
PROC. REF: AMM 56-10-00									
56-10-01-002	FUNCTIONAL CHECK (TORQUE) OF PILOT SIDE WINDOW ATTACHING BOLTS							Service	ATA:56
PN:NP-195302-3	MOS	13-May-24							
SN:09121H8369	HRS	1794.8	1600 (+30/-30)		3394.8	3424.8	1508.8 (+30)		
	AFL	1380							
PROC. REF: AMM 56-10-00									
56-10-01-002	FUNCTIONAL CHECK (TORQUE) OF PILOT WINDSHIELD ATTACHING BOLTS							Service	ATA:56
PN:NP-195301-1	MOS	13-May-24							
SN:09281H4889	HRS	1794.8	1600 (+30/-30)		3394.8	3424.8	1508.8 (+30)		
	AFL	1380							
PROC. REF: AMM 56-10-00									
56-10-03-001 ^S	EXTERNAL DETAILED VISUAL INSPECTION OF WINDSHIELD AND COCKPIT SIDE WINDOW FRAMES AND FASTENERS							Service	ATA:56
	MOS	13-May-24	24 (+1m/-1m)						
	HRS	1794.8							
	AFL	1380							
PROC. REF: NDT 56-10-00									
56-10-03-01-901	EXTERNAL SPECIAL DETAILED INSPECTION WINDSHIELD FRAME AND FASTENERS				(EDDY CURRENT) FRAMES AND		Service	ATA:56	
	MOS	11-May-10					AIRWORTHINESS		
	HRS	0							
	AFL	0	T:17500		17500		16071		
PROC. REF: NDT 56-10-00									

PKG:81

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 56 - WINDOWS									
56-11-00		COPILOT HEATED GLASS WINDSHIELD ASSY					Component ATA:56		
PN:NP-195301-2	MOS/MSC	11-May-10	O/C	TSN 0					
SN:09215H7414	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 56-11-00, AMM 56-11-00									
56-11-00		PILOT HEATED GLASS WINDSHIELD ASSY					Component ATA:56		
PN:NP-195301-1	MOS/MSC	11-May-10	O/C	TSN 0					
SN:09281H4889	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 56-11-00, AMM 56-11-00									
56-12-00		COPILOT ACRYLIC SIDE WINDOW					Component ATA:56		
PN:NP-195302-4	MOS/MSC	11-May-10	O/C	TSN 0					
SN:09294H5988	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 56-12-00, AMM 56-12-00									
56-12-00		PILOT ACRYLIC SIDE WINDOW					Component ATA:56		
PN:NP-195302-3	MOS/MSC	11-May-10	O/C	TSN 0					
SN:09121H8369	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 56-12-00, AMM 56-12-00									
56-20-00		LEFT NO.1 WINDOW TRANSPARENCY					Component ATA:56		
PN:14024	MOS/MSC	11-May-10	O/C	TSN 0					
SN:01650	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 56-20-00, AMM 56-20-00									
56-20-00		LEFT NO.2 WINDOW TRANSPARENCY					Component ATA:56		
PN:14024	MOS/MSC	11-May-10	O/C	TSN 0					
SN:01652	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 56-20-00, AMM 56-20-00									
56-20-00		LEFT NO.3 WINDOW TRANSPARENCY					Component ATA:56		
PN:14024	MOS/MSC	11-May-10	O/C	TSN 0					
SN:01680	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 56-20-00, AMM 56-20-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 56 - WINDOWS									
56-20-00	LEFT NO.4 WINDOW TRANSPARENCY							Component	ATA:56
PN:14024	MOS/MSC	11-May-10	O/C	TSN 0					
SN:01682	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 56-20-00, AMM 56-20-00									
56-20-00	RIGHT NO. 1 WINDOW TRANSPARENCY							Component	ATA:56
PN:14024	MOS/MSC	11-May-10	O/C	TSN 0					
SN:01651	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 56-20-00, AMM 56-20-00									
56-20-00	RIGHT NO. 2 WINDOW TRANSPARENCY							Component	ATA:56
PN:14024	MOS/MSC	11-May-10	O/C	TSN 0					
SN:01679	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 56-20-00, AMM 56-20-00									
56-20-00	RIGHT NO. 3 WINDOW TRANSPARENCY							Component	ATA:56
PN:14024	MOS/MSC	11-May-10	O/C	TSN 0					
SN:01681	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 56-20-00, AMM 56-20-00									
56-20-00	RIGHT NO. 4 WINDOW TRANSPARENCY							Component	ATA:56
PN:14024	MOS/MSC	11-May-10	O/C	TSN 0					
SN:01699	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 56-20-00, AMM 56-20-00									
56-20-01-001 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF OF PASSENGER CABIN WINDOWS							Service	ATA:56
	MOS	20-Jul-20	60 (+1m/-1m)						
	HRS	1250.1							
	AFL	1020							
PROC. REF: NDT 56-20-00									
PKG:84									
ATA 57 - WINGS									
57-00-00-001 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF OF WING POLYURETHANE FILMS							Service	ATA:57
	MOS	24-May-22							
	HRS	1509.4	800 (+30/-30)						
	AFL	1183							
PROC. REF: AMM 57-30-20									
PKG:1									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
57-10-00-001 ^S	EXTERNAL DETAILED VISUAL INSPECTION OF WING-TO-FUSELAGE LINKS							Service	ATA:57
	MOS	20-Jul-20	60 (+1m/-1m)						
	HRS	1250.1							
	AFL	1020							
	PROC. REF: NDT 57-10-00							PKG:90	
57-10-00-002 ^S	INTERNAL DETAILED VISUAL INSPECTION OF WING MAIN BOX							Service	ATA:57
	MOS	20-Jul-20	60 (+1m/-1m)						
	HRS	1250.1							
	AFL	1020							
	PROC. REF: NDT 57-10-00							PKG:90	
57-10-00-003 ^S	INTERNAL DETAILED VISUAL INSPECTION OF WING MIDDLE AND REAR SPARS							Service	ATA:57
	MOS	20-Jul-20	60 (+1m/-1m)						
	HRS	1250.1							
	AFL	1020							
	PROC. REF: NDT 57-10-00							PKG:84	
57-10-01-01-901	INTERNAL DETAILED INSPECTION WING LATERAL LINKS TO CENTER FUSELAGE SEAL.				FRONT FITTING, BOLT, NUT AND		Service	ATA:57	
	MOS	11-May-10					AIRWORTHINESS		
	HRS	0							
	AFL	0	T:17500		17500		16071		
	PROC. REF: NDT 57-10-00								
57-10-01-02-901	INTERNAL DETAILED INSPECTION WING LATERAL LINKS TO CENTER FUSELAGE SEAL.				REAR FITTING, BOLT, NUT AND		Service	ATA:57	
	MOS	11-May-10					AIRWORTHINESS		
	HRS	0							
	AFL	0	T:17500		17500		16071		
	PROC. REF: NDT 57-10-00								
57-10-02-01-901	INTERNAL SPECIAL DETAILED INSPECTION WING CENTER LINKS-TO-CENTER FUSELAGE CENTER FITTING AND LUG.				(EDDY CURRENT) WING		Service	ATA:57	
	MOS	11-May-10					AIRWORTHINESS		
	HRS	0							
	AFL	0	T:17500		17500		16071		
	PROC. REF: NDT 57-10-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
57-10-02-01-902	INTERNAL DETAILED INSPECTION WING CENTER LINKS-TO-CENTER FUSELAGE		WING CENTER FITTING.		Service ATA:57			
	MOS	11-May-10	AIRWORTHINESS					
	HRS	0						
	AFL	0	T:17500	17500	16071			
PROC. REF: NDT 57-10-00								
57-10-02-02-901	INTERNAL SPECIAL DETAILED INSPECTION WING CENTER LINKS-TO-CENTER FUSELAGE CENTER LINK LUGS.		(EDDY CURRENT)		Service ATA:57			
	MOS	11-May-10	AIRWORTHINESS					
	HRS	0						
	AFL	0	T:17500	17500	16071			
PROC. REF: NDT 57-10-00								
57-10-02-02-902	INTERNAL DETAILED INSPECTION WING CENTER LINKS-TO-CENTER FUSELAGE NUT AND SEAL.		CENTER LINK FITTING, BOLT,		Service ATA:57			
	MOS	11-May-10	AIRWORTHINESS					
	HRS	0						
	AFL	0	T:17500	17500	16071			
PROC. REF: NDT 57-10-00								
57-10-02-03-901	INTERNAL SPECIAL DETAILED INSPECTION WING CENTER LINKS-TO-CENTER FUSELAGE HORIZONTAL LINK BOLTS.		(MAGNETIC PARTICLE)		Service ATA:57			
	MOS	11-May-10	AIRWORTHINESS					
	HRS	0						
	AFL	0	T:17500	17500	16071			
PROC. REF: NDT 57-10-00								
57-10-03-01-901	INTERNAL DETAILED INSPECTION WING FRONT SPAR ACCESS FRAMES, INCLUDING FASTENERS.		FRONT SPAR LOWER CAP BETWEEN RIB 1 AND 3 AND WINDOW		Service ATA:57			
	MOS	11-May-10	AIRWORTHINESS					
	HRS	0						
	AFL	0	T:17500	17500	16071			
PROC. REF: NDT 57-10-00								
57-10-03-02-901	INTERNAL DETAILED INSPECTION WING FRONT SPAR ACCESS FRAMES, INCLUDING FASTENERS.		FRONT SPAR LOWER CAP BETWEEN RIB 3 AND 6 AND WINDOW		Service ATA:57			
	MOS	11-May-10	AIRWORTHINESS					
	HRS	0						
	AFL	0	T:17500	17500	16071			
PROC. REF: NDT 57-10-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
57-10-03-03-901	EXTERNAL - DETAILED INSPECTION WING FRONT SPAR		LOWER SKIN BETWEEN RIB 6 AND 7, INCLUDING FASTENER.					Service ATA:57
	MOS	11-May-10						AIRWORTHINESS
	HRS	0						
	AFL	0	T:17500		17500		16071	
	PROC. REF: NDT 57-10-00							
57-10-03-04-901	INTERNAL DETAILED INSPECTION WING FRONT SPAR ACCESS FRAMES, INCLUDING FASTENERS.		FRONT SPAR LOWER CAP BETWEEN RIB 7 AND 10 AND WINDOW					Service ATA:57
	MOS	11-May-10						AIRWORTHINESS
	HRS	0						
	AFL	0	T:17500		17500		16071	
	PROC. REF: NDT 57-10-00							
57-10-03-05-901	EXTERNAL - DETAILED INSPECTION WING FRONT SPAR		LOWER SKIN BETWEEN RIB 10 AND 16, INCLUDING FASTENERS.					Service ATA:57
	MOS	11-May-10						AIRWORTHINESS
	HRS	0						
	AFL	0	T:17500		17500		16071	
	PROC. REF: NDT 57-10-00							
57-10-04-01-901	INTERNAL DETAILED INSPECTION WING MIDDLE SPAR FASTENERS.		MIDDLE SPAR LOWER CAP BETWEEN RIB 1 AND 3, INCLUDING					Service ATA:57
	MOS	11-May-10						AIRWORTHINESS
	HRS	0						
	AFL	0	T:17500		17500		16071	
	PROC. REF: NDT 57-10-00							
57-10-04-02-901	INTERNAL DETAILED INSPECTION WING MIDDLE SPAR FASTENERS .		MIDDLE SPAR LOWER CAP BETWEEN RIB 3 AND 7, INCLUDING					Service ATA:57
	MOS	11-May-10						AIRWORTHINESS
	HRS	0						
	AFL	0	T:17500		17500		16071	
	PROC. REF: NDT 57-10-00							
57-10-04-03-901	INTERNAL DETAILED INSPECTION WING MIDDLE SPAR SPAR-STRINGER-SPLICE AND FASTENERS.		MIDDLE SPAR LOWER CAP BETWEEN RIB 7 AND 9, INCLUDING					Service ATA:57
	MOS	11-May-10						AIRWORTHINESS
	HRS	0						
	AFL	0	T:17500		17500		16071	
	PROC. REF: NDT 57-10-00							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
57-10-04-04-901	INTERNAL SPECIAL DETAILED INSPECTION WING MIDDLE SPAR AND RADIUS).				(EDDY CURRENT) MLG FRONT TRUNNION (LUG, SURFACE			Service ATA:57
	MOS	11-May-10						AIRWORTHINESS
	HRS	0						
	AFL	0	T:17500		17500		16071	
	PROC. REF: NDT 57-10-00							
57-10-04-04-902	INTERNAL DETAILED INSPECTION WING MIDDLE SPAR				MLG FRONT TRUNNION AND FASTENERS.			Service ATA:57
	MOS	11-May-10						AIRWORTHINESS
	HRS	0						
	AFL	0	T:17500		17500		16071	
	PROC. REF: NDT 57-10-00							
57-10-04-05-901	INTERNAL SPECIAL DETAILED INSPECTION WING MIDDLE SPAR RADIUS).				(EDDY CURRENT) MLG ACTUATOR FITTING (SURFACE AND			Service ATA:57
	MOS	11-May-10						AIRWORTHINESS
	HRS	0						
	AFL	0	T:17500		17500		16071	
	PROC. REF: NDT 57-10-00							
57-10-04-05-902	INTERNAL DETAILED INSPECTION WING MIDDLE SPAR				MLG ACTUATOR FITTING AND FASTENERS.			Service ATA:57
	MOS	11-May-10						AIRWORTHINESS
	HRS	0						
	AFL	0	T:17500		17500		16071	
	PROC. REF: NDT 57-10-00							
57-10-05-01-901	INTERNAL DETAILED INSPECTION WING REAR SPAR FRAME.				REAR SPAR LOWER CAP BETWEEN RIB 1 AND 3 AND WINDOW ACCESS			Service ATA:57
	MOS	11-May-10						AIRWORTHINESS
	HRS	0						
	AFL	0	T:17500		17500		16071	
	PROC. REF: NDT 57-10-00							
57-10-05-02-901	EXTERNAL - DETAILED INSPECTION WING REAR SPAR FASTENERS.				REAR SPAR LOWER CAP BETWEEN RIB 3 AND 7, INCLUDING			Service ATA:57
	MOS	11-May-10						AIRWORTHINESS
	HRS	0						
	AFL	0	T:17500		17500		16071	
	PROC. REF: NDT 57-10-00							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
57-10-05-03-901	INTERNAL DETAILED INSPECTION WING REAR SPAR FASTENERS.		REAR SPAR LOWER CAP BETWEEN RIB 7 AND 10, INCLUDING				Service ATA:57	
	MOS	11-May-10					AIRWORTHINESS	
	HRS	0						
	AFL	0	T:17500		17500		16071	
PROC. REF: NDT 57-10-00								
57-10-05-04-901	EXTERNAL - DETAILED INSPECTION WING REAR SPAR		LOWER SKIN BETWEEN RIB 10 AND 16, INCLUDING FASTENERS.				Service ATA:57	
	MOS	11-May-10					AIRWORTHINESS	
	HRS	0						
	AFL	0	T:17500		17500		16071	
PROC. REF: NDT 57-10-00								
57-10-05-05-901	EXTERNAL SPECIAL DETAILED INSPECTION WING REAR SPAR AND MACHINED RADIUS).		(EDDY CURRENT) MLG REAR TRUNNION (LUG, SURFACE				Service ATA:57	
	MOS	11-May-10					AIRWORTHINESS	
	HRS	0						
	AFL	0	T:17500		17500		16071	
PROC. REF: NDT 57-10-00								
57-10-05-05-902	EXTERNAL - DETAILED INSPECTION WING REAR SPAR		MLG REAR TRUNNION AND FASTENERS.				Service ATA:57	
	MOS	11-May-10					AIRWORTHINESS	
	HRS	0						
	AFL	0	T:17500		17500		16071	
PROC. REF: NDT 57-10-00								
57-10-06-001 ^S	EXTERNAL DETAILED VISUAL INSPECTION OF WING UPPER PANEL						Service ATA:57	
	MOS	20-Jul-20	120 (+1m/-1m)					
	HRS	1250.1						
	AFL	1020						
PROC. REF: NDT 57-10-00								
57-10-07-001 ^S	EXTERNAL DETAILED VISUAL INSPECTION OF WING LOWER PANEL						Service ATA:57	
	MOS	20-Jul-20	60 (+1m/-1m)					
	HRS	1250.1						
	AFL	1020						
PROC. REF: NDT 57-10-00								

PKG:87

PKG:84

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
57-10-07-002 ^S	INTERNAL DETAILED VISUAL INSPECTION OF WING LOWER PANEL							Service	ATA:57
	MOS	20-Jul-20	60 (+1m/-1m)						
	HRS	1250.1							
	AFL	1020							
	PROC. REF: NDT 57-10-00							PKG:90	
57-10-07-01-901	INTERNAL DETAILED INSPECTION WING LOWER PANEL			STRINGER 2 AND 3 BETWEEN RIB 1 AND 3 AND SHEAR CLIPS OF			Service	ATA:57	
	STRINGER 5 AND SHEAR CLIPS FASTENERS.							AIRWORTHINESS	
	MOS	11-May-10							
	HRS	0							
	AFL	0	T:17500		17500		16071		
	PROC. REF: NDT 57-10-00								
57-10-07-02-901	INTERNAL DETAILED INSPECTION WING LOWER PANEL			STRINGER 2 RUN-OUT, STRINGER SHEAR CLIPS AT RIB 8 AND			Service	ATA:57	
	WINDOW ACCESS PANEL 9 FRAMES.							AIRWORTHINESS	
	MOS	11-May-10							
	HRS	0							
	AFL	0	T:17500		17500		16071		
	PROC. REF: NDT 57-10-00								
57-10-07-03-901	EXTERNAL - DETAILED INSPECTION WING LOWER PANEL			LOWER PANEL AND FASTENERS BETWEEN RIB 2 AND RIB 10,			Service	ATA:57	
	INCLUDING DOU-BLER AND ITS FASTENERS.							AIRWORTHINESS	
	MOS	11-May-10							
	HRS	0							
	AFL	0	T:17500		17500		16071		
	PROC. REF: NDT 57-10-00								
57-10-08-01-901	INTERNAL DETAILED INSPECTION WING LOWER PANEL			MACHINED RIBS (RIB 1, RIB 3, RIB 3A, RIB 5R, RIB 6R, RIB 7R, RIB			Service	ATA:57	
	8R).							AIRWORTHINESS	
	MOS	11-May-10							
	HRS	0							
	AFL	0	T:17500		17500		16071		
	PROC. REF: NDT 57-10-00								
57-10-08-02-901	INTERNAL DETAILED INSPECTION WING LOWER PANEL			WING FORMED RIBS (RIB 2, RIB 4F, RIB 5F, RIB 6F, RIB 7F, RIB			Service	ATA:57	
	8F, RIB 9, RIB 10, RIB11, RIB 12, RIB 13, RIB 14, RIB 15 AND RIB 16).							AIRWORTHINESS	
	MOS	11-May-10							
	HRS	0							
	AFL	0	T:17500		17500		16071		
	PROC. REF: NDT 57-10-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
57-10-08-03-901	INTERNAL DETAILED INSPECTION WING LOWER PANEL		DRY BAY WALLS AND FASTENERS.					Service ATA:57
	MOS	11-May-10						AIRWORTHINESS
	HRS	0						
	AFL	0	T:17500		17500		16071	
	PROC. REF: NDT 57-10-00							
57-10-10-001 ^S	EXTERNAL DETAILED VISUAL INSPECTION OF WING CENTER SPLICE							Service ATA:57
	MOS	20-Jul-20	60 (+1m/-1m)					
	HRS	1250.1						
	AFL	1020						
	PROC. REF: NDT 57-10-00							
	PKG:90							
57-10-10-002 ^S	INTERNAL GENERAL VISUAL INSPECTION OF WING CENTER SPLICE							Service ATA:57
	MOS	20-Jul-20	60 (+1m/-1m)					
	HRS	1250.1						
	AFL	1020						
	PROC. REF: NDT 57-10-00							
	PKG:90							
57-10-10-003 ^S	SPECIAL DETAILED INSPECTION (BORESCOPE METHOD) OF WING CENTRAL SPLICE							Service ATA:57
	MOS	20-Jul-20	60 (+1m/-1m)					
	HRS	1250.1						
	AFL	1020						
	PROC. REF: NDT 57-10-00							
	PKG:90							
57-10-10-01-901	EXTERNAL - DETAILED INSPECTION WING CENTRAL SPLICES INCLUDING FASTENERS.		FRONT SPAR SPLICE, LOWER SKIN SPLICES, REAR SPAR SPLICES,					Service ATA:57
	MOS	11-May-10						AIRWORTHINESS
	HRS	0						
	AFL	0	T:17500		17500		16071	
	PROC. REF: NDT 57-10-00							
57-10-10-01-902	INTERNAL DETAILED INSPECTION WING CENTRAL SPLICES FRONT , REAR AND MIDDLE SPAR ON SPLICE AREA AND MIDDLE SPAR SPLICE, INCLUDING FASTENERS.		WING LOWER SKIN ON SPLICE AREA, BETWEEN RIB1 AND RIB 2,					Service ATA:57
	MOS	11-May-10						AIRWORTHINESS
	HRS	0						
	AFL	0	T:17500		17500		16071	
	PROC. REF: NDT 57-10-00							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
57-10-11-001 ^S	EXTERNAL DETAILED VISUAL INSPECTION OF AILERON TAB ACTUATOR SUPPORT FITTINGS AND TAB HINGE FITTINGS							Service	ATA:57
	MOS	20-Jul-20	120 (+1m/-1m)						
	HRS	1250.1							
	AFL	1020							
				PROC. REF: NDT 57-10-00				PKG:87	
57-50-00-001 ^S	EXTERNAL DETAILED VISUAL INSPECTION OF WING TRAILING-EDGE INBOARD AND OUTBOARD TORQUE BOXES							Service	ATA:57
	MOS	20-Jul-20	60 (+1m/-1m)						
	HRS	1250.1							
	AFL	1020							
				PROC. REF: NDT 57-50-00				PKG:84	
57-50-01-01-901	INTERNAL SPECIAL DETAILED INSPECTION WING TRAILING EDGE INBOARD TORQUEBOX AND FLAP TRACK # 1 SUPPORTS (EDDY CURRENT) WING ROOT TRACK.							Service	ATA:57
	MOS	11-May-10						AIRWORTHINESS	
	HRS	0							
	AFL	0	T:17500		17500		16071		
				PROC. REF: NDT 57-50-00					
57-50-01-01-902	INTERNAL DETAILED INSPECTION WING TRAILING EDGE INBOARD TORQUEBOX AND FLAP TRACK # 1 SUPPORTS WING ROOT TRACK.							Service	ATA:57
	MOS	11-May-10						AIRWORTHINESS	
	HRS	0							
	AFL	0	T:17500		17500		16071		
				PROC. REF: NDT 57-50-00					
57-50-01-02-901	INTERNAL SPECIAL DETAILED INSPECTION WING TRAILING EDGE INBOARD TORQUEBOX AND FLAP TRACK # 1 SUPPORTS (DYE PENETRANT) WING ROOT ROLLER.							Service	ATA:57
	MOS	11-May-10						AIRWORTHINESS	
	HRS	0							
	AFL	0	T:8875		8875		7446		
				PROC. REF: NDT 57-50-00					
57-50-01-03-901	INTERNAL SPECIAL DETAILED INSPECTION WING TRAILING EDGE INBOARD TORQUEBOX AND FLAP TRACK # 1 SUPPORTS (EDDY CURRENT) RIB 1.							Service	ATA:57
	MOS	11-May-10						AIRWORTHINESS	
	HRS	0							
	AFL	0	T:17500		17500		16071		
				PROC. REF: NDT 57-50-00					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
57-50-01-03-902	INTERNAL DETAILED INSPECTION WING TRAILING EDGE INBOARD TORQUEBOX AND FLAP TRACK # 1 SUPPORTS RIB 1 AND FASTENERS.							Service	ATA:57
	MOS	11-May-10						AIRWORTHINESS	
	HRS	0							
	AFL	0	T:17500		17500		16071		
	PROC. REF: NDT 57-50-00								
57-50-02-01-901	INTERNAL SPECIAL DETAILED INSPECTION WING TRAILING EDGE FLAP TRACK # 2SUPPORTS WING CENTER TRACK.					(EDDY CURRENT)	Service	ATA:57	
	MOS	11-May-10						AIRWORTHINESS	
	HRS	0							
	AFL	0	T:17500		17500		16071		
	PROC. REF: NDT 57-50-00								
57-50-02-01-902	INTERNAL DETAILED INSPECTION WING TRAILING EDGE FLAP TRACK # 2SUPPORTS				WING CENTER TRACK.		Service	ATA:57	
	MOS	11-May-10						AIRWORTHINESS	
	HRS	0							
	AFL	0	T:17500		17500		16071		
	PROC. REF: NDT 57-50-00								
57-50-02-02-901	INTERNAL SPECIAL DETAILED INSPECTION WING TRAILING EDGE FLAP TRACK # 2SUPPORTS WING CENTER TRACK SUPPORT.					(EDDY CURRENT)	Service	ATA:57	
	MOS	11-May-10						AIRWORTHINESS	
	HRS	0							
	AFL	0	T:17500		17500		16071		
	PROC. REF: NDT 57-50-00								
57-50-02-02-902	INTERNAL DETAILED INSPECTION WING TRAILING EDGE FLAP TRACK # 2SUPPORTS SUPPORT.				WING CENTER TRACK		Service	ATA:57	
	MOS	11-May-10						AIRWORTHINESS	
	HRS	0							
	AFL	0	T:17500		17500		16071		
	PROC. REF: NDT 57-50-00								
57-50-02-03-901	INTERNAL DETAILED INSPECTION WING TRAILING EDGE FLAP TRACK # 2SUPPORTS ATTACHMENTS, PIN AND FASTENERS).				FITTINGS (LUG,		Service	ATA:57	
	MOS	11-May-10						AIRWORTHINESS	
	HRS	0							
	AFL	0	T:17500		17500		16071		
	PROC. REF: NDT 57-50-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
57-50-03-01-901	INTERNAL SPECIAL DETAILED INSPECTION WING TRAILING EDGE OUTBOARD TORQUEBOX AND FLAP TRACK # 3 SUPPORTS (EDDY CURRENT) WING TIP TRACK.							Service	ATA:57
	MOS	11-May-10						AIRWORTHINESS	
	HRS	0							
	AFL	0	T:17500		17500		16071		
	PROC. REF: NDT 57-50-00								
57-50-03-01-902	INTERNAL DETAILED INSPECTION WING TRAILING EDGE OUTBOARD TORQUEBOX AND FLAP TRACK # 3 SUPPORTS WING TIP TRACK.							Service	ATA:57
	MOS	11-May-10						AIRWORTHINESS	
	HRS	0							
	AFL	0	T:17500		17500		16071		
	PROC. REF: NDT 57-50-00								
57-50-03-02-901	INTERNAL SPECIAL DETAILED INSPECTION WING TRAILING EDGE OUTBOARD TORQUEBOX AND FLAP TRACK # 3 SUPPORTS (DYE PENETRANT) WING TIP ROLLER.							Service	ATA:57
	MOS	11-May-10						AIRWORTHINESS	
	HRS	0							
	AFL	0	T:8875		8875		7446		
	PROC. REF: NDT 57-50-00								
57-50-03-03-901	INTERNAL SPECIAL DETAILED INSPECTION WING TRAILING EDGE OUTBOARD TORQUEBOX AND FLAP TRACK # 3 SUPPORTS (EDDY CURRENT) RIBS 13 AND 13A WEB AND FLANGE.							Service	ATA:57
	MOS	11-May-10						AIRWORTHINESS	
	HRS	0							
	AFL	0	T:17500		17500		16071		
	PROC. REF: NDT 57-50-00								
57-50-03-03-902	INTERNAL DETAILED INSPECTION WING TRAILING EDGE OUTBOARD TORQUEBOX AND FLAP TRACK # 3 SUPPORTS RIBS 13 AND 13A.							Service	ATA:57
	MOS	11-May-10						AIRWORTHINESS	
	HRS	0							
	AFL	0	T:17500		17500		16071		
	PROC. REF: NDT 57-50-00								
57-50-03-04-901	EXTERNAL - DETAILED INSPECTION WING TRAILING EDGE OUTBOARD TORQUEBOX AND FLAP TRACK # 3 SUPPORTS TORQUE BOX SKIN AND FASTENERS.							Service	ATA:57
	MOS	11-May-10						AIRWORTHINESS	
	HRS	0							
	AFL	0	T:17500		17500		16071		
	PROC. REF: NDT 57-50-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
57-50-04-001 ^S	EXTERNAL DETAILED VISUAL INSPECTION OF WING TRAILING EDGE AILERON HINGE FITTING							Service	ATA:57
	MOS	20-Jul-20	60 (+1m/-1m)						
	HRS	1250.1							
	AFL	1020							
	PROC. REF: NDT 57-50-00							PKG:84	
57-50-04-01-901	INTERNAL SPECIAL DETAILED INSPECTION WING TRAILING EDGE AILERON SUPPORTFITTINGS CURRENT) AILERON HINGE FITTING 01.					(EDDY)	Service	ATA:57	
	MOS	11-May-10					AIRWORTHINESS		
	HRS	0							
	AFL	0	T:17500		17500		16071		
	PROC. REF: NDT 57-50-00								
57-50-04-02-901	INTERNAL SPECIAL DETAILED INSPECTION WING TRAILING EDGE AILERON SUPPORTFITTINGS CURRENT) AILERON HINGE FITTING 02 .					(EDDY)	Service	ATA:57	
	MOS	11-May-10					AIRWORTHINESS		
	HRS	0							
	AFL	0	T:17500		17500		16071		
	PROC. REF: NDT 57-50-00								
57-50-04-02-902	INTERNAL DETAILED INSPECTION WING TRAILING EDGE AILERON SUPPORTFITTINGS FITTING 02.					AILERON HINGE	Service	ATA:57	
	MOS	11-May-10					AIRWORTHINESS		
	HRS	0							
	AFL	0	T:17500		17500		16071		
	PROC. REF: NDT 57-50-00								
57-50-04-03-901	INTERNAL SPECIAL DETAILED INSPECTION WING TRAILING EDGE AILERON SUPPORTFITTINGS CURRENT) AILERON HINGE FITTING 03.					(EDDY)	Service	ATA:57	
	MOS	11-May-10					AIRWORTHINESS		
	HRS	0							
	AFL	0	T:17500		17500		16071		
	PROC. REF: NDT 57-50-00								
57-50-04-03-902	INTERNAL DETAILED INSPECTION WING TRAILING EDGE AILERON SUPPORTFITTINGS FITTING 03.					AILERON HINGE	Service	ATA:57	
	MOS	11-May-10					AIRWORTHINESS		
	HRS	0							
	AFL	0	T:17500		17500		16071		
	PROC. REF: NDT 57-50-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
57-51-00-001 ^S	EXTERNAL DETAILED VISUAL INSPECTION OF FLAP ASSEMBLY							Service	ATA:57
	MOS	20-Jul-20	60 (+1m/-1m)						
	HRS	1250.1							
	AFL	1020							
				PROC. REF: NDT 57-51-00				PKG:90	
57-51-01-01-901	EXTERNAL - DETAILED INSPECTION FLAP UPPER SKIN PANELS				FLAP UPPER SKIN FROM RIB 7 TO RIB 9.		Service	ATA:57	
	MOS	11-May-10						AIRWORTHINESS	
	HRS	0							
	AFL	0	T:17500		17500		16071		
				PROC. REF: NDT 57-51-00					
57-51-02-002 ^S	SPECIAL DETAILED INSPECTION (BORESCOPE METHOD) OF THE FLAP MAIN BOX							Service	ATA:57
	MOS	20-Jul-20	60 (+1m/-1m)						
	HRS	1250.1							
	AFL	1020							
				PROC. REF: NDT 57-51-00				PKG:90	
57-51-02-01-901	INTERNAL SPECIAL DETAILED INSPECTION FLAP UPPER SKIN PANELS 5B.				(BORESCOPIC) FLAP FRONT SPAR BETWEEN RIB 5A AND RIB		Service	ATA:57	
	MOS	11-May-10						AIRWORTHINESS	
	HRS	0							
	AFL	0	T:7049		7049		5620		
				PROC. REF: NDT 57-51-00					
57-51-02-03-901	EXTERNAL - DETAILED INSPECTION FLAP UPPER SKIN PANELS RIB 10.				FLAP LOWER SKIN FROM RIB 1 TO RIB 5A AND FROM RIB 5B TO		Service	ATA:57	
	MOS	11-May-10						AIRWORTHINESS	
	HRS	0							
	AFL	0	T:17500		17500		16071		
				PROC. REF: NDT 57-51-00					
57-51-02-04-901	EXTERNAL SPECIAL DETAILED INSPECTION FLAP UPPER SKIN PANELS AND FROM RIB 5B TO RIB 6 AT FRONT SPAR AREA.				(EDDY CURRENT) FLAP LOWER SKIN FROM RIB 4 TO RIB 5A		Service	ATA:57	
	MOS	11-May-10						AIRWORTHINESS	
	HRS	0							
	AFL	0	T:17500		17500		16071		
				PROC. REF: NDT 57-51-00					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
57-51-02-05-901	INTERNAL SPECIAL DETAILED INSPECTION FLAP UPPER SKIN PANELS ROLLERS FITTING TO RIB 5A AND RIB 5B				(BORESCOPIC) AROUND FASTENERS THAT CONNECT CENTER			Service ATA:57
	MOS	11-May-10						AIRWORTHINESS
	HRS	0						
	AFL	0	T:17500		17500		16071	
	PROC. REF: NDT 57-51-00							
57-51-02-06-901	INTERNAL SPECIAL DETAILED INSPECTION FLAP UPPER SKIN PANELS				(EDDY CURRENT) FRONT SPAR FROM RIB 5A TO RIB 5B.			Service ATA:57
	MOS	11-May-10						AIRWORTHINESS
	HRS	0						
	AFL	0	T:17500		17500		16071	
	PROC. REF: NDT 57-51-00							
57-51-02-07-901	INTERNAL SPECIAL DETAILED INSPECTION FLAP UPPER SKIN PANELS				(EDDY CURRENT) RIB 1 AND RIB 10.			Service ATA:57
	MOS	11-May-10						AIRWORTHINESS
	HRS	0						
	AFL	0	T:17500		17500		16071	
	PROC. REF: NDT 57-51-00							
57-51-03-001 ^S	EXTERNAL DETAILED VISUAL INSPECTION OF FLAP TRACK FITTINGS AND ACTUATOR FITTING							Service ATA:57
	MOS	20-Jul-20	60 (+1m/-1m)					
	HRS	1250.1						
	AFL	1020						
	PROC. REF: NDT 57-51-00							
	PKG:84							
57-51-03-01-901	INTERNAL SPECIAL DETAILED INSPECTION FLAP TRACKS SUPPORT FITTINGS				(EDDY CURRENT) FLAP ROOT TRACK.			Service ATA:57
	MOS	11-May-10						AIRWORTHINESS
	HRS	0						
	AFL	0	T:17500		17500		16071	
	PROC. REF: NDT 57-51-00							
57-51-03-01-902	INTERNAL DETAILED INSPECTION FLAP TRACKS SUPPORT FITTINGS				FLAP ROOT TRACK.			Service ATA:57
	MOS	11-May-10						AIRWORTHINESS
	HRS	0						
	AFL	0	T:17500		17500		16071	
	PROC. REF: NDT 57-51-00							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
57-51-03-02-901	INTERNAL SPECIAL DETAILED INSPECTION FLAP TRACKS SUPPORT FITTINGS (EDDY CURRENT) FLAP TIP TRACK.							Service	ATA:57
	MOS	11-May-10						AIRWORTHINESS	
	HRS	0							
	AFL	0	T:17500		17500		16071		
	PROC. REF: NDT 57-51-00								
57-51-03-02-902	INTERNAL DETAILED INSPECTION FLAP TRACKS SUPPORT FITTINGS FLAP TIP TRACK.							Service	ATA:57
	MOS	11-May-10						AIRWORTHINESS	
	HRS	0							
	AFL	0	T:17500		17500		16071		
	PROC. REF: NDT 57-51-00								
57-51-03-03-901	INTERNAL SPECIAL DETAILED INSPECTION FLAP TRACKS SUPPORT FITTINGS (DYE PENETRANT) FLAP ROOT AND TIP ROLLERS.							Service	ATA:57
	MOS	11-May-10						AIRWORTHINESS	
	HRS	0							
	AFL	0	T:17500		17500		16071		
	PROC. REF: NDT 57-51-00								
57-51-03-04-901	INTERNAL SPECIAL DETAILED INSPECTION FLAP TRACKS SUPPORT FITTINGS (DYE PENETRANT) CENTER ROLLERS EXTERNAL PINS.							Service	ATA:57
	MOS	11-May-10						AIRWORTHINESS	
	HRS	0							
	AFL	0	T:17500		17500		16071		
	PROC. REF: NDT 57-51-00								
57-51-03-05-901	INTERNAL SPECIAL DETAILED INSPECTION FLAP TRACKS SUPPORT FITTINGS (EDDY CURRENT) CENTER ROLLERS FITTING AROUND FASTENERS.							Service	ATA:57
	MOS	11-May-10						AIRWORTHINESS	
	HRS	0							
	AFL	0	T:17500		17500		16071		
	PROC. REF: NDT 57-51-00								
57-51-04-01-901	INTERNAL DETAILED INSPECTION FLAP ACTUATOR SUPPORT FITTING				FLAP ACTUATOR SUPPORT PIN.		Service	ATA:57	
	MOS	11-May-10						AIRWORTHINESS	
	HRS	0							
	AFL	0	T:17500		17500		16071		
	PROC. REF: NDT 57-51-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
57-51-04-02-901	INTERNAL DETAILED INSPECTION FLAP ACTUATOR SUPPORT FITTING AND FASTENERS.				FLAP ACTUATOR SUPPORT FITTING			Service ATA:57
	MOS	11-May-10						AIRWORTHINESS
	HRS	0						
	AFL	0	T:17500		17500		16071	
PROC. REF: NDT 57-51-00								
57-60-00	LH AILERON ASSEMBLY							Component ATA:57
PN:PN	MOS/MSC	11-May-10	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
57-60-00	RH AILERON ASSEMBLY							Component ATA:57
PN:PN	MOS/MSC	11-May-10	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
57-60-00-001 ^S	EXTERNAL DETAILED VISUAL INSPECTION OF AILERON ASSEMBLY AND AILERON TAB BOX							Service ATA:57
	MOS	20-Jul-20	120 (+1m/-1m)					
	HRS	1250.1						
	AFL	1020						
PROC. REF: NDT 57-60-00								
PKG:87								
57-60-01-002 ^S	SPECIAL DETAILED INSPECTION (BORESCOPE METHOD) OF AILERON MAIN BOX							Service ATA:57
	MOS	20-Jul-20	120 (+1m/-1m)					
	HRS	1250.1						
	AFL	1020						
PROC. REF: NDT 57-60-00								
PKG:87								
57-60-01-01-901	INTERNAL SPECIAL DETAILED INSPECTION AILERON MAIN BOX				(BORESCOPIC) SKIN, SPARS, RIBS AND FASTENERS.			Service ATA:57
	MOS	11-May-10						AIRWORTHINESS
	HRS	0						
	AFL	0	T:17500		17500		16071	
PROC. REF: NDT 57-60-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
57-60-01-01-902	EXTERNAL - DETAILED INSPECTION		AILERON MAIN BOX		SKIN, SPARS, RIBS AND FASTENERS.			Service ATA:57
	MOS	11-May-10						AIRWORTHINESS
	HRS	0						
	AFL	0	T:17500		17500		16071	
	PROC. REF: NDT 57-60-00							
57-60-02-01-901	INTERNAL SPECIAL DETAILED INSPECTION		AILERON HINGE FITTINGS		(DYE PENETRANT) AILERON HINGE FITTINGS PINS.			Service ATA:57
	MOS	11-May-10						AIRWORTHINESS
	HRS	0						
	AFL	0	T:17500		17500		16071	
	PROC. REF: NDT 57-60-00							
57-60-02-02-901	INTERNAL SPECIAL DETAILED INSPECTION		AILERON HINGE FITTINGS		(EDDY CURRENT) AILERON HINGE FITTINGS (LUGS, STIFFENERS RADIUS).			Service ATA:57
	MOS	11-May-10						AIRWORTHINESS
	HRS	0						
	AFL	0	T:17500		17500		16071	
	PROC. REF: NDT 57-60-00							
57-60-02-02-902	INTERNAL DETAILED INSPECTION		AILERON HINGE FITTINGS		AILERON HINGE FITTINGS.			Service ATA:57
	MOS	11-May-10						AIRWORTHINESS
	HRS	0						
	AFL	0	T:17500		17500		16071	
	PROC. REF: NDT 57-60-00							
57-60-03-001 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF OF		AILERON ACTUATOR FITTING, HINGE FITTINGS AND PINS					Service ATA:57
	MOS	20-Jul-20	60 (+1m/-1m)					
	HRS	1250.1						
	AFL	1020						
	PROC. REF: NDT 57-60-00							
	PKG:84							
57-60-03-01-901	INTERNAL SPECIAL DETAILED INSPECTION		AILERON CONTROL HINGE AND PIN		(DYE PENETRANT)			Service ATA:57
	AILERON ACTUATOR HINGE FITTINGS PINS.							AIRWORTHINESS
	MOS	11-May-10						
	HRS	0						
	AFL	0	T:17500		17500		16071	
	PROC. REF: NDT 57-60-00							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
57-60-03-02-901	INTERNAL SPECIAL DETAILED INSPECTION AILERON CONTROL HINGE AND PIN ACTUATOR HINGE FITTINGS (LUGS, STIFFEN-ERS RADIUS).					(EDDY CURRENT) AILERON		Service ATA:57
	MOS	11-May-10						AIRWORTHINESS
	HRS	0						
	AFL	0	T:17500		17500		16071	
	PROC. REF: NDT 57-60-00							
57-60-03-02-902	INTERNAL DETAILED INSPECTION AILERON CONTROL HINGE AND PIN AILERON ACTUATOR HINGE FITTINGS.							Service ATA:57
	MOS	11-May-10						AIRWORTHINESS
	HRS	0						
	AFL	0	T:17500		17500		16071	
	PROC. REF: NDT 57-60-00							
57-63-00-001 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF OF AILERON TAB ASSEMBLY							Service ATA:57
	MOS	20-Jul-20	60 (+1m/-1m)					
	HRS	1250.1						
	AFL	1020						
	PROC. REF: NDT 57-63-00							
	PKG:90							
Z500-001 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF OF THE WINGS							Service ATA:57
	MOS	20-Jul-20	60 (+1m/-1m)					
	HRS	1250.1						
	AFL	1020						
	PROC. REF: AMM 05-45-00							
	PKG:84							
Z500-002 ^S	INTERNAL GENERAL VISUAL INSPECTION OF THE WINGS							Service ATA:57
	MOS	20-Jul-20	60 (+1m/-1m)					
	HRS	1250.1						
	AFL	1020						
	PROC. REF: AMM 05-45-00							
	PKG:84							
ATA 71 - POWER PLANT								
71-00-00-760-812	NO. 1 ENGINE - PERFORM PW617F-E ENGINE CALIBRATION (FIVE POINT CALIBRATION)							Service ATA:71
	MOS/MSC	13-May-24	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	1794.8						
	ENC	1380						
	PROC. REF: MM 71-00-00							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 71 - POWER PLANT									
71-00-00-760-812	NO. 2 ENGINE - PERFORM PW617F-E ENGINE CALIBRATION (FIVE POINT CALIBRATION)							Service	ATA:71
	MOS/MSC	13-May-24	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	1794.8							
	ENC	1380							
	PROC. REF: MM 71-00-00								
71-00-00-760-812-A	NO. 1 ENGINE - PERFORM PW617F1-E ENGINE CALIBRATION (FIVE POINT CALIBRATION)							Service	ATA:71
	MOS/MSC	28-Feb-10	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	ENC	0							
	PROC. REF: MM 71-00-00								
71-00-00-760-812-A	NO. 2 ENGINE - PERFORM PW617F1-E ENGINE CALIBRATION (FIVE POINT CALIBRATION)							Service	ATA:71
	MOS/MSC	27-Feb-10	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	ENC	0							
	PROC. REF: MM 71-00-00								
71-00-00-760-813	NO. 1 ENGINE - PERFORM PW617F-E POWER ASSURANCE TEST							Service	ATA:71
	MOS/MSC	28-Feb-10	A/R						
	HRS	0							
	ENC	0							
	PROC. REF: MM 71-00-00								
71-00-00-760-813	NO. 2 ENGINE - PERFORM PW617F-E POWER ASSURANCE TEST							Service	ATA:71
	MOS/MSC	27-Feb-10	A/R						
	HRS	0							
	ENC	0							
	PROC. REF: MM 71-00-00								
71-00-00-760-813-A	NO. 1 ENGINE - PERFORM PW617F1-E POWER ASSURANCE TEST							Service	ATA:71
	MOS/MSC	28-Feb-10	A/R						
	HRS	0							
	ENC	0							
	PROC. REF: MM 71-00-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 71 - POWER PLANT									
71-00-00-760-813-A	NO. 2 ENGINE - PERFORM PW617F1-E POWER ASSURANCE TEST							Service	ATA:71
	MOS/MSC	27-Feb-10	A/R						
	HRS	0							
	ENC	0							
PROC. REF: MM 71-00-00									
71-11-00-001 ^S	GENERAL VISUAL INSPECTION OF UPPER MID COWL							Service	ATA:71
	MOS	11-May-10							
	HRS	0	5600 (+30/-30)						
	AFL	0							
PROC. REF: AMM 71-11-00									
PKG:50									
71-20-00-001	DISCARD LEFT ENGINE AFT MOUNT ISOLATOR							Service	ATA:71
PN:LM-474-SA2	MOS	11-May-10	240 (+1m/-1m)		11-May-30	11-Jun-30	2042 d (+31)		
SN:LK0496	HRS	0	4800 (+30/-30)		4800	4830	2914 (+30)		
	AFL	0							
PROC. REF: AMM 71-20-00									
71-20-00-001	DISCARD LEFT ENGINE LOWER FORWARD MOUNT ISOLATOR							Service	ATA:71
PN:LM-474-SA11	MOS	11-May-10	240 (+1m/-1m)		11-May-30	11-Jun-30	2042 d (+31)		
SN:LK0737	HRS	0	4800 (+30/-30)		4800	4830	2914 (+30)		
	AFL	0							
PROC. REF: AMM 71-20-00									
71-20-00-001	DISCARD LEFT ENGINE UPPER FORWARD MOUNT ISOLATOR							Service	ATA:71
PN:LM-474-SA11	MOS	11-May-10	240 (+1m/-1m)		11-May-30	11-Jun-30	2042 d (+31)		
SN:LK0769	HRS	0	4800 (+30/-30)		4800	4830	2914 (+30)		
	AFL	0							
PROC. REF: AMM 71-20-00									
71-20-00-001	DISCARD RIGHT ENGINE AFT MOUNT ISOLATOR							Service	ATA:71
PN:LM-474-SA2	MOS	11-May-10	240 (+1m/-1m)		11-May-30	11-Jun-30	2042 d (+31)		
SN:LK0515	HRS	0	4800 (+30/-30)		4800	4830	2914 (+30)		
	AFL	0							
PROC. REF: AMM 71-20-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 71 - POWER PLANT									
71-20-00-001		DISCARD RIGHT ENGINE LOWER FORWARD MOUNT ISOLATOR						Service	ATA:71
PN:LM-474-SA11	MOS	11-May-10	240 (+1m/-1m)		11-May-30	11-Jun-30	2042 d (+31)		
SN:LK0758	HRS	0	4800 (+30/-30)		4800	4830	2914 (+30)		
	AFL	0							
PROC. REF: AMM 71-20-00									
71-20-00-001		DISCARD RIGHT ENGINE UPPER FORWARD MOUNT ISOLATOR						Service	ATA:71
PN:LM-474-SA11	MOS	11-May-10	240 (+1m/-1m)		11-May-30	11-Jun-30	2042 d (+31)		
SN:LK0659	HRS	0	4800 (+30/-30)		4800	4830	2914 (+30)		
	AFL	0							
PROC. REF: AMM 71-20-00									
71-21-01		LEFT ENGINE LOWER FORWARD MOUNT ISOLATOR						Component	ATA:71
PN:LM-474-SA11	MOS/MSC	11-May-10	O/C	TSN 0					
SN:LK0737	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 71-21-00, AMM 71-21-00									
71-21-01		LEFT ENGINE UPPER FORWARD MOUNT ISOLATOR						Component	ATA:71
PN:LM-474-SA11	MOS/MSC	11-May-10	O/C	TSN 0					
SN:LK0769	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 71-21-00, AMM 71-21-00									
71-21-01		RIGHT ENGINE LOWER FORWARD MOUNT ISOLATOR						Component	ATA:71
PN:LM-474-SA11	MOS/MSC	11-May-10	O/C	TSN 0					
SN:LK0758	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 71-21-00, AMM 71-21-00									
71-21-01		RIGHT ENGINE UPPER FORWARD MOUNT ISOLATOR						Component	ATA:71
PN:LM-474-SA11	MOS/MSC	11-May-10	O/C	TSN 0					
SN:LK0659	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 71-21-00, AMM 71-21-00									
71-21-01-01-901		INTERNAL SPECIAL DETAILED INSPECTION ENGINE FORWARD MOUNTING ASSEMBLY (DYE PENETRANT) HOUSING.						Service	ATA:71
	MOS	11-May-10						AIRWORTHINESS	
	HRS	0							
	AFL	0	T:5000		5000		3571		
PROC. REF: NDT 71-21-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 71 - POWER PLANT									
71-21-01-01-902	INTERNAL DETAILED INSPECTION ENGINE FORWARD MOUNTING ASSEMBLY ENGINE BOLT AND SLEEVE BOLT.								Service ATA:71
	MOS	11-May-10						AIRWORTHINESS	
	HRS	0							
	AFL	0	T:5000		5000		3571		
PROC. REF: NDT 71-21-00									
71-22-01	LEFT ENGINE AFT MOUNT ISOLATOR								Component ATA:71
PN:LM-474-SA2	MOS/MSC	11-May-10	O/C	TSN 0					
SN:LK0496	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 71-22-00, AMM 71-22-00									
71-22-01	RIGHT ENGINE AFT MOUNT ISOLATOR								Component ATA:71
PN:LM-474-SA2	MOS/MSC	11-May-10	O/C	TSN 0					
SN:LK0515	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 71-22-00, AMM 71-22-00									
71-22-01-01-901	INTERNAL SPECIAL DETAILED INSPECTION ENGINE AFT MOUNTING ASSEMBLY (DYE PENETRANT) HOUSING.								Service ATA:71
	MOS	11-May-10						AIRWORTHINESS	
	HRS	0							
	AFL	0	T:5000		5000		3571		
PROC. REF: NDT 71-22-00									
71-22-01-01-902	INTERNAL DETAILED INSPECTION ENGINE AFT MOUNTING ASSEMBLY PYLON BOLTS, ENGINE BOLTS AND SLEEVE BOLTS.								Service ATA:71
	MOS	13-May-24						AIRWORTHINESS	
	HRS	1794.8							
	AFL	1380	1500		2880		1451		
PROC. REF: NDT 71-22-00									
71-31-00-001 ^S	DETAILED VISUAL INSPECTION OF PYLON FIREWALL SEAL								Service ATA:71
	MOS	11-May-10							
	HRS	0	2400 (+30/-30)						
	AFL	0							
PROC. REF: AMM 71-31-00									
71-50-00	LH ENG W403 HARNESS								Component ATA:71
PN:PN	MOS/MSC	11-May-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 71-50-00, AMM 71-50-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 71 - POWER PLANT									
71-50-00	RH ENG W404 HARNESS							Component	ATA:71
PN:PN	MOS/MSC	11-May-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 71-50-00, AMM 71-50-00									
71-60-01	LH ENG NACELLE AIR INLET ASSEMBLY							Component	ATA:71
PN:500-36000-407	MOS/MSC	11-May-10	O/C	TSN 0					
SN:01322	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 71-60-01, AMM 71-60-01									
71-60-01	RH ENG NACELLE AIR INLET ASSEMBLY							Component	ATA:71
PN:500-36000-407	MOS/MSC	11-May-10	O/C	TSN 0					
SN:01209	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 71-60-01, AMM 71-60-01									
710010	NO. 1 ENGINE - COMPRESSOR DESALINATION WASH							Service	ATA:71
	MOS/MSC	24-May-22	A/R						
	HRS	1509.4							
	ENC	1183							
PROC. REF: LMM 71-00-00, LMM 71-00-00									
710010	NO. 2 ENGINE - COMPRESSOR DESALINATION WASH							Service	ATA:71
	MOS/MSC	24-May-22	A/R						
	HRS	1509.4							
	ENC	1183							
PROC. REF: LMM 71-00-00, LMM 71-00-00									
710011	NO. 1 ENGINE - PERFORMANCE RECOVERY WASH							Service	ATA:71
	MOS/MSC	04-Jun-19	A/R						
	HRS	1122.8							
	ENC	891							
PROC. REF: LMM 71-00-00									
710011	NO. 2 ENGINE - PERFORMANCE RECOVERY WASH							Service	ATA:71
	MOS/MSC	04-Jun-19	A/R						
	HRS	1122.8							
	ENC	891							
PROC. REF: LMM 71-00-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 71 - POWER PLANT									
71EN1	NO. 1 ENGINE							Component	ATA:71
PN:35C3100-01	MOS/MSC	15-Mar-10	E/C						
SN:PCE-LC0321	HRS	0							
WC#: 71.EN1	AFL	0							
PROC. REF: AMM 71-00-00, AMM 71-00-00									
71EN2	NO. 2 ENGINE							Component	ATA:71
PN:35C3100-01	MOS/MSC	15-Mar-10	E/C						
SN:PCE-LC0323	HRS	0							
WC#: 71.EN2	AFL	0							
PROC. REF: AMM 71-00-00, AMM 71-00-00									
ATA 72 - ENGINE									
72-00-00-001 ^S	VISUAL CHECK OF ENGINE MAINTENANCE PAGE FOR ENGINE DISPATCH AND EXCEEDANCE INFORMATION							Service	ATA:72
	MOS	13-May-24	12 (+1m/-1m)						
	HRS	1794.8							
	AFL	1380							
PROC. REF: AMM 72-00-00									
72-00-00-212-801 ^S	NO. 1 ENGINE - GENERAL VISUAL INSPECTION OF THE LP COMPRESSOR INLET AREA							Service	ATA:72
	MOS	13-May-24	12 (+30d)						
	HRS	1794.8	800 (+10%)						
	ENC	1380							
PROC. REF: LMM 72-00-00									
72-00-00-212-801 ^S	NO. 2 ENGINE - GENERAL VISUAL INSPECTION OF THE LP COMPRESSOR INLET AREA							Service	ATA:72
	MOS	13-May-24	12 (+30d)						
	HRS	1794.8	800 (+10%)						
	ENC	1380							
PROC. REF: LMM 72-00-00									
72-00-00-212-802 ^S	NO. 1 ENGINE - GENERAL VISUAL INSPECTION OF THE AGB							Service	ATA:72
	MOS	13-May-24	12 (+30d)						
	HRS	1794.8	800 (+10%)						
	ENC	1380							
PROC. REF: LMM 72-00-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-00-00-212-802 ^S	NO. 2 ENGINE - GENERAL VISUAL INSPECTION OF THE AGB							Service	ATA:72
	MOS	13-May-24	12 (+30d)						
	HRS	1794.8	800 (+10%)						
	ENC	1380							
				PROC. REF: LMM 72-00-00				PKG:1	
72-00-00-212-803 ^S	NO. 1 ENGINE - GENERAL VISUAL INSPECTION OF THE BYPASS DUCT							Service	ATA:72
	MOS	13-May-24	12 (+30d)						
	HRS	1794.8	800 (+10%)						
	ENC	1380							
				PROC. REF: LMM 72-00-00				PKG:1	
72-00-00-212-803 ^S	NO. 2 ENGINE - GENERAL VISUAL INSPECTION OF THE BYPASS DUCT							Service	ATA:72
	MOS	13-May-24	12 (+30d)						
	HRS	1794.8	800 (+10%)						
	ENC	1380							
				PROC. REF: LMM 72-00-00				PKG:1	
72-00-00-212-804 ^S	NO. 1 ENGINE - GENERAL VISUAL INSPECTION OF THE TURBINE EXHAUST CASE							Service	ATA:72
	MOS	13-May-24	12 (+30d)						
	HRS	1794.8	800 (+10%)						
	ENC	1380							
				PROC. REF: LMM 72-00-00				PKG:1	
72-00-00-212-804 ^S	NO. 2 ENGINE - GENERAL VISUAL INSPECTION OF THE TURBINE EXHAUST CASE							Service	ATA:72
	MOS	13-May-24	12 (+30d)						
	HRS	1794.8	800 (+10%)						
	ENC	1380							
				PROC. REF: LMM 72-00-00				PKG:1	
72-00-00-212-805 ^S	NO. 1 ENGINE - GENERAL VISUAL INSPECTION OF THE FUEL DISTRIBUTION SYSTEM							Service	ATA:72
	MOS	13-May-24	12 (+30d)						
	HRS	1794.8	800 (+10%)						
	ENC	1380							
				PROC. REF: LMM 72-00-00				PKG:1	
72-00-00-212-805 ^S	NO. 2 ENGINE - GENERAL VISUAL INSPECTION OF THE FUEL DISTRIBUTION SYSTEM							Service	ATA:72
	MOS	13-May-24	12 (+30d)						
	HRS	1794.8	800 (+10%)						
	ENC	1380							
				PROC. REF: LMM 72-00-00				PKG:1	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-00-00-212-806 ^S	NO. 1 ENGINE - GENERAL VISUAL INSPECTION OF THE OIL DISTRIBUTION SYSTEM							Service	ATA:72
	MOS	13-May-24	12 (+30d)						
	HRS	1794.8	800 (+10%)						
	ENC	1380							
					PROC. REF: LMM 72-00-00			PKG:1	
72-00-00-212-806 ^S	NO. 2 ENGINE - GENERAL VISUAL INSPECTION OF THE OIL DISTRIBUTION SYSTEM							Service	ATA:72
	MOS	13-May-24	12 (+30d)						
	HRS	1794.8	800 (+10%)						
	ENC	1380							
					PROC. REF: LMM 72-00-00			PKG:1	
72-00-00-215-801 ^S	NO. 1 ENGINE - DETAILED INSPECTION OF THE LP COMPRESSOR INLET AREA							Service	ATA:72
	MOS	13-May-24	12 (+30d)						
	HRS	1794.8	800 (+10%)						
	ENC	1380							
					PROC. REF: LMM 72-00-00			PKG:1	
72-00-00-215-801 ^S	NO. 2 ENGINE - DETAILED INSPECTION OF THE LP COMPRESSOR INLET AREA							Service	ATA:72
	MOS	13-May-24	12 (+30d)						
	HRS	1794.8	800 (+10%)						
	ENC	1380							
					PROC. REF: LMM 72-00-00			PKG:1	
72-00-00-215-802	NO. 1 ENGINE - DETAILED INSPECTION OF THE COMPRESSOR CASE ASSEMBLY							Service	ATA:72
	MOS	24-May-22							
	HRS	1509.4	800 (+10%)		(2309.4) 2309.4	2389.4	423.4 (+80)		
	ENC	1183							
					PROC. REF: LMM 72-00-00			PKG:2	
72-00-00-215-802	NO. 2 ENGINE - DETAILED INSPECTION OF THE COMPRESSOR CASE ASSEMBLY							Service	ATA:72
	MOS	24-May-22							
	HRS	1509.4	800 (+10%)		(2309.4) 2309.4	2389.4	423.4 (+80)		
	ENC	1183							
					PROC. REF: LMM 72-00-00			PKG:2	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-00-00-215-803	NO. 1 ENGINE - DETAILED INSPECTION OF THE FAN CASE EXTERNAL AREA							Service	ATA:72
	MOS	24-May-22							
	HRS	1509.4	800 (+10%)		(2309.4) 2309.4	2389.4	423.4 (+80)		
	ENC	1183							
		PROC. REF: LMM 72-00-00						PKG:2	
72-00-00-215-803	NO. 2 ENGINE - DETAILED INSPECTION OF THE FAN CASE EXTERNAL AREA							Service	ATA:72
	MOS	24-May-22							
	HRS	1509.4	800 (+10%)		(2309.4) 2309.4	2389.4	423.4 (+80)		
	ENC	1183							
		PROC. REF: LMM 72-00-00						PKG:2	
72-00-00-280-802	NO. 1 ENGINE - PERFORM ENGINE OIL SAMPLING AND ANALYSIS							Service	ATA:72
	MOS/MSC	28-Feb-10	A/R						
	HRS	0							
	ENC	0							
		PROC. REF: LMM 72-00-00							
72-00-00-280-802	NO. 2 ENGINE - PERFORM ENGINE OIL SAMPLING AND ANALYSIS							Service	ATA:72
	MOS/MSC	27-Feb-10	A/R						
	HRS	0							
	ENC	0							
		PROC. REF: LMM 72-00-00							
72-00-00-290-804	NO. 1 ENGINE - PERFORM BORESCOPE INSPECTION							Service	ATA:72
	MOS/MSC	24-May-22	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	1509.4							
	ENC	1183							
		PROC. REF: MM 72-00-00							
72-00-00-290-804	NO. 2 ENGINE - PERFORM BORESCOPE INSPECTION							Service	ATA:72
	MOS/MSC	24-May-22	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	1509.4							
	ENC	1183							
		PROC. REF: MM 72-00-00							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-00-00-290-815	NO. 1 ENGINE - SPECIFIC DETAILED INSPECTION OF THE EMERGENCY FUEL SHUTOFF VALVE LEVER ASSEMBLY							Service	ATA:72
	MOS	19-Dec-23							
	HRS	1762	1750 (+50)		(3512) 3512	3562	1626 (+50)		
	ENC	1351							
PROC. REF: LMM 72-00-00									
72-00-00-290-815	NO. 2 ENGINE - SPECIFIC DETAILED INSPECTION OF THE EMERGENCY FUEL SHUTOFF VALVE LEVER ASSEMBLY							Service	ATA:72
	MOS	19-Dec-23							
	HRS	1762	1750 (+50)		(3512) 3512	3562	1626 (+50)		
	ENC	1351							
PROC. REF: LMM 72-00-00									
72-00-00-620-804	NO. 1 ENGINE - ALTERNATIVE PRESERVATION - IN-SERVICE ENGINES INACTIVE 1 - 4 DAYS							Service	ATA:72
	MOS/MSC		-						
	HRS								
	ENC								
PROC. REF: LMM 72-00-00									
72-00-00-620-804	NO. 1 ENGINE - ALTERNATIVE PRESERVATION - IN-SERVICE ENGINES INACTIVE 1 - 28 DAYS (STORED IN A HANGAR)							Service	ATA:72
	MOS/MSC		A/R						
	HRS								
	ENC								
PROC. REF: LMM 72-00-00									
72-00-00-620-804	NO. 1 ENGINE - ALTERNATIVE PRESERVATION - IN-SERVICE ENGINES INACTIVE 1 - 28 DAYS (STORED OUTSIDE)							Service	ATA:72
	MOS/MSC		A/R						
	HRS								
	ENC								
PROC. REF: LMM 72-00-00									
72-00-00-620-804	NO. 2 ENGINE - ALTERNATIVE PRESERVATION - IN-SERVICE ENGINES INACTIVE 1 - 4 DAYS							Service	ATA:72
	MOS/MSC		-						
	HRS								
	ENC								
PROC. REF: LMM 72-00-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-00-00-620-804	NO. 2 ENGINE - ALTERNATIVE PRESERVATION - IN-SERVICE ENGINES INACTIVE 1 - 28 DAYS (STORED IN A HANGAR)							Service	ATA:72
	MOS/MSC		A/R						
	HRS								
	ENC								
					PROC. REF: LMM 72-00-00				
72-00-00-620-804	NO. 2 ENGINE - ALTERNATIVE PRESERVATION - IN-SERVICE ENGINES INACTIVE 1 - 28 DAYS (STORED OUTSIDE)							Service	ATA:72
	MOS/MSC		A/R						
	HRS								
	ENC								
					PROC. REF: LMM 72-00-00				
72-00-00-620-805	NO. 1 ENGINE - ENGINE UNPRESERVED - ENGINE INACTIVE ON-WING 1 - 28 DAYS							Service	ATA:72
	MOS/MSC		A/R						
	HRS								
	ENC								
					PROC. REF: LMM 72-00-00				
72-00-00-620-805	NO. 1 ENGINE - PRESERVATION RECOMMENDATIONS FOR UNPRESERVED INACTIVE ON-WING ENGINES - 1 TO 14 DAYS							Service	ATA:72
	MOS/MSC		A/R						
	HRS								
	ENC								
					PROC. REF: LMM 72-00-00				
72-00-00-620-805	NO. 2 ENGINE - ENGINE UNPRESERVED - ENGINE INACTIVE ON-WING 1 - 28 DAYS							Service	ATA:72
	MOS/MSC		A/R						
	HRS								
	ENC								
					PROC. REF: LMM 72-00-00				
72-00-00-620-805	NO. 2 ENGINE - PRESERVATION RECOMMENDATIONS FOR UNPRESERVED INACTIVE ON-WING ENGINES - 1 TO 14 DAYS							Service	ATA:72
	MOS/MSC		A/R						
	HRS								
	ENC								
					PROC. REF: LMM 72-00-00				
72-00-00-620-806	NO. 1 ENGINE - PRESERVATION FOR ENGINES AT A SERVICE FACILITY - 0 - 90 DAYS							Service	ATA:72
	MOS/MSC		A/R						
	HRS								
	ENC								
					PROC. REF: LMM 72-00-00				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-00-00-620-806	NO. 1 ENGINE - PRESERVATION FOR ENGINES AT A SERVICE FACILITY - 91 DAYS AND OVER							Service	ATA:72
	MOS/MSC		A/R						
	HRS								
	ENC								
					PROC. REF: LMM 72-00-00				
72-00-00-620-806	NO. 2 ENGINE - PRESERVATION FOR ENGINES AT A SERVICE FACILITY - 0 - 90 DAYS							Service	ATA:72
	MOS/MSC		A/R						
	HRS								
	ENC								
					PROC. REF: LMM 72-00-00				
72-00-00-620-806	NO. 2 ENGINE - PRESERVATION FOR ENGINES AT A SERVICE FACILITY - 91 DAYS AND OVER							Service	ATA:72
	MOS/MSC		A/R						
	HRS								
	ENC								
					PROC. REF: LMM 72-00-00				
72-00-00-640-803 ^S	NO. 1 ENGINE - GENERAL VISUAL INSPECTION OF THE ENGINE OIL LEVEL							Service	ATA:72
	MOS	13-May-24	12 (+30d)						
	HRS	1794.8	800 (+10%)						
	ENC	1380							
					PROC. REF: LMM 72-00-00			PKG:1	
72-00-00-640-803 ^S	NO. 2 ENGINE - GENERAL VISUAL INSPECTION OF THE ENGINE OIL LEVEL							Service	ATA:72
	MOS	13-May-24	12 (+30d)						
	HRS	1794.8	800 (+10%)						
	ENC	1380							
					PROC. REF: LMM 72-00-00			PKG:1	
72-00-01-810-822	NO. 1 ENGINE - TROUBLESHOOT ENGINE PERFORMANCE DETERIORATION							Service	ATA:72
	MOS/MSC	28-Feb-10	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	ENC	0							
					PROC. REF: MM 72-00-01				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-00-01-810-822	NO. 2 ENGINE - TROUBLESHOOT ENGINE PERFORMANCE DETERIORATION							Service	ATA:72
	MOS/MSC	27-Feb-10	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	ENC	0							
	PROC. REF: MM 72-00-01								
72-00-02-810-801	NO. 1 ENGINE - PERFORM EEC FAULT INTERROGATION(TLD/LTD) ENGINE CONTROL SYSTEM							Service	ATA:72
	MOS/MSC	15-May-13	O/C						
	HRS	246.5							
	ENC	251							
	PROC. REF: LMM 72-00-02								
72-00-02-810-801	NO. 2 ENGINE - PERFORM EEC FAULT INTERROGATION(TLD/LTD) ENGINE CONTROL SYSTEM							Service	ATA:72
	MOS/MSC	15-May-13	O/C						
	HRS	246.5							
	ENC	251							
	PROC. REF: LMM 72-00-02								
72-30-04-000-803	NO. 1 ENGINE - REPLACE FRONT NO. 4 BEARING CARBON SEAL							Component	ATA:72
PN:35C6516	MOS	19-Dec-23		TSN 0				LIFE LIMIT	
SN:RXA903G9	HRS	1762	1750 (+50)	TSN 0	(3512) 3512	3562	1626 (+50)		
	ENC	1351		TSN 0					
	PROC. REF: MM 72-30-04, MM 72-30-04, LMM 72-30-04, LMM 72-30-04								
72-30-04-000-803	NO. 2 ENGINE - REPLACE FRONT NO. 4 BEARING CARBON SEAL							Component	ATA:72
PN:35C6516	MOS	19-Dec-23		TSN 0				LIFE LIMIT	
SN:RXA902G5	HRS	1762	1750 (+50)	TSN 0	(3512) 3512	3562	1626 (+50)		
	ENC	1351		TSN 0					
	PROC. REF: MM 72-30-04, MM 72-30-04, LMM 72-30-04, LMM 72-30-04								
72-30-04-000-804	NO. 1 ENGINE - REPLACE REAR NO. 4 BEARING CARBON SEAL							Component	ATA:72
PN:35C6516	MOS	19-Dec-23		TSN 0				LIFE LIMIT	
SN:RXA904G9	HRS	1762	1750 (+50)	TSN 0	(3512) 3512	3562	1626 (+50)		
	ENC	1351		TSN 0					
	PROC. REF: MM 72-30-04, MM 72-30-04, LMM 72-30-04, LMM 72-30-04								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-30-04-000-804	NO. 2 ENGINE - REPLACE REAR NO. 4 BEARING CARBON SEAL							Component	ATA:72
PN:35C6516	MOS	19-Dec-23		TSN 0				LIFE LIMIT	
SN:RXA904G7	HRS	1762	1750 (+50)	TSN 0	(3512) 3512	3562	1626 (+50)		
	ENC	1351		TSN 0					
PROC. REF: MM 72-30-04, MM 72-30-04, LMM 72-30-04, LMM 72-30-04									
72-50-02-000-801	NO. 1 ENGINE - DISCARD HP TURBINE RETAINING RING							Service	ATA:72
	MOS	19-Dec-23							
	HRS	1762	1750 (+50)		(3512) 3512	3562	1626 (+50)		
	ENC	1351							
PROC. REF: MM 72-50-02, MM 72-50-02, MM 72-50-02, LMM 72-50-02, LMM 72-50-02									
72-50-02-000-801	NO. 1 ENGINE - DISCARD HP TURBINE RETAINING RING BOLTS							Service	ATA:72
	MOS	19-Dec-23							
	HRS	1762	1750 (+50)		(3512) 3512	3562	1626 (+50)		
	ENC	1351							
PROC. REF: MM 72-50-02, MM 72-50-02, MM 72-50-02, LMM 72-50-02, LMM 72-50-02									
72-50-02-000-801	NO. 2 ENGINE - DISCARD HP TURBINE RETAINING RING							Service	ATA:72
	MOS	19-Dec-23							
	HRS	1762	1750 (+50)		(3512) 3512	3562	1626 (+50)		
	ENC	1351							
PROC. REF: MM 72-50-02, MM 72-50-02, MM 72-50-02, LMM 72-50-02, LMM 72-50-02									
72-50-02-000-801	NO. 2 ENGINE - DISCARD HP TURBINE RETAINING RING BOLTS							Service	ATA:72
	MOS	19-Dec-23							
	HRS	1762	1750 (+50)		(3512) 3512	3562	1626 (+50)		
	ENC	1351							
PROC. REF: MM 72-50-02, MM 72-50-02, MM 72-50-02, LMM 72-50-02, LMM 72-50-02									
72-60-01-000-805	NO. 1 ENGINE - DISCARD THE STARTER GENERATOR GEAR-SHAFT SPLINE ADAPTER							Component	ATA:72
PN:ST3983-01	MOS	13-May-24		TSN 0				DISCARD	
SN:UNKNOWN	HRS	1794.8	1750 (+50)	TSN 0	(3544.8) 3544.8	3594.8	1658.8 (+50)		
	ENC	1380		TSN 0					
PROC. REF: LMM 72-60-01, LMM 72-60-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-60-01-000-805	NO. 2 ENGINE - DISCARD THE STARTER GENERATOR GEAR-SHAFT SPLINE ADAPTER							Component	ATA:72
PN:ST3983-01	MOS	13-May-24		TSN 0				DISCARD	
SN:UNKNOWN	HRS	1794.8	1750 (+50)	TSN 0	(3544.8) 3544.8	3594.8	1658.8 (+50)		
	ENC	1380		TSN 0					
PROC. REF: LMM 72-60-01, LMM 72-60-01									
720000	NO. 1 ENGINE - PERFORM ENGINE OVERHAUL							Service	ATA:72
	MOS	28-Feb-10						OVERHAUL	
	HRS	0	3500 (+100)		(3500) 3500	3600	1614 (+100)		
	ENC	0							
PROC. REF: GENERIC NO REF									
720000	NO. 2 ENGINE - PERFORM ENGINE OVERHAUL							Service	ATA:72
	MOS	27-Feb-10						OVERHAUL	
	HRS	0	3500 (+100)		(3500) 3500	3600	1614 (+100)		
	ENC	0							
PROC. REF: GENERIC NO REF									
720001	NO. 1 ENGINE - PERFORM ENGINE HOT SECTION INSPECTION							Service	ATA:72
	MOS	19-Dec-23							
	HRS	1762	1750 (+50)		(3512) 3512	3562	1626 (+50)		
	ENC	1351							
PROC. REF: MM 72-00-00, LMM 72-00-00									
720001	NO. 2 ENGINE - PERFORM ENGINE HOT SECTION INSPECTION							Service	ATA:72
	MOS	19-Dec-23							
	HRS	1762	1750 (+50)		(3512) 3512	3562	1626 (+50)		
	ENC	1351							
PROC. REF: MM 72-00-00, LMM 72-00-00									
720003	NO. 1 ENGINE - INSPECT LOW UTILIZATION ENGINE (IF REQUIRED - SEE NOTES)							Service	ATA:72
	MOS	13-May-24	24 (+1m)		13-May-26	13-Jun-26	583 d (+31)		
	HRS	1794.8							
	ENC	1380							
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
720003	NO. 2 ENGINE - INSPECT LOW UTILIZATION ENGINE (IF REQUIRED - SEE NOTES)							Service	ATA:72
	MOS	13-May-24	24 (+1m)		13-May-26	13-Jun-26	583 d (+31)		
	HRS	1794.8							
	ENC	1380							
PROC. REF: GENERIC NO REF									
720010	NO. 1 ENGINE - FAN ROTOR							Component	ATA:72
PN:35C3881-01	MOS	28-Feb-10		TSN 0				LIFE LIMIT	
SN:AATPWACS020	HRS	0		TSN 0					
	ENC	0		TSN 0	(10500) 10500 (M)		9071		
	ACCCYC	0	10500	TSN 0					
PROC. REF: GENERIC NO REF									
720010	NO. 2 ENGINE - FAN ROTOR							Component	ATA:72
PN:35C3881-01	MOS	27-Feb-10		TSN 0				LIFE LIMIT	
SN:AATPWACR016	HRS	0		TSN 0					
	ENC	0		TSN 0	(10500) 10500 (M)		9071		
	ACCCYC	0	10500	TSN 0					
PROC. REF: GENERIC NO REF									
720030 ^S	NO. 1 ENGINE - GENERAL VISUAL INSPECTION OF THE EXTERIOR OF THE ENGINE FOR EVIDENCE OF OIL LEAKS							Service	ATA:72
	MOS	13-May-24	12 (+30d)						
	HRS	1794.8	800 (+10%)						
	ENC	1380							
PROC. REF: GENERIC NO REF									
720030 ^S	NO. 2 ENGINE - GENERAL VISUAL INSPECTION OF THE EXTERIOR OF THE ENGINE FOR EVIDENCE OF OIL LEAKS							Service	ATA:72
	MOS	13-May-24	12 (+30d)						
	HRS	1794.8	800 (+10%)						
	ENC	1380							
PROC. REF: GENERIC NO REF									
721010	NO. 1 ENGINE - HP TURBINE DISK							Component	ATA:72
PN:35C5681-01	MOS	19-Dec-23		TSN 166, TSR 0				LIFE LIMIT	
SN:CRAZADPA277	HRS	1762		TSN 1762, TSR 0					
	ENC	1351		TSN 1351, TSR 0	(5250) 5250 (M)		3821		
	ACCCYC	0	5250	TSN 1351, TSR 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
721010	NO. 2 ENGINE - HP TURBINE DISK							Component	ATA:72
PN:35C5681-01	MOS	19-Dec-23		TSN 166, TSR 0				LIFE LIMIT	
SN:CRAZADPA301	HRS	1762		TSN 1762, TSR 0					
	ENC	1351		TSN 1351, TSR 0	(5250) 5250 (M)		3821		
	ENS	0							
	ACCCYC	0	5250	TSN 1351, TSR 0			3821		
PROC. REF: GENERIC NO REF									
721015	NO. 1 ENGINE - HP TURBINE DISK BALANCING ASSEMBLY							Component	ATA:72
PN:PN	MOS/MSC	28-Feb-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
721015	NO. 2 ENGINE - HP TURBINE DISK BALANCING ASSEMBLY							Component	ATA:72
PN:PN	MOS/MSC	27-Feb-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
721020	NO. 1 ENGINE - LP TURBINE DISK							Component	ATA:72
PN:35C5392-01	MOS	28-Feb-10		TSN 0				LIFE LIMIT	
SN:CRAZADOZ315	HRS	0		TSN 0					
	ENC	0		TSN 0	(10500) 10500 (M)		9071		
	ACCCYC	0	10500	TSN 0					
PROC. REF: GENERIC NO REF									
721020	NO. 2 ENGINE - LP TURBINE DISK							Component	ATA:72
PN:35C5392-01	MOS	27-Feb-10		TSN 0				LIFE LIMIT	
SN:CRAZADOZ370	HRS	0		TSN 0					
	ENC	0		TSN 0	(10500) 10500 (M)		9071		
	ACCCYC	0	10500	TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
721025	NO. 1 ENGINE - LP TURBINE DISK BALANCING ASSEMBLY							Component	ATA:72
PN:PN	MOS/MSC	28-Feb-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
721025	NO. 2 ENGINE - LP TURBINE DISK BALANCING ASSEMBLY							Component	ATA:72
PN:PN	MOS/MSC	27-Feb-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
723010	NO. 1 ENGINE - IMPELLER AND SHAFT ASSEMBLY							Component	ATA:72
PN:35C4716-01	MOS	28-Feb-10		TSN 0				LIFE LIMIT	
SN:AAPPIAPC2105	HRS	0		TSN 0					
	ENC	0		TSN 0	(10500) 10500 (M)		9071		
	ACCCYC	0	10500	TSN 0					
PROC. REF: GENERIC NO REF									
723010	NO. 2 ENGINE - IMPELLER AND SHAFT ASSEMBLY							Component	ATA:72
PN:35C4716-01	MOS	27-Feb-10		TSN 0				LIFE LIMIT	
SN:AAPPIASS2045	HRS	0		TSN 0					
	ENC	0		TSN 0	(10500) 10500 (M)		9071		
	ACCCYC	0	10500	TSN 0					
PROC. REF: GENERIC NO REF									
723015	NO. 1 ENGINE - LP COMPRESSOR SHAFT							Component	ATA:72
PN:35C4620-01	MOS	28-Feb-10		TSN 0				LIFE LIMIT	
SN:KWA5227229	HRS	0		TSN 0					
	ENC	0		TSN 0	(10500) 10500 (M)		9071		
	ACCCYC	0	10500	TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
723015	NO. 2 ENGINE - LP COMPRESSOR SHAFT							Component	ATA:72
PN:35C4620-01	MOS	27-Feb-10		TSN 0				LIFE LIMIT	
SN:KWA5227225	HRS	0		TSN 0					
	ENC	0		TSN 0	(10500)		9071		
	ACCCYC	0	10500	TSN 0	10500 (M)				
PROC. REF: GENERIC NO REF									
723020	NO. 1 ENGINE - TOWERSHAFT ANNULAR BALL BEARING							Component	ATA:72
PN:35C2168-01	MOS/MSC	28-Feb-10	O/C	TSN 0					
SN:FCN309167	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
723020	NO. 2 ENGINE - TOWERSHAFT ANNULAR BALL BEARING							Component	ATA:72
PN:35C2168-01	MOS/MSC	27-Feb-10	O/C	TSN 0					
SN:FCN309171	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
723025	NO. 1 ENGINE - HIGH COMPRESSOR ROTOR BALANCING ASSEMBLY BALL ANNULAR BEARING							Component	ATA:72
PN:35C4832-01	MOS/MSC	28-Feb-10	O/C	TSN 0					
SN:FCN284991	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
723025	NO. 2 ENGINE - HIGH COMPRESSOR ROTOR BALANCING ASSEMBLY BALL ANNULAR BEARING							Component	ATA:72
PN:35C4832-01	MOS/MSC	27-Feb-10	O/C	TSN 0					
SN:FCN284993	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
723030	NO. 1 ENGINE - LP SHAFT BALL ANNULAR BEARING							Component	ATA:72
PN:35C5051-01	MOS/MSC	28-Feb-10	O/C	TSN 0					
SN:FCN310901	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
723030	NO. 2 ENGINE - LP SHAFT BALL ANNULAR BEARING							Component	ATA:72
PN:35C5051-01	MOS/MSC	27-Feb-10	O/C	TSN 0					
SN:FCN310905	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
723035	NO. 1 ENGINE - LP SHAFT BALL FLANGED BEARING							Component	ATA:72
PN:35C4831-01	MOS/MSC	28-Feb-10	O/C	TSN 0					
SN:FCN310390	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
723035	NO. 2 ENGINE - LP SHAFT BALL FLANGED BEARING							Component	ATA:72
PN:35C4831-01	MOS/MSC	27-Feb-10	O/C	TSN 0					
SN:FCN312439	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
723040	NO. 1 ENGINE - TOWERSHAFT ROLLER BEARING							Component	ATA:72
PN:3107496-01	MOS/MSC	28-Feb-10	O/C	TSN 0					
SN:FCN311484	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
723040	NO. 2 ENGINE - TOWERSHAFT ROLLER BEARING							Component	ATA:72
PN:3107496-01	MOS/MSC	27-Feb-10	O/C	TSN 0					
SN:FCN310112	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
723045	NO. 1 ENGINE - HIGH COMPRESSOR ROTOR ROLLER BEARING							Component	ATA:72
PN:35C4534-01	MOS/MSC	28-Feb-10	O/C	TSN 0					
SN:FCN309605	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
723045	NO. 2 ENGINE - HIGH COMPRESSOR ROTOR ROLLER BEARING							Component	ATA:72
PN:35C4534-01	MOS/MSC	27-Feb-10	O/C	TSN 0					
SN:FCN289503	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
723050	NO. 1 ENGINE - FAN CASE ASSEMBLY							Component	ATA:72
PN:35C5325-01	MOS/MSC	28-Feb-10	O/C	TSN 0					
SN:NYAB00005505	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-30-02, LMM 72-30-02									
723050	NO. 2 ENGINE - FAN CASE ASSEMBLY							Component	ATA:72
PN:35C5325-01	MOS/MSC	27-Feb-10	O/C	TSN 0					
SN:NYAB00005393	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-30-02, LMM 72-30-02									
723055	NO. 1 ENGINE - COMPRESSOR CASE ASSEMBLY							Component	ATA:72
PN:35C4935-01	MOS/MSC	28-Feb-10	O/C	TSN 0					
SN:RWA78C365	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
723055	NO. 2 ENGINE - COMPRESSOR CASE ASSEMBLY							Component	ATA:72
PN:35C4935-01	MOS/MSC	27-Feb-10	O/C	TSN 0					
SN:RWA81C679	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
723060	NO. 1 ENGINE - HIGH PRESSURE DIFFUSER CASE ASSEMBLY							Component	ATA:72
PN:35C4860-01	MOS/MSC	28-Feb-10	O/C	TSN 0					
SN:RWA77C090	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
723060	NO. 2 ENGINE - HIGH PRESSURE DIFFUSER CASE ASSEMBLY							Component	ATA:72
PN:35C4860-01	MOS/MSC	27-Feb-10	O/C	TSN 0					
SN:RWA77C087	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
723065	NO. 1 ENGINE - LOWER SPIRAL BEVEL GEARBOX DRIVE GEAR SHAFT							Component	ATA:72
PN:35C5334-01	MOS/MSC	28-Feb-10	O/C	TSN 0					
SN:PKAAA282450	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
723065	NO. 2 ENGINE - LOWER SPIRAL BEVEL GEARBOX DRIVE GEAR SHAFT							Component	ATA:72
PN:35C5334-01	MOS/MSC	27-Feb-10	O/C	TSN 0					
SN:PKAAA292721	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
723070	NO. 1 ENGINE - UPPER SPIRAL BEVEL GEARBOX DRIVE GEAR SHAFT							Component	ATA:72
PN:35C3627-01	MOS/MSC	28-Feb-10	O/C	TSN 0					
SN:PKAAA282300	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
723070	NO. 2 ENGINE - UPPER SPIRAL BEVEL GEARBOX DRIVE GEAR SHAFT							Component	ATA:72
PN:35C3627-01	MOS/MSC	27-Feb-10	O/C	TSN 0					
SN:PKAAA293648	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
723075	NO. 1 ENGINE - SPIRAL BEVEL GEARBOX DRIVE GEAR							Component	ATA:72
PN:35C3628-01	MOS/MSC	28-Feb-10	O/C	TSN 0					
SN:PKAAA299642	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
723075	NO. 2 ENGINE - SPIRAL BEVEL GEARBOX DRIVE GEAR							Component	ATA:72
PN:35C3628-01	MOS/MSC	27-Feb-10	O/C	TSN 0					
SN:PKAAA299645	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
723080	NO. 1 ENGINE - IMPELLER CENTRIFUGAL ASSEMBLY							Component	ATA:72
PN:35C4714-01	MOS/MSC	28-Feb-10	O/C	TSN 0					
SN:AAPPIAPC2105	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
723080	NO. 2 ENGINE - IMPELLER CENTRIFUGAL ASSEMBLY							Component	ATA:72
PN:35C4714-01	MOS/MSC	27-Feb-10	O/C	TSN 0					
SN:AAPPIASS2045	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
723085	NO. 1 ENGINE - FRONT NO. 4 SEAL BEARING RUNNER							Component	ATA:72
PN:35C5326-01	MOS/MSC	28-Feb-10	O/C	TSN 0					
SN:EYA19593	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
723085	NO. 2 ENGINE - FRONT NO. 4 SEAL BEARING RUNNER							Component	ATA:72
PN:35C5326-01	MOS/MSC	27-Feb-10	O/C	TSN 0					
SN:EYA19699	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
723090	NO. 1 ENGINE - REAR NO. 4 SEAL BEARING RUNNER							Component	ATA:72
PN:35C4623-01	MOS/MSC	28-Feb-10	O/C	TSN 0					
SN:EYA23142	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
723090	NO. 2 ENGINE - REAR NO. 4 SEAL BEARING RUNNER							Component	ATA:72
PN:35C4623-01	MOS/MSC	27-Feb-10	O/C	TSN 0					
SN:EYA23139	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
723095	NO. 1 ENGINE - COMPRESSOR STATOR ASSEMBLY							Component	ATA:72
PN:35C5330-01	MOS/MSC	28-Feb-10	O/C	TSN 0					
SN:PKAAA303040	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
723095	NO. 2 ENGINE - COMPRESSOR STATOR ASSEMBLY							Component	ATA:72
PN:35C5330-01	MOS/MSC	27-Feb-10	O/C	TSN 0					
SN:PKAAA302531	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
723110	NO. 1 ENGINE - HOUSING IMPELLER ASSEMBLY							Component	ATA:72
PN:35C5211-01	MOS/MSC	28-Feb-10	O/C	TSN 0					
SN:RWA80C779	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
723110	NO. 2 ENGINE - HOUSING IMPELLER ASSEMBLY							Component	ATA:72
PN:35C5211-01	MOS/MSC	27-Feb-10	O/C	TSN 0					
SN:RWA80C792	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
724010	NO. 1 ENGINE - INNER COMBUSTOR CHAMBER LINER ASSEMBLY							Component	ATA:72
PN:35C5050-01	MOS/MSC	28-Feb-10	O/C	TSN 0					
SN:A002P9RD	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
724010	NO. 2 ENGINE - INNER COMBUSTOR CHAMBER LINER ASSEMBLY							Component	ATA:72
PN:35C5050-01	MOS/MSC	27-Feb-10	O/C	TSN 0					
SN:A002PA5D	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
724015	NO. 1 ENGINE - OUTER COMBUSTOR CHAMBER LINER ASSEMBLY							Component	ATA:72
PN:35C5053-01	MOS/MSC	28-Feb-10	O/C	TSN 0					
SN:A002P9RF	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
724015	NO. 2 ENGINE - OUTER COMBUSTOR CHAMBER LINER ASSEMBLY							Component	ATA:72
PN:35C5053-01	MOS/MSC	27-Feb-10	O/C	TSN 0					
SN:A002PA5F	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 1 ENGINE - HP COMPRESSOR ROTOR							Component	ATA:72
PN:35C4781-01	MOS	28-Feb-10		TSN 0				LIFE LIMIT	
SN:AATPWACO051	HRS	0		TSN 0					
	ENC	0		TSN 0	(10500) 10500 (M)		9071		
	ACCCYC	0	10500	TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
725010	NO. 2 ENGINE - HP COMPRESSOR ROTOR							Component	ATA:72
PN:35C4781-01	MOS	27-Feb-10		TSN 0				LIFE LIMIT	
SN:AATPWACU003	HRS	0		TSN 0					
	ENC	0		TSN 0	(10500)		9071		
	ACCCYC	0	10500	TSN 0	10500 (M)				
PROC. REF: GENERIC NO REF									
725015	NO. 1 ENGINE - BALL ROLLER ANNULAR BEARING							Component	ATA:72
PN:35C0590-02	MOS/MSC	28-Feb-10	O/C	TSN 0					
SN:FCN308937	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725015	NO. 2 ENGINE - BALL ROLLER ANNULAR BEARING							Component	ATA:72
PN:35C0590-02	MOS/MSC	27-Feb-10	O/C	TSN 0					
SN:FCN308897	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725020	NO. 1 ENGINE - HIGH PRESSURE TURBINE CASE ASSEMBLY							Component	ATA:72
PN:35C4726-01	MOS/MSC	28-Feb-10	O/C	TSN 0					
SN:RWA81C645	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725020	NO. 2 ENGINE - HIGH PRESSURE TURBINE CASE ASSEMBLY							Component	ATA:72
PN:35C4726-01	MOS/MSC	27-Feb-10	O/C	TSN 0					
SN:RWA81C652	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725025	NO. 1 ENGINE - TURBINE EXHAUST CASE ASSEMBLY							Component	ATA:72
PN:35C5563-01	MOS/MSC	28-Feb-10	O/C	TSN 0					
SN:DYA348672	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
725025	NO. 2 ENGINE - TURBINE EXHAUST CASE ASSEMBLY							Component	ATA:72
PN:35C5563-01	MOS/MSC	27-Feb-10	O/C	TSN 0					
SN:DYA348485	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725030	NO. 1 ENGINE - NO. 5 SEAL BEARING RUNNER							Component	ATA:72
PN:35C4886-01	MOS/MSC	28-Feb-10	O/C	TSN 0					
SN:EYA23076	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725030	NO. 2 ENGINE - NO. 5 SEAL BEARING RUNNER							Component	ATA:72
PN:35C4886-01	MOS/MSC	27-Feb-10	O/C	TSN 0					
SN:EYA23065	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725035	NO. 1 ENGINE - HIGH PRESSURE TURBINE TIE SHAFT							Component	ATA:72
PN:35C5798-01	MOS/MSC	19-Dec-23	O/C	TSN 0					
SN:UNAA23339	HRS	1762		TSN 0					
	ENC	1351		TSN 0					
PROC. REF: GENERIC NO REF									
725035	NO. 2 ENGINE - HIGH PRESSURE TURBINE TIE SHAFT							Component	ATA:72
PN:35C5798-01	MOS/MSC	19-Dec-23	O/C	TSN 0					
SN:UNAA23331	HRS	1762		TSN 0					
	ENC	1351		TSN 0					
PROC. REF: GENERIC NO REF									
725040	NO. 1 ENGINE - HIGH PRESSURE TURBINE VANE-RING							Component	ATA:72
PN:35C4971CL01	MOS/MSC	19-Dec-23	O/C	TSO 0					
SN:PDANE625	HRS	1762		TSO 0					
	ENC	1351		TSO 0					
PROC. REF: GENERIC NO REF									
725040	NO. 2 ENGINE - HIGH PRESSURE TURBINE VANE-RING							Component	ATA:72
PN:35C6421CL01	MOS/MSC	19-Dec-23	O/C	TSN 0					
SN:PDAN33WT01	HRS	1762		TSN 0					
	ENC	1351		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
725045	NO. 1 ENGINE - LOW PRESSURE TURBINE VANE-RING							Component	ATA:72
PN:35C4622CL01	MOS/MSC	28-Feb-10	O/C	TSN 0					
SN:HLA062AA593	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725045	NO. 2 ENGINE - LOW PRESSURE TURBINE VANE-RING							Component	ATA:72
PN:35C4622CL01	MOS/MSC	27-Feb-10	O/C	TSN 0					
SN:HLA062AA607	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 1 ENGINE - NO.1 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	28-Feb-10	O/C	TSN 0					
SN:HWCW9480	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 1 ENGINE - NO.10 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	28-Feb-10	O/C	TSN 0					
SN:HWCX1553	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 1 ENGINE - NO.11 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	28-Feb-10	O/C	TSN 0					
SN:HWCX1555	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 1 ENGINE - NO.12 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	28-Feb-10	O/C	TSN 0					
SN:HWCX1556	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 1 ENGINE - NO.13 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	28-Feb-10	O/C	TSN 0					
SN:HWCX1559	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
725050	NO. 1 ENGINE - NO.14 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	28-Feb-10	O/C	TSN 0					
SN:HWCX1561	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 1 ENGINE - NO.15 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	28-Feb-10	O/C	TSN 0					
SN:HWCX1563	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 1 ENGINE - NO.16 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	28-Feb-10	O/C	TSN 0					
SN:HWCX1576	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 1 ENGINE - NO.17 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	28-Feb-10	O/C	TSN 0					
SN:HWCX1581	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 1 ENGINE - NO.18 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	28-Feb-10	O/C	TSN 0					
SN:HWCX1582	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 1 ENGINE - NO.19 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	28-Feb-10	O/C	TSN 0					
SN:HWCX3172	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 1 ENGINE - NO.2 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	28-Feb-10	O/C	TSN 0					
SN:HWCX1522	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
725050	NO. 1 ENGINE - NO.20 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	28-Feb-10	O/C	TSN 0					
SN:HWCX3174	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 1 ENGINE - NO.21 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	28-Feb-10	O/C	TSN 0					
SN:HWCX3194	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 1 ENGINE - NO.22 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	28-Feb-10	O/C	TSN 0					
SN:HWCX3198	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 1 ENGINE - NO.23 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	28-Feb-10	O/C	TSN 0					
SN:HWCX3208	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 1 ENGINE - NO.24 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	28-Feb-10	O/C	TSN 0					
SN:HWCX3812	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 1 ENGINE - NO.25 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	28-Feb-10	O/C	TSN 0					
SN:HWCX3813	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 1 ENGINE - NO.26 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	28-Feb-10	O/C	TSN 0					
SN:HWCX3815	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
725050	NO. 1 ENGINE - NO.27 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	28-Feb-10	O/C	TSN 0					
SN:HWCX3819	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 1 ENGINE - NO.28 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	28-Feb-10	O/C	TSN 0					
SN:HWCX3824	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 1 ENGINE - NO.29 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	28-Feb-10	O/C	TSN 0					
SN:HWCX3825	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 1 ENGINE - NO.3 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	28-Feb-10	O/C	TSN 0					
SN:HWCX1525	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 1 ENGINE - NO.30 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	28-Feb-10	O/C	TSN 0					
SN:HWCX3847	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 1 ENGINE - NO.31 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	28-Feb-10	O/C	TSN 0					
SN:HWCX3903	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 1 ENGINE - NO.32 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	28-Feb-10	O/C	TSN 0					
SN:HWCX3906	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
725050	NO. 1 ENGINE - NO.33 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	28-Feb-10	O/C	TSN 0					
SN:HWCX4248	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 1 ENGINE - NO.34 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	28-Feb-10	O/C	TSN 0					
SN:HWCX4254	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 1 ENGINE - NO.35 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	28-Feb-10	O/C	TSN 0					
SN:HWCX4259	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 1 ENGINE - NO.36 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	28-Feb-10	O/C	TSN 0					
SN:HWCX4261	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 1 ENGINE - NO.37 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	28-Feb-10	O/C	TSN 0					
SN:HWCX6768	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 1 ENGINE - NO.38 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	28-Feb-10	O/C	TSN 0					
SN:HWCX6782	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 1 ENGINE - NO.39 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	28-Feb-10	O/C	TSN 0					
SN:HWCX6787	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
725050	NO. 1 ENGINE - NO.4 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	28-Feb-10	O/C	TSN 0					
SN:HWCX1533	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 1 ENGINE - NO.40 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	28-Feb-10	O/C	TSN 0					
SN:HWCX7101	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 1 ENGINE - NO.41 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	28-Feb-10	O/C	TSN 0					
SN:HWCX7102	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 1 ENGINE - NO.42 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	28-Feb-10	O/C	TSN 0					
SN:HWCX7126	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 1 ENGINE - NO.43 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	28-Feb-10	O/C	TSN 0					
SN:HWCX7132	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 1 ENGINE - NO.44 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	28-Feb-10	O/C	TSN 0					
SN:HWCX7137	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 1 ENGINE - NO.45 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	28-Feb-10	O/C	TSN 0					
SN:HWCY0837	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
725050	NO. 1 ENGINE - NO.46 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	28-Feb-10	O/C	TSN 0					
SN:HWCY0848	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 1 ENGINE - NO.47 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	28-Feb-10	O/C	TSN 0					
SN:HWCY1020	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 1 ENGINE - NO.48 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	28-Feb-10	O/C	TSN 0					
SN:HWCY1025	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 1 ENGINE - NO.49 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	28-Feb-10	O/C	TSN 0					
SN:HWCY1678	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 1 ENGINE - NO.5 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	28-Feb-10	O/C	TSN 0					
SN:HWCX1535	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 1 ENGINE - NO.50 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	28-Feb-10	O/C	TSN 0					
SN:HWCY1681	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 1 ENGINE - NO.6 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	28-Feb-10	O/C	TSN 0					
SN:HWCX1536	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
725050	NO. 1 ENGINE - NO.7 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	28-Feb-10	O/C	TSN 0					
SN:HWCX1539	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 1 ENGINE - NO.8 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	28-Feb-10	O/C	TSN 0					
SN:HWCX1543	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 1 ENGINE - NO.9 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	28-Feb-10	O/C	TSN 0					
SN:HWCX1546	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 2 ENGINE - NO.1 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	27-Feb-10	O/C	TSN 0					
SN:HWCW7485	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 2 ENGINE - NO.10 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	27-Feb-10	O/C	TSN 0					
SN:HWCW9829	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 2 ENGINE - NO.11 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	27-Feb-10	O/C	TSN 0					
SN:HWCW9831	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 2 ENGINE - NO.12 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	27-Feb-10	O/C	TSN 0					
SN:HWCX3201	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
725050	NO. 2 ENGINE - NO.13 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	27-Feb-10	O/C	TSN 0					
SN:HWCX3207	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 2 ENGINE - NO.14 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	27-Feb-10	O/C	TSN 0					
SN:HWCX3851	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 2 ENGINE - NO.15 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	27-Feb-10	O/C	TSN 0					
SN:HWCX3859	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 2 ENGINE - NO.16 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	27-Feb-10	O/C	TSN 0					
SN:HWCX3863	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 2 ENGINE - NO.17 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	27-Feb-10	O/C	TSN 0					
SN:HWCX3865	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 2 ENGINE - NO.18 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	27-Feb-10	O/C	TSN 0					
SN:HWCX3868	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 2 ENGINE - NO.19 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	27-Feb-10	O/C	TSN 0					
SN:HWCX3878	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
725050	NO. 2 ENGINE - NO.2 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	27-Feb-10	O/C	TSN 0					
SN:HWCW7487	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 2 ENGINE - NO.20 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	27-Feb-10	O/C	TSN 0					
SN:HWCX3880	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 2 ENGINE - NO.21 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	27-Feb-10	O/C	TSN 0					
SN:HWCX3889	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 2 ENGINE - NO.22 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	27-Feb-10	O/C	TSN 0					
SN:HWCX3891	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 2 ENGINE - NO.23 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	27-Feb-10	O/C	TSN 0					
SN:HWCX3893	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 2 ENGINE - NO.24 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	27-Feb-10	O/C	TSN 0					
SN:HWCX4271	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 2 ENGINE - NO.25 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	27-Feb-10	O/C	TSN 0					
SN:HWCX4273	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
725050	NO. 2 ENGINE - NO.26 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	27-Feb-10	O/C	TSN 0					
SN:HWCX4278	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 2 ENGINE - NO.27 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	27-Feb-10	O/C	TSN 0					
SN:HWCX4284	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 2 ENGINE - NO.28 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	27-Feb-10	O/C	TSN 0					
SN:HWCX4286	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 2 ENGINE - NO.29 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	27-Feb-10	O/C	TSN 0					
SN:HWCX4288	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 2 ENGINE - NO.3 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	27-Feb-10	O/C	TSN 0					
SN:HWCW7490	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 2 ENGINE - NO.30 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	27-Feb-10	O/C	TSN 0					
SN:HWCX4297	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 2 ENGINE - NO.31 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	27-Feb-10	O/C	TSN 0					
SN:HWCX4302	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
725050	NO. 2 ENGINE - NO.32 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	27-Feb-10	O/C	TSN 0					
SN:HWCX4309	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 2 ENGINE - NO.33 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	27-Feb-10	O/C	TSN 0					
SN:HWCX4310	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 2 ENGINE - NO.34 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	27-Feb-10	O/C	TSN 0					
SN:HWCX6649	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 2 ENGINE - NO.35 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	27-Feb-10	O/C	TSN 0					
SN:HWCX6659	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 2 ENGINE - NO.36 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	27-Feb-10	O/C	TSN 0					
SN:HWCX6666	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 2 ENGINE - NO.37 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	27-Feb-10	O/C	TSN 0					
SN:HWCX6670	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 2 ENGINE - NO.38 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	27-Feb-10	O/C	TSN 0					
SN:HWCX6672	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
725050	NO. 2 ENGINE - NO.39 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	27-Feb-10	O/C	TSN 0					
SN:HWCX6677	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 2 ENGINE - NO.4 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	27-Feb-10	O/C	TSN 0					
SN:HWCW7494	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 2 ENGINE - NO.40 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	27-Feb-10	O/C	TSN 0					
SN:HWCY0977	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 2 ENGINE - NO.41 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	27-Feb-10	O/C	TSN 0					
SN:HWCY0982	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 2 ENGINE - NO.42 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	27-Feb-10	O/C	TSN 0					
SN:HWCY0986	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 2 ENGINE - NO.43 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	27-Feb-10	O/C	TSN 0					
SN:HWCY1097	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 2 ENGINE - NO.44 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	27-Feb-10	O/C	TSN 0					
SN:HWCY1098	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
725050	NO. 2 ENGINE - NO.45 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	27-Feb-10	O/C	TSN 0					
SN:HWCY1102	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 2 ENGINE - NO.46 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	27-Feb-10	O/C	TSN 0					
SN:HWCY1117	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 2 ENGINE - NO.47 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	27-Feb-10	O/C	TSN 0					
SN:HWCY1118	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 2 ENGINE - NO.48 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	27-Feb-10	O/C	TSN 0					
SN:HWCY1119	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 2 ENGINE - NO.49 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	27-Feb-10	O/C	TSN 0					
SN:HWCY1121	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 2 ENGINE - NO.5 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	27-Feb-10	O/C	TSN 0					
SN:HWCW7511	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 2 ENGINE - NO.50 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	27-Feb-10	O/C	TSN 0					
SN:HWCY1138	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
725050	NO. 2 ENGINE - NO.6 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	27-Feb-10	O/C	TSN 0					
SN:HWCW7519	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 2 ENGINE - NO.7 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	27-Feb-10	O/C	TSN 0					
SN:HWCW7522	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 2 ENGINE - NO.8 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	27-Feb-10	O/C	TSN 0					
SN:HWCW9806	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 2 ENGINE - NO.9 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	27-Feb-10	O/C	TSN 0					
SN:HWCW9811	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
726010	NO. 1 ENGINE - FLANGED ROLLER BEARING							Component	ATA:72
PN:3107449-01	MOS/MSC	28-Feb-10	O/C	TSN 0					
SN:FCN311042	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
726010	NO. 2 ENGINE - FLANGED ROLLER BEARING							Component	ATA:72
PN:3107449-01	MOS/MSC	27-Feb-10	O/C	TSN 0					
SN:FCN311241	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
726015	NO. 1 ENGINE - STARTER GEARSHAFT BALL FLANGED BEARING							Component	ATA:72
PN:35C3615-01	MOS/MSC	28-Feb-10	O/C	TSN 0					
SN:FCN312989	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
726015	NO. 2 ENGINE - STARTER GEARSHAFT BALL FLANGED BEARING							Component	ATA:72
PN:35C3615-01	MOS/MSC	27-Feb-10	O/C	TSN 0					
SN:FCN312977	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
726020	NO. 1 ENGINE - ACCESSORY DRIVE GEAR SHAFT							Component	ATA:72
PN:35C5333-01	MOS/MSC	28-Feb-10	O/C	TSN 0					
SN:PKAAA292655	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
726020	NO. 2 ENGINE - ACCESSORY DRIVE GEAR SHAFT							Component	ATA:72
PN:35C5333-01	MOS/MSC	27-Feb-10	O/C	TSN 0					
SN:PKAAA297068	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
726025	NO. 1 ENGINE - ACCESSORY GEARBOX HOUSING ASSEMBLY							Component	ATA:72
PN:35C5141-01	MOS/MSC	28-Feb-10	O/C	TSN 0					
SN:RWA83C606	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
726025	NO. 2 ENGINE - ACCESSORY GEARBOX HOUSING ASSEMBLY							Component	ATA:72
PN:35C5141-01	MOS/MSC	27-Feb-10	O/C	TSN 0					
SN:RWA83C611	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
727010	NO. 1 ENGINE - BYPASS DUCT ASSEMBLY							Component	ATA:72
PN:35C5332-01	MOS/MSC	28-Feb-10	O/C	TSN 0					
SN:FDA6304291	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
727010	NO. 2 ENGINE - BYPASS DUCT ASSEMBLY							Component	ATA:72
PN:35C5332-01	MOS/MSC	27-Feb-10	O/C	TSN 0					
SN:FDA3283158	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 73 - ENGINE FUEL AND CONTROL									
73-10-04-000-801	NO. 1 ENGINE - FUEL MANIFOLD							Component	ATA:73
PN:35C6429-01	MOS	19-Dec-23		TSN 0					
SN:DEAAB89567	HRS	1762	1750 (+50)	TSN 0	(3512) 3512	3562	1626 (+50)		
	ENC	1351		TSN 0					
PROC. REF: GENERIC NO REF									
73-10-04-000-801	NO. 2 ENGINE - FUEL MANIFOLD							Component	ATA:73
PN:35C6429-01	MOS	19-Dec-23		TSN 0					
SN:DEAAB94560	HRS	1762	1750 (+50)	TSN 0	(3512) 3512	3562	1626 (+50)		
	ENC	1351		TSN 0					
PROC. REF: GENERIC NO REF									
73-10-05-000-801	NO. 1 ENGINE - DISCARD THE FUEL FILTER							Service	ATA:73
	MOS	19-Dec-23							
	HRS	1762	800 (+10%)		(2562) 2562	2642	676 (+80)		
	ENC	1351							
PROC. REF: LMM 73-10-05, LMM 73-10-05									
73-10-05-000-801	NO. 2 ENGINE - DISCARD THE FUEL FILTER							Service	ATA:73
	MOS	19-Dec-23							
	HRS	1762	800 (+10%)		(2562) 2562	2642	676 (+80)		
	ENC	1351							
PROC. REF: LMM 73-10-05, LMM 73-10-05									
73-10-05-220-801	NO. 1 ENGINE - DETAILED INSPECT THE FUEL FILTER							Service	ATA:73
	MOS	13-May-24	12 (+30d)		13-May-25	12-Jun-25	218 d (+30)		
	HRS	1794.8							
	ENC	1380							
PROC. REF: LMM 73-10-05									
73-10-05-220-801	NO. 2 ENGINE - DETAILED INSPECT THE FUEL FILTER							Service	ATA:73
	MOS	13-May-24	12 (+30d)		13-May-25	12-Jun-25	218 d (+30)		
	HRS	1794.8							
	ENC	1380							
PROC. REF: LMM 73-10-05									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
73-10-07-212-801^S NO. 1 ENGINE - GENERAL VISUAL INSPECTION OF THE FSOV CABLE Service ATA:73								
	MOS	13-May-24	12 (+30d)					
	HRS	1794.8	800 (+10%)					
	ENC	1380						
PROC. REF: LMM 73-10-07								PKG:1
73-10-07-212-801^S NO. 2 ENGINE - GENERAL VISUAL INSPECTION OF THE FSOV CABLE Service ATA:73								
	MOS	13-May-24	12 (+30d)					
	HRS	1794.8	800 (+10%)					
	ENC	1380						
PROC. REF: LMM 73-10-07								PKG:1
73-20-02-212-801^S NO. 1 ENGINE - GENERAL VISUAL INSPECTION OF THE ENGINE WIRING HARNESS Service ATA:73								
	MOS	13-May-24	12 (+30d)					
	HRS	1794.8	800 (+10%)					
	ENC	1380						
PROC. REF: LMM 73-20-02								PKG:1
73-20-02-212-801^S NO. 2 ENGINE - GENERAL VISUAL INSPECTION OF THE ENGINE WIRING HARNESS Service ATA:73								
	MOS	13-May-24	12 (+30d)					
	HRS	1794.8	800 (+10%)					
	ENC	1380						
PROC. REF: LMM 73-20-02								PKG:1
73-21-01 LH ENG FULL AUTHORITY DIGITAL FADEC Component ATA:73								
PN:35C4812-02	MOS/MSC	11-May-10	O/C	TSN 0				
SN:2009120022	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 73-21-01, AMM 73-21-01								
73-21-01 RH ENG FULL AUTHORITY DIGITAL FADEC Component ATA:73								
PN:35C4812-02	MOS/MSC	11-May-10	O/C	TSN 0				
SN:2010020013	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 73-21-01, AMM 73-21-01								
73-21-02 NO.1 W205 FADEC CH B FUS CTRL HARNESS Component ATA:73								
PN:PN	MOS/MSC	11-May-10	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
73-21-02 NO.2 W205 FADEC CH B FUS CTRL HARNESS Component ATA:73								
PN:PN	MOS/MSC	11-May-10	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
73-21-03 NO.1 W203 FADEC CH A FUS CTRL HARNESS Component ATA:73								
PN:PN	MOS/MSC	11-May-10	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
73-21-03 NO.2 W203 FADEC CH A FUS CTRL HARNESS Component ATA:73								
PN:PN	MOS/MSC	11-May-10	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
73-21-09 NO.1 W307 FADEC CH B HARNESS Component ATA:73								
PN:PN	MOS/MSC	11-May-10	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
73-21-09 NO.2 W307 FADEC CH B HARNESS Component ATA:73								
PN:PN	MOS/MSC	11-May-10	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
73-21-10 NO.1 W305 FADEC CH A HARNESS Component ATA:73								
PN:PN	MOS/MSC	11-May-10	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
73-21-10 NO.2 W305 FADEC CH A HARNESS Component ATA:73								
PN:PN	MOS/MSC	11-May-10	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
73-30-02-212-801^S NO. 1 ENGINE - VISUAL CHECK OF THE FUEL FILTER BYPASS INDICATOR POPUP BUTTON Service ATA:73								
	MOS	13-May-24	12 (+30d)					
	HRS	1794.8	800 (+10%)					
	ENC	1380						
PROC. REF: LMM 73-30-02								PKG:1
73-30-02-212-801^S NO. 2 ENGINE - VISUAL CHECK OF THE FUEL FILTER BYPASS INDICATOR POPUP BUTTON Service ATA:73								
	MOS	13-May-24	12 (+30d)					
	HRS	1794.8	800 (+10%)					
	ENC	1380						
PROC. REF: LMM 73-30-02								PKG:1
73-30-02-215-801^S NO. 1 ENGINE - DETAILED INSPECTION OF THE FUEL FILTER BYPASS INDICATOR Service ATA:73								
	MOS	13-May-24	12 (+30d)					
	HRS	1794.8	800 (+10%)					
	ENC	1380						
PROC. REF: LMM 73-30-02								PKG:1
73-30-02-215-801^S NO. 2 ENGINE - DETAILED INSPECTION OF THE FUEL FILTER BYPASS INDICATOR Service ATA:73								
	MOS	13-May-24	12 (+30d)					
	HRS	1794.8	800 (+10%)					
	ENC	1380						
PROC. REF: LMM 73-30-02								PKG:1
73-33-01 LH ENG FUEL FLOW METER Component ATA:73								
PN:8TJ300AAF2	MOS/MSC	11-May-10	O/C	TSN 0				
SN:23519	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 73-33-01, AMM 73-33-01								
73-33-01 RH ENG FUEL FLOW METER Component ATA:73								
PN:8TJ300AAF2	MOS/MSC	11-May-10	O/C	TSN 0				
SN:23393	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 73-33-01, AMM 73-33-01								
731002 NO. 1 ENGINE - FUEL TO OIL HEAT EXCHANGER Component ATA:73								
PN:35C4540-03	MOS	28-Feb-10		TSN 0				OVERHAUL
SN:WA38417	HRS	0	3500 (+100)	TSN 0	(3500) 3500	3600	1614 (+100)	
	ENC	0		TSN 0				
PROC. REF: LMM 73-10-02, LMM 73-10-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
731002 NO. 2 ENGINE - FUEL TO OIL HEAT EXCHANGER Component ATA:73								
PN:35C4540-03	MOS	27-Feb-10		TSN 0				OVERHAUL
SN:WA38425	HRS	0	3500 (+100)	TSN 0	(3500) 3500	3600	1614 (+100)	
	ENC	0		TSN 0				
PROC. REF: LMM 73-10-02, LMM 73-10-02								
732101 NO. 1 ENGINE - FUEL METERING UNIT Component ATA:73								
PN:1009000-4	MOS	02-Sep-11		TSN 0				OVERHAUL
SN:F68179	HRS	66.1	3500 (+100)	TSN 0	(3566.1) 3566.1	3666.1	1680.1 (+100)	
	ENC	72		TSN 0				
PROC. REF: LMM 73-20-01, LMM 73-20-01								
732101 NO. 2 ENGINE - FUEL METERING UNIT Component ATA:73								
PN:1009000-4	MOS	02-Sep-11		TSN 0				OVERHAUL
SN:F70900	HRS	66.1	3500 (+100)	TSN 0	(3566.1) 3566.1	3666.1	1680.1 (+100)	
	ENC	72		TSN 0				
PROC. REF: LMM 73-20-01, LMM 73-20-01								
732108 NO. 1 ENGINE - ELECTRICAL WIRING HARNESS Component ATA:73								
PN:PN	MOS/MSC	28-Feb-10	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REF								
732108 NO. 2 ENGINE - ELECTRICAL WIRING HARNESS Component ATA:73								
PN:PN	MOS/MSC	27-Feb-10	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REF								
732110 NO. 1 ENGINE - ENGINE ELECTRICAL WIRING HARNESS - DO A SPECIAL DETAILED INSPECTION Service ATA:73								
	MOS							
	HRS	EFF	3500 (+100)		(3500) 3500 *	3600	1614 (+100)	
	ENC							
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 73 - ENGINE FUEL AND CONTROL									
732110	NO. 2 ENGINE - ENGINE ELECTRICAL WIRING HARNESS - DO A SPECIAL DETAILED INSPECTION							Service	ATA:73
	MOS								
	HRS	EFF	3500 (+100)		(3500) 3500 *	3600	1614 (+100)		
	ENC								
PROC. REF: GENERIC NO REF									
732244	NO. 1 ENGINE - ENGINE ELECTRONIC CONTROL							Component	ATA:73
PN:1009211-3-005	MOS/MSC	30-Apr-14	O/C						
SN:2011040039	HRS	377.3							
	ENC	354							
PROC. REF: LMM 73-20-03, LMM 73-20-03									
732244	NO. 2 ENGINE - ENGINE ELECTRONIC CONTROL							Component	ATA:73
PN:1009211-3-005	MOS/MSC	30-Apr-14	O/C						
SN:2011040050	HRS	377.3							
	ENC	354							
PROC. REF: LMM 73-20-03, LMM 73-20-03									
733002	NO. 1 ENGINE - FUEL FILTER BYPASS INDICATOR							Component	ATA:73
PN:PN	MOS/MSC	28-Feb-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 73-30-02, LMM 73-30-02									
733002	NO. 2 ENGINE - FUEL FILTER BYPASS INDICATOR							Component	ATA:73
PN:PN	MOS/MSC	27-Feb-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 73-30-02, LMM 73-30-02									
733010	NO. 1 ENGINE - FUEL FILTER IMPENDING BYPASS INDICATOR							Component	ATA:73
PN:35C5593-01	MOS/MSC	04-Nov-10	O/C						
SN:UNKNOWN	HRS	12.3							
	ENC	19							
PROC. REF: GENERIC NO REF									
733010	NO. 2 ENGINE - FUEL FILTER IMPENDING BYPASS INDICATOR							Component	ATA:73
PN:35C5593-01	MOS/MSC	04-Nov-10	O/C						
SN:UNKNOWN	HRS	12.3							
	ENC	19							
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 73 - ENGINE FUEL AND CONTROL									
733020	NO. 1 ENGINE - FUEL FILTER IMPENDING BYPASS INDICATOR - DO A VISUAL INSPECTION AND FUNCTIONAL TEST							Service	ATA:73
	MOS								
	HRS	EFF	3500 (+100)		(3500) 3500 *	3600	1614 (+100)		
	ENC								
PROC. REF: LMM 73-30-01, LMM 73-30-01									
733020	NO. 2 ENGINE - FUEL FILTER IMPENDING BYPASS INDICATOR - DO A VISUAL INSPECTION AND FUNCTIONAL TEST							Service	ATA:73
	MOS								
	HRS	EFF	3500 (+100)		(3500) 3500 *	3600	1614 (+100)		
	ENC								
PROC. REF: LMM 73-30-01, LMM 73-30-01									
733030	NO. 1 ENGINE - FUEL FILTER BYPASS INDICATOR (POP-UP) - DO A VISUAL INSPECTION AND FUNCTIONAL TEST							Service	ATA:73
	MOS								
	HRS	EFF	3500 (+100)		(3500) 3500 *	3600	1614 (+100)		
	ENC								
PROC. REF: LMM 73-30-02, LMM 73-30-02									
733030	NO. 2 ENGINE - FUEL FILTER BYPASS INDICATOR (POP-UP) - DO A VISUAL INSPECTION AND FUNCTIONAL TEST							Service	ATA:73
	MOS								
	HRS	EFF	3500 (+100)		(3500) 3500 *	3600	1614 (+100)		
	ENC								
PROC. REF: LMM 73-30-02, LMM 73-30-02									
ATA 74 - IGNITION									
74-00-01-720-801 ^S	NO. 1 ENGINE - DO A FUNCTIONAL TEST OF THE IGNITION SYSTEM							Service	ATA:74
	MOS	13-May-24	12 (+30d)						
	HRS	1794.8	800 (+10%)						
	ENC	1380							
PROC. REF: LMM 74-00-01									
								PKG:1	
74-00-01-720-801 ^S	NO. 2 ENGINE - DO A FUNCTIONAL TEST OF THE IGNITION SYSTEM							Service	ATA:74
	MOS	13-May-24	12 (+30d)						
	HRS	1794.8	800 (+10%)						
	ENC	1380							
PROC. REF: LMM 74-00-01									
								PKG:1	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 74 - IGNITION									
74-10-01-212-801 ^S	NO. 1 ENGINE - GENERAL VISUAL INSPECTION OF THE IGNITION EXCITER							Service	ATA:74
	MOS	13-May-24	12 (+30d)						
	HRS	1794.8	800 (+10%)						
	ENC	1380							
					PROC. REF: LMM 74-10-01			PKG:1	
74-10-01-212-801 ^S	NO. 2 ENGINE - GENERAL VISUAL INSPECTION OF THE IGNITION EXCITER							Service	ATA:74
	MOS	13-May-24	12 (+30d)						
	HRS	1794.8	800 (+10%)						
	ENC	1380							
					PROC. REF: LMM 74-10-01			PKG:1	
74-20-01-212-801 ^S	NO. 1 ENGINE - GENERAL VISUAL INSPECTION OF THE IGNITION CABLES							Service	ATA:74
	MOS	13-May-24	12 (+30d)						
	HRS	1794.8	800 (+10%)						
	ENC	1380							
					PROC. REF: LMM 74-20-01			PKG:1	
74-20-01-212-801 ^S	NO. 2 ENGINE - GENERAL VISUAL INSPECTION OF THE IGNITION CABLES							Service	ATA:74
	MOS	13-May-24	12 (+30d)						
	HRS	1794.8	800 (+10%)						
	ENC	1380							
					PROC. REF: LMM 74-20-01			PKG:1	
74-20-02-220-801 ^S	NO. 1 ENGINE - INSPECT THE IGNITION IGNITERS							Service	ATA:74
	MOS	13-May-24	12 (+30d)						
	HRS	1794.8	800 (+10%)						
	ENC	1380							
					PROC. REF: LMM 74-20-02, LMM 74-20-02			PKG:1	
74-20-02-220-801 ^S	NO. 2 ENGINE - INSPECT THE IGNITION IGNITERS							Service	ATA:74
	MOS	13-May-24	12 (+30d)						
	HRS	1794.8	800 (+10%)						
	ENC	1380							
					PROC. REF: LMM 74-20-02, LMM 74-20-02			PKG:1	
741001	NO. 1 ENGINE - IGNITION EXCITER							Component	ATA:74
PN:35C5472-01	MOS/MSC	28-Feb-10	O/C		TSN 0				
SN:WDA110327	HRS	0			TSN 0				
	ENC	0			TSN 0				
					PROC. REF: LMM 74-10-01, LMM 74-10-01				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 74 - IGNITION									
741001		NO. 2 ENGINE - IGNITION EXCITER					Component ATA:74		
PN:35C5472-01	MOS/MSC	27-Feb-10	O/C	TSN 0					
SN:WDA110311	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 74-10-01, LMM 74-10-01									
741002		NO. 1 ENGINE - LEFT IGNITER CABLE					Component ATA:74		
PN:PN	MOS/MSC	28-Feb-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 74-20-01, LMM 74-20-01									
741002		NO. 2 ENGINE - LEFT IGNITER CABLE					Component ATA:74		
PN:PN	MOS/MSC	27-Feb-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 74-20-01, LMM 74-20-01									
741003		NO. 1 ENGINE - RIGHT IGNITER CABLE					Component ATA:74		
PN:PN	MOS/MSC	28-Feb-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 74-20-01, LMM 74-20-01									
741003		NO. 2 ENGINE - RIGHT IGNITER CABLE					Component ATA:74		
PN:PN	MOS/MSC	27-Feb-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 74-20-01, LMM 74-20-01									
741004		NO. 1 ENGINE - INBOARD SPARK IGNITER					Component ATA:74		
PN:35C2353-02	MOS/MSC	19-Dec-23	O/C	TSN 0					
SN:UNKNOWN	HRS	1762		TSN 0					
	ENC	1351		TSN 0					
PROC. REF: LMM 74-20-02									
741004		NO. 2 ENGINE - INBOARD SPARK IGNITER					Component ATA:74		
PN:35C2353-02	MOS/MSC	19-Dec-23	O/C	TSN 0					
SN:UNKNOWN	HRS	1762		TSN 0					
	ENC	1351		TSN 0					
PROC. REF: LMM 74-20-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 74 - IGNITION									
741005	NO. 1 ENGINE - OUTBOARD SPARK IGNITER							Component	ATA:74
PN:35C2353-02	MOS/MSC	19-Dec-23	O/C	TSN 0					
SN:UNKNOWN	HRS	1762		TSN 0					
	ENC	1351		TSN 0					
PROC. REF: LMM 74-20-02									
741005	NO. 2 ENGINE - OUTBOARD SPARK IGNITER							Component	ATA:74
PN:35C2353-02	MOS/MSC	19-Dec-23	O/C	TSN 0					
SN:UNKNOWN	HRS	1762		TSN 0					
	ENC	1351		TSN 0					
PROC. REF: LMM 74-20-02									
741010	NO. 1 ENGINE - IGNITION EXCITER - DO A GENERAL VISUAL INSPECTION							Service	ATA:74
	MOS								
	HRS	EFF	3500 (+100)		(3500) 3500 *	3600	1614 (+100)		
	ENC								
PROC. REF: LMM 74-10-01									
741010	NO. 2 ENGINE - IGNITION EXCITER - DO A GENERAL VISUAL INSPECTION							Service	ATA:74
	MOS								
	HRS	EFF	3500 (+100)		(3500) 3500 *	3600	1614 (+100)		
	ENC								
PROC. REF: LMM 74-10-01									
741020	NO. 1 ENGINE - LEFT IGNITER CABLE - DO A VISUAL INSPECTION AND FUNCTIONAL TEST							Service	ATA:74
	MOS								
	HRS	EFF	3500 (+100)		(3500) 3500 *	3600	1614 (+100)		
	ENC								
PROC. REF: LMM 74-20-01, LMM 74-20-01									
741020	NO. 2 ENGINE - LEFT IGNITER CABLE - DO A VISUAL INSPECTION AND FUNCTIONAL TEST							Service	ATA:74
	MOS								
	HRS	EFF	3500 (+100)		(3500) 3500 *	3600	1614 (+100)		
	ENC								
PROC. REF: LMM 74-20-01, LMM 74-20-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 74 - IGNITION									
741030	NO. 1 ENGINE - RIGHT IGNITER CABLE - DO A VISUAL INSPECTION AND FUNCTIONAL TEST							Service	ATA:74
	MOS								
	HRS	EFF	3500 (+100)		(3500) 3500 *	3600	1614 (+100)		
	ENC								
	PROC. REF: LMM 74-20-01, LMM 74-20-01								
741030	NO. 2 ENGINE - RIGHT IGNITER CABLE - DO A VISUAL INSPECTION AND FUNCTIONAL TEST							Service	ATA:74
	MOS								
	HRS	EFF	3500 (+100)		(3500) 3500 *	3600	1614 (+100)		
	ENC								
	PROC. REF: LMM 74-20-01, LMM 74-20-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 75 - AIR								
75-30-01-212-801^S NO. 1 ENGINE - GENERAL VISUAL INSPECTION OF THE BVA								
	MOS	13-May-24	12 (+30d)					Service ATA:75
	HRS	1794.8	800 (+10%)					
	ENC	1380						
PROC. REF: LMM 75-30-01								PKG:1
75-30-01-212-801^S NO. 2 ENGINE - GENERAL VISUAL INSPECTION OF THE BVA								
	MOS	13-May-24	12 (+30d)					Service ATA:75
	HRS	1794.8	800 (+10%)					
	ENC	1380						
PROC. REF: LMM 75-30-01								PKG:1
75-30-01-830-801^S NO. 1 ENGINE - RIGGING THE BLEED VALVE ACTUATOR (BVA)								
PN:35C2851-02	MOS/MSC	28-Feb-10	A/R					Service ATA:75
SN:16775330	HRS	0						
	ENC	0						
PROC. REF: MM 75-30-01								
75-30-01-830-801^S NO. 2 ENGINE - RIGGING THE BLEED VALVE ACTUATOR (BVA)								
PN:35C2851-02	MOS/MSC	27-Feb-10	A/R					Service ATA:75
SN:16777280	HRS	0						
	ENC	0						
PROC. REF: MM 75-30-01								
751003 NO. 1 ENGINE - BLEED VALVE ACTUATOR								
PN:35C2851-02	MOS	28-Feb-10		TSN 0				Component ATA:75 OVERHAUL
SN:16775330	HRS	0	3500 (+100)	TSN 0	(3500) 3500	3600	1614 (+100)	
	ENC	0		TSN 0				
PROC. REF: LMM 75-30-01, LMM 75-30-01								
751003 NO. 2 ENGINE - BLEED VALVE ACTUATOR								
PN:35C2851-02	MOS	27-Feb-10		TSN 0				Component ATA:75 OVERHAUL
SN:16777280	HRS	0	3500 (+100)	TSN 0	(3500) 3500	3600	1614 (+100)	
	ENC	0		TSN 0				
PROC. REF: LMM 75-30-01, LMM 75-30-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 76 - ENGINE CONTROLS									
76-11-03		THROTTLE CONTROL QUADRANT ASSEMBLY					Component		ATA:76
PN:6990010-11	MOS/MSC	11-May-10	O/C	TSN 0					
SN:1190	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
ATA 77 - ENGINE INDICATING									
77-20-02-212-801 ^S		NO. 1 ENGINE - GENERAL VISUAL INSPECTION OF THE T6 TEMPERATURE INDICATING SYSTEM					Service		ATA:77
	MOS	13-May-24	12 (+30d)						
	HRS	1794.8	800 (+10%)						
	ENC	1380							
PROC. REF: LMM 77-20-02									
PKG:1									
77-20-02-212-801 ^S		NO. 2 ENGINE - GENERAL VISUAL INSPECTION OF THE T6 TEMPERATURE INDICATING SYSTEM					Service		ATA:77
	MOS	13-May-24	12 (+30d)						
	HRS	1794.8	800 (+10%)						
	ENC	1380							
PROC. REF: LMM 77-20-02									
PKG:1									
77-20-02-215-801		NO. 1 ENGINE - ELECTRICAL FUNCTIONAL CHECK OF THE T6 THERMOCOUPLE SYSTEM (ON AIRCRAFT)					Service		ATA:77
	MOS/MSC	28-Feb-10	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	ENC	0							
PROC. REF: MM 77-20-02									
77-20-02-215-801		NO. 2 ENGINE - ELECTRICAL FUNCTIONAL CHECK OF THE T6 THERMOCOUPLE SYSTEM (ON AIRCRAFT)					Service		ATA:77
	MOS/MSC	27-Feb-10	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	ENC	0							
PROC. REF: MM 77-20-02									
77-20-02-710-801		NO. 1 ENGINE - OPERATIONAL CHECK OF THE T6 TEMPERATURE INDICATING SYSTEM					Service		ATA:77
	MOS	03-Dec-22	36 (+30d)		03-Dec-25	02-Jan-26	422 d (+30)		
	HRS	1604.1	1750 (+50)		(3354.1) 3354.1	3404.1	1468.1 (+50)		
	ENC	1242							
PROC. REF: LMM 77-20-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 77 - ENGINE INDICATING									
77-20-02-710-801	NO. 2 ENGINE - OPERATIONAL CHECK OF THE T6 TEMPERATURE INDICATING SYSTEM							Service	ATA:77
	MOS	03-Dec-22	36 (+30d)		03-Dec-25	02-Jan-26	422 d (+30)		
	HRS	1604.1	1750 (+50)		(3354.1) 3354.1	3404.1	1468.1 (+50)		
	ENC	1242							
PROC. REF: LMM 77-20-02									
77-20-02-750-801	NO. 1 ENGINE - FUNCTIONAL TEST OF THE T6 THERMOCOUPLE WIRING HARNESS ASSEMBLY (REMOVED)							Service	ATA:77
	MOS/MSC	28-Feb-10	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	ENC	0							
PROC. REF: MM 77-20-02									
77-20-02-750-801	NO. 2 ENGINE - FUNCTIONAL TEST OF THE T6 THERMOCOUPLE WIRING HARNESS ASSEMBLY (REMOVED)							Service	ATA:77
	MOS/MSC	27-Feb-10	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	ENC	0							
PROC. REF: MM 77-20-02									
772002	NO. 1 ENGINE - T6 THERMOCOUPLE HARNESS ASSEMBLY							Component	ATA:77
PN:PN	MOS/MSC	28-Feb-10	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	ENC	0			TSN 0				
PROC. REF: LMM 77-20-02, LMM 77-20-02									
772002	NO. 2 ENGINE - T6 THERMOCOUPLE HARNESS ASSEMBLY							Component	ATA:77
PN:PN	MOS/MSC	27-Feb-10	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	ENC	0			TSN 0				
PROC. REF: LMM 77-20-02, LMM 77-20-02									
772010	NO. 1 ENGINE - T6 THERMOCOUPLE HARNESS ASSEMBLY - DO A VISUAL INSPECTION AND FUNCTIONAL TEST							Service	ATA:77
	MOS								
	HRS	EFF	3500 (+100)		(3500) 3500 *	3600	1614 (+100)		
	ENC								
PROC. REF: LMM 77-20-02, LMM 77-20-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 77 - ENGINE INDICATING									
772010	NO. 2 ENGINE - T6 THERMOCOUPLE HARNESS ASSEMBLY - DO A VISUAL INSPECTION AND FUNCTIONAL TEST							Service	ATA:77
	MOS								
	HRS	EFF	3500 (+100)		(3500) 3500 *	3600	1614 (+100)		
	ENC								
PROC. REF: LMM 77-20-02, LMM 77-20-02									
772103	NO. 1 ENGINE - DATA COLLECTION UNIT							Component	ATA:77
PN:35C5571-01	MOS/MSC	28-Feb-10	O/C	TSN 0					
SN:DP09-1636	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
772103	NO. 2 ENGINE - DATA COLLECTION UNIT							Component	ATA:77
PN:35C5571-01	MOS/MSC	27-Feb-10	O/C	TSN 0					
SN:DP09-1638	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
772110	NO. 1 ENGINE - DO A DCU INTEGRITY VERIFACTION							Service	ATA:77
	MOS								
	HRS	EFF	3500 (+100)		(3500) 3500 *	3600	1614 (+100)		
	ENC								
PROC. REF: LMM 77-40-01, LMM 77-40-01									
772110	NO. 2 ENGINE - DO A DCU INTEGRITY VERIFACTION							Service	ATA:77
	MOS								
	HRS	EFF	3500 (+100)		(3500) 3500 *	3600	1614 (+100)		
	ENC								
PROC. REF: LMM 77-40-01, LMM 77-40-01									
ATA 79 - OIL									
79-00-00-640-803	NO. 1 ENGINE - OIL CHANGE INTERVAL							Service	ATA:79
	MOS/MSC	28-Feb-10	A/R						
	HRS	0							
	ENC	0							
PROC. REF: LMM 72-00-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 79 - OIL									
79-00-00-640-803	NO. 2 ENGINE - OIL CHANGE INTERVAL							Service	ATA:79
	MOS/MSC	27-Feb-10	A/R						
	HRS	0							
	ENC	0							
	PROC. REF: LMM 72-00-00								
79-20-01-000-801	NO. 1 ENGINE - DISCARD OIL FILTER							Service	ATA:79
	MOS	19-Dec-23							
	HRS	1762	800 (+10%)		(2562) 2562	2642	676 (+80)		
	ENC	1351							
	PROC. REF: LMM 79-20-01, LMM 79-20-01								
	PKG:2								
79-20-01-000-801	NO. 2 ENGINE - DISCARD OIL FILTER							Service	ATA:79
	MOS	19-Dec-23							
	HRS	1762	800 (+10%)		(2562) 2562	2642	676 (+80)		
	ENC	1351							
	PROC. REF: LMM 79-20-01, LMM 79-20-01								
	PKG:2								
79-20-03-000-805-A	NO. 1 ENGINE - DISCARD THE NO. 4 BEARING OIL-PRESSURE TUBE							Component	ATA:79
PN:35C6509	MOS	19-Dec-23		TSN 0				LIFE LIMIT	
SN:UNKNOWN	HRS	1762	1750 (+50)	TSN 0	(3512) 3512	3562	1626 (+50)		
	ENC	1351		TSN 0					
	PROC. REF: LMM 79-20-03, LMM 79-20-03, LMM 79-20-03, LMM 79-20-03								
79-20-03-000-805-A	NO. 2 ENGINE - DISCARD THE NO. 4 BEARING OIL-PRESSURE TUBE							Component	ATA:79
PN:35C6509	MOS	19-Dec-23		TSN 0				LIFE LIMIT	
SN:UNKNOWN	HRS	1762	1750 (+50)	TSN 0	(3512) 3512	3562	1626 (+50)		
	ENC	1351		TSN 0					
	PROC. REF: LMM 79-20-03, LMM 79-20-03, LMM 79-20-03, LMM 79-20-03								
79-30-01-720-801 ^S	NO. 1 ENGINE - OPERATIONAL CHECK OF THE CHIP DETECTOR							Service	ATA:79
	MOS	13-May-24	12 (+30d)						
	HRS	1794.8	800 (+10%)						
	ENC	1380							
	PROC. REF: GENERIC NO REF								
	PKG:1								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 79 - OIL									
79-30-01-720-801 ^S	NO. 2 ENGINE - OPERATIONAL CHECK OF THE CHIP DETECTOR							Service	ATA:79
	MOS	13-May-24	12 (+30d)						
	HRS	1794.8	800 (+10%)						
	ENC	1380							
	PROC. REF: GENERIC NO REF							PKG:1	
79-30-02-210-802 ^S	NO. 1 ENGINE - VISUAL CHECK OF THE OIL FILTER IMPENDING BYPASS INDICATOR POPUP BUTTON							Service	ATA:79
	MOS	13-May-24	12 (+30d)						
	HRS	1794.8	800 (+10%)						
	ENC	1380							
	PROC. REF: LMM 79-30-02							PKG:1	
79-30-02-210-802 ^S	NO. 2 ENGINE - VISUAL CHECK OF THE OIL FILTER IMPENDING BYPASS INDICATOR POPUP BUTTON							Service	ATA:79
	MOS	13-May-24	12 (+30d)						
	HRS	1794.8	800 (+10%)						
	ENC	1380							
	PROC. REF: LMM 79-30-02							PKG:1	
79-30-02-215-801 ^S	NO. 1 ENGINE - DETAILED INSPECTION OF THE OIL FILTER IMPENDING BYPASS INDICATOR							Service	ATA:79
	MOS	13-May-24	12 (+30d)						
	HRS	1794.8	800 (+10%)						
	ENC	1380							
	PROC. REF: LMM 79-30-02							PKG:1	
79-30-02-215-801 ^S	NO. 2 ENGINE - DETAILED INSPECTION OF THE OIL FILTER IMPENDING BYPASS INDICATOR							Service	ATA:79
	MOS	13-May-24	12 (+30d)						
	HRS	1794.8	800 (+10%)						
	ENC	1380							
	PROC. REF: LMM 79-30-02							PKG:1	
79-31-01	LH ENG OIL TEMPERATURE PRESSURE SENSOR							Component	ATA:79
PN:PT9903-275-40012	MOS/MSC	11-May-10	O/C	TSN 0					
SN:1109-2550	HRS	0		TSN 0					
	AFL	0		TSN 0					
	PROC. REF: AMM 79-31-01, AMM 79-31-01								
79-31-01	RH ENG OIL TEMPERATURE PRESSURE SENSOR							Component	ATA:79
PN:PT9903-275-40012	MOS/MSC	11-May-10	O/C	TSN 0					
SN:1109-2556	HRS	0		TSN 0					
	AFL	0		TSN 0					
	PROC. REF: AMM 79-31-01, AMM 79-31-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 79 - OIL									
792007		NO. 1 ENGINE - AIR COOLED OIL COOLER						Component	ATA:79
PN:35C2495-05	MOS	28-Feb-10		TSN 0				OVERHAUL	
SN:WA38394	HRS	0	3500 (+100)	TSN 0	(3500) 3500	3600	1614 (+100)		
	ENC	0		TSN 0					
PROC. REF: LMM 79-20-03, LMM 79-20-03, LMM 79-20-07, LMM 79-20-07									
792007		NO. 2 ENGINE - AIR COOLED OIL COOLER						Component	ATA:79
PN:35C2495-05	MOS	27-Feb-10		TSN 0				OVERHAUL	
SN:WA38370	HRS	0	3500 (+100)	TSN 0	(3500) 3500	3600	1614 (+100)		
	ENC	0		TSN 0					
PROC. REF: LMM 79-20-03, LMM 79-20-03, LMM 79-20-07, LMM 79-20-07									
792010		NO. 1 ENGINE - P3 AIR COOLER ASSEMBLY						Component	ATA:79
PN:35C5545-01	MOS/MSC	28-Feb-10	O/C	TSN 0					
SN:TYAB1744	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
792010		NO. 2 ENGINE - P3 AIR COOLER ASSEMBLY						Component	ATA:79
PN:35C5545-01	MOS/MSC	27-Feb-10	O/C	TSN 0					
SN:TYAB1752	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
793001		NO. 1 ENGINE - CHIP DETECTOR						Component	ATA:79
PN:PN	MOS/MSC	28-Feb-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 79-30-01, LMM 79-30-01									
793001		NO. 2 ENGINE - CHIP DETECTOR						Component	ATA:79
PN:PN-UNKNOWN	MOS/MSC	15-Apr-16	O/C	TSN 2					
SN:UNKNOWN	HRS	574.5		TSN 0					
	ENC	550		TSN 0					
PROC. REF: LMM 79-30-01, LMM 79-30-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000159 RegNo: N367ER HRS: 1886 AFL: 1429 As Of: 02-Oct-2024

07-Oct-2024 05:54 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 79 - OIL									
793002	NO. 1 ENGINE - OIL FILTER IMPENDING BYPASS INDICATOR							Component	ATA:79
PN:PN	MOS/MSC	28-Feb-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 79-30-02, LMM 79-30-02									
793002	NO. 2 ENGINE - OIL FILTER IMPENDING BYPASS INDICATOR							Component	ATA:79
PN:PN	MOS/MSC	27-Feb-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 79-30-02, LMM 79-30-02									
793010	NO. 1 ENGINE - CHIP DETECTOR - DO A VISUAL INSPECTION AND FUNCTIONAL TEST							Service	ATA:79
	MOS								
	HRS	EFF	3500 (+100)		(3500) 3500 *	3600	1614 (+100)		
	ENC								
PROC. REF: LMM 79-30-01, LMM 79-30-01									
793010	NO. 2 ENGINE - CHIP DETECTOR - DO A VISUAL INSPECTION AND FUNCTIONAL TEST							Service	ATA:79
	MOS								
	HRS	EFF	3500 (+100)		(3500) 3500 *	3600	1614 (+100)		
	ENC								
PROC. REF: LMM 79-30-01, LMM 79-30-01									
793020	NO. 1 ENGINE - OIL FILTER IMPENDING BYPASS INDICATOR (POP-UP) - DO A DETAIL INSPECTION AND FUNCTIONAL TEST							Service	ATA:79
	MOS								
	HRS	EFF	3500 (+100)		(3500) 3500 *	3600	1614 (+100)		
	ENC								
PROC. REF: LMM 79-30-02, LMM 79-30-02									
793020	NO. 2 ENGINE - OIL FILTER IMPENDING BYPASS INDICATOR (POP-UP) - DO A DETAIL INSPECTION AND FUNCTIONAL TEST							Service	ATA:79
	MOS								
	HRS	EFF	3500 (+100)		(3500) 3500 *	3600	1614 (+100)		
	ENC								
PROC. REF: LMM 79-30-02, LMM 79-30-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task