



Status Report

PC-12/47E NGX

S/N 2321 N898CS

OWNER: SHOEAIR,LLC
ADDRESS: 2265 S RIVERBIRCH PLACE
IDAHO ID 83616

OPERATOR: SHOEAIR,LLC
ADDRESS: 2265 S RIVERBIRCH PLACE
IDAHO ID 83616

OFFICE:
FAX:

OFFICE:
FAX:

ANALYST: ANTHONY GUEVARA
EMAIL: AGUEVARA@CAMPSYSTEMS.COM

1-631-648-7028 (DIRECT)
+1-631-588-3200 (MAIN)
WWW.CAMPSYSTEMS.COM

800-787-9749 (EFAX-CARDS)
631-980-4222 (FAX)

PLEASE REACH OUT TO YOUR ANALYST TO
RECORD CHANGES TO ADDRESS, LAST ACTUALS
(IF ANY).

FILTER CRITERIA : Spl. Reqs:INCLUDE;Task Type:PACKAGE, COMPONENT, SERVICE;PN/SN-UNKNOWN Components:INCLUDE

AIRCRAFT	SERIAL / REGNO: 2321/N898CS	MODEL: PC-12/47E NGX	MANUFACTURER: PILATUS AIRCRAFT LTDX
----------	-----------------------------	----------------------	-------------------------------------

CERTIFICATION DATE: 14-NOV-2023

LAST ACTUALS:

200.2	A/C HRS	as of 30-APR-2025
102	AFL	as of 30-APR-2025

ENGINE NO. 1	SERIAL / PART: PCE-HP0313/3126995-01 BS1369	MODEL: PT6E-67XP	MANUFACTURER: PRATT & WHITNEY CANADA CORP.
--------------	--	------------------	--

INSTALLED ON: 06-NOV-2023

LAST ACTUALS:

0	ENG. HRS	0 A/C HRS	324	ENG. HRS	as of 05-FEB-2025
0	ENC		79	ENC	as of 05-FEB-2025

PROPELLER NO. 1	SERIAL / PART: SA1020/E5A01850SKD	MODEL: HC-E5A-31A	MANUFACTURER: HARTZELL PROPELLER LLC
-----------------	-----------------------------------	-------------------	--------------------------------------

INSTALLED ON: 06-NOV-2023

LAST ACTUALS:

0	PROP HRS	0 A/C HRS	324	PROP HRS	as of 05-FEB-2025
0	PRC				



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
00-00/121	^S	JOB CLOSE UP - AIRCRAFT - AIRWORTHINESS DIRECTIVES AND SERVICE BULLETINS REVIEWED AND COMPLIED WITH AS REQUIRED						Service ATA:00
	MOS/MSC	04-Dec-24	A/R					
	HRS	146.8						
	AFL	62						
								PKG:5 ,1,2,3,4
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
00-00/122	^S	JOB CLOSE UP - AIRCRAFT - CHAPTER 4 AND CHAPTER 5 - OVERHAUL AND REPLACEMENT SCHEDULE AND TIME LIMITED INSPECTION REQUIREMENTS DATA MODULES REVIEWED AND ANY ADDITIONAL REQUIREMENTS ARE COMPLIED WITH						Service ATA:00
	MOS/MSC	04-Dec-24	A/R					
	HRS	146.8						
	AFL	62						
								PKG:5 ,1,2,3,4
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
00-00/481	^S	JOB CLOSE UP - AIRCRAFT - CHECK FLIGHT MANUAL IS AT THE LATEST REVISION						Service ATA:00
	MOS/MSC	04-Dec-24	A/R					
	HRS	146.8						
	AFL	62						
								PKG:5 ,1,2,3,4
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
EP21-230818		NO. 1 ENGINE - REVIEW PT6E-67XP ENGINE CODE NUMBER CORRECTION						Service ATA:00
	MOS/MSC	30-Jun-23	-					REQUIREMENT CHANGE FORMS
	HRS	0						
	ENC	0						
PROC. REF: RCF EP21PROC. REF: RCF EP21								
EP21-240620		NO. 1 ENGINE - REVIEW PT6E-67XP EMM ISSUE 20						Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF EP21PROC. REF: RCF EP21								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
P12X‐221101	NO. 1 PROPELLER - REVIEW HARTZELL PROPELLER OWNER'S MANUAL NO. 147, REVISION 19							Service ATA:00
	MOS/MSC	28-Jun-23	-					REQUIREMENT CHANGE FORMS
	HRS	0						
PC12A00310100	PRIMUS APEX SYSTEM BUILD 12 SOFTWARE							Component ATA:00
PN:795.02.12.321	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:2321_V0	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PC12A00310100-0010	SW,OPERATIONAL,APEX							Component ATA:00
PN:985.99.12.510	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:2321_V0	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PC12A00310100-0030	APEX FMS PERFORMANCE DATABASE							Component ATA:00
PN:985.99.12.433	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:2321_V0	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PC12A00310100-0040	ADAHRS CERTIFICATION FILE SOFTWARE							Component ATA:00
PN:985.99.12.401	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:2321_V0	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PC12A00310100-0050	LOADABLE DIAGNOSTIC INTERFACE (LDI)							Component ATA:00
PN:545.45.12.017	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:2321_V0	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
PC12A00310100-0060		SW TOUCH SCREEN CONTROLLER						Component ATA:00
PN:985.99.12.075	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:2321_V0	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PC12A00310100-0070		TOUCH SCREEN CONTROLLER SPLASH SCREEN, OEM						Component ATA:00
PN:534.28.12.248	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:2321_V0	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PC12A00310100-0080		EFD-750 CONFIG FILE						Component ATA:00
PN:534.20.12.008	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:2321_V0	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PC12A00310100-0100		PRIMUS APEX OPTION FILE, PC-12E						Component ATA:00
PN:534.70.12.153	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:2321_V0	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PC12A00310100-0110		ECL DATABASE						Component ATA:00
PN:531.40.12.036	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:2321_V0	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PC12A00310100-0120		DEVICE,DATA LOADING,WIRELESS,SW						Component ATA:00
PN:546.00.12.009	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:2321_V0	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
PC12A00310100-0120A		DEVICE,DATA LOADING,SW LOADER						Component ATA:00
PN:PN	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PC12A00310100-0130		LIGHTWEIGHT DATA RECORDER DEFINITION FILE FOR APEX BUILD 12 AND UP						Component ATA:00
PN:531.30.12.043	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:2321_V0	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PC12A00310106		REMOTE TERMINAL/DATA LOADER TOOL						Component ATA:00
PN:PN	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PC12A00310107		ECL DESIGNER TOOL						Component ATA:00
PN:PN	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PC12A00310108		APM SETTINGS TOOL						Component ATA:00
PN:PN	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PC12A00310113		PURPLE DISK						Component ATA:00
PN:PN	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
PC12A00310114		GREEN DISK					Component	ATA:00
PN:PN	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PC12A00310115		BLUE DISK					Component	ATA:00
PN:PN	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PC12A00310116		2DAMM					Component	ATA:00
PN:PN	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PC12A00310118		EGPWF MODULATION					Component	ATA:00
PN:PN	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PC12A00310126		NO. 1 POWER SUPPLY MODULE					Component	ATA:00
PN:PN	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A00310127		NO. 2 POWER SUPPLY MODULE					Component	ATA:00
PN:PN	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
PC12A00310128		NO. 3 POWER SUPPLY MODULE					Component	ATA:00
PN:PN	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A00310143		CCD ASSEMBLY WITH DISPLAY SELECT					Component	ATA:00
PN:PN	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A00310145		TOUCH SCREEN CONTROLLER					Component	ATA:00
PN:PN	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A00310147		PILOT GUIDE,APEX,PC-12					Component	ATA:00
PN:PN	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A00310150		DEVICE,DATA LOADING,WIRELESS,SW					Component	ATA:00
PN:PN	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 04 - LIMITATIONS								
04-CA/1	AIRCRAFT LIMIT OF VALIDITY (LOV)							Service ATA:04
	MOS	30-Nov-23						LIFE LIMIT
	HRS	0	50000		50000		49799.8	
	AFL	0	60000		60000		59898	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
04-CA/2	WING STRUCTURE LIMIT OF VALIDITY (LOV) (WITHOUT SYSTEMS AND CONTROL SYSTEM STRUCTURE SUCH AS FLAPS AND AILERONS)							Service ATA:04
	MOS	30-Nov-23						LIFE LIMIT
	HRS	0	35000		35000		34799.8	
	AFL	0	43000		43000		42898	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
05-20-00-00	JOB SET UP / CLOSE UP PACKAGE							Package ATA:05
	MOS/MSC	04-Dec-24	A/R					
	HRS	146.8						
	AFL	62						
PROC. REF: AMM 12-C-05-20-00-00A-913A-APROC. REF: AMM 12-C-05-20-00-00A-913A-A								PKG:5
05-40-01-03	600 FH INSPECTION							Package ATA:05
	MOS	30-Nov-23						
	HRS	0	600 (+60/-60)		600	660	399.8 (+60)	
	AFL	0						
PROC. REF: AMM 12-C-05-40-01-03A-000B-APROC. REF: AMM 12-C-05-40-01-03A-000B-A								PKG:1
05-40-01-04	600 FH OR 12 MONTHS INSPECTION							Package ATA:05
	MOS	04-Dec-24	12 (+10%/-10%)		04-Dec-25	10-Jan-26	190 d (+37)	
	HRS	146.8	600 (+60/-60)		746.8	806.8	546.6 (+60)	
	AFL	62						
PROC. REF: AMM 12-C-05-40-01-04A-000B-APROC. REF: AMM 12-C-05-40-01-04A-000B-A								PKG:2

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
05-40-01-05	1200 FH OR 12 MONTHS INSPECTION							Package ATA:05
	MOS	04-Dec-24	12 (+10%/-10%)		04-Dec-25	10-Jan-26	190 d (+37)	
	HRS	146.8	1200 (+60/-60)		1346.8	1406.8	1146.6 (+60)	
	AFL	62						
PROC. REF: AMM 12-C-05-40-01-05A-000B-APROC. REF: AMM 12-C-05-40-01-05A-000B-A								PKG:3
05-40-01-06	2400 FH OR 24 MONTHS INSPECTION							Package ATA:05
	MOS	30-Nov-23	24 (+10%/-10%)		30-Nov-25	12-Feb-26	186 d (+74)	
	HRS	0	2400 (+10%/-10%)		2400	2640	2199.8 (+240)	
	AFL	0						
PROC. REF: AMM 12-C-05-40-01-06A-000B-APROC. REF: AMM 12-C-05-40-01-06A-000B-A								PKG:4
05-50-16	UNSCHEDULED INSPECTION - CHECK AFTER A JET BLAST							Service ATA:05
	MOS/MSC	30-Nov-23	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-05-50-16-00A-282A-APROC. REF: AMM 12-B-05-50-16-00A-282A-A								
05-50/1	UNSCHEDULED INSPECTION - CHECK AFTER A HARD LANDING							Service ATA:05
	MOS/MSC	30-Nov-23	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-05-50-01-00A-282B-APROC. REF: AMM 12-B-05-50-01-00A-282B-A								
05-50/10	UNSCHEDULED INSPECTION - CHECK AFTER MAXIMUM LANDING GEAR EXTENDED SPEED EXCEEDANCE							Service ATA:05
	MOS/MSC	30-Nov-23	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-05-50-10-00A-282A-APROC. REF: AMM 12-B-05-50-10-00A-282A-A								
05-50/11	UNSCHEDULED INSPECTION - CHECK AFTER TAIL DOWN DAMAGE INSPECTION							Service ATA:05
	MOS/MSC	30-Nov-23	A/R					
	HRS	0						
	AFL	0						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
PROC. REF: AMM 12-B-05-50-11-00A-282A-APROC. REF: AMM 12-B-05-50-11-00A-282A-A								
05-50/12	UNSCHEDULED INSPECTION - CHECK AFTER NOSE LANDING GEAR OVERTURN							Service ATA:05
	MOS/MSC	30-Nov-23	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-05-50-12-00A-282A-APROC. REF: AMM 12-B-05-50-12-00A-282A-A								
05-50/15	UNSCHEDULED INSPECTION - CHECK AFTER A FLIGHT THROUGH VOLCANIC ASH OR SMOKE							Service ATA:05
	MOS/MSC	30-Nov-23	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-05-50-15-00A-282A-APROC. REF: AMM 12-B-05-50-15-00A-282A-A								
05-50/18	UNSCHEDULED INSPECTION - ENGINE							Service ATA:05
	MOS/MSC	30-Nov-23	A/R					
	HRS	0						
	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
05-50/2	UNSCHEDULED INSPECTION - CHECK AFTER FLIGHT IN SEVERE TURBULENCE OR AFTER SEVERE MANEUVERS							Service ATA:05
	MOS/MSC	30-Nov-23	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-05-50-02-00A-282A-APROC. REF: AMM 12-B-05-50-02-00A-282A-A								
05-50/3	UNSCHEDULED INSPECTION - CHECK AFTER OVERSPEED WITH FLAPS DOWN							Service ATA:05
	MOS/MSC	30-Nov-23	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-05-50-03-00A-282A-APROC. REF: AMM 12-B-05-50-03-00A-282A-A								
05-50/4	UNSCHEDULED INSPECTION - CHECK AFTER PROPELLER SUDDEN STOPPAGE							Service ATA:05
	MOS/MSC	30-Nov-23	A/R					
	HRS	0						
	AFL	0						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
PROC. REF: AMM 12-B-05-50-04-00A-282A-APROC. REF: AMM 12-B-05-50-04-00A-282A-A								
05-50/5	UNSCHEDULED INSPECTION - CHECK AFTER A LIGHTNING STRIKE							Service ATA:05
	MOS/MSC	30-Nov-23	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-05-50-05-00A-282A-APROC. REF: AMM 12-B-05-50-05-00A-282A-A								
05-50/6	UNSCHEDULED INSPECTION - CHECK AFTER ALIGNMENT AND SYMMETRY							Service ATA:05
	MOS/MSC	30-Nov-23	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-05-50-06-00A-282A-APROC. REF: AMM 12-B-05-50-06-00A-282A-A								
05-50/7	UNSCHEDULED INSPECTION - GEOMETRY INSPECTION - CHECK AFTER A FUSELAGE CARRY THROUGH FRAMES							Service ATA:05
	MOS/MSC	30-Nov-23	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-05-50-07-00A-282A-APROC. REF: AMM 12-B-05-50-07-00A-282A-A								
05-50/8	UNSCHEDULED INSPECTION - CHECK AFTER MAXIMUM OPERATING SPEED EXCEEDANCE							Service ATA:05
	MOS/MSC	30-Nov-23	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-C-05-50-08-00A-282A-APROC. REF: AMM 12-C-05-50-08-00A-282A-A								
05-50/9	UNSCHEDULED INSPECTION - CHECK AFTER MAXIMUM LANDING GEAR OPERATING SPEED EXCEEDANCE							Service ATA:05
	MOS/MSC	30-Nov-23	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-05-50-09-00A-282A-APROC. REF: AMM 12-B-05-50-09-00A-282A-A								
05-CA/1 ^U	AIRCRAFT REGISTRATION - FAR 47.40							Service ATA:05
	MOS	20-Nov-23	36		20-Nov-26		541 d	
	HRS	28.3						
	AFL	10						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
05-CA/10	NO. 1 ENGINE - PROPELLER SUDDEN STOPPAGE OR STRIKE							Service ATA:05
	MOS/MSC	30-Jun-23	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EM 05-50-10, LMM 05-50-10PROC. REF: EM 05-50-10, LMM 05-50-10								
05-CA/11	NO. 1 ENGINE - PROPELLER LIGHTNING STRIKE							Service ATA:05
	MOS/MSC	30-Jun-23	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EM 05-50-11, LMM 05-50-11PROC. REF: EM 05-50-11, LMM 05-50-11								
05-CA/12	NO. 1 ENGINE - SHORT CIRCUIT OF PROPELLER ELECTRICAL LEADS							Service ATA:05
	MOS/MSC	30-Jun-23	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EM 05-50-12, LMM 05-50-12PROC. REF: EM 05-50-12, LMM 05-50-12								
05-CA/13	NO. 1 ENGINE - HEAVY/HARD LANDING							Service ATA:05
	MOS/MSC	30-Jun-23	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EM 05-50-13, LMM 05-50-13PROC. REF: EM 05-50-13, LMM 05-50-13								
05-CA/14	NO. 1 ENGINE - AIRCRAFT FLIGHT THROUGH A CLOUD OF VOLCANIC ASH							Service ATA:05
	MOS/MSC	30-Jun-23	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EM 05-50-14, LMM 05-50-14PROC. REF: EM 05-50-14, LMM 05-50-14								
05-CA/15	NO. 1 ENGINE - SUSTAINED RUNNING WITH HIGH OIL PRESSURE							Service ATA:05
	MOS/MSC	30-Jun-23	A/R					
	HRS	0						
	ENC	0						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
PROC. REF: EM 05-50-15, LMM 05-50-15PROC. REF: EM 05-50-15, LMM 05-50-15								
05-CA/16	NO. 1 ENGINE - LOSS OF OIL, NO OIL PRESSURE OR LOW OIL PRESSURE							Service ATA:05
	MOS/MSC	30-Jun-23	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EM 05-50-16, LMM 05-50-16PROC. REF: EM 05-50-16, LMM 05-50-16								
05-CA/17	NO. 1 ENGINE - HIGH OIL PRESSURE							Service ATA:05
	MOS/MSC	30-Jun-23	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EM 05-50-17, LMM 05-50-17PROC. REF: EM 05-50-17, LMM 05-50-17								
05-CA/18	NO. 1 ENGINE - CONTAMINATION BY FIRE EXTINGUISHING AGENTS							Service ATA:05
	MOS/MSC	30-Jun-23	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EM 05-50-18, LMM 05-50-18PROC. REF: EM 05-50-18, LMM 05-50-18								
05-CA/19	NO. 1 ENGINE - AUDIBLE RUBBING, BINDING OR SCRAPING							Service ATA:05
	MOS/MSC	30-Jun-23	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EM 05-50-19, LMM 05-50-19PROC. REF: EM 05-50-19, LMM 05-50-19								
05-CA/2	NO. 1 ENGINE - ENGINE OVERTORQUE							Service ATA:05
	MOS/MSC	30-Jun-23	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EM 05-50-02, LMM 05-50-02PROC. REF: EM 05-50-02, LMM 05-50-02								
05-CA/20	NO. 1 ENGINE - PROPELLER WINDMILLING AFTER IN - FLIGHT SHUTDOWN							Service ATA:05
	MOS/MSC	30-Jun-23	A/R					
	HRS	0						
	ENC	0						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
PROC. REF: EM 05-50-20, LMM 05-50-20PROC. REF: EM 05-50-20, LMM 05-50-20								
05-CA/21	NO. 1 ENGINE - CONTAMINATION OF OIL WITH NON - METALLIC FOREIGN MATERIAL							Service ATA:05
	MOS/MSC	30-Jun-23	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EM 05-50-21, LMM 05-50-21PROC. REF: EM 05-50-21, LMM 05-50-21								
05-CA/22	NO. 1 ENGINE - INGESTION OF UNAPPROVED ENGINE OIL BRANDS							Service ATA:05
	MOS/MSC	30-Jun-23	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EM 05-50-22, LMM 05-50-22PROC. REF: EM 05-50-22, LMM 05-50-22								
05-CA/23	NO. 1 ENGINE - UNUSUAL FUEL SYSTEM CONDITION							Service ATA:05
	MOS/MSC	30-Jun-23	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EM 05-50-23, LMM 05-50-23PROC. REF: EM 05-50-23, LMM 05-50-23								
05-CA/24	NO. 1 ENGINE - LOW OIL LEVEL							Service ATA:05
	MOS/MSC	30-Jun-23	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EM 05-50-24, LMM 05-20-00, LMM 05-50-24PROC. REF: EM 05-50-24, LMM 05-20-00, LMM 05-50-24								
05-CA/25	NO. 1 ENGINE - TABLE 3 SCHEDULED MAINTENANCE CHECKS - 12 MONTHS OR 600 HOURS, WHICHEVER OCCURS FIRST							Package ATA:05
	MOS	04-Dec-24	12 (+30d/-30d)		04-Dec-25	03-Jan-26	190 d (+30)	
	HRS	146.8	600 (+10%/-10%)		(746.8) 623	806.8	422.8 (+60)	
	ENC	62						
PROC. REF: EM 05-20-00, LMM 05-20-00PROC. REF: EM 05-20-00, LMM 05-20-00								
PKG:2								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
05-CA/26	NO. 1 ENGINE - TABLE 4 SCHEDULED MAINTENANCE CHECKS - 600 HOURS							Package ATA:05
	MOS	30-Jun-23						
	HRS	0	600 (+10%/-10%)		(600) 476.2	660	276 (+60)	
	ENC	0						
PROC. REF: EM 05-20-00, LMM 05-20-00PROC. REF: EM 05-20-00, LMM 05-20-00								PKG:3
05-CA/3	NO. 1 ENGINE - ENGINE OVERTEMPERATURE							Service ATA:05
	MOS/MSC	30-Jun-23	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EM 05-50-03, LMM 05-50-03PROC. REF: EM 05-50-03, LMM 05-50-03								
05-CA/30	NO. 1 ENGINE - ENGINE PERFORMANCE DETERIORATION							Service ATA:05
	MOS/MSC	30-Jun-23	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EM 05-50-01, LMM 05-50-01PROC. REF: EM 05-50-01, LMM 05-50-01								
05-CA/31	NO. 1 ENGINE - ENGINE STARTING FAULT OR AN ELECTRICAL GENERATION DEFECT ON STARTER-GENERATOR							Service ATA:05
	MOS/MSC	30-Jun-23	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EM 05-50-25, LMM 05-50-25PROC. REF: EM 05-50-25, LMM 05-50-25								
05-CA/32	NO. 1 ENGINE - STATIC OIL LEAK BETWEEN OIL TANK AND AGB							Service ATA:05
	MOS/MSC		A/R					
	HRS							
	ENC							
PROC. REF: EM 05-50-26PROC. REF: EM 05-50-26								
05-CA/4	NO. 1 ENGINE - ENGINE OVERSPEED							Service ATA:05
	MOS/MSC	30-Jun-23	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EM 05-50-04, LMM 05-50-04PROC. REF: EM 05-50-04, LMM 05-50-04								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
05-CA/5	NO. 1 ENGINE - ENGINE IMMERSION IN WATER							Service ATA:05
	MOS/MSC	30-Jun-23	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EM 05-50-05, LMM 05-50-05PROC. REF: EM 05-50-05, LMM 05-50-05								
05-CA/6	NO. 1 ENGINE - DROPPED ENGINE OR COMPONENT DURING HANDLING							Service ATA:05
	MOS/MSC	30-Jun-23	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EM 05-50-06, LMM 05-50-06PROC. REF: EM 05-50-06, LMM 05-50-06								
05-CA/7	NO. 1 ENGINE - FOREIGN OBJECT DAMAGE (FOD)/HARD MATERIAL INGESTION							Service ATA:05
	MOS/MSC	30-Jun-23	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EM 05-50-07, LMM 05-50-07PROC. REF: EM 05-50-07, LMM 05-50-07								
05-CA/8	NO. 1 ENGINE - BIRD STRIKE/SOFT MATERIAL INGESTION							Service ATA:05
	MOS/MSC	30-Jun-23	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EM 05-50-08, LMM 05-50-08PROC. REF: EM 05-50-08, LMM 05-50-08								
05-CA/9	NO. 1 ENGINE - CHIP DETECTOR CIRCUIT COMPLETION AND/OR UNWANTED MATERIAL IN OIL FILTER							Service ATA:05
	MOS/MSC	30-Jun-23	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EM 05-50-09, LMM 05-50-09PROC. REF: EM 05-50-09, LMM 05-50-09								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 06 - DIMENSIONS AND AREAS								
06-00/218 ^S	ACCESS PANELS 11AL, 11AR, 11BL, 11BR, 12AL, 12AR, 12AZ, 12AB, 12BB, 12BL, 12BR, 12BZ, 12CL, 12CR, 12CZ, 12DL, 12DR, 12DZ, 12EL, 12ER, 12EZ, 12FL, 12FR, 12FZ, 12HZ, 21GZ, 21JZ, 21PZ, 21QZ, 31AB, 31AL, 32AB, 32AL, 32BL, 32BT, 32CL, 32CT, 32DL, 33ET, 41AT, 42AT, 42AB, 51KB, 51MB, 51NB, 52KB, 52MB, 52NB, 52OB, 52PB, 52RB, 52TB, 52SB, 61KB, 61MB, 61NB, 62KB, 62MB, 62NB, 62OB, 62PB, 62RB, 62SB, 62TB - OPEN / REMOVE AS NECESSARY TO DO THE INSPECTION. EXAMINE AND MAKE SURE THAT THE ACCESS PANEL DRAIN HOLES ARE CLEAR							Service ATA:06
	MOS	04-Dec-24	12					
	HRS	146.8	1200					
	AFL	62						
PROC. REF: AMM 12-C-06-20-00-00A-040A-APROC. REF: AMM 12-C-06-20-00-00A-040A-A								PKG:3
06-00/219 ^S	JOB SET UP - ACCESS PANELS: 11AL, 11AR, 11BL, 11BR, 12AL, 12AR, 12AZ, 12AB, 12BB, 12BL, 12BR, 12BZ, 12CL, 12CR, 12CZ, 12DL, 12DR, 12DZ, 12EL, 12ER, 12EZ, 12FL, 12FR, 12FZ, 12HZ, 21GZ, 21JZ, 21PZ, 21QZ, 31AB, 31AL, 32AB, 32AL, 32BL, 32BT, 32CL, 32CT, 32DL, 33ET, 41AT, 42AT, 42AB, 51KB, 51MB, 51NB, 52KB, 52MB, 52NB, 52OB, 52PB, 52RB, 52TB, 52SB, 61KB, 61MB, 61NB, 62KB, 62MB, 62NB, 62OB, 62PB, 62RB, 62SB, 62TB - CLOSE OR INSTALL AS NECESSARY TO CLOSE UP THE INSPECTION							Service ATA:06
	MOS	04-Dec-24	12					
	HRS	146.8	1200					
	AFL	62						
PROC. REF: AMM 12-C-06-20-00-00A-040A-APROC. REF: AMM 12-C-06-20-00-00A-040A-A								PKG:3
06-00/518 ^S	ACCES PANEL: 21QZ - REMOVE AND EXAMINE							Service ATA:06
	MOS	30-Nov-23						
	HRS	0	600					
	AFL	0						
PROC. REF: AMM 12-C-06-20-00-00A-040A-APROC. REF: AMM 12-C-06-20-00-00A-040A-A								PKG:1
06-00/519 ^S	ACCES PANEL: 21QZ - INSTALL							Service ATA:06
	MOS	30-Nov-23						
	HRS	0	600					
	AFL	0						
PROC. REF: AMM 12-C-06-20-00-00A-040A-APROC. REF: AMM 12-C-06-20-00-00A-040A-A								PKG:1

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 06 - DIMENSIONS AND AREAS								
06-00/520 ^S	REMOVE AND EXAMINE FUSELAGE ACCESS PANEL 21PZ,21QZ							Service ATA:06
	MOS	04-Dec-24	12					
	HRS	146.8	600					
	AFL	62						
PROC. REF: AMM 12-C-06-20-00-00A-040A-APROC. REF: AMM 12-C-06-20-00-00A-040A-A								PKG:2
06-00/521 ^S	INSTALL FUSELAGE ACCESS PANEL 21PZ,21QZ							Service ATA:06
	MOS	04-Dec-24	12					
	HRS	146.8	600					
	AFL	62						
PROC. REF: AMM 12-C-06-20-00-00A-040A-APROC. REF: AMM 12-C-06-20-00-00A-040A-A								PKG:2
06-00/522 ^S	ACCES PANEL: 11AL, 11AZ, 11BL, 11CL, 12AL, 12EL, 12ERT, 12EZ, 21JZ, 22AZ, 32AB, 32CT, 33ET, 51AB, 51BB, 51DB, 61AB, 61BB, 61DB - OPEN OR REMOVE. EXAMINE AND MAKE SURE THE ACCESS PANEL DRAIN HOLES ARE CLEAR							Service ATA:06
	MOS	30-Nov-23	24					
	HRS	0	2400					
	AFL	0						
PROC. REF: AMM 12-C-06-20-00-00A-040A-APROC. REF: AMM 12-C-06-20-00-00A-040A-A								PKG:4
06-00/523 ^S	ACCES PANEL: 11AL, 11AZ, 11BL, 11CL, 12AL, 12EL, 12ERT, 12EZ, 21JZ, 22AZ, 32AB, 32CT, 33ET, 51AB, 51BB, 51DB, 61AB, 61BB, 61DB - CLOSE OR INSTALL							Service ATA:06
	MOS	30-Nov-23	24					
	HRS	0	2400					
	AFL	0						
PROC. REF: AMM 12-C-06-20-00-00A-040A-APROC. REF: AMM 12-C-06-20-00-00A-040A-A								PKG:4
06-00/576 ^S	ACCESS PANELS,EMPENNAGE: 31AB, 31AL, 32AB, 32AL, 32BL, 32BT, 32CL, 32CT, 32DL, 32DR, 33DT, 33ET, 34DT, - OPEN OR REMOVE. EXAMINE.							Service ATA:06
	MOS	04-Dec-24	12					
	HRS	146.8	1200					
	AFL	62						
PROC. REF: AMM 12-C-06-20-00-00A-040A-APROC. REF: AMM 12-C-06-20-00-00A-040A-A								PKG:3

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 06 - DIMENSIONS AND AREAS								
06-00/577 ^S	ACCESS PANELS,EMPENNAGE: 31AB, 31AL, 32AB, 32AL, 32BL, 32BT, 32CL, 32CT, 32DL, 32DR, 33DT, 33ET, 34DT, - CLOSE OR INSTALL.							Service ATA:06
	MOS	04-Dec-24	12					
	HRS	146.8	1200					
	AFL	62						
PROC. REF: AMM 12-C-06-20-00-00A-040A-APROC. REF: AMM 12-C-06-20-00-00A-040A-A								PKG:3
06-00/578 ^S	ACCESS PANELS, WING: 51LB, 51JB, 51KB, 51MB, 51NB, 52KB, 51MB, 52NB, 52OB, 52PB, 52RB, 52TB, 52SB, 61KB, 61MB, 61NB, 62KB, 62MB,62NB, 62OB, 62PB, 62RB, 62SB, 62TB - REMOVE AND EXAMINE							Service ATA:06
	MOS	04-Dec-24	12					
	HRS	146.8	1200					
	AFL	62						
PROC. REF: AMM 12-C-06-20-00-00A-040A-APROC. REF: AMM 12-C-06-20-00-00A-040A-A								PKG:3
06-00/579 ^S	ACCESS PANELS, WING: 51LB, 51JB, 51KB, 51MB, 51NB, 52KB, 51MB, 52NB, 52OB, 52PB, 52RB, 52TB, 52SB, 61KB, 61MB, 61NB, 62KB, 62MB,62NB, 62OB, 62PB, 62RB, 62SB, 62TB - INSTALL							Service ATA:06
	MOS	04-Dec-24	12					
	HRS	146.8	1200					
	AFL	62						
PROC. REF: AMM 12-C-06-20-00-00A-040A-APROC. REF: AMM 12-C-06-20-00-00A-040A-A								PKG:3
06-00/580 ^S	ACCESS PANELS, EMPENNAGE: 31AB, 32AB - OPEN OR REMOVE. EXAMINE							Service ATA:06
	MOS	04-Dec-24	12					
	HRS	146.8	600					
	AFL	62						
PROC. REF: AMM 12-C-06-20-00-00A-040A-APROC. REF: AMM 12-C-06-20-00-00A-040A-A								PKG:2
06-00/581 ^S	ACCESS PANELS, EMPENNAGE: 31AB, 32AB - CLOSE OR INSTALL							Service ATA:06
	MOS	04-Dec-24	12					
	HRS	146.8	600					
	AFL	62						
PROC. REF: AMM 12-C-06-20-00-00A-040A-APROC. REF: AMM 12-C-06-20-00-00A-040A-A								PKG:2

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 06 - DIMENSIONS AND AREAS								
06-00/582 ^S	ACCESS PANELS, EMPENNAGE: 41AT, 42AB - REMOVE AND EXAMINE							Service ATA:06
	MOS	04-Dec-24	12					
	HRS	146.8	600					
	AFL	62						
PROC. REF: AMM 12-C-06-20-00-00A-040A-APROC. REF: AMM 12-C-06-20-00-00A-040A-A								PKG:2
06-00/583 ^S	ACCESS PANELS, EMPENNAGE: 41AT, 42AB - INSTALL							Service ATA:06
	MOS	04-Dec-24	12					
	HRS	146.8	600					
	AFL	62						
PROC. REF: AMM 12-C-06-20-00-00A-040A-APROC. REF: AMM 12-C-06-20-00-00A-040A-A								PKG:2
06-00/584 ^S	ACCESS PANELS, EMPENNAGE: 51JB, 51LB, 51MB, 51NB, 52OB, 53QB, 52TB, 61JB, 61LB, 61MB, 61NB, 62OB, 62QB, 62TB - REMOVE AND EXAMINE							Service ATA:06
	MOS	04-Dec-24	12					
	HRS	146.8	600					
	AFL	62						
PROC. REF: AMM 12-C-06-20-00-00A-040A-APROC. REF: AMM 12-C-06-20-00-00A-040A-A								PKG:2
06-00/585 ^S	ACCESS PANELS, EMPENNAGE: 51JB, 51LB, 51MB, 51NB, 52OB, 53QB, 52TB, 61JB, 61LB, 61MB, 61NB, 62OB, 62QB, 62TB - INSTALL							Service ATA:06
	MOS	04-Dec-24	12					
	HRS	146.8	600					
	AFL	62						
PROC. REF: AMM 12-C-06-20-00-00A-040A-APROC. REF: AMM 12-C-06-20-00-00A-040A-A								PKG:2
06-00/586 ^S	ACCESS PANELS, EMPENNAGE: 32AB, 32CT, 33ET - REMOVE AND EXAMINE							Service ATA:06
	MOS	30-Nov-23	24					
	HRS	0	2400					
	AFL	0						
PROC. REF: AMM 12-C-06-20-00-00A-040A-APROC. REF: AMM 12-C-06-20-00-00A-040A-A								PKG:4

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 06 - DIMENSIONS AND AREAS								
06-00/587 ^S	ACCESS PANELS, EMPENNAGE: 32AB, 32CT, 33ET - INSTALL							Service ATA:06
	MOS	30-Nov-23	24					
	HRS	0	2400					
	AFL	0						
PROC. REF: AMM 12-C-06-20-00-00A-040A-APROC. REF: AMM 12-C-06-20-00-00A-040A-A								PKG:4
06-00/588 ^S	ACCESS PANELS, EMPENNAGE: 51AB, 51BB, 51DB,, 61AB, 61BB, 61DB - REMOVE AND EXAMINE							Service ATA:06
	MOS	30-Nov-23	24					
	HRS	0	2400					
	AFL	0						
PROC. REF: AMM 12-C-06-20-00-00A-040A-APROC. REF: AMM 12-C-06-20-00-00A-040A-A								PKG:4
06-00/589 ^S	ACCESS PANELS, EMPENNAGE: 51AB, 51BB, 51DB,, 61AB, 61BB, 61DB - INSTALL							Service ATA:06
	MOS	30-Nov-23	24					
	HRS	0	2400					
	AFL	0						
PROC. REF: AMM 12-C-06-20-00-00A-040A-APROC. REF: AMM 12-C-06-20-00-00A-040A-A								PKG:4
ATA 07 - LIFTING AND SHORING								
07-10/160 ^S	JOB CLOSE UP - AIRCRAFT - LOWER TO THE GROUND, REMOVE JACKS AND DISCONNECT THE AIRCRAFT FROM GROUND AS NECESSARY TO CLOSE UP THE INSPECTION							Service ATA:07
	MOS/MSC	04-Dec-24	A/R					
	HRS	146.8						
	AFL	62						
PROC. REF: AMM 12-B-07-10-00-00A-901A-APROC. REF: AMM 12-B-07-10-00-00A-901A-A								PKG:5 ,1,2,3,4
07-10/161 ^S	JOB SET UP - AIRCRAFT - LIFT ON JACKS AND CONNECT THE AIRCRAFT TO GROUND AS NECESSARY TO DO THE INSPECTION							Service ATA:07
	MOS/MSC	04-Dec-24	A/R					
	HRS	146.8						
	AFL	62						
PROC. REF: AMM 12-B-07-10-00-00A-901A-APROC. REF: AMM 12-B-07-10-00-00A-901A-A								PKG:5 ,1,2,3,4

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 08 - LEVELING AND WEIGHING								
08-CA/1	WEIGH AIRCRAFT							Service ATA:08
	MOS/MSC	21-Dec-23	A/R					
	HRS	28.3						
	AFL	10						
PROC. REF: AMM 12-B-08-10-00-00A-901A-APROC. REF: AMM 12-B-08-10-00-00A-901A-A								
ATA 10 - PARKING, MOORING, STORE AND RET TO SERV								
10-10/517 ^S	EXTERNAL PROTECTIVE COVERS (MSN 2001 AND UP) - EXAMINE. REPLACE IF THE APPLICABLE COVER: - IS DAMAGED OR TORN - DOES NOT INSTALL CORRECTLY - IS MISSING ANY PARTS.							Service ATA:10
	MOS	04-Dec-24	12 (+10%/-10%)					
	HRS	146.8	600 (+10%/-10%)					
	AFL	62						
								PKG:2
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
10-10/901	STORING - COMPLY WITH PART 1 OF THE PROCEDURE FOR AIRCRAFT BEING STORED UP TO 7 DAYS							Service ATA:10
	MOS/MSC	30-Nov-23	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-10-10-01-00A-901A-APROC. REF: AMM 12-B-10-10-01-00A-901A-A								
10-10/902	STORING - COMPLY WITH PART 2 OF THE PROCEDURE FOR AIRCRAFT BEING STORED MORE THAN 7 DAYS AND UP TO 28 DAYS							Service ATA:10
	MOS/MSC	30-Nov-23	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-10-10-01-00A-901A-APROC. REF: AMM 12-B-10-10-01-00A-901A-A								
10-10/903	STORING - COMPLY WITH PART 3 OF THE PROCEDURE FOR AIRCRAFT BEING STORED MORE THAN 28 DAYS AND UP TO 90 DAYS							Service ATA:10
	MOS/MSC	30-Nov-23	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-10-10-01-00A-901A-APROC. REF: AMM 12-B-10-10-01-00A-901A-A								
10-10/904	STORING - COMPLY WITH PART 4 OF THE PROCEDURE FOR AIRCRAFT BEING STORED MORE THAN 90 DAYS							Service ATA:10
	MOS/MSC	30-Nov-23	A/R					
	HRS	0						
	AFL	0						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 10 - PARKING, MOORING, STORE AND RET TO SERV								
PROC. REF: AMM 12-B-10-10-01-00A-901A-APROC. REF: AMM 12-B-10-10-01-00A-901A-A								
10-30/901	RETURN TO SERVICE - COMPLY WITH PART 1 OF THE PROCEDURE FOR AIRCRAFT BEING STORED UP TO 7 DAYS							Service ATA:10
	MOS/MSC	30-Nov-23	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-C-10-30-00-00A-901A-APROC. REF: AMM 12-C-10-30-00-00A-901A-A								
10-30/902	RETURN TO SERVICE - COMPLY WITH PART 2 OF THE PROCEDURE FOR AIRCRAFT BEING STORED MORE THAN 7 DAYS AND UP TO 28 DAYS							Service ATA:10
	MOS/MSC	30-Nov-23	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-C-10-30-00-00A-901A-APROC. REF: AMM 12-C-10-30-00-00A-901A-A								
10-30/903	RETURN TO SERVICE - COMPLY WITH PART 3 OF THE PROCEDURE FOR AIRCRAFT BEING STORED MORE THAN 28 DAYS AND UP TO 90 DAYS							Service ATA:10
	MOS/MSC	30-Nov-23	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-C-10-30-00-00A-901A-APROC. REF: AMM 12-C-10-30-00-00A-901A-A								
10-30/904	RETURN TO SERVICE - COMPLY WITH PART 4 OF THE PROCEDURE FOR AIRCRAFT BEING STORED MORE THAN 90 DAYS							Service ATA:10
	MOS/MSC	30-Nov-23	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-C-10-30-00-00A-901A-APROC. REF: AMM 12-C-10-30-00-00A-901A-A								
ATA 11 - PLACARDS AND MARKINGS								
11-00/220 ^S	PLACARDS AND MARKINGS - EXAMINE AND ATTACH NEW PLACARDS IF NECESSARY							Service ATA:11
	MOS	04-Dec-24	12 (+10%/-10%)					
	HRS	146.8	1200 (+10%/-10%)					
	AFL	62						
PROC. REF: AMM 12-B-11-00-00-00A-040A-A, AMM 12-B-11-00-00-00A-901A-A, AMM 12-B-11-20-00-00A-901A-A, AMM 12-B-11-30-00-00A-040A-APROC. REF: AMM 12-B-11-00-00-00A-040A-A, AMM 12-B-11-00-00-00A-901A-A, AMM 12-B-11-20-00-00A-901A-A, AMM 12-B-11-30-00-00A-040A-A								

PKG:3

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 12 - SERVICING								
12-20/124 ^S	JOB SET UP - AIRCRAFT - WASH THE EXTERIOR, INCLUDING THE LANDING GEAR AND FLAP COMPARTMENTS AS REQUIRED TO DO THE INSPECTION							Service ATA:12
	MOS/MSC	04-Dec-24	A/R					
	HRS	146.8						
	AFL	62						
PROC. REF: AMM 12-B-12-20-01-00A-902A-A, AMM 12-B-12-20-01-01A-902A-A, AMM 12-B-12-20-01-00A-902A-A, AMM 12-B-12-20-01-01A-902A-A								PKG:5 ,1,2,3,4
12-20/125 ^S	JOB SET UP - WINDSHIELDS AND WINDOWS - CLEAN							Service ATA:12
	MOS/MSC	04-Dec-24	A/R					
	HRS	146.8						
	AFL	62						
PROC. REF: AMM 12-B-12-20-02-00A-902A-A, AMM 12-B-12-20-02-00A-902A-A								PKG:5 ,1,2,3,4
12-20/126 ^S	JOB SET UP - COCKPIT AND CABIN - CLEAN							Service ATA:12
	MOS/MSC	04-Dec-24	A/R					
	HRS	146.8						
	AFL	62						
PROC. REF: AMM 12-B-12-20-03-00A-902A-A, AMM 12-B-12-20-03-00A-902A-A								PKG:5 ,1,2,3,4
12-CA/1	AIRCRAFT WASH							Service ATA:12
	DAYS/MSC	30-Nov-23	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-12-20-01-00A-902A-A, AMM 12-B-12-20-02-00A-902A-A, AMM 12-B-12-20-03-00A-902A-A, AMM 12-B-12-20-01-00A-902A-A, AMM 12-B-12-20-02-00A-902A-A, AMM 12-B-12-20-03-00A-902A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 20 - STANDARD PRACTICES - AIRFRAME								
00-00/45	AIRCRAFT EXTERNAL CORROSION PROTECTIVE INSPECTION							Service ATA:20
	MOS	04-Dec-24	12 (+10%/-10%)		04-Dec-25	10-Jan-26	190 d (+37)	
	HRS	146.8						
	AFL	62						
PROC. REF: AMM 12-B-20-40-00-00A-901A-APROC. REF: AMM 12-B-20-40-00-00A-901A-A								
00-00/45	AIRCRAFT INTERNAL CORROSION PROTECTIVE INSPECTION							Service ATA:20
	MOS	04-Dec-24	12 (+10%/-10%)		04-Dec-25	10-Jan-26	190 d (+37)	
	HRS	146.8						
	AFL	62						
PROC. REF: AMM 12-B-20-40-00-00A-901A-APROC. REF: AMM 12-B-20-40-00-00A-901A-A								
20-CA/1	FUSELAGE BELLY DRAIN HOLE INSPECTION							Service ATA:20
	MOS	04-Dec-24	12 (+10%/-10%)		04-Dec-25	10-Jan-26	190 d (+37)	
	HRS	146.8	1200 (+10%/-10%)		1346.8	1466.8	1146.6 (+120)	
	AFL	62						
PROC. REF: AMM 12-C-06-20-00-00A-040A-APROC. REF: AMM 12-C-06-20-00-00A-040A-A								
ATA 21 - AIR CONDITIONING								
21-20/221 ^S	ECS AND BLEED AIR DUCTS, PIPELINES, EQUIPMENT AND ASSOCIATED CLAMPS IN THE ENGINE COMPARTMENT - EXAMINE							Service ATA:21
	MOS	30-Nov-23	24 (+10%/-10%)					
	HRS	0	2400 (+10%/-10%)					
	AFL	0						
								PKG:4
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
21-20/317	ECS EMERGENCY SHUT-OFF SYSTEM CHECK							Service ATA:21
	MOS	04-Dec-24	12 (+10%/-10%)		04-Dec-25	10-Jan-26	190 d (+37)	
	HRS	146.8	3000 (+10%/-10%)		3146.8	3446.8	2946.6 (+300)	
	AFL	62						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
21-30/314 ^S	CABIN PRESSURIZATION POSITIVE PRESSURE RELIEF VALVE - CHECK FOR CONTAMINATION OF THE VALVE POPPET AND POPPET SEAT. IF CONTAMINATION IF FOUND REMOVE AND CLEAN							Service ATA:21
	MOS	30-Nov-23	24 (+10%/-10%)					
	HRS	0	2400 (+10%/-10%)					
	AFL	0						
								PKG:4
PROC. REF: AMM 12-B-21-30-02-00A-250A-APROC. REF: AMM 12-B-21-30-02-00A-250A-A								
21-30/463	CABIN PRESSURIZATION DUMP CONTROL - OPERATIONAL TEST							Service ATA:21
	MOS	04-Dec-24	12 (+10%/-10%)		04-Dec-25	10-Jan-26	190 d (+37)	
	HRS	146.8	600		746.8		546.6	
	AFL	62						
PROC. REF: AMM 12-B-21-30-00-00A-903B-APROC. REF: AMM 12-B-21-30-00-00A-903B-A								
21-30/464	CABIN PRESSURIZATION MANUAL CONTROL - OPERATIONAL TEST							Service ATA:21
	MOS	04-Dec-24	12 (+10%/-10%)		04-Dec-25	10-Jan-26	190 d (+37)	
	HRS	146.8	600		746.8		546.6	
	AFL	62						
PROC. REF: AMM 12-B-21-30-00-00A-903B-APROC. REF: AMM 12-B-21-30-00-00A-903B-A								
21-30/465	CABIN PRESSURIZATION POSITIVE PRESSURE RELIEF VALVE - FUNCTIONAL TEST							Service ATA:21
	MOS	30-Nov-23	48		30-Nov-27		916 d	
	HRS	0	4800		4800		4599.8	
	AFL	0						
PROC. REF: AMM 12-B-21-30-00-00A-903B-APROC. REF: AMM 12-B-21-30-00-00A-903B-A								
21-30/467	CABIN PRESSURIZATION NEGATIVE PRESSURE RELIEF VALVE - EXAMINE							Service ATA:21
	MOS	30-Nov-23	48 (+10%/-10%)		30-Nov-27	24-Apr-28	916 d (+146)	
	HRS	0	4800 (+10%/-10%)		4800	5280	4599.8 (+480)	
	AFL	0						
PROC. REF: AMM 12-B-21-30-05-00A-310A-APROC. REF: AMM 12-B-21-30-05-00A-310A-A								
21-30/468	CABIN PRESSURIZATION ALTITUDE LIMITING FUNCTION - FUNCTIONAL TEST							Service ATA:21
	MOS	30-Nov-23	48		30-Nov-27		916 d	
	HRS	0	4800		4800		4599.8	
	AFL	0						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
PROC. REF: AMM 12-B-21-30-00-00A-903B-APROC. REF: AMM 12-B-21-30-00-00A-903B-A								
21-30/469	CABIN PRESSURIZATION HIGH CABIN ALTITUDE WARNING - FUNCTIONAL TEST							Service ATA:21
	MOS	30-Nov-23	48		30-Nov-27		916 d	
	HRS	0	4800		4800		4599.8	
	AFL	0						
PROC. REF: AMM 12-B-21-30-00-00A-903B-APROC. REF: AMM 12-B-21-30-00-00A-903B-A								
21-40/128 ^S	FLIGHT COMPARTMENT FOOT HEATER (IF INSTALLED) THERMAL PROTECTION SWITCH - OPERATIONAL TEST							Service ATA:21
	MOS	04-Dec-24	12 (+10%/-10%)					
	HRS	146.8	1200 (+10%/-10%)					
	AFL	62						
PKG:3								
PROC. REF: AMM 12-B-21-43-00-00A-903A-APROC. REF: AMM 12-B-21-43-00-00A-903A-A								
21-40/330 ^S	CABIN AUXILIARY HEATER THERMAL PROTECTION SWITCH - OPERATIONAL TEST							Service ATA:21
	MOS	04-Dec-24	12 (+10%/-10%)					
	HRS	146.8	1200 (+10%/-10%)					
	AFL	62						
PKG:3								
PROC. REF: AMM 12-B-21-40-01-00A-903B-APROC. REF: AMM 12-B-21-40-01-00A-903B-A								
21-40/331 ^S	UNDERFLOOR HEATER THERMAL PROTECTION SWITCH - FUNCTIONAL TEST							Service ATA:21
	MOS	04-Dec-24	12 (+10%/-10%)					
	HRS	146.8	1200 (+10%/-10%)					
	AFL	62						
PKG:3								
PROC. REF: AMM 12-B-21-40-01-00A-903B-APROC. REF: AMM 12-B-21-40-01-00A-903B-A								
21-40/50 ^S	WATER SEPARATOR CONDENSER - CLEAN							Service ATA:21
	MOS	04-Dec-24	12 (+10%/-10%)					
	HRS	146.8	1200 (+10%/-10%)					
	AFL	62						
PKG:3								
PROC. REF: AMM 12-B-21-40-03-00A-250A-APROC. REF: AMM 12-B-21-40-03-00A-250A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
21-40/51	OVERTEMPERATURE SWITCH - FUNCTIONAL TEST							Service ATA:21
PN:973.81.32.216	MOS	30-Nov-23	60 (+6m/-6m)		30-Nov-28	31-May-29	1282 d (+182)	
SN:2005	HRS	0	4800 (+10%/-10%)		4800	5280	4599.8 (+480)	
	AFL	0						
PROC. REF: AMM 12-B-21-40-06-00A-903A-APROC. REF: AMM 12-B-21-40-06-00A-903A-A								
21-40/52	DUCT OVERTEMPERATURE SWITCH - FUNCTIONAL TEST							Service ATA:21
PN:973.81.32.214	MOS	30-Nov-23	60 (+6m/-6m)		30-Nov-28	31-May-29	1282 d (+182)	
SN:1801	HRS	0	4800 (+10%/-10%)		4800	5280	4599.8 (+480)	
	AFL	0						
PROC. REF: AMM 12-B-21-60-05-00A-903A-APROC. REF: AMM 12-B-21-60-05-00A-903A-A								
21-40/55 ^S	COLD AIR UNIT - ADD OIL							Service ATA:21
	MOS	30-Nov-23						
	HRS	0	600 (+10%/-10%)					
	AFL	0						
PROC. REF: AMM 12-B-21-40-02-00A-902A-APROC. REF: AMM 12-B-21-40-02-00A-902A-A								PKG:1
21-40/56 ^S	HEAT EXCHANGER MATRIX - INSPECTION/CHECK							Service ATA:21
	MOS	30-Nov-23						
	HRS	0	600 (+10%/-10%)					
	AFL	0						
PROC. REF: AMM 12-B-21-40-02-00A-313A-APROC. REF: AMM 12-B-21-40-02-00A-313A-A								PKG:1
21-50/499 ^S	VAPOR CYCLE COMPRESSOR CONDENSER MODULE - INSPECTION/CHECK							Service ATA:21
	MOS	04-Dec-24	12 (+10%/-10%)					
	HRS	146.8	600 (+10%/-10%)					
	AFL	62						
PROC. REF: AMM 12-C-21-50-01-00A-313A-APROC. REF: AMM 12-C-21-50-01-00A-313A-A								PKG:2

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
PC12A21200100 FIREWALL SHUT-OFF VALVE, S901								Component ATA:21
PN:963.30.11.005	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:1506	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-21-20-01-00A-920A-APROC. REF: AMM 12-B-21-20-01-00A-920A-A								
PC12A21200200 DUAL FLAPPER CHECK VALVE, 2.5 IN								Component ATA:21
PN:963.30.11.106	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:4520B	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-21-30-05-00A-920A-APROC. REF: AMM 12-B-21-30-05-00A-920A-A								
PC12A21300100 CABIN PRESSURIZATION CONTROL UNIT, A176								Component ATA:21
PN:959.90.91.147	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:65000052-00812	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-21-30-01-00A-920B-APROC. REF: AMM 12-B-21-30-01-00A-920B-A								
PC12A21300200 SAFETY VALVE								Component ATA:21
PN:959.90.91.132	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:53-F1311	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-21-30-02-00A-920A-APROC. REF: AMM 12-B-21-30-02-00A-920A-A								
PC12A21300300 OUTFLOW VALVE, B154								Component ATA:21
PN:959.90.91.125	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:65053598-00807	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-21-30-03-00A-920B-APROC. REF: AMM 12-B-21-30-03-00A-920B-A								
PC12A21300410 NEGATIVE PRESSURE RELIEF VALVE, LH								Component ATA:21
PN:963.30.11.106	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:4493B	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-21-30-05-00A-920A-APROC. REF: AMM 12-B-21-30-05-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
PC12A21300420 NEGATIVE PRESSURE RELIEF VALVE, RH								Component ATA:21
PN:963.30.11.106	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:4509B	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-21-30-05-00A-920A-APROC. REF: AMM 12-B-21-30-05-00A-920A-A								
PC12A21400100 HP SHUT-OFF VALVE, L046								Component ATA:21
PN:959.90.20.131	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:2749	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-21-40-04-00A-920A-APROC. REF: AMM 12-B-21-40-04-00A-920A-A								
PC12A21400200 PRIMARY SHUT-OFF VALVE, L086								Component ATA:21
PN:959.90.20.138	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:2719A	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-21-40-05-00A-920A-APROC. REF: AMM 12-B-21-40-05-00A-920A-A								
PC12A21400300 WATER INJECTOR								Component ATA:21
PN:959.90.20.141	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:2717	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A21400400 DUAL FLAPPER CHECK VALVE, 1.5 IN								Component ATA:21
PN:963.30.11.105	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:2308B	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-21-30-05-00A-920A-APROC. REF: AMM 12-B-21-30-05-00A-920A-A								
PC12A21400500 OVERPRESSURE SWITCH, S084								Component ATA:21
PN:973.81.15.105	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:2371	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-21-40-07-00A-920A-APROC. REF: AMM 12-B-21-40-07-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
PC12A21400600 HIGH-PRESSURE SWITCH, S020								Component ATA:21
PN:973.81.15.106	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:2350	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-21-40-08-00A-920A-APROC. REF: AMM 12-B-21-40-08-00A-920A-A								
PC12A21400710 UNDERFLOOR HEATER, FR 21/22, HR210								Component ATA:21
PN:969.67.81.507	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:613833	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-21-40-01-00A-920A-APROC. REF: AMM 12-B-21-40-01-00A-920A-A								
PC12A21400720 CABIN HEATER, FR 29/30, HR291								Component ATA:21
PN:969.67.81.507	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:613836	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-21-40-15-00A-920A-APROC. REF: AMM 12-B-21-40-15-00A-920A-A								
PC12A21400810 UNDERFLOOR HEATER RELAY, FR 21, K210								Component ATA:21
PN:974.09.26.111	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:2615	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A21400820 CABIN HEATER RELAY, FR 29, K293								Component ATA:21
PN:974.09.26.111	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:2762	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A21400900 REFRIGERATION PACK								Component ATA:21
PN:959.90.20.111	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:2765	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-21-40-02-00A-920A-APROC. REF: AMM 12-B-21-40-02-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
PC12A21401000		OVERTEMPERATURE SWITCH, BLEED AIR, S044					Component	ATA:21
PN:973.81.32.216	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:2005	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-21-40-06-00A-920A-APROC. REF: AMM 12-B-21-40-06-00A-920A-A								
PC12A21430100		FOOTWARMER, HR102					Component	ATA:21
PN:PN	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-21-43-00-00A-920A-APROC. REF: AMM 12-B-21-43-00-00A-920A-A								
PC12A21500100		COMPRESSOR					Component	ATA:21
PN:959.90.22.167	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:00475	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-21-50-01-00A-920A-APROC. REF: AMM 12-C-21-50-01-00A-920A-A								
PC12A21500200		CONDENSER MODULE					Component	ATA:21
PN:959.90.22.168	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:00441	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-21-50-05-00A-920A-APROC. REF: AMM 12-C-21-50-05-00A-920A-A								
PC12A21500300		CONDENSER FAN					Component	ATA:21
PN:959.90.22.169	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:00449	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-21-50-04-00A-920A-APROC. REF: AMM 12-C-21-50-04-00A-920A-A								
PC12A21500400		EVAPORATOR ASSEMBLY, LH					Component	ATA:21
PN:959.90.22.150	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:00435	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-21-50-02-00A-920A-APROC. REF: AMM 12-C-21-50-02-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
PC12A21500500 EVAPORATOR ASSEMBLY, RH								Component ATA:21
PN:959.90.22.158	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:00447	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-21-50-02-00A-920A-APROC. REF: AMM 12-C-21-50-02-00A-920A-A								
PC12A21600100 INTEGRATED ECS CONTROLLER, A181								Component ATA:21
PN:959.90.20.102	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:1327	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-21-60-01-00A-920A-APROC. REF: AMM 12-B-21-60-01-00A-920A-A								
PC12A21600200 TEMPERATURE CONTROL VALVE								Component ATA:21
PN:959.90.20.137	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:2737	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-21-60-02-00A-920A-APROC. REF: AMM 12-B-21-60-02-00A-920A-A								
PC12A21600300 FLOW CONTROL VALVE ACTUATOR, B155								Component ATA:21
PN:959.90.20.161	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:000740	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-21-60-03-00A-920A-APROC. REF: AMM 12-B-21-60-03-00A-920A-A								
PC12A21600400 OVER TEMPERATURE SWITCH, ENGINE BAY, S082								Component ATA:21
PN:973.81.32.214	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:1801	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-21-40-06-00A-920A-APROC. REF: AMM 12-B-21-40-06-00A-920A-A								
PC12A21600510 DUCT TEMPERATURE SENSOR, ENGINE BAY. Z099								Component ATA:21
PN:959.90.20.121	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:7227	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-21-60-04-00A-920A-APROC. REF: AMM 12-B-21-60-04-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
PC12A21600520		DUCT TEMPERATURE SENSOR, COCKPIT, Z131						Component ATA:21
PN:959.90.20.121	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:7210	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-21-60-04-00A-920A-APROC. REF: AMM 12-B-21-60-04-00A-920A-A								
PC12A21600530		DUCT TEMPERATURE SENSOR, UNDERFLOOR, Z211						Component ATA:21
PN:959.90.20.121	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:7214	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-21-60-04-00A-920A-APROC. REF: AMM 12-B-21-60-04-00A-920A-A								
PC12A21600540		DUCT TEMPERATURE SENSOR, CABIN, Z332						Component ATA:21
PN:959.90.20.121	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:7329	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-21-60-04-00A-920A-APROC. REF: AMM 12-B-21-60-04-00A-920A-A								
ATA 22 - AUTO FLIGHT								
22-10/233 ^S	PITCH, ROLL, AND YAW ACTUATORS AND CAPSTAN CONTROL CABLES - EXAMINE						Service	ATA:22
	MOS	30-Nov-23	24 (+10%/-10%)					
	HRS	0	2400 (+10%/-10%)					
	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:4
22-10/60 ^S	SERVO MOUNT (PITCH, ROLL AND YAW) - REMOVE FOR CLUTCH CHECK						Service	ATA:22
	MOS	04-Dec-24	12 (+10%/-10%)					
	HRS	146.8	1200 (+10%/-10%)					
	AFL	62						
PROC. REF: AMM 12-C-22-10-00-00A-313A-APROC. REF: AMM 12-C-22-10-00-00A-313A-A								PKG:3

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 22 - AUTO FLIGHT								
22-20/518 ^S	ANGLE OF ATTACK (AOA) TRANSMITTERS (MSN 2001 AND UP) -EXAMINE							Service ATA:22
	MOS	04-Dec-24	12 (+10%/-10%)					
	HRS	146.8	600 (+10%/-10%)					
	AFL	62						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:2
22-20/519 ^S	STICK PUSHER SYSTEM (MSN 2001 AND UP) - CHECK							Service ATA:22
	MOS	30-Nov-23						
	HRS	0	600 (+10%/-10%)					
	AFL	0						
PROC. REF: AMM 12-C-22-20-00-00A-903A-APROC. REF: AMM 12-C-22-20-00-00A-903A-A								PKG:1
22-20/565 ^S	STICK PUSHER SYSTEM (MSN 2001 AND UP) - FUNCTIONAL TEST							Service ATA:22
	MOS	04-Dec-24	12 (+10%/-10%)					
	HRS	146.8	1200 (+10%/-10%)					
	AFL	62						
PROC. REF: AMM 12-C-22-20-00-00A-903A-APROC. REF: AMM 12-C-22-20-00-00A-903A-A								PKG:3
PC12A00310123	FLIGHT GUIDANCE PANEL WITH PICHWHEEL							Component ATA:22
PN:PN	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PC12A22100110	SERVO ACTUATOR, ROLL, A233							Component ATA:22
PN:985.99.12.275	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:KSA2700-5118	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-22-10-03-00A-920A-APROC. REF: AMM 12-B-22-10-03-00A-920A-A								
PC12A22100120	SERVO ACTUATOR, YAW, A389							Component ATA:22
PN:985.99.12.275	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:KSA2700-5072	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 22 - AUTO FLIGHT								
PROC. REF: AMM 12-B-22-10-04-00A-920A-APROC. REF: AMM 12-B-22-10-04-00A-920A-A								
PC12A22100130 SERVO ACTUATOR, PITCH								Component ATA:22
PN:985.99.12.275	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:KSA2700-5066	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-22-10-02-00A-920A-APROC. REF: AMM 12-B-22-10-02-00A-920A-A								
PC12A22100210 SERVO MOUNT, ROLL								Component ATA:22
PN:985.99.12.133	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:KSM375-B4962	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A22100220 SERVO MOUNT, YAW								Component ATA:22
PN:985.99.12.133	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:KSM375-B4965	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A22100230 SERVO MOUNT, PITCH								Component ATA:22
PN:985.99.12.133	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:KSM375-B4972	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A22100300 FLIGHT CONTROL PANEL, A127								Component ATA:22
PN:985.99.12.258	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:KMC9200A-1664	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-22-10-05-00A-920A-APROC. REF: AMM 12-B-22-10-05-00A-920A-A								
PC12A22200100 STICK PUSHER COMPUTER, A171								Component ATA:22
PN:975.44.23.106	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:146540	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 22 - AUTO FLIGHT								
PROC. REF: AMM 12-C-22-20-01-00A-920A-APROC. REF: AMM 12-C-22-20-01-00A-920A-A								
PC12A22200200	ANGLE OF ATTACK (AOA) TRANSMITTER, LH, HR579							Component ATA:22
PN:975.44.21.425	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:4039	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-22-20-02-00A-920A-APROC. REF: AMM 12-B-22-20-02-00A-920A-A								
PC12A22200300	ANGLE OF ATTACK (AOA) TRANSMITTER, RH, HR679							Component ATA:22
PN:975.44.21.426	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:4046	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-22-20-02-00A-920A-APROC. REF: AMM 12-B-22-20-02-00A-920A-A								
PC12A22200400	STICK SHAKER ACTUATOR, A113							Component ATA:22
PN:978.61.11.143	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:2377	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-22-20-03-00A-920A-APROC. REF: AMM 12-B-22-20-03-00A-920A-A								
PC12A22200500	STICK PUSHER SERVO, A210							Component ATA:22
PN:978.61.11.103	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:S00071	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-22-20-04-00A-920A-APROC. REF: AMM 12-B-22-20-04-00A-920A-A								
PC12A22200600	STICK PUSHER CAPSTAN							Component ATA:22
PN:978.61.11.124	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:S00066	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-22-20-06-00A-920A-APROC. REF: AMM 12-B-22-20-06-00A-920A-A								
ATA 23 - COMMUNICATIONS								
23-10/322 ^S	AUDIO CONTROL PANEL EMERGENCY SWITCH - OPERATIONAL TEST							Service ATA:23
	MOS	30-Nov-23	24 (+10%/-10%)					
	HRS	0	2400 (+10%/-10%)					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 23 - COMMUNICATIONS								
	AFL	0						
PROC. REF: AMM 12-B-23-50-00-00A-903A-APROC. REF: AMM 12-B-23-50-00-00A-903A-A								
PKG:4								
23-10/323 ^S	EMERGENCY FREQUENCY COMM TUNING SWITCH - OPERATIONAL TEST							Service ATA:23
	MOS	30-Nov-23	24 (+10%/-10%)					
	HRS	0	2400 (+10%/-10%)					
	AFL	0						
PROC. REF: AMM 12-B-23-12-00-00A-903A-APROC. REF: AMM 12-B-23-12-00-00A-903A-A								
PKG:4								
PC12A23110100	HF CONTROL UNIT							Component ATA:23
PN:PN	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-23-11-01-00A-920A-APROC. REF: AMM 12-B-23-11-01-00A-920A-A								
PC12A23110200	HF RECEIVER							Component ATA:23
PN:PN	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-23-11-02-00A-920A-APROC. REF: AMM 12-B-23-11-02-00A-920A-A								
PC12A23110300	HF ANTENNA COUPLER							Component ATA:23
PN:PN	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-23-11-03-00A-920A-APROC. REF: AMM 12-B-23-11-03-00A-920A-A								
PC12A23110400	HF POWER AMPLIFIER							Component ATA:23
PN:PN	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-23-11-06-00A-920A-APROC. REF: AMM 12-B-23-11-06-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 23 - COMMUNICATIONS								
PC12A23120110 MULTI MODE DIGITAL RADIO, MMDR 1, A115								Component ATA:23
PN:985.99.12.464	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:7588	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-23-12-01-00A-920A-APROC. REF: AMM 12-B-23-12-01-00A-920A-A								
PC12A23120120 MULTI MODE DIGITAL RADIO, MMDR 2, A114								Component ATA:23
PN:985.99.12.464	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:7601	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-23-12-01-00A-920A-APROC. REF: AMM 12-B-23-12-01-00A-920A-A								
PC12A23120210 VHF 1 ANTENNA, LOWER, E289								Component ATA:23
PN:984.81.10.203	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:310-38880	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-23-12-02-00A-920A-APROC. REF: AMM 12-B-23-12-02-00A-920A-A								
PC12A23120220 VHF 2 ANTENNA, UPPER, E319								Component ATA:23
PN:984.81.10.203	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:310-38868	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-23-12-03-00A-920A-APROC. REF: AMM 12-B-23-12-03-00A-920A-A								
PC12A23120230 VHF 3 ANTENNA, LOWER, E2302								Component ATA:23
PN:PN	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A23120240 UHF ANTENNA								Component ATA:23
PN:PN	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 23 - COMMUNICATIONS								
PC12A23120245		UHF KFS 599A FREQUENCY SELECTOR					Component	ATA:23
PN:PN	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A23150100		KONFIGURATIOM MODUL ACM ATG5000					Component	ATA:23
PN:PN	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PC12A23160100		SATCOM ANTENNA, INMARSAT, FR 22/23, E220					Component	ATA:23
PN:PN	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-23-16-01-00A-920B-APROC. REF: AMM 12-B-23-16-01-00A-920B-A								
PC12A23160200		SATCOM ANTENNA, IRIDIUM, FR 27/28, E272					Component	ATA:23
PN:984.81.10.210	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:430-18103	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-23-16-01-00A-920A-APROC. REF: AMM 12-B-23-16-01-00A-920A-A								
PC12A23160300		SATCOM HIGH-SPEED DATA UNIT, A314					Component	ATA:23
PN:PN	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-23-16-02-00A-920A-APROC. REF: AMM 12-B-23-16-02-00A-920A-A								
PC12A23160400		SATCOM BIAS-T INJECTOR, A322					Component	ATA:23
PN:PN	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-23-16-04-00A-920A-A, AMM 12-B-23-16-04-00A-920B-APROC. REF: AMM 12-B-23-16-04-00A-920A-A, AMM 12-B-23-16-04-00A-920B-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 23 - COMMUNICATIONS								
PC12A23160500		SATCOM CONFIGURATION MODULE, A311					Component	ATA:23
PN:PN	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-23-16-03-00A-920A-APROC. REF: AMM 12-B-23-16-03-00A-920A-A								
PC12A23160525		SKY CONNECT IRIDIUM TRANSCEIVER					Component	ATA:23
PN:PN	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A23160550		SKY CONNECT COCKPIT MISSION MANAGEMENT UNIT					Component	ATA:23
PN:PN	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A23160575		SKY CONNECT CONTROL HEAD					Component	ATA:23
PN:PN	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A23160600		WIRELESS ROUTER, A352					Component	ATA:23
PN:PN	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-23-16-05-00A-920A-APROC. REF: AMM 12-B-23-16-05-00A-920A-A								
PC12A23170100		NO. 1 WIFI ANTENNA					Component	ATA:23
PN:P16917-001	MOS/MSC	21-Dec-23	O/C	TSN 0				
SN:1691700131960	HRS	28.3		TSN 0				
	AFL	10		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 23 - COMMUNICATIONS								
PC12A23170110		NO .2 WIFI ANTENNA					Component	ATA:23
PN:P16917-001	MOS/MSC	21-Dec-23	O/C	TSN 0				
SN:1691700131971	HRS	28.3		TSN 0				
	AFL	10		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A23170120		NO. 3 WIFI ANTENNA					Component	ATA:23
PN:P16917-001	MOS/MSC	21-Dec-23	O/C	TSN 0				
SN:1691700131974	HRS	28.3		TSN 0				
	AFL	10		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A23170130		NO. 4 WIFI ANTENNA					Component	ATA:23
PN:P16917-001	MOS/MSC	21-Dec-23	O/C	TSN 0				
SN:1691700131980	HRS	28.3		TSN 0				
	AFL	10		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A23170140		NO. 5 WIFI ANTENNA					Component	ATA:23
PN:P16917-001	MOS/MSC	21-Dec-23	NONE	TSN 0				
SN:1691700131984	HRS	28.3		TSN 0				
	AFL	10		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A23170150		NO. 6 WIFI ANTENNA					Component	ATA:23
PN:P16917-001	MOS/MSC	21-Dec-23	O/C	TSN 0				
SN:1691700131991	HRS	28.3		TSN 0				
	AFL	10		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A23170160		NEXTFI WIFI BOOSTER					Component	ATA:23
PN:PN	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 23 - COMMUNICATIONS								
PC12A23170160		NO. 1 TERRESTRIAL MODEM ANTENNA					Component	ATA:23
PN:P18350-001	MOS/MSC	21-Dec-23	O/C	TSN 0				
SN:1835013085	HRS	28.3		TSN 0				
	AFL	10		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A23170170		NO. 2 TERRESTRIAL MODEM ANTENNA					Component	ATA:23
PN:P18350-001	MOS/MSC	21-Dec-23	O/C	TSN 0				
SN:1835013188	HRS	28.3		TSN 0				
	AFL	10		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A23170180		ABS ATG ANTENNA					Component	ATA:23
PN:P12949	MOS/MSC	21-Dec-23	O/C	TSN 0				
SN:729543	HRS	28.3		TSN 0				
	AFL	10		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A23170181		AFT ABS ATG ANTENNA					Component	ATA:23
PN:P12949	MOS/MSC	21-Dec-23	O/C	TSN 0				
SN:730532	HRS	28.3		TSN 0				
	AFL	10		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A23200110		ANTENNE ATG5000 - NO. 1					Component	ATA:23
PN:PN	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PC12A23200120		ANTENNE ATG5000 - NO. 2					Component	ATA:23
PN:PN	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 23 - COMMUNICATIONS								
PC12A23401100 ENTERTAINMENT SYSTEM								Component ATA:23
PN:PN	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A23500110 AUDIO CONTROL PANEL, PILOT, A125								Component ATA:23
PN:985.99.12.067	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:E29A0963	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-23-50-01-00A-920A-APROC. REF: AMM 12-B-23-50-01-00A-920A-A								
PC12A23500120 AUDIO CONTROL PANEL, CO-PILOT, A126								Component ATA:23
PN:985.99.12.067	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:E29A0957	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-23-50-01-00A-920A-APROC. REF: AMM 12-B-23-50-01-00A-920A-A								
PC12A23500130 1AMP CIRCUIT BREAKER								Component ATA:23
PN:PN	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A23500132 3AMP CIRCUIT BREAKER								Component ATA:23
PN:PN	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A23500134 5AMP CIRCUIT BREAKER								Component ATA:23
PN:PN	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 23 - COMMUNICATIONS								
PC12A23500140		NO. 1 BOSE HEADSET JACK					Component	ATA:23
PN:PN	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A23500141		NO. 2 BOSE HEADSET JACK					Component	ATA:23
PN:PN	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A23500142		NO. 3 BOSE HEADSET JACK					Component	ATA:23
PN:PN	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A23500143		NO. 4 BOSE HEADSET JACK					Component	ATA:23
PN:PN	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A23500144		NO. 5 BOSE HEADSET JACK					Component	ATA:23
PN:PN	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A23500145		AIRCELL CONFIGURATION MODULE					Component	ATA:23
PN:P14126	MOS/MSC	21-Dec-23	O/C	TSN 0				
SN:1412629466	HRS	28.3		TSN 0				
	AFL	10		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 23 - COMMUNICATIONS								
PC12A23500145		NO. 6 BOSE HEADSET JACK					Component	ATA:23
PN:PN	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A23500150		CABIN CHIME AMP					Component	ATA:23
PN:PN	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A23500160		PA SYSTEM AURAL MESSAGE GENERATOR					Component	ATA:23
PN:PN	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A23500165		PA SYSTEM SPEAKER AMPLIFIER					Component	ATA:23
PN:PN	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A23500255		AIRCELL L3 TRANSCEIVER					Component	ATA:23
PN:P341100-003	MOS/MSC	27-Dec-23	O/C	TSN 0				
SN:341100033159E	HRS	30.5		TSN 0				
	AFL	14		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
ATA 24 - ELECTRICAL POWER								
24-30/311		GENERATOR CONTROL UNITS, GCU 1 AND GCU 2 - FUNCTIONAL TEST OVER AND UNDER-VOLTAGE TRIP PROTECTION (CMR)					Service	ATA:24
	MOS	04-Dec-24	12 (+10%/-10%)		04-Dec-25	10-Jan-26	190 d (+37)	
	HRS	146.8	3000		3146.8		2946.6	
	AFL	62						
PROC. REF: AMM 12-C-71-00-00-00A-903D-APROC. REF: AMM 12-C-71-00-00-00A-903D-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
24-30/312 ^S	EXTERNAL POWER CONTROLLER - OVER/UNDER VOLTAGE TRIP PROTECTION OPERATIONAL TEST							Service ATA:24
	MOS	30-Nov-23	24 (+10%/-10%)					
	HRS	0	2400 (+10%/-10%)					
	AFL	0						
PROC. REF: AMM 12-B-24-40-00-00A-903A-APROC. REF: AMM 12-B-24-40-00-00A-903A-A								PKG:4
24-30/313 ^S	DC ELECTRICAL SYSTEM - FUNCTIONAL TEST							Service ATA:24
	MOS	04-Dec-24	12 (+10%/-10%)					
	HRS	146.8	1200 (+10%/-10%)					
	AFL	62						
PROC. REF: AMM 12-C-71-00-00-00A-903D-APROC. REF: AMM 12-C-71-00-00-00A-903D-A								PKG:3
24-30/340	NO. 1 LEAD ACID BATTERY - REMOVE / CAPACITY TEST							Service ATA:24
PN:RG380E/44	MOS	04-Dec-24	3 (+10%/-10%)		04-Mar-25	13-Mar-25	OVD	
SN:41290826	HRS	146.8	300 (+10%/-10%)		446.8	476.8	246.6 (+30)	
	AFL	62						
PROC. REF: AMM 12-B-24-30-07-00A-920A-APROC. REF: AMM 12-B-24-30-07-00A-920A-A								
24-30/340	NO. 2 LEAD ACID BATTERY - REMOVE / CAPACITY TEST							Service ATA:24
PN:RG380E/44	MOS	04-Dec-24	6 (+10%/-10%)		04-Jun-25	22-Jun-25	7 d (+18)	
SN:41285760	HRS	146.8	600 (+10%/-10%)		746.8	806.8	546.6 (+60)	
	AFL	62						
PROC. REF: AMM 12-B-24-30-07-00A-920A-APROC. REF: AMM 12-B-24-30-07-00A-920A-A								
24-30/473 ^S	GENERATOR 1 (P/N 978.91.23.407) - BRUSH CHECK							Service ATA:24
PN:978.91.23.407	MOS	30-Nov-23						
SN:P3833	HRS	0	600 (+10%/-10%)					
	AFL	0						
PROC. REF: AMM 12-B-24-30-01-00A-313A-APROC. REF: AMM 12-B-24-30-01-00A-313A-A								PKG:1

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
24-30/474 ^S	STARTER/GENERATOR 2 (P/N 978.91.23.407) - BRUSH CHECK							Service ATA:24
PN:978.91.23.407	MOS	30-Nov-23						
SN:P3819	HRS	0	600 (+10%/-10%)					
	AFL	0						
PROC. REF: AMM 12-B-24-30-01-00A-313A-APROC. REF: AMM 12-B-24-30-01-00A-313A-A								PKG:1
24-30/492	OVERHAUL GENERATOR 1 (P/N 978.91.23.407)							Service ATA:24
PN:978.91.23.407	MOS	30-Nov-23						OVERHAUL
SN:P3833	HRS	0	1200 (+10%/-10%)		1200	1320	999.8 (+120)	
	AFL	0						
PROC. REF: AMM 12-B-24-30-01-00A-920A-APROC. REF: AMM 12-B-24-30-01-00A-920A-A								
24-30/493	OVERHAUL STARTER/GENERATOR 2 (P/N 978.91.23.407)							Service ATA:24
PN:978.91.23.407	MOS	30-Nov-23						OVERHAUL
SN:P3819	HRS	0	1200 (+10%/-10%)		1200	1320	999.8 (+120)	
	AFL	0						
PROC. REF: AMM 12-B-24-30-01-00A-920A-APROC. REF: AMM 12-B-24-30-01-00A-920A-A								
24-40/229 ^S	EXTERNAL POWER UNIT (EPU) RECEPTACLE - EXAMINE							Service ATA:24
	MOS	30-Nov-23	24 (+10%/-10%)					
	HRS	0	2400 (+10%/-10%)					
	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:4
24-50/509	EMERGENCY POWER SUPPLY - REMOVE / CAPACITY TEST							Service ATA:24
PN:985.83.14.953	MOS	04-Dec-24	12 (+10%/-10%)		04-Dec-25	10-Jan-26	190 d (+37)	
SN:S00082	HRS	146.8						
	AFL	62						
Installation Date: : 04-Dec-24								
PROC. REF: AMM 12-B-24-52-51-00A-920A-APROC. REF: AMM 12-B-24-52-51-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
24-60/133 ^S	COCKPIT CIRCUIT BREAKER PANELS AND SWITCH PANELS - EXAMINE							Service ATA:24
	MOS	30-Nov-23	24 (+10%/-10%)					
	HRS	0	2400 (+10%/-10%)					
	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:4
PC12A24300110	NO. 1 BATTERY							Component ATA:24
PN:RG380E/44	MOS/MSC	04-Dec-24	O/C	TSN 13				
SN:41290826	HRS	146.8		TSN 146.8				
	AFL	62		TSN 62				
PROC. REF: AMM 12-B-24-30-07-00A-920A-A, AMM 12-B-24-30-07-00A-920B-A, AMM 12-B-24-30-07-00A-920C-APROC. REF: AMM 12-B-24-30-07-00A-920A-A, AMM 12-B-24-30-07-00A-920B-A, AMM 12-B-24-30-07-00A-920C-A								
PC12A24300120	NO. 2 BATTERY							Component ATA:24
PN:RG380E/44	MOS/MSC	04-Dec-24	O/C	TSN 13				
SN:41285760	HRS	146.8		TSN 146.8				
	AFL	62		TSN 62				
PROC. REF: AMM 12-B-24-30-07-00A-920A-A, AMM 12-B-24-30-07-00A-920B-A, AMM 12-B-24-30-07-00A-920C-APROC. REF: AMM 12-B-24-30-07-00A-920A-A, AMM 12-B-24-30-07-00A-920B-A, AMM 12-B-24-30-07-00A-920C-A								
PC12A24300210	GENERATOR 1							Component ATA:24
PN:978.91.23.407	MOS/MSC	30-Nov-23	H/T	TSN 0				
SN:P3833	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-24-30-01-00A-920A-APROC. REF: AMM 12-B-24-30-01-00A-920A-A								
PC12A24300220	STARTER/GENERATOR 2							Component ATA:24
PN:978.91.23.407	MOS/MSC	30-Nov-23	H/T	TSN 0				
SN:P3819	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-24-30-01-00A-920A-APROC. REF: AMM 12-B-24-30-01-00A-920A-A								
PC12A24300310	VOLTAGE REGULATOR 1 (GCU 1)							Component ATA:24
PN:988.21.14.111	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:P5979	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-24-30-05-00A-920A-APROC. REF: AMM 12-B-24-30-05-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
PC12A24300320 VOLTAGE REGULATOR 2 (GCU 2)								Component ATA:24
PN:988.21.14.111	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:P6001	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-24-30-06-00A-920A-APROC. REF: AMM 12-B-24-30-06-00A-920A-A								
PC12A24300410 CURRENT SENSOR, GENERATOR 1, LH, MT001								Component ATA:24
PN:975.50.85.111	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:N9126	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-24-30-08-00A-920A-APROC. REF: AMM 12-B-24-30-08-00A-920A-A								
PC12A24300420 CURRENT SENSOR, GENERATOR 2, RH, MT002								Component ATA:24
PN:975.50.85.111	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:N8934	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-24-30-08-00A-920A-APROC. REF: AMM 12-B-24-30-08-00A-920A-A								
PC12A24300510 GENERATOR 1 CONTACTOR, LH, K001								Component ATA:24
PN:974.03.38.113	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:2709	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-24-30-08-00A-920A-APROC. REF: AMM 12-B-24-30-08-00A-920A-A								
PC12A24300520 GENERATOR 2 CONTACTOR, RH, K002								Component ATA:24
PN:974.03.38.113	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:2687	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-24-30-08-00A-920A-APROC. REF: AMM 12-B-24-30-08-00A-920A-A								
PC12A24400100 BATTERY AND EXTERNAL POWER JUNCTION BOX, A381								Component ATA:24
PN:974.03.38.154	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:1631	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-24-40-01-00A-920A-APROC. REF: AMM 12-B-24-40-01-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
PC12A24520100		POWER JUNCTION BOX, LH, A121					Component	ATA:24
PN:974.03.38.144	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:1579	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-24-52-10-00A-920A-APROC. REF: AMM 12-B-24-52-10-00A-920A-A								
PC12A24520200		POWER JUNCTION BOX, RH, A122					Component	ATA:24
PN:974.03.38.145	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:1448	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-24-52-20-00A-920A-APROC. REF: AMM 12-B-24-52-20-00A-920A-A								
PC12A24520300		EMERGENCY POWER SUPPLY, A183					Component	ATA:24
PN:985.83.14.953	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:S00082	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-24-52-51-00A-920A-APROC. REF: AMM 12-B-24-52-51-00A-920A-A								
PC12A24520400		RELAY PANEL, FR 16-17					Component	ATA:24
PN:974.20.04.262	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:0616	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-24-52-30-00A-920A-APROC. REF: AMM 12-C-24-52-30-00A-920A-A								
PC12A24600100		STATIC INVERTER, A310					Component	ATA:24
PN:975.02.15.107	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:9965	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-24-60-01-00A-920A-APROC. REF: AMM 12-B-24-60-01-00A-920A-A								
ATA 25 - EQUIPMENT/FURNISHINGS								
25-00/CFR		PERFORM EMERGENCY LOCATOR TRANSMITTER (ELT) 12-MONTHS INSPECTION - CFR 91.207 (D)					Service	ATA:25
PN:985.13.80.882	MOS	04-Dec-24	12		04-Dec-25		190 d	
SN:TM0000289155	HRS	146.8						
	AFL	62						
Inspection Date: : 04-Dec-24								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
PROC. REF: CFR 14 CFR 91.207PROC. REF: CFR 14 CFR 91.207								
25-10/521 ^S	CREW SEAT BELTS (MSN 2001 AND UP) - EXAMINE							Service ATA:25
	MOS	04-Dec-24	12 (+10%/-10%)					
	HRS	146.8	600 (+10%/-10%)					
	AFL	62						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:2
25-10/522 ^S	CREW SEATS (MSN 2001 AND UP) - EXAMINE AS FAR AS POSSIBLE WITH SEATS INSTALLED							Service ATA:25
	MOS	30-Nov-23						
	HRS	0	600 (+10%/-10%)					
	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:1
25-10/566 ^S	CREW SEATS (MSN 2001 AND UP) - REMOVE AS NECESSARY TO DO THE INSPECTION							Service ATA:25
	MOS/MSC	04-Dec-24	A/R					
	HRS	146.8						
	AFL	62						
PROC. REF: AMM 12-C-25-10-01-00A-920A-APROC. REF: AMM 12-C-25-10-01-00A-920A-A								PKG:5 ,1,2,3,4
25-10/567 ^S	CREW SEAT (MSN 2001 AND UP) - INSTALL AS NECESSARY TO CLOSE THE INSPECTION							Service ATA:25
	MOS/MSC	04-Dec-24	A/R					
	HRS	146.8						
	AFL	62						
PROC. REF: AMM 12-C-25-10-01-00A-920A-APROC. REF: AMM 12-C-25-10-01-00A-920A-A								PKG:5 ,1,2,3,4
25-10/568 ^S	CREW SEATS (MSN 2001 AND UP) - REMOVE CUSHIONS, COVERS AND SHELLS (REFER CMM) AND EXAMINE SEAT. INSTALL CUSHIONS, COVERS AND SHELLS							Service ATA:25
	MOS	04-Dec-24	12 (+10%/-10%)					
	HRS	146.8	1200 (+10%/-10%)					
	AFL	62						
PROC. REF: AMM 12-C-25-10-01-00A-920A-APROC. REF: AMM 12-C-25-10-01-00A-920A-A								PKG:3

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
25-20/511 ^S	PASSENGER SEATS (MSN 2001 AND UP) - EXAMINE AS FAR AS POSSIBLE WITH SEATS INSTALLED. MOVE THE RECLINE MECHANISM AND SWIVEL FUNCTION (EXECUTIVE SEAT ONLY) THROUGH ITS FULL MOTION AND CHECK FOR CORRECT OPERATION.						Service	ATA:25
	MOS	30-Nov-23						
	HRS	0	600 (+10%/-10%)					
	AFL	0						
								PKG:1
PROC. REF: CMM CONDITION CHECKS, CMM 25-70-76PROC. REF: CMM CONDITION CHECKS, CMM 25-70-76								
25-20/512 ^S	PASSENGER SEATS (MSN 2001 AND UP) - EXAMINE, IF NECESSARY, REFER TO THE APPLICABLE CMM:CMM 25-70-76 FOR EXECUTIVE SEATSCMM 2044-CMM026 FOR STANDARD SEATS FOR EXECUTIVE SEATS ONLY, WITH THE SEAT CUSHION REMOVED, CHECK THE HYDROLOCK REAR ATTACHMENT BOLT FOR SECURITY OF ATTACHMENT						Service	ATA:25
	MOS	04-Dec-24	12 (+10%/-10%)					
	HRS	146.8	1200 (+10%/-10%)					
	AFL	62						
								PKG:3
PROC. REF: CMM CONDITION CHECKS, CMM 25-70-76PROC. REF: CMM CONDITION CHECKS, CMM 25-70-76								
25-20/523 ^S	PASSENGER SEAT BELTS AND EXTENSIONS (MSN 2001 AND UP) - EXAMINE						Service	ATA:25
	MOS	04-Dec-24	12 (+10%/-10%)					
	HRS	146.8	600 (+10%/-10%)					
	AFL	62						
								PKG:2
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
25-20/569 ^S	PASSENGER SEATS (MSN 2001 AND UP) - REMOVE AS NECESSARY TO DO THE INSPECTION						Service	ATA:25
	MOS/MSC	04-Dec-24	A/R					
	HRS	146.8						
	AFL	62						
								PKG:5 ,1,2,3,4
PROC. REF: AMM 12-C-25-21-01-00A-920A-A, AMM 12-C-25-22-01-00A-920A-APROC. REF: AMM 12-C-25-21-01-00A-920A-A, AMM 12-C-25-22-01-00A-920A-A								
25-20/570 ^S	PASSENGER SEATS (MSN 2001 AND UP) - INSTALL AS NECESSARY TO CLOSE THE INSPECTION						Service	ATA:25
	MOS/MSC	04-Dec-24	A/R					
	HRS	146.8						
	AFL	62						
								PKG:5 ,1,2,3,4
PROC. REF: AMM 12-C-25-21-01-00A-920A-A, AMM 12-C-25-22-01-00A-920A-APROC. REF: AMM 12-C-25-21-01-00A-920A-A, AMM 12-C-25-22-01-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
25-60/232 ^S	ELT INSTALLATION - EXAMINE							Service ATA:25
	MOS	04-Dec-24	12 (+10%/-10%)					
	HRS	146.8	1200 (+10%/-10%)					
	AFL	62						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:3
25-60/483	PERFORM PERIODIC INSPECTIONS ON ELT, KANNAD 406 AF (WITH AND WITHOUT NAVIGATION INTERFACE UNIT) AND KANNAD INTEGRA 406 AF							Service ATA:25
PN:985.13.80.882	MOS/MSC	04-Dec-24	A/R					
SN:TM0000289155	HRS	146.8						
	AFL	62						
PROC. REF: SIL PERIODIC INSPECTIONPROC. REF: SIL PERIODIC INSPECTION								
25-60/524 ^S	ELT (MSN 2001 AND UP) - OPERATIONAL TEST							Service ATA:25
	MOS	04-Dec-24	12 (+10%/-10%)					
	HRS	146.8	600 (+10%/-10%)					
	AFL	62						
PROC. REF: AMM 12-B-25-63-00-00A-903B-APROC. REF: AMM 12-B-25-63-00-00A-903B-A								PKG:2
25-63/23	DISCARD ELT BATTERY							Service ATA:25
PN:985.13.80.882	MOS/MSC		DUE		30-Nov-29 (M)		1647 d	DISCARD
SN:TM0000289155	HRS							
	AFL							
PROC. REF: AMM 12-B-25-63-00-00A-920B-APROC. REF: AMM 12-B-25-63-00-00A-920B-A								
25-63/434	DISCARD KANNAD ELT NAV INTERFACE UNIT SERIAL MEMORY MODULE (IF KANNAD NAV INTERFACE INSTALLED)							Service ATA:25
PN:985.13.80.881	MOS	30-Nov-23	120 (+6m/-6m)		30-Nov-33	31-May-34	3108 d (+182)	DISCARD
SN:TM0000280802	HRS	0	16000 (+500/-500)		16000	16500	15799.8 (+500)	
	AFL	0						
PROC. REF: AMM 12-B-25-63-03-00A-920B-APROC. REF: AMM 12-B-25-63-03-00A-920B-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
25-CA/71	RENEW NOAA 406 MHZ ELT REGISTRATION							Service ATA:25
	MOS/MSC		DUE		19-Dec-25 (M)		205 d	
	HRS							
	AFL							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PC12A25100110	PILOT SEAT							Component ATA:25
PN:959.30.01.673	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:107157	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-25-10-01-00A-920A-APROC. REF: AMM 12-C-25-10-01-00A-920A-A								
PC12A25100120	CO-PILOT SEAT							Component ATA:25
PN:959.30.01.674	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:107144	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-25-10-01-00A-920A-APROC. REF: AMM 12-C-25-10-01-00A-920A-A								
PC12A25100300	BULKHEAD FR 16, LH							Component ATA:25
PN:PN	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A251CA010	PILOT SEAT BELT							Component ATA:25
PN:PN	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-25-10-01-00A-920A-APROC. REF: AMM 12-C-25-10-01-00A-920A-A								
PC12A251CA020	CO-PILOT SEAT BELT							Component ATA:25
PN:PN	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-25-10-01-00A-920A-APROC. REF: AMM 12-C-25-10-01-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
PC12A251CA110		SEAT BELT, EXECUTIVE SEAT - NO. 1					Component	ATA:25
PN:PN	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-25-21-02-00A-920A-APROC. REF: AMM 12-C-25-21-02-00A-920A-A								
PC12A251CA120		SEAT BELT, EXECUTIVE SEAT - NO. 2					Component	ATA:25
PN:PN	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-25-21-02-00A-920A-APROC. REF: AMM 12-C-25-21-02-00A-920A-A								
PC12A251CA130		SEAT BELT, EXECUTIVE SEAT - NO. 3					Component	ATA:25
PN:PN	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-25-21-02-00A-920A-APROC. REF: AMM 12-C-25-21-02-00A-920A-A								
PC12A251CA140		SEAT BELT, EXECUTIVE SEAT - NO. 4					Component	ATA:25
PN:PN	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-25-21-02-00A-920A-APROC. REF: AMM 12-C-25-21-02-00A-920A-A								
PC12A251CA150		SEAT BELT, EXECUTIVE SEAT - NO. 5					Component	ATA:25
PN:PN	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-25-21-02-00A-920A-APROC. REF: AMM 12-C-25-21-02-00A-920A-A								
PC12A251CA160		SEAT BELT, EXECUTIVE SEAT - NO. 6					Component	ATA:25
PN:PN	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-25-21-02-00A-920A-APROC. REF: AMM 12-C-25-21-02-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
PC12A25220100		NO. 1 PASSENGER SEAT					Component	ATA:25
PN:525.22.12.550	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:4000660865	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-25-21-01-00A-920A-A, AMM 12-C-25-22-01-00A-920A-A, AMM 12-C-25-22-01-00A-920A-A								
PC12A25220200		NO. 2 PASSENGER SEAT					Component	ATA:25
PN:525.22.12.560	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:4000660866	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-25-21-01-00A-920A-A, AMM 12-C-25-22-01-00A-920A-A, AMM 12-C-25-22-01-00A-920A-A								
PC12A25220300		NO. 3 PASSENGER SEAT					Component	ATA:25
PN:525.22.12.530	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:4000660861	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-25-21-01-00A-920A-A, AMM 12-C-25-22-01-00A-920A-A, AMM 12-C-25-22-01-00A-920A-A								
PC12A25220400		NO. 4 PASSENGER SEAT					Component	ATA:25
PN:525.22.12.540	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:4000660862	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-25-21-01-00A-920A-A, AMM 12-C-25-22-01-00A-920A-A, AMM 12-C-25-22-01-00A-920A-A								
PC12A25220500		NO. 5 PASSENGER SEAT					Component	ATA:25
PN:525.22.12.530	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:4000660864	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-25-21-01-00A-920A-A, AMM 12-C-25-22-01-00A-920A-A, AMM 12-C-25-22-01-00A-920A-A								
PC12A25220600		NO. 6 PASSENGER SEAT					Component	ATA:25
PN:525.22.12.540	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:4000660863	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-25-21-01-00A-920A-A, AMM 12-C-25-22-01-00A-920A-A, AMM 12-C-25-22-01-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
PC12A25220700		NO. 7 PASSENGER SEAT					Component	ATA:25
PN:525.22.12.510	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:MC1206435	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-25-21-01-00A-920A-A, AMM 12-C-25-22-01-00A-920A-A, AMM 12-C-25-22-01-00A-920A-A								
PC12A25220800		NO. 8 PASSENGER SEAT					Component	ATA:25
PN:525.22.12.520	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:MC1206436	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-25-21-01-00A-920A-A, AMM 12-C-25-22-01-00A-920A-A, AMM 12-C-25-22-01-00A-920A-A								
PC12A25220900		NO. 9 PASSENGER SEAT					Component	ATA:25
PN:PN	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A252500100		BULKHEAD FR34					Component	ATA:25
PN:PN	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A252500200		TABLE, LH					Component	ATA:25
PN:PN	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A252500201		TABLE, RH					Component	ATA:25
PN:PN	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
PC12A253000100		REFRESHMENT CABINET, LH					Component	ATA:25
PN:PN	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A253000200		STORAGE CABINET, RH					Component	ATA:25
PN:PN	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A254000100		LAVATORY					Component	ATA:25
PN:PN	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A25630100		EMERGENCY LOCATOR TRANSMITTER (ELT)					Component	ATA:25
PN:985.13.80.882	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:TM0000289155	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-25-63-00-00A-920B-APROC. REF: AMM 12-B-25-63-00-00A-920B-A								
PC12A25630110		ANTENNE, EXTERNAL					Component	ATA:25
PN:985.13.80.847	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:132785-5509	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A25630200		INTEGRA ENAV UNIT, A380					Component	ATA:25
PN:985.13.80.881	MOS/MSC	30-Nov-23	H/T	TSN 0				
SN:TM0000280802	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-25-63-03-00A-920B-APROC. REF: AMM 12-B-25-63-03-00A-920B-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
PC12A25630300 EMERGENCY LOCATOR TRANSMITTER (ELT) REMOTE CONTROL PANEL, A151A1								Component ATA:25
PN:985.13.80.817	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:TM0000265766	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A256CA010 FIRST AID KIT								Component ATA:25
PN:PN	MOS/MSC	30-Nov-23	H/T	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A256CA110 PILOT LIFE VEST								Component ATA:25
PN:PN	MOS/MSC		H/T					
SN:NOT INSTALLED	HRS							
	AFL							
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A256CA120 COPILOT LIFE VEST								Component ATA:25
PN:PN	MOS/MSC		H/T	TSN 0				
SN:NOT INSTALLED	HRS			TSN 0				
	AFL			TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A256CA210 NO. 1 LIFE VEST								Component ATA:25
PN:PN	MOS/MSC		H/T	TSN 0				
SN:NOT INSTALLED	HRS			TSN 0				
	AFL			TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A256CA220 NO. 2 LIFE VEST								Component ATA:25
PN:PN	MOS/MSC		H/T	TSN 0				
SN:NOT INSTALLED	HRS			TSN 0				
	AFL			TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
PC12A256CA230		NO. 3 LIFE VEST					Component	ATA:25
PN:PN	MOS/MSC		H/T	TSN 0				
SN:NOT INSTALLED	HRS			TSN 0				
	AFL			TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A256CA240		NO. 4 LIFE VEST					Component	ATA:25
PN:PN	MOS/MSC		H/T	TSN 0				
SN:NOT INSTALLED	HRS			TSN 0				
	AFL			TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A256CA250		NO. 5 LIFE VEST					Component	ATA:25
PN:PN	MOS/MSC		H/T	TSN 0				
SN:NOT INSTALLED	HRS			TSN 0				
	AFL			TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A256CA260		NO. 6 LIFE VEST					Component	ATA:25
PN:PN	MOS/MSC		H/T	TSN 0				
SN:NOT INSTALLED	HRS			TSN 0				
	AFL			TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A256CA270		NO. 7 LIFE VEST					Component	ATA:25
PN:PN	MOS/MSC		H/T	TSN 0				
SN:NOT INSTALLED	HRS			TSN 0				
	AFL			TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A256CA280		NO. 8 LIFE VEST					Component	ATA:25
PN:PN	MOS/MSC		H/T	TSN 0				
SN:NOT INSTALLED	HRS			TSN 0				
	AFL			TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
PC12A256CA290		NO. 9 LIFE VEST					Component	ATA:25
PN:PN	MOS/MSC		H/T	TSN 0				
SN:NOT INSTALLED	HRS			TSN 0				
	AFL			TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A256CA410		UNDERWATER LOCATOR BEACON (ULB) BATTERY					Component	ATA:25
PN:PN	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-25-63-04-00A-920A-APROC. REF: AMM 12-B-25-63-04-00A-920A-A								
PC12A257CA010		ECONNECT USB PORT					Component	ATA:25
PN:106401-0015HT405	MOS/MSC	21-Dec-23	O/C	TSN 0				
SN:1791023	HRS	28.3		TSN 0				
	AFL	10		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A257CA110		ECONNECT HIGH CAPACITY DRIVE ROUTER					Component	ATA:25
PN:PN	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A257CA120		ECONNECT LOW CAPACITY DRIVE ROUTER					Component	ATA:25
PN:PN	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A257CA210		ECONNECT NO. 1 ANTENNA					Component	ATA:25
PN:5W-2.40-5.00P-XSM-4	MOS/MSC	21-Dec-23	O/C	TSN 0				
SN:973621	HRS	28.3		TSN 0				
	AFL	10		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
PC12A257CA220		ECONNECT NO. 2 ANTENNA					Component	ATA:25
PN:5W-2.40-5.00P-XSM-4	MOS/MSC	21-Dec-23	O/C	TSN 0				
SN:973624	HRS	28.3		TSN 0				
	AFL	10		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A257CA230		ECONNECT NO. 3 ANTENNA					Component	ATA:25
PN:5W-2.40-5.00P-XSM-4	MOS/MSC	21-Dec-23	O/C	TSN 0				
SN:973622	HRS	28.3		TSN 0				
	AFL	10		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A257CA240		ECONNECT NO. 4 ANTENNA					Component	ATA:25
PN:5W-2.40-5.00P-XSM-4	MOS/MSC	21-Dec-23	O/C	TSN 0				
SN:973620	HRS	28.3		TSN 0				
	AFL	10		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A257CA250		ECONNECT NO. 5 ANTENNA					Component	ATA:25
PN:5W-2.40-5.00P-XSM-4	MOS/MSC	21-Dec-23	O/C	TSN 0				
SN:973623	HRS	28.3		TSN 0				
	AFL	10		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A257CA260		IFE SEND SOLUTIONS ROUTER					Component	ATA:25
PN:19G12-1	MOS/MSC	21-Dec-23	O/C	TSN 0				
SN:23191028	HRS	28.3		TSN 0				
	AFL	10		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A257CA310		ECONNECT WIRING HARNESS					Component	ATA:25
PN:PN	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 26 - FIRE PROTECTION								
26-20/2	LIFE LIMIT - COCKPIT FIRE EXTINGUISHER (EXCEPT MODEL P3APP003010D)							Service ATA:26
PN:959.08.06.219	MOS	30-Apr-23	120		30-Apr-33		2894 d	LIFE LIMIT
SN:127067	HRS							
	AFL							
Manufacture Date:: 30-Apr-23								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
26-20/24	COCKPIT FIRE EXTINGUISHER (EXCEPT MODEL P3APP003010D) - CONTENTS CHECK							Service ATA:26
PN:959.08.06.219	MOS	04-Dec-24	12 (+10%/-10%)		04-Dec-25	10-Jan-26	190 d (+37)	
SN:127067	HRS	146.8						
	AFL	62						
PROC. REF: AMM 12-B-26-20-00-01A-289A-APROC. REF: AMM 12-B-26-20-00-01A-289A-A								
PC12A26100100	FIRE/OVERHEAT DETECTOR, A043							Component ATA:26
PN:975.12.10.012	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:219180	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A26200100	COCKPIT FIRE EXTINGUISHER							Component ATA:26
PN:959.08.06.219	MOS/MSC	30-Nov-23	H/T	TSN 0				
SN:127067	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-26-20-01-00A-920A-APROC. REF: AMM 12-B-26-20-01-00A-920A-A								
ATA 27 - FLIGHT CONTROLS								
27-00/402	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - BONDING LEADS TO ALL FLIGHT CONTROL SURFACES - EXAMINE							Service ATA:27
	MOS	30-Nov-23						
	HRS	0	T:32500 (+500/-500)		32500	33000	32299.8 (+500)	
	AFL	0	T:42000 (+500/-500)		42000	42500	41898 (+500)	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-00/525 ^S	AILERON, ELEVATOR AND RUDDER CONTROLS (MSN 2001 AND UP) - OPERATE, MAKE SURE FULL AND FREE TRAVEL							Service ATA:27
	MOS	30-Nov-23						
	HRS	0	600 (+10%/-10%)					
	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:1
27-00/71	FLIGHT CONTROL CABLES INCLUDING AUTO PILOT AND STICK PUSHER CABLES - INSPECTION/CHECK							Service ATA:27
	MOS	30-Nov-23	60 (+6m/-6m)		30-Nov-28	31-May-29	1282 d (+182)	
	HRS	0	4800 (+10%/-10%)		4800	5280	4599.8 (+480)	
	AFL	0						
PROC. REF: AMM 12-B-27-00-00-00A-313A-APROC. REF: AMM 12-B-27-00-00-00A-313A-A								
27-10/234 ^S	AILERON LH AND RH RODS AND LEVERS - EXAMINE. SPRAY PTFE TEFLON SPRAY OKS 571 (OR EQUIVALENT) AROUND THE AILERON PUSHROD GUIDE ROLLER SLEEVES AT ALL THREE LOCATIONS IN EACH WING							Service ATA:27
	MOS	04-Dec-24	12 (+10%/-10%)					
	HRS	146.8	1200 (+10%/-10%)					
	AFL	62						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:3
27-10/235 ^S	AILERON ELECTRICAL BONDING STRAPS - EXAMINE							Service ATA:27
	MOS	04-Dec-24	12 (+10%/-10%)					
	HRS	146.8	1200 (+10%/-10%)					
	AFL	62						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:3
27-10/236 ^S	AILERON CONTROLS - EXAMINE THE CONTROL CABLES AND PULLEYS AS FAR AS POSSIBLE. MOVE THE MECHANISM SO THAT YOU CAN SEE ALL PARTS OF THE CABLES AND MAKE SURE THE SAFETY CLIPS ARE FULLY ENGAGED IN THE TURN-BUCKLES							Service ATA:27
	MOS	04-Dec-24	12 (+10%/-10%)					
	HRS	146.8	1200 (+10%/-10%)					
	AFL	62						
PROC. REF: AMM 12-B-27-10-00-00A-313A-APROC. REF: AMM 12-B-27-10-00-00A-313A-A								PKG:3

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-10/237 ^S	AILERON CABLE TENSION - CHECK							Service ATA:27
	MOS	04-Dec-24	12 (+10%/-10%)					
	HRS	146.8	1200 (+10%/-10%)					
	AFL	62						
PROC. REF: AMM 12-B-27-10-00-00A-903A-APROC. REF: AMM 12-B-27-10-00-00A-903A-A								PKG:3
27-10/238 ^S	AILERONS - FUNCTIONAL TEST							Service ATA:27
	MOS	30-Nov-23	24 (+10%/-10%)					
	HRS	0	2400 (+10%/-10%)					
	AFL	0						
PROC. REF: AMM 12-B-27-10-00-00A-903A-APROC. REF: AMM 12-B-27-10-00-00A-903A-A								PKG:4
27-10/394	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - AILERON CONTROL SYSTEM - EXAMINE (CPCP)							Service ATA:27
	MOS	30-Nov-23						
	HRS	0	T:32500		32500		32299.8	
	AFL	0	T:42000		42000		41898	
PROC. REF: AMM 12-B-27-10-00-00A-310A-APROC. REF: AMM 12-B-27-10-00-00A-310A-A								
27-10/395	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - AILERON CABLE SEGMENT - EDDY CURRENT INSPECTION							Service ATA:27
	MOS	30-Nov-23						
	HRS	0	T:32500		32500		32299.8	
	AFL	0	T:42000		42000		41898	
PROC. REF: AMM 12-B-27-10-09-00A-353A-APROC. REF: AMM 12-B-27-10-09-00A-353A-A								
27-10/396	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - AILERON CONTROL RODS - EDDY CURRENT INSPECTION							Service ATA:27
	MOS	30-Nov-23						
	HRS	0	T:32500		32500		32299.8	
	AFL	0	T:42000		42000		41898	
PROC. REF: AMM 12-B-27-00-01-00A-353A-APROC. REF: AMM 12-B-27-00-01-00A-353A-A								
27-10/397	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - AILERON CONTROL RODS - MAGNETIC PARTICLE INSPECTION							Service ATA:27
	MOS	30-Nov-23						
	HRS	0	T:32500		32500		32299.8	
	AFL	0	T:42000		42000		41898	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
PROC. REF: AMM 12-B-27-00-01-00A-352A-APROC. REF: AMM 12-B-27-00-01-00A-352A-A								
27-10/398	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - AILERON BELLCRANKS - EDDY CURRENT AND MAGNETIC PARTICLE INSPECTIONS							Service ATA:27
	MOS	30-Nov-23						
	HRS	0	T:32500		32500		32299.8	
	AFL	0	T:42000		42000		41898	
PROC. REF: AMM 12-B-27-10-08-00A-352B-A, AMM 12-B-27-10-08-00A-353A-A, AMM 12-B-27-10-08-00A-353B-APROC. REF: AMM 12-B-27-10-08-00A-352B-A, AMM 12-B-27-10-08-00A-353A-A, AMM 12-B-27-10-08-00A-353B-A								
27-10/400	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - AILERON HINGE POINTS - EDDY CURRENT INSPECTION							Service ATA:27
	MOS	30-Nov-23						
	HRS	0	T:32500		32500		32299.8	
	AFL	0	T:42000		42000		41898	
PROC. REF: AMM 12-B-57-60-06-00A-353A-APROC. REF: AMM 12-B-57-60-06-00A-353A-A								
27-10/444	LIFE LIMIT - FLIGHT CONTROL CABLES, AILERON							Service ATA:27
	MOS	30-Nov-23						LIFE LIMIT
	HRS	0	20000		20000		19799.8	
	AFL	0	27000		27000		26898	
PROC. REF: AMM 12-B-27-10-01-00A-920A-APROC. REF: AMM 12-B-27-10-01-00A-920A-A								
27-10/445	LIFE LIMIT - AUTOPILOT CONTROL CABLE, AILERON							Service ATA:27
	MOS	30-Nov-23						LIFE LIMIT
	HRS	0	20000		20000		19799.8	
	AFL	0	27000		27000		26898	
PROC. REF: AMM 12-B-27-10-02-00A-920A-APROC. REF: AMM 12-B-27-10-02-00A-920A-A								
27-10/470 ^S	AILERON CONTROL SYSTEM BEARINGS - LUBRICATE							Service ATA:27
	MOS	04-Dec-24	12 (+10%/-10%)					
	HRS	146.8	1200 (+10%/-10%)					
	AFL	62						
PROC. REF: AMM 12-B-27-10-00-00A-901A-APROC. REF: AMM 12-B-27-10-00-00A-901A-A								

PKG:3

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-10/526 ^S	AILERON LH AND RH (MSN 2001 AND UP) - EXAMINE AND LUBRICATE THE TRIM HINGES WITH MINIMUM QUANTITY OF CPC (P10-001)							Service ATA:27
	MOS	04-Dec-24	12 (+10%/-10%)					
	HRS	146.8	600 (+10%/-10%)					
	AFL	62						
PROC. REF: AMM 12-B-27-10-00-00A-310A-APROC. REF: AMM 12-B-27-10-00-00A-310A-A								PKG:2
27-15/239 ^S	AILERON TRIM - FUNCTIONAL TEST							Service ATA:27
	MOS	30-Nov-23	24 (+10%/-10%)					
	HRS	0	2400 (+10%/-10%)					
	AFL	0						
PROC. REF: AMM 12-B-27-15-00-00A-903A-APROC. REF: AMM 12-B-27-15-00-00A-903A-A								PKG:4
27-20/240 ^S	RUDDER STATIC DISCHARGERS - EXAMINE							Service ATA:27
	MOS	30-Nov-23	24 (+10%/-10%)					
	HRS	0	2400 (+10%/-10%)					
	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:4
27-20/241 ^S	RUDDER CONTROLS - INSPECTION / CHECK							Service ATA:27
	MOS	04-Dec-24	12 (+10%/-10%)					
	HRS	146.8	1200 (+10%/-10%)					
	AFL	62						
PROC. REF: AMM 12-B-27-20-00-00A-313A-APROC. REF: AMM 12-B-27-20-00-00A-313A-A								PKG:3
27-20/243 ^S	RUDDER CABLE TENSION - CHECK							Service ATA:27
	MOS	04-Dec-24	12 (+10%/-10%)					
	HRS	146.8	1200 (+10%/-10%)					
	AFL	62						
PROC. REF: AMM 12-B-27-20-00-00A-903A-APROC. REF: AMM 12-B-27-20-00-00A-903A-A								PKG:3

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-20/244 ^S	RUDDER - FUNCTIONAL TEST							Service ATA:27
	MOS	30-Nov-23	24 (+10%/-10%)					
	HRS	0	2400 (+10%/-10%)					
	AFL	0						
PROC. REF: AMM 12-B-27-20-00-00A-903A-APROC. REF: AMM 12-B-27-20-00-00A-903A-A								PKG:4
27-20/245 ^S	RUDDER TRIM - FUNCTIONAL TEST							Service ATA:27
	MOS	30-Nov-23	24 (+10%/-10%)					
	HRS	0	2400 (+10%/-10%)					
	AFL	0						
PROC. REF: AMM 12-B-27-25-00-00A-903A-APROC. REF: AMM 12-B-27-25-00-00A-903A-A								PKG:4
27-20/246 ^S	EXAMINE RUDDER ELECTRICAL BONDING STRAPS							Service ATA:27
	MOS	04-Dec-24	12 (+10%/-10%)					
	HRS	146.8	1200 (+10%/-10%)					
	AFL	62						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:3
27-20/374	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - RUDDER CONTROL SYSTEM - EXAMINE (CPCP)							Service ATA:27
	MOS	30-Nov-23						
	HRS	0	T:32500		32500		32299.8	
	AFL	0	T:42000		42000		41898	
PROC. REF: AMM 12-B-27-20-00-00A-310A-APROC. REF: AMM 12-B-27-20-00-00A-310A-A								
27-20/376	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - RUDDER CABLE QUADRANT SHEAR SPIGOT - EXAMINE (CPCP)							Service ATA:27
	MOS	30-Nov-23						
	HRS	0	T:32500		32500		32299.8	
	AFL	0	T:42000		42000		41898	
PROC. REF: AMM 12-B-27-20-05-00A-310A-APROC. REF: AMM 12-B-27-20-05-00A-310A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-20/430	RUDDER CONTROL CABLES TENSION - CHECK FOR NEW FACTORY DELIVERED AIRCRAFT THAT HAVE NOT DONE THE 1200 FH OR 12 MONTHS INSPECTION PACKAGE							Service ATA:27
	MOS	30-Nov-23						
	HRS	0	T:300		300		99.8	
	AFL	0						
PROC. REF: AMM 12-B-27-20-00-00A-903A-APROC. REF: AMM 12-B-27-20-00-00A-903A-A								
27-20/431	RUDDER CONTROL CABLES TENSION - CHECK AFTER REPLACEMENT OF ANY RUDDER CONTROL SYSTEM CABLES (AUTOPILOT AND/OR RUDDER)							Service ATA:27
	MOS/MSC	30-Nov-23	-					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-27-20-00-00A-903A-APROC. REF: AMM 12-B-27-20-00-00A-903A-A								
27-20/446	LIFE LIMIT - FLIGHT CONTROL CABLES, RUDDER							Service ATA:27
	MOS	30-Nov-23						LIFE LIMIT
	HRS	0	20000		20000		19799.8	
	AFL	0	27000		27000		26898	
PROC. REF: AMM 12-B-27-20-01-00A-920A-APROC. REF: AMM 12-B-27-20-01-00A-920A-A								
27-20/447	LIFE LIMIT - AUTOPILOT CONTROL CABLES, RUDDER							Service ATA:27
	MOS	30-Nov-23						LIFE LIMIT
	HRS	0	20000		20000		19799.8	
	AFL	0	27000		27000		26898	
PROC. REF: AMM 12-B-27-20-02-00A-920A-APROC. REF: AMM 12-B-27-20-02-00A-920A-A								
27-20/527 ^S	RUDDER (MSN 2001 AND UP) - INSPECTION/CHECK							Service ATA:27
	MOS	04-Dec-24	12 (+10%/-10%)					
	HRS	146.8	600 (+10%/-10%)					
	AFL	62						
PROC. REF: AMM 12-B-55-40-00-00A-313A-APROC. REF: AMM 12-B-55-40-00-00A-313A-A								

PKG:2

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-20/575	REPLACE RUDDER BELLCRANK							Service ATA:27
PN:PN	MOS	30-Nov-23						LIFE LIMIT
SN:UNKNOWN	HRS	0	20000		20000		19799.8	
	AFL	0	27000		27000		26898	
PROC. REF: AMM 12-B-27-20-04-00A-920A-APROC. REF: AMM 12-B-27-20-04-00A-920A-A								
27-30/247 ^S	ELEVATOR ELECTRICAL BONDING STRAPS - EXAMINE							Service ATA:27
	MOS	04-Dec-24	12 (+10%/-10%)					
	HRS	146.8	1200 (+10%/-10%)					
	AFL	62						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
27-30/248 ^S	ELEVATOR STATIC DISCHARGERS - EXAMINE							Service ATA:27
	MOS	30-Nov-23	24 (+10%/-10%)					
	HRS	0	2400 (+10%/-10%)					
	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
27-30/249 ^S	ELEVATOR CONTROLS - INSPECTION / CHECK							Service ATA:27
	MOS	04-Dec-24	12 (+10%/-10%)					
	HRS	146.8	1200 (+10%/-10%)					
	AFL	62						
PROC. REF: AMM 12-B-27-30-00-00A-313A-APROC. REF: AMM 12-B-27-30-00-00A-313A-A								
27-30/250 ^S	ELEVATOR CABLE TENSION - CHECK							Service ATA:27
	MOS	04-Dec-24	12 (+10%/-10%)					
	HRS	146.8	1200 (+10%/-10%)					
	AFL	62						
PROC. REF: AMM 12-B-27-30-00-00A-903A-APROC. REF: AMM 12-B-27-30-00-00A-903A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-30/251 ^S	ELEVATOR - FUNCTIONAL TEST							Service ATA:27
	MOS	30-Nov-23	24 (+10%/-10%)					
	HRS	0	2400 (+10%/-10%)					
	AFL	0						
PROC. REF: AMM 12-B-27-30-00-00A-903A-APROC. REF: AMM 12-B-27-30-00-00A-903A-A								PKG:4
27-30/333	ELEVATOR CONTROL CABLES TENSION - CHECK FOR NEW FACTORY DELIVERED AIRCRAFT THAT HAVE NOT DONE THE 1200 FH OR 12 MONTHS INSPECTION PACKAGE							Service ATA:27
	MOS	30-Nov-23						
	HRS	0	T:300		300		99.8	
	AFL	0						
PROC. REF: AMM 12-B-27-30-00-00A-903A-APROC. REF: AMM 12-B-27-30-00-00A-903A-A								
27-30/334	ELEVATOR CONTROL CABLES TENSION - CHECK AFTER REPLACEMENT OF ANY ELEVATOR CONTROL SYSTEM CABLES (AUTOPILOT, STICK PUSHER AND ELEVATOR)							Service ATA:27
	MOS/MSC	30-Nov-23	-					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-27-30-00-00A-903A-APROC. REF: AMM 12-B-27-30-00-00A-903A-A								
27-30/363	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - ELEVATOR - CONTROL SYSTEM - EXAMINE (CPCP)							Service ATA:27
	MOS	30-Nov-23						
	HRS	0	T:32500		32500		32299.8	
	AFL	0	T:42000		42000		41898	
PROC. REF: AMM 12-B-27-30-00-00A-310A-APROC. REF: AMM 12-B-27-30-00-00A-310A-A								
27-30/364	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - ELEVATOR CONTROL RODS - EDDY CURRENT INSPECTION							Service ATA:27
	MOS	30-Nov-23						
	HRS	0	T:32500		32500		32299.8	
	AFL	0	T:42000		42000		41898	
PROC. REF: AMM 12-B-27-00-01-00A-353A-APROC. REF: AMM 12-B-27-00-01-00A-353A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-30/365	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - ELEVATOR CONTROL RODS - MAGNETIC PARTICLE INSPECTION							Service ATA:27
	MOS	30-Nov-23						
	HRS	0	T:32500		32500		32299.8	
	AFL	0	T:42000		42000		41898	
PROC. REF: AMM 12-B-27-00-01-00A-352A-APROC. REF: AMM 12-B-27-00-01-00A-352A-A								
27-30/366	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - ELEVATOR CONTROL LEVER - EDDY CURRENT INSPECTION							Service ATA:27
	MOS	30-Nov-23						
	HRS	0	T:32500		32500		32299.8	
	AFL	0	T:42000		42000		41898	
PROC. REF: AMM 12-B-27-30-05-00A-353A-APROC. REF: AMM 12-B-27-30-05-00A-353A-A								
27-30/448	LIFE LIMIT - FLIGHT CONTROL CABLES, ELEVATOR							Service ATA:27
	MOS	30-Nov-23						LIFE LIMIT
	HRS	0	20000		20000		19799.8	
	AFL	0	27000		27000		26898	
PROC. REF: AMM 12-B-27-30-01-00A-920A-APROC. REF: AMM 12-B-27-30-01-00A-920A-A								
27-30/449	LIFE LIMIT - AUTOPILOT CONTROL CABLES, ELEVATOR							Service ATA:27
	MOS	30-Nov-23						LIFE LIMIT
	HRS	0	20000		20000		19799.8	
	AFL	0	27000		27000		26898	
PROC. REF: AMM 12-B-27-30-02-00A-920A-APROC. REF: AMM 12-B-27-30-02-00A-920A-A								
27-30/450	LIFE LIMIT - STICK PUSHER CABLES							Service ATA:27
	MOS	30-Nov-23						LIFE LIMIT
	HRS	0	20000		20000		19799.8	
	AFL	0	27000		27000		26898	
PROC. REF: AMM 12-B-22-20-06-00A-920A-APROC. REF: AMM 12-B-22-20-06-00A-920A-A								
27-30/514 ^S	ELEVATOR STOPS - EXAMINE. IF FOUND MISSING, LOOSE OR DAMAGED, INSTALL A NEW OR REPAIR THE STOPS							Service ATA:27
	MOS	04-Dec-24	12 (+10%/-10%)					
	HRS	146.8	1200 (+10%/-10%)					
	AFL	62						

PKG:3

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
PROC. REF: AMM 12-B-55-20-01-00A-904B-APROC. REF: AMM 12-B-55-20-01-00A-904B-A								
27-30/528 ^S	ELEVATORS (MSN 2001 AND UP) - EXAMINE							Service ATA:27
	MOS	04-Dec-24	12 (+10%/-10%)					
	HRS	146.8	600 (+10%/-10%)					
	AFL	62						
PKG:2								
PROC. REF: AMM 12-B-55-20-00-00A-310A-APROC. REF: AMM 12-B-55-20-00-00A-310A-A								
27-40/1	HORIZONTAL STABILIZER TRIM - FUNCTIONAL TEST OF TRIM RUNAWAY AURAL WARNING SYSTEM (CMR)							Service ATA:27
	MOS	04-Dec-24	12 (+10%/-10%)		04-Dec-25	10-Jan-26	190 d (+37)	
	HRS	146.8	3000		3146.8		2946.6	
	AFL	62						
PROC. REF: AMM 12-B-27-40-00-00A-903A-APROC. REF: AMM 12-B-27-40-00-00A-903A-A								
27-40/252 ^S	PITCH TRIM ACTUATOR AND ATTACHMENTS - INSPECTION/CHECK							Service ATA:27
	MOS	04-Dec-24	12 (+10%/-10%)					
	HRS	146.8	1200 (+10%/-10%)					
	AFL	62						
PKG:3								
PROC. REF: AMM 12-B-27-40-01-00A-313A-APROC. REF: AMM 12-B-27-40-01-00A-313A-A								
27-40/3	LIFE LIMIT - PITCH TRIM ACTUATOR							Service ATA:27
PN:978.73.14.203	MOS	30-Nov-23						LIFE LIMIT
SN:3483	HRS	0	20000		20000		19799.8	
	AFL	0	27000		27000		26898	
PROC. REF: AMM 12-B-27-40-01-00A-920A-APROC. REF: AMM 12-B-27-40-01-00A-920A-A								
27-40/307	LIFE LIMIT - PITCH TRIM ACTUATOR ATTACHMENT PARTS, FAIL-SAFE PLATES AND THEIR ATTACHMENT PARTS (IPD 12-20-00-07)							Service ATA:27
PN:978.73.14.203	MOS	30-Nov-23						LIFE LIMIT
SN:3483	HRS	0	10000		10000		9799.8	
	AFL	0						
PROC. REF: AMM 12-B-27-40-02-00A-920A-APROC. REF: AMM 12-B-27-40-02-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-40/508	PITCH TRIM ACTUATOR - OVERHAUL							Service ATA:27
PN:978.73.14.203	MOS	30-Nov-23	60		30-Nov-28		1282 d	OVERHAUL
SN:3483	HRS	0	5000		5000		4799.8	
	AFL	0						
PROC. REF: AMM 12-B-27-40-01-00A-920A-APROC. REF: AMM 12-B-27-40-01-00A-920A-A								
27-40/529 ^S	HORIZONTAL STABILIZER TRIM (MSN 2001 AND UP) - OPERATIONAL TEST OF TRIM INTERRUPT AND ALTERNATE TRIM SWITCHES							Service ATA:27
	MOS	04-Dec-24	12 (+10%/-10%)					
	HRS	146.8	600 (+10%/-10%)					
	AFL	62						
PROC. REF: AMM 12-B-27-40-00-00A-903A-APROC. REF: AMM 12-B-27-40-00-00A-903A-A								
27-40/530 ^S	HORIZONTAL STABILIZER TRIM (MSN 2001 AND UP) - OPERATIONAL TEST OF TRIM SYSTEM							Service ATA:27
	MOS	30-Nov-23						
	HRS	0	600 (+10%/-10%)					
	AFL	0						
PROC. REF: AMM 12-B-27-40-00-00A-903A-APROC. REF: AMM 12-B-27-40-00-00A-903A-A								
27-40/571 ^S	HORIZONTAL STABILIZER TRIM (MSN 2001 AND UP) - FUNCTIONAL TEST OF TRIM SYSTEM							Service ATA:27
	MOS	04-Dec-24	12 (+10%/-10%)					
	HRS	146.8	1200 (+10%/-10%)					
	AFL	62						
PROC. REF: AMM 12-B-27-40-00-00A-903A-APROC. REF: AMM 12-B-27-40-00-00A-903A-A								
27-50/143 ^S	JOB SET UP - FLAPS - LOWER TO 40 DEGREES AS NECESSARY TO DO THE INSPECTION							Service ATA:27
	MOS/MSC	04-Dec-24	A/R					
	HRS	146.8						
	AFL	62						
PROC. REF: AMM 12-B-27-51-00-00A-310A-APROC. REF: AMM 12-B-27-51-00-00A-310A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-50/253 ^S	FLAPS ELECTRICAL BONDING STRAPS - EXAMINE							Service ATA:27
	MOS	04-Dec-24	12 (+10%/-10%)					
	HRS	146.8	1200 (+10%/-10%)					
	AFL	62						
PROC. REF: AMM 12-B-27-30-00-00A-313A-APROC. REF: AMM 12-B-27-30-00-00A-313A-A								PKG:3
27-50/254 ^S	FLAP MOTOR, ACTUATORS AND FLEXIBLE DRIVE SHAFTS - EXAMINE							Service ATA:27
	MOS	04-Dec-24	12 (+10%/-10%)					
	HRS	146.8	1200 (+10%/-10%)					
	AFL	62						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:3
27-50/255 ^S	FLAPS - FUNCTIONAL TEST AND ASYMMETRY MONITOR TEST							Service ATA:27
	MOS	04-Dec-24	12 (+10%/-10%)					
	HRS	146.8	1200 (+10%/-10%)					
	AFL	62						
PROC. REF: AMM 12-B-27-50-00-00A-903A-APROC. REF: AMM 12-B-27-50-00-00A-903A-A								PKG:3
27-50/28	OVERHAUL FLAP POWER DRIVE UNIT							Service ATA:27
PN:978.73.20.003	MOS	30-Nov-23						OVERHAUL
SN:2172	HRS	0	10000 (+500/-500)		10000	10500	9799.8 (+500)	
	AFL	0	13500 (+500/-500)		13500	14000	13398 (+500)	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
27-50/386	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - FLAP MECHANISM - EXAMINE (CPCP)							Service ATA:27
	MOS	30-Nov-23						
	HRS	0	T:30000		30000		29799.8	
	AFL	0	T:39000		39000		38898	
PROC. REF: AMM 12-B-27-51-00-00A-310A-APROC. REF: AMM 12-B-27-51-00-00A-310A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-50/387	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - FLAP DRIVE ARM (NOT REMOVED) - EDDY CURRENT INSPECTION							Service ATA:27
	MOS	30-Nov-23						
	HRS	0	T:25000		25000		24799.8	
	AFL	0	T:30000		30000		29898	
PROC. REF: AMM 12-B-27-51-00-00A-353A-APROC. REF: AMM 12-B-27-51-00-00A-353A-A								
27-50/388	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - FLAP DRIVE ARM (REMOVED) - EDDY CURRENT INSPECTION							Service ATA:27
	MOS	30-Nov-23						
	HRS	0	T:30000		30000		29799.8	
	AFL	0	T:39000		39000		38898	
PROC. REF: AMM 12-B-27-51-01-00A-353A-A, AMM 12-B-27-51-02-00A-353A-A, AMM 12-B-27-51-03-00A-353A-APROC. REF: AMM 12-B-27-51-01-00A-353A-A, AMM 12-B-27-51-02-00A-353A-A, AMM 12-B-27-51-03-00A-353A-A								
27-50/389	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - FLAP SUPPORT ARM - EDDY CURRENT INSPECTION							Service ATA:27
	MOS	30-Nov-23						
	HRS	0	T:30000		30000		29799.8	
	AFL	0	T:39000		39000		38898	
PROC. REF: AMM 12-B-27-51-01-00A-353A-A, AMM 12-B-27-51-02-00A-353A-A, AMM 12-B-27-51-03-00A-353A-APROC. REF: AMM 12-B-27-51-01-00A-353A-A, AMM 12-B-27-51-02-00A-353A-A, AMM 12-B-27-51-03-00A-353A-A								
27-50/390	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - FLAP COVE RIB FITTINGS - EDDY CURRENT INSPECTION							Service ATA:27
	MOS	30-Nov-23						
	HRS	0	T:30000		30000		29799.8	
	AFL	0	T:39000		39000		38898	
PROC. REF: AMM 12-B-27-51-01-00A-353A-A, AMM 12-B-27-51-02-00A-353A-A, AMM 12-B-27-51-03-00A-353A-APROC. REF: AMM 12-B-27-51-01-00A-353A-A, AMM 12-B-27-51-02-00A-353A-A, AMM 12-B-27-51-03-00A-353A-A								
27-50/391	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - FLAP AFT LINKS - EDDY CURRENT INSPECTION							Service ATA:27
	MOS	30-Nov-23						
	HRS	0	T:30000		30000		29799.8	
	AFL	0	T:39000		39000		38898	
PROC. REF: AMM 12-B-27-51-01-00A-353A-A, AMM 12-B-27-51-02-00A-353A-A, AMM 12-B-27-51-03-00A-353A-APROC. REF: AMM 12-B-27-51-01-00A-353A-A, AMM 12-B-27-51-02-00A-353A-A, AMM 12-B-27-51-03-00A-353A-A								
27-50/392	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - FLAP BELLCRANKS - EDDY CURRENT INSPECTION							Service ATA:27
	MOS	30-Nov-23						
	HRS	0	T:30000		30000		29799.8	
	AFL	0	T:39000		39000		38898	
PROC. REF: AMM 12-B-27-51-01-00A-353A-A, AMM 12-B-27-51-02-00A-353A-A, AMM 12-B-27-51-03-00A-353A-APROC. REF: AMM 12-B-27-51-01-00A-353A-A, AMM 12-B-27-51-02-00A-353A-A, AMM 12-B-27-51-03-00A-353A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-50/414	LIFE LIMIT - FLAP LH							Service ATA:27
PN:557.50.12.007	MOS	30-Nov-23						LIFE LIMIT
SN:1746	HRS	0	25000		25000		24799.8	
	AFL	0	30000		30000		29898	
PROC. REF: AMM 12-B-57-50-01-00A-920A-APROC. REF: AMM 12-B-57-50-01-00A-920A-A								
27-50/414	LIFE LIMIT - FLAP RH							Service ATA:27
PN:557.50.12.008	MOS	30-Nov-23						LIFE LIMIT
SN:1747	HRS	0	25000		25000		24799.8	
	AFL	0	30000		30000		29898	
PROC. REF: AMM 12-B-57-50-01-00A-920A-APROC. REF: AMM 12-B-57-50-01-00A-920A-A								
27-50/437	INBOARD FLAP DRIVE ARMS (P/N 527.52.12.153 OR P/N 527.52.12.154) - IN-SITU INSPECTION/ CHECK							Service ATA:27
	MOS	04-Dec-24	12 (+10%/-10%)		04-Dec-25	10-Jan-26	190 d (+37)	
	HRS	146.8	600 (+10%/-10%)		746.8	806.8	546.6 (+60)	
	AFL	62						
PROC. REF: AMM 12-B-27-51-00-00A-313A-APROC. REF: AMM 12-B-27-51-00-00A-313A-A								
27-50/451	LIFE LIMIT - LEFT INBOARD FLAP TENSION ROD							Service ATA:27
PN:PN	MOS	30-Nov-23						LIFE LIMIT
SN:UNKNOWN	HRS	0	20000		20000		19799.8	
	AFL	0	27000		27000		26898	
PROC. REF: AMM 12-B-27-51-01-00A-920A-APROC. REF: AMM 12-B-27-51-01-00A-920A-A								
27-50/451	LIFE LIMIT - LEFT OUTBOARD FLAP TENSION ROD							Service ATA:27
PN:PN	MOS	30-Nov-23						LIFE LIMIT
SN:UNKNOWN	HRS	0	20000		20000		19799.8	
	AFL	0	27000		27000		26898	
PROC. REF: AMM 12-B-27-51-03-00A-920A-APROC. REF: AMM 12-B-27-51-03-00A-920A-A								
27-50/451	LIFE LIMIT - RIGHT INBOARD FLAP TENSION ROD							Service ATA:27
PN:PN	MOS	30-Nov-23						LIFE LIMIT
SN:UNKNOWN	HRS	0	20000		20000		19799.8	
	AFL	0	27000		27000		26898	
PROC. REF: AMM 12-B-27-51-01-00A-920A-APROC. REF: AMM 12-B-27-51-01-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-50/451	LIFE LIMIT - RIGHT OUTBOARD FLAP TENSION ROD							Service ATA:27
PN:PN	MOS	30-Nov-23						LIFE LIMIT
SN:UNKNOWN	HRS	0	20000		20000		19799.8	
	AFL	0	27000		27000		26898	
PROC. REF: AMM 12-B-27-51-03-00A-920A-APROC. REF: AMM 12-B-27-51-03-00A-920A-A								
27-50/475 ^S	JOB CLOSE UP - FLAPS - RETRACT TO 0 DEGREES AS NECESSARY TO CLOSE THE INSPECTION							Service ATA:27
	MOS/MSC	04-Dec-24	A/R					
	HRS	146.8						
	AFL	62						
PKG:5 ,1,2,3,4								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
27-50/485	LIFE LIMIT - LEFT INBOARD FLAP ACTUATOR (P/N 978.73.20.309) (BLACK ANODIZED)							Service ATA:27
PN:978.73.20.309	MOS	30-Nov-23						LIFE LIMIT
SN:8661	HRS	0	20000		20000		19799.8	
	AFL	0	27000		27000		26898	
PROC. REF: AMM 12-B-27-50-03-00A-920A-APROC. REF: AMM 12-B-27-50-03-00A-920A-A								
27-50/485	LIFE LIMIT - LEFT OUTBOARD FLAP ACTUATOR (BLACK ANODIZED)							Service ATA:27
PN:978.73.20.309	MOS	30-Nov-23						LIFE LIMIT
SN:8685	HRS	0	20000		20000		19799.8	
	AFL	0	27000		27000		26898	
PROC. REF: AMM 12-B-27-50-03-00A-920A-APROC. REF: AMM 12-B-27-50-03-00A-920A-A								
27-50/485	LIFE LIMIT - RIGHT INBOARD FLAP ACTUATOR (BLACK ANODIZED)							Service ATA:27
PN:978.73.20.309	MOS	30-Nov-23						LIFE LIMIT
SN:8672	HRS	0	20000		20000		19799.8	
	AFL	0	27000		27000		26898	
PROC. REF: AMM 12-B-27-50-03-00A-920A-APROC. REF: AMM 12-B-27-50-03-00A-920A-A								
27-50/485	LIFE LIMIT - RIGHT OUTBOARD FLAP ACTUATOR (BLACK ANODIZED)							Service ATA:27
PN:978.73.20.309	MOS	30-Nov-23						LIFE LIMIT
SN:8703	HRS	0	20000		20000		19799.8	
	AFL	0	27000		27000		26898	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
PROC. REF: AMM 12-B-27-50-03-00A-920A-APROC. REF: AMM 12-B-27-50-03-00A-920A-A								
27-50/494 ^S FLAP ACTUATORS (BLACK ANODIZED) (P/N 978.73.20.309) - LUBRICATE Service ATA:27								
	MOS	04-Dec-24	12 (+10%/-10%)					
	HRS	146.8	600 (+10%/-10%)					
	AFL	62						
PROC. REF: AMM 12-B-27-50-00-00A-902A-APROC. REF: AMM 12-B-27-50-00-00A-902A-A								
27-50/495 BACKLASH CHECK LEFT INBOARD FLAP ACTUATOR (BLACK ANODIZED) (P/N 978.73.20.309) Service ATA:27								
PN:978.73.20.309	MOS	30-Nov-23	24 (+10%/-10%)		30-Nov-25	12-Feb-26	186 d (+74)	
SN:8661	HRS	0	2400 (+10%/-10%)		2400	2640	2199.8 (+240)	
	AFL	0	3200 (+10%/-10%)		3200	3520	3098 (+320)	
PROC. REF: AMM 12-B-27-50-03-00A-313A-APROC. REF: AMM 12-B-27-50-03-00A-313A-A								
27-50/495 BACKLASH CHECK LEFT OUTBOARD FLAP ACTUATOR (BLACK ANODIZED) (P/N 978.73.20.309) Service ATA:27								
PN:978.73.20.309	MOS	30-Nov-23	24 (+10%/-10%)		30-Nov-25	12-Feb-26	186 d (+74)	
SN:8685	HRS	0	2400 (+10%/-10%)		2400	2640	2199.8 (+240)	
	AFL	0	3200 (+10%/-10%)		3200	3520	3098 (+320)	
PROC. REF: AMM 12-B-27-50-03-00A-313A-APROC. REF: AMM 12-B-27-50-03-00A-313A-A								
27-50/495 BACKLASH CHECK RIGHT INBOARD FLAP ACTUATOR (BLACK ANODIZED) (P/N 978.73.20.309) Service ATA:27								
PN:978.73.20.309	MOS	30-Nov-23	24 (+10%/-10%)		30-Nov-25	12-Feb-26	186 d (+74)	
SN:8672	HRS	0	2400 (+10%/-10%)		2400	2640	2199.8 (+240)	
	AFL	0	3200 (+10%/-10%)		3200	3520	3098 (+320)	
PROC. REF: AMM 12-B-27-50-03-00A-313A-APROC. REF: AMM 12-B-27-50-03-00A-313A-A								
27-50/495 BACKLASH CHECK RIGHT OUTBOARD FLAP ACTUATOR (BLACK ANODIZED) (P/N 978.73.20.309) Service ATA:27								
PN:978.73.20.309	MOS	30-Nov-23	24 (+10%/-10%)		30-Nov-25	12-Feb-26	186 d (+74)	
SN:8703	HRS	0	2400 (+10%/-10%)		2400	2640	2199.8 (+240)	
	AFL	0	3200 (+10%/-10%)		3200	3520	3098 (+320)	
PROC. REF: AMM 12-B-27-50-03-00A-313A-APROC. REF: AMM 12-B-27-50-03-00A-313A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-50/506	OVERHAUL LEFT INBOARD FLAP ACTUATOR (BLACK ANODIZED) (P/N 978.73.20.309)							Service ATA:27
PN:978.73.20.309	MOS	30-Nov-23						OVERHAUL
SN:8661	HRS	0	5000 (+500/-500)		5000	5500	4799.8 (+500)	
	AFL	0	7000 (+500/-500)		7000	7500	6898 (+500)	
PROC. REF: AMM 12-B-27-50-03-00A-920A-APROC. REF: AMM 12-B-27-50-03-00A-920A-A								
27-50/506	OVERHAUL LEFT OUTBOARD FLAP ACTUATOR (BLACK ANODIZED) (P/N 978.73.20.309)							Service ATA:27
PN:978.73.20.309	MOS	30-Nov-23						OVERHAUL
SN:8685	HRS	0	5000 (+500/-500)		5000	5500	4799.8 (+500)	
	AFL	0	7000 (+500/-500)		7000	7500	6898 (+500)	
PROC. REF: AMM 12-B-27-50-03-00A-920A-APROC. REF: AMM 12-B-27-50-03-00A-920A-A								
27-50/506	OVERHAUL RIGHT INBOARD FLAP ACTUATOR (BLACK ANODIZED)(P/N 978.73.20.309)							Service ATA:27
PN:978.73.20.309	MOS	30-Nov-23						OVERHAUL
SN:8672	HRS	0	5000 (+500/-500)		5000	5500	4799.8 (+500)	
	AFL	0	7000 (+500/-500)		7000	7500	6898 (+500)	
PROC. REF: AMM 12-B-27-50-03-00A-920A-APROC. REF: AMM 12-B-27-50-03-00A-920A-A								
27-50/506	OVERHAUL RIGHT OUTBOARD FLAP ACTUATOR (BLACK ANODIZED) (P/N 978.73.20.309)							Service ATA:27
PN:978.73.20.309	MOS	30-Nov-23						OVERHAUL
SN:8703	HRS	0	5000 (+500/-500)		5000	5500	4799.8 (+500)	
	AFL	0	7000 (+500/-500)		7000	7500	6898 (+500)	
PROC. REF: AMM 12-B-27-50-03-00A-920A-APROC. REF: AMM 12-B-27-50-03-00A-920A-A								
27-50/507	DISCARD LEFT INBOARD FLAP FLEXIBLE DRIVE SHAFT (P/N945.02.02.205)							Service ATA:27
PN:945.02.02.205	MOS	30-Nov-23						DISCARD
SN:S10809	HRS	0	10000 (+500/-500)		10000	10500	9799.8 (+500)	
	AFL	0	13500 (+500/-500)		13500	14000	13398 (+500)	
PROC. REF: AMM 12-B-27-50-02-00A-920A-APROC. REF: AMM 12-B-27-50-02-00A-920A-A								
27-50/507	DISCARD LEFT OUTBOARD FLAP FLEXIBLE DRIVE SHAFT (P/N 945.02.02.206)							Service ATA:27
PN:945.02.02.206	MOS	30-Nov-23						DISCARD
SN:S10777	HRS	0	10000 (+500/-500)		10000	10500	9799.8 (+500)	
	AFL	0	13500 (+500/-500)		13500	14000	13398 (+500)	
PROC. REF: AMM 12-B-27-50-02-00A-920A-APROC. REF: AMM 12-B-27-50-02-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-50/507	DISCARD RIGHT INBOARDFLAP FLEXIBLE DRIVE SHAFT (P/N945.02.02.205)							Service ATA:27
PN:945.02.02.205	MOS	30-Nov-23						DISCARD
SN:S10810	HRS	0	10000 (+500/-500)		10000	10500	9799.8 (+500)	
	AFL	0	13500 (+500/-500)		13500	14000	13398 (+500)	
PROC. REF: AMM 12-B-27-50-02-00A-920A-APROC. REF: AMM 12-B-27-50-02-00A-920A-A								
27-50/507	DISCARD RIGHT OUTBOARD FLAP FLEXIBLE DRIVE SHAFT (P/N945.02.02.206)							Service ATA:27
PN:945.02.02.206	MOS	30-Nov-23						DISCARD
SN:S10780	HRS	0	10000 (+500/-500)		10000	10500	9799.8 (+500)	
	AFL	0	13500 (+500/-500)		13500	14000	13398 (+500)	
PROC. REF: AMM 12-B-27-50-02-00A-920A-APROC. REF: AMM 12-B-27-50-02-00A-920A-A								
27-50/531 ^S	FLAPS AND FLAP SUPPORT MECHANISM (MSN 2001 AND UP) - EXAMINE							Service ATA:27
	MOS	04-Dec-24	12 (+10%/-10%)					
	HRS	146.8	600 (+10%/-10%)					
	AFL	62						
								PKG:2
PROC. REF: AMM 12-B-27-51-00-00A-310A-APROC. REF: AMM 12-B-27-51-00-00A-310A-A								
27-50/532 ^S	FLAP UP AND DOWN LIMIT SWITCHES (MSN 2001 AND UP) - SERVICING							Service ATA:27
	MOS	04-Dec-24	12 (+10%/-10%)					
	HRS	146.8	600 (+10%/-10%)					
	AFL	62						
								PKG:2
PROC. REF: AMM 12-B-12-20-07-00A-902A-APROC. REF: AMM 12-B-12-20-07-00A-902A-A								
PC12A27100100	CONTROL COLUMN ASSEMBLY							Component ATA:27
PN:PN	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A27150100	AILERON TRIM ACTUATOR, B561							Component ATA:27
PN:978.73.18.138	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:2939B	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
PROC. REF: AMM 12-B-27-15-01-00A-920A-APROC. REF: AMM 12-B-27-15-01-00A-920A-A								
PC12A27200100 RUDDER BELLCRANK								Component ATA:27
PN:PN	MOS/MSC	30-Nov-23	H/T	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-27-20-04-00A-920A-APROC. REF: AMM 12-B-27-20-04-00A-920A-A								
PC12A27250100 RUDDER TRIM ACTUATOR, B381								Component ATA:27
PN:978.73.18.138	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:2941B	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-27-25-01-00A-920A-APROC. REF: AMM 12-B-27-25-01-00A-920A-A								
PC12A27400100 PITCH TRIM ACTUATOR								Component ATA:27
PN:978.73.14.203	MOS/MSC	30-Nov-23	H/T	TSN 0				
SN:3483	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-27-40-01-00A-920A-APROC. REF: AMM 12-B-27-40-01-00A-920A-A								
PC12A27400200 TRIM ADAPTER SOLID STATE RELAY, A262XK1								Component ATA:27
PN:974.20.01.503	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:S23090545	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A27400300 TRIM ADAPTER SOLID STATE RELAY, A262XK4								Component ATA:27
PN:974.20.01.504	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:S23090506	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A275000100 TRANSMITTER, LH INBOARD								Component ATA:27
PN:PN	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
PROC. REF: AMM 12-B-27-50-06-00A-920A-APROC. REF: AMM 12-B-27-50-06-00A-920A-A								
PC12A275000110 TRANSMITTER, RH INBOARD								Component ATA:27
PN:PN	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-27-50-06-00A-920A-APROC. REF: AMM 12-B-27-50-06-00A-920A-A								
PC12A275000120 TRANSMITTER, LH OUTBOARD								Component ATA:27
PN:PN	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-27-50-06-00A-920A-APROC. REF: AMM 12-B-27-50-06-00A-920A-A								
PC12A275000130 TRANSMITTER, RH OUTBOARD								Component ATA:27
PN:PN	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-27-50-06-00A-920A-APROC. REF: AMM 12-B-27-50-06-00A-920A-A								
PC12A27500100 FLAP CONTROL AND WARNING UNIT, A261								Component ATA:27
PN:978.73.20.042	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:146474	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-27-50-05-00A-920A-APROC. REF: AMM 12-B-27-50-05-00A-920A-A								
PC12A27500200 FLAP POWER DRIVE UNIT								Component ATA:27
PN:978.73.20.003	MOS/MSC	30-Nov-23	H/T	TSN 0				
SN:2172	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-27-50-01-00A-920A-APROC. REF: AMM 12-B-27-50-01-00A-920A-A								
PC12A27500310 LEFT INBOARD FLAP FLEXIBLE DRIVE SHAFT								Component ATA:27
PN:945.02.02.205	MOS/MSC	30-Nov-23	H/T	TSN 0				
SN:S10809	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
PROC. REF: AMM 12-B-27-50-02-00A-920A-APROC. REF: AMM 12-B-27-50-02-00A-920A-A								
PC12A27500320	RIGHT INBOARD FLAP FLEXIBLE DRIVE SHAFT							Component ATA:27
PN:945.02.02.205	MOS/MSC	30-Nov-23	H/T	TSN 0				
SN:S10810	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-27-50-02-00A-920A-APROC. REF: AMM 12-B-27-50-02-00A-920A-A								
PC12A27500410	LEFT OUTBOARD FLAP FLEXIBLE DRIVE SHAFT							Component ATA:27
PN:945.02.02.206	MOS/MSC	30-Nov-23	H/T	TSN 0				
SN:S10777	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-27-50-02-00A-920A-APROC. REF: AMM 12-B-27-50-02-00A-920A-A								
PC12A27500420	RIGHT OUTBOARD FLAP FLEXIBLE DRIVE SHAFT							Component ATA:27
PN:945.02.02.206	MOS/MSC	30-Nov-23	H/T	TSN 0				
SN:S10780	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-27-50-02-00A-920A-APROC. REF: AMM 12-B-27-50-02-00A-920A-A								
PC12A27500510	LEFT INBOARD FLAP ACTUATOR							Component ATA:27
PN:978.73.20.309	MOS/MSC	30-Nov-23	H/T	TSN 0				
SN:8661	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-27-50-03-00A-920A-APROC. REF: AMM 12-B-27-50-03-00A-920A-A								
PC12A27500520	RIGHT INBOARD FLAP ACTUATOR							Component ATA:27
PN:978.73.20.309	MOS/MSC	30-Nov-23	H/T	TSN 0				
SN:8672	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-27-50-03-00A-920A-APROC. REF: AMM 12-B-27-50-03-00A-920A-A								
PC12A27500610	LEFT OUTBOARD FLAP ACTUATOR							Component ATA:27
PN:978.73.20.309	MOS/MSC	30-Nov-23	H/T	TSN 0				
SN:8685	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
PROC. REF: AMM 12-B-27-50-03-00A-920A-APROC. REF: AMM 12-B-27-50-03-00A-920A-A								
PC12A27500620 RIGHT OUTBOARD FLAP ACTUATOR (BLACK ANODIZED)								Component ATA:27
PN:978.73.20.309	MOS/MSC	30-Nov-23	H/T	TSN 0				
SN:8703	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-27-50-03-00A-920A-APROC. REF: AMM 12-B-27-50-03-00A-920A-A								
PC12A27500710 ROTATION TRANSMITTER, LH, MT532								Component ATA:27
PN:978.73.20.602	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:3716	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-27-50-03-00A-920A-APROC. REF: AMM 12-B-27-50-03-00A-920A-A								
PC12A27500720 ROTATION TRANSMITTER, RH, MT632								Component ATA:27
PN:978.73.20.602	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:3705	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-27-50-03-00A-920A-APROC. REF: AMM 12-B-27-50-03-00A-920A-A								
PC12A275CA410 LEFT INBOARD FLAP TENSION ROD								Component ATA:27
PN:PN	MOS/MSC	30-Nov-23	H/T	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-27-51-01-00A-920A-APROC. REF: AMM 12-B-27-51-01-00A-920A-A								
PC12A275CA420 RIGHT INBOARD FLAP TENSION ROD								Component ATA:27
PN:PN	MOS/MSC	30-Nov-23	H/T	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-27-51-01-00A-920A-APROC. REF: AMM 12-B-27-51-01-00A-920A-A								
PC12A275CA430 LEFT OUTBOARD FLAP TENSION ROD								Component ATA:27
PN:PN	MOS/MSC	30-Nov-23	H/T	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
PROC. REF: AMM 12-B-27-51-03-00A-920A-APROC. REF: AMM 12-B-27-51-03-00A-920A-A								
PC12A275CA440	RIGHT OUTBOARD FLAP TENSION ROD							Component ATA:27
PN:PN	MOS/MSC	30-Nov-23	H/T	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-27-51-03-00A-920A-APROC. REF: AMM 12-B-27-51-03-00A-920A-A								
ATA 28 - FUEL								
28-10/500	INWARD VENT VALVE - FUNCTIONAL TEST							Service ATA:28
	MOS	04-Dec-24	12 (+10%/-10%)		04-Dec-25	10-Jan-26	190 d (+37)	
	HRS	146.8	1200 (+10%/-10%)		1346.8	1466.8	1146.6 (+120)	
	AFL	62						
PROC. REF: AMM 12-C-28-10-03-00A-903A-APROC. REF: AMM 12-C-28-10-03-00A-903A-A								
28-10/501	OUTWARD VENT VALVE - OPERATIONAL TEST							Service ATA:28
	MOS	30-Nov-23	24 (+10%/-10%)		30-Nov-25	12-Feb-26	186 d (+74)	
	HRS	0	2400 (+10%/-10%)		2400	2640	2199.8 (+240)	
	AFL	0						
PROC. REF: AMM 12-C-28-10-01-00A-903A-APROC. REF: AMM 12-C-28-10-01-00A-903A-A								
28-10/533 ^S	FUEL TANK FILLER CAPS (MSN 2001 AND UP) - EXAMINE							Service ATA:28
	MOS	04-Dec-24	12 (+10%/-10%)					
	HRS	146.8	600 (+10%/-10%)					
	AFL	62						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:2
28-10/534 ^S	FUEL (MSN 2001 AND UP) - REMOVE A SAMPLE FROM EACH DRAIN VALVE AND EXAMINE FOR WATER							Service ATA:28
	MOS	04-Dec-24	12 (+10%/-10%)					
	HRS	146.8	600 (+10%/-10%)					
	AFL	62						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:2

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
28-10/639	CONTAMINATION ANALYSIS							Service ATA:28
	MOS	04-Dec-24	12 (+10%/-10%)		04-Dec-25	10-Jan-26	190 d (+37)	
	HRS	146.8						
	AFL	62						
PROC. REF: AMM 12-C-28-00-00-00A-377A-A, AMM 12-C-28-00-00-01A-901A-APROC. REF: AMM 12-C-28-00-00-00A-377A-A, AMM 12-C-28-00-00-01A-901A-A								
28-10/645	FUEL TANK - VISUAL INSPECTION FOR CONTAMINATION							Service ATA:28
	MOS	14-Nov-23	24 (+10%/-10%)		14-Nov-25	26-Jan-26	170 d (+73)	
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-C-28-10-00-00A-310C-APROC. REF: AMM 12-C-28-10-00-00A-310C-A								
28-20/149 ^S	FIREWALL FUEL SHUT-OFF VALVE - OPERATE THE FUEL EMERGENCY SHUT-OFF LEVER AND MAKE SURE THE FIREWALL SHUT-OFF VALVE OPENS AND CLOSSES FULLY TO EACH DEAD STOP. MAKE SURE MOVEMENT IS FREE AND CHECK IF INITIAL PULL OUT FORCE AT THE LEVER OUTER END IS BELOW 44.5 N (10 lBF)							Service ATA:28
	MOS	04-Dec-24	12 (+10%/-10%)					
	HRS	146.8	600 (+10%/-10%)					
	AFL	62						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:2
28-20/256 ^S	FUEL SYSTEM COMPONENTS - EXAMINE AS FAR AS POSSIBLE WITH THOSE ACCESS PANELS OPENED/REMOVED IN THIS INSPECTION PACKAGE							Service ATA:28
	MOS	30-Nov-23	24 (+10%/-10%)					
	HRS	0	2400 (+10%/-10%)					
	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:4
28-20/502	FUEL TANK VENT FLOAT VALVE AND FLAME ARRESTER - OPERATIONAL TEST							Service ATA:28
	MOS	04-Dec-24	12 (+10%/-10%)		04-Dec-25	10-Jan-26	190 d (+37)	
	HRS	146.8	600 (+10%/-10%)		746.8	806.8	546.6 (+60)	
	AFL	62						
PROC. REF: AMM 12-C-28-20-00-00A-903A-APROC. REF: AMM 12-C-28-20-00-00A-903A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
28-20/503	INSPECTION/CHECK FLAME ARRESTOR MESH SCREEN							Service ATA:28
	MOS	30-Nov-23						
	HRS	0	4800 (+10%/-10%)		4800	5280	4599.8 (+480)	
	AFL	0						
PROC. REF: AMM 12-C-28-20-11-01A-313A-APROC. REF: AMM 12-C-28-20-11-01A-313A-A								
28-20/504 ^S	MOTIVE FLOW LINE INSULATION (INSIDE FUEL TANK) - INSPECTION/CHECK							Service ATA:28
	MOS	04-Dec-24	12 (+10%/-10%)					
	HRS	146.8	1200 (+10%/-10%)					
	AFL	62						
PROC. REF: AMM 12-C-28-20-09-01A-313A-APROC. REF: AMM 12-C-28-20-09-01A-313A-A								
28-20/505 ^S	FUEL DELIVERY LINE (INSIDE FUEL TANK) - INSPECTION/CHECK							Service ATA:28
	MOS	30-Nov-23	24 (+10%/-10%)					
	HRS	0	2400 (+10%/-10%)					
	AFL	0						
PROC. REF: AMM 12-C-28-20-10-00A-313A-APROC. REF: AMM 12-C-28-20-10-00A-313A-A								
PC12A28200100	FIREWALL SHUT OFF VALVE							Component ATA:28
PN:963.87.22.302	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:0337	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-28-20-08-00A-920A-APROC. REF: AMM 12-C-28-20-08-00A-920A-A								
PC12A28200200	FUEL PRESSURE TRANSDUCER							Component ATA:28
PN:975.21.15.225	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:8668-4-22	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A28200310	BOOSTER PUMP, LH, B511							Component ATA:28
PN:968.84.11.408	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:0685	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-28-20-04-00A-920A-APROC. REF: AMM 12-C-28-20-04-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
PC12A28200320 BOOSTER PUMP, RH, B611								Component ATA:28
PN:968.84.11.408	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:0679	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-28-20-04-00A-920A-APROC. REF: AMM 12-C-28-20-04-00A-920A-A								
PC12A28200410 TRANSFER JET PUMP, LH								Component ATA:28
PN:968.84.71.112	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:0706	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-28-20-05-00A-920A-APROC. REF: AMM 12-C-28-20-05-00A-920A-A								
PC12A28200420 TRANSFER JET PUMP, RH								Component ATA:28
PN:968.84.71.112	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:0696	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-28-20-05-00A-920A-APROC. REF: AMM 12-C-28-20-05-00A-920A-A								
PC12A28200510 DELIVERY AND TRANSFER JET PUMP, LH								Component ATA:28
PN:968.84.71.113	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:0617	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-28-20-06-00A-920A-APROC. REF: AMM 12-C-28-20-06-00A-920A-A								
PC12A28200520 DELIVERY AND TRANSFER JET PUMP, RH								Component ATA:28
PN:968.84.71.113	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:0618	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-28-20-06-00A-920A-APROC. REF: AMM 12-C-28-20-06-00A-920A-A								
PC12A28200610 MOTIVE FLOW NON RETURN VALVE, LH								Component ATA:28
PN:963.82.21.319	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:0621	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-28-20-09-00A-920A-APROC. REF: AMM 12-C-28-20-09-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
PC12A28200620 MOTIVE FLOW NON RETURN VALVE, RH								Component ATA:28
PN:963.82.21.319	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:0624	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-28-20-09-00A-920A-APROC. REF: AMM 12-C-28-20-09-00A-920A-A								
PC12A28200710 INWARD VENT NON RETURN VALVE, LH								Component ATA:28
PN:963.04.26.520	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:RK1-2136	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-28-10-03-00A-920A-APROC. REF: AMM 12-C-28-10-03-00A-920A-A								
PC12A28200720 INWARD VENT NON RETURN VALVE, RH								Component ATA:28
PN:963.04.26.520	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:RK2-5217	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-28-10-03-00A-920A-APROC. REF: AMM 12-C-28-10-03-00A-920A-A								
PC12A28400100 FUEL CONTROL MONITOR UNIT, A240								Component ATA:28
PN:975.37.31.341	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:603	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-28-40-04-00A-920A-APROC. REF: AMM 12-C-28-40-04-00A-920A-A								
PC12A28400210 FUEL QUANTITY HARNESS, LH, A531								Component ATA:28
PN:975.37.31.335	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:2911	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A28400220 FUEL QUANTITY HARNESS, RH, A631								Component ATA:28
PN:975.37.31.335	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:2910	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
PC12A28400310 FUEL QUANTITY SENSOR, COLLECTOR, LH								Component ATA:28
PN:975.37.31.250	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:3668	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-28-40-01-00A-920A-APROC. REF: AMM 12-C-28-40-01-00A-920A-A								
PC12A28400320 FUEL QUANTITY SENSOR, COLLECTOR, RH								Component ATA:28
PN:975.37.31.250	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:3663	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-28-40-01-00A-920A-APROC. REF: AMM 12-C-28-40-01-00A-920A-A								
PC12A28400410 FUEL QUANTITY SENSOR, INNER, LH								Component ATA:28
PN:975.37.31.251	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:3684	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-28-40-01-00A-920A-APROC. REF: AMM 12-C-28-40-01-00A-920A-A								
PC12A28400420 FUEL QUANTITY SENSOR, INNER, RH								Component ATA:28
PN:975.37.31.251	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:3686	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-28-40-01-00A-920A-APROC. REF: AMM 12-C-28-40-01-00A-920A-A								
PC12A28400510 FUEL QUANTITY SENSOR, CENTER, LH								Component ATA:28
PN:975.37.31.252	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:3830	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-28-40-01-00A-920A-APROC. REF: AMM 12-C-28-40-01-00A-920A-A								
PC12A28400520 FUEL QUANTITY SENSOR, CENTER, RH								Component ATA:28
PN:975.37.31.252	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:3832	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-28-40-01-00A-920A-APROC. REF: AMM 12-C-28-40-01-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
PC12A28400610	FUEL QUANTITY SENSOR, OUTER, LH							Component ATA:28
PN:975.37.31.253	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:3915	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-28-40-01-00A-920A-APROC. REF: AMM 12-C-28-40-01-00A-920A-A								
PC12A28400620	FUEL QUANTITY SENSOR, OUTER, RH							Component ATA:28
PN:975.37.31.253	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:3920	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-28-40-01-00A-920A-APROC. REF: AMM 12-C-28-40-01-00A-920A-A								
ATA 30 - ICE AND RAIN PROTECTION								
30-10/155 ^S	INERTIAL SEPARATION SYSTEM - OPERATIONAL TEST							Service ATA:30
	MOS	04-Dec-24	12 (+10%/-10%)					
	HRS	146.8	600 (+10%/-10%)					
	AFL	62						
PROC. REF: AMM 12-B-30-20-00-00A-903A-APROC. REF: AMM 12-B-30-20-00-00A-903A-A								PKG:2
30-10/260 ^S	AIRFOIL DE-ICE SYSTEM - FUNCTIONAL TEST							Service ATA:30
	MOS	04-Dec-24	12 (+10%/-10%)					
	HRS	146.8	1200 (+10%/-10%)					
	AFL	62						
PROC. REF: AMM 12-C-30-10-00-00A-903A-APROC. REF: AMM 12-C-30-10-00-00A-903A-A								PKG:3
30-10/536 ^S	WING AND HORIZONTAL STABILIZER AIRFOIL DE-ICE BOOTS (MSN 2001 AND UP) - INSPECTION/CHECK							Service ATA:30
	MOS	04-Dec-24	12 (+10%/-10%)					
	HRS	146.8	600 (+10%/-10%)					
	AFL	62						
PROC. REF: AMM 12-B-30-10-00-00A-313A-APROC. REF: AMM 12-B-30-10-00-00A-313A-A								PKG:2

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
30-10/79	APPLY AIRFOIL DE-ICERS A SURFACE COATING OF AGE MASTER NO. 1							Service ATA:30
	MOS	04-Dec-24	6 (+10%/-10%)		04-Jun-25	22-Jun-25	7 d (+18)	
	HRS	146.8						
	AFL	62						
PROC. REF: AMM 12-B-30-10-00-00A-313A-APROC. REF: AMM 12-B-30-10-00-00A-313A-A								
30-20/261 ^S	AIR BY-PASS DOOR AND OPERATING MECHANISM - EXAMINE AND LUBRICATE WITH MINIMUM QUANTITY OF CPC (P10-001)							Service ATA:30
	MOS	04-Dec-24	12 (+10%/-10%)					
	HRS	146.8	1200 (+10%/-10%)					
	AFL	62						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
30-20/537 ^S	ENGINE AIR INTAKE DE-ICE LIP (MSN 2001 AND UP) - EXAMINE AND LOOK FOR SIGNS OF GAS LEAKS-NONE ARE PERMITTED							Service ATA:30
	MOS	04-Dec-24	12 (+10%/-10%)					
	HRS	146.8	600 (+10%/-10%)					
	AFL	62						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
30-30/329 ^S	PROBES DE-ICE SYSTEM - FUNCTIONAL TEST							Service ATA:30
	MOS	04-Dec-24	12 (+10%/-10%)					
	HRS	146.8	600 (+10%/-10%)					
	AFL	62						
PROC. REF: AMM 12-B-30-30-20-00A-903A-APROC. REF: AMM 12-B-30-30-20-00A-903A-A								
30-40/262 ^S	WINDSHIELD DE-ICE SYSTEM - OPERATIONAL TEST							Service ATA:30
	MOS	30-Nov-23	24 (+10%/-10%)					
	HRS	0	2400 (+10%/-10%)					
	AFL	0						
PROC. REF: AMM 12-B-30-40-00-00A-903A-APROC. REF: AMM 12-B-30-40-00-00A-903A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
30-60/158 ^S	PROPELLER DE-ICE SYSTEM - INSPECTION/CHECK							Service ATA:30
	MOS	04-Dec-24	12 (+10%/-10%)					
	HRS	146.8	600 (+10%/-10%)					
	AFL	62						
PROC. REF: AMM 12-B-30-60-00-00A-313B-APROC. REF: AMM 12-B-30-60-00-00A-313B-A								PKG:2
30-60/159 ^S	PROPELLER DE-ICE SYSTEM - OPERATIONAL TEST							Service ATA:30
	MOS	04-Dec-24	12 (+10%/-10%)					
	HRS	146.8	600 (+10%/-10%)					
	AFL	62						
PROC. REF: AMM 12-B-30-60-00-00A-903B-A, AMM 12-B-30-60-00-00A-903D-APROC. REF: AMM 12-B-30-60-00-00A-903B-A, AMM 12-B-30-60-00-00A-903D-A								PKG:2
PC12A30100100	AIRFOIL DE-ICE SYSTEM TIMER, A230							Component ATA:30
PN:959.89.01.044	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:UB153	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-30-10-03-00A-920A-APROC. REF: AMM 12-B-30-10-03-00A-920A-A								
PC12A30100200	PRESSURE REGULATOR							Component ATA:30
PN:959.89.01.012	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:N300222	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-30-10-01-00A-920A-APROC. REF: AMM 12-B-30-10-01-00A-920A-A								
PC12A30100300	WATER SEPARATOR							Component ATA:30
PN:959.89.01.010	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:N300206	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A30100410	EJECTOR FLOW CONTROL VALVE (FCV), INBD, UPPER, L605							Component ATA:30
PN:959.89.01.008	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:N301084	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-30-10-02-00A-920A-APROC. REF: AMM 12-B-30-10-02-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
PC12A30100420	EJECTOR FLOW CONTROL VALVE (FCV), INBD, LOWER, L606							Component ATA:30
PN:959.89.01.008	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:N301072	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-30-10-02-00A-920A-APROC. REF: AMM 12-B-30-10-02-00A-920A-A								
PC12A30100430	EJECTOR FLOW CONTROL VALVE (FCV), OUTBD, UPPER, L600							Component ATA:30
PN:959.89.01.008	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:N301087	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-30-10-02-00A-920A-APROC. REF: AMM 12-B-30-10-02-00A-920A-A								
PC12A30100440	EJECTOR FLOW CONTROL VALVE (FCV), OUTBD, LOWER, L601							Component ATA:30
PN:959.89.01.008	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:N301090	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-30-10-02-00A-920A-APROC. REF: AMM 12-B-30-10-02-00A-920A-A								
PC12A30100450	EJECTOR FLOW CONTROL VALVE (FCV), HORIZ STAB, L602							Component ATA:30
PN:959.89.01.008	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:N301080	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-30-10-02-00A-920A-APROC. REF: AMM 12-B-30-10-02-00A-920A-A								
PC12A30100510	PRESSURE SWITCH, INBD, UPPER, S600							Component ATA:30
PN:973.81.14.312	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:12885	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-30-10-04-00A-920A-APROC. REF: AMM 12-C-30-10-04-00A-920A-A								
PC12A30100520	PRESSURE SWITCH, INBD, LOWER, S601							Component ATA:30
PN:973.81.14.312	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:12747	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-30-10-04-00A-920A-APROC. REF: AMM 12-C-30-10-04-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
PC12A30100530 PRESSURE SWITCH, OUTBD, UPPER, S603								Component ATA:30
PN:973.81.14.312	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:12748	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-30-10-04-00A-920A-APROC. REF: AMM 12-C-30-10-04-00A-920A-A								
PC12A30100540 PRESSURE SWITCH, OUTBD, LOWER, S602								Component ATA:30
PN:973.81.14.312	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:12759	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-30-10-04-00A-920A-APROC. REF: AMM 12-C-30-10-04-00A-920A-A								
PC12A30100550 PRESSURE SWITCH, HORIZ STAB, S380								Component ATA:30
PN:973.81.14.312	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:12731	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-30-10-04-00A-920A-APROC. REF: AMM 12-C-30-10-04-00A-920A-A								
PC12A30140100 DE-ICING BOOT, WING, INBD, LH								Component ATA:30
PN:959.89.01.037	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:NGR1190	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-30-14-01-00A-920A-APROC. REF: AMM 12-C-30-14-01-00A-920A-A								
PC12A30140200 DE-ICING BOOT, WING, INBD, RH								Component ATA:30
PN:959.89.01.038	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:NGS0210	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-30-14-01-00A-920A-APROC. REF: AMM 12-C-30-14-01-00A-920A-A								
PC12A30140300 DE-ICING BOOT, WING, OUTBD, LH								Component ATA:30
PN:959.89.01.039	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:NGS0330	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-30-14-01-00A-920A-APROC. REF: AMM 12-C-30-14-01-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
PC12A30140400		DE-ICING BOOT, WING, OUTBD, RH					Component	ATA:30
PN:959.89.01.040	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:NGS6070	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-30-14-01-00A-920A-APROC. REF: AMM 12-C-30-14-01-00A-920A-A								
PC12A30160100		DE-ICING BOOT, HORIZONTAL STABILIZER, LH					Component	ATA:30
PN:959.89.01.041	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:NGQ6330	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-30-16-01-00A-920A-APROC. REF: AMM 12-C-30-16-01-00A-920A-A								
PC12A30160200		DE-ICING BOOT, HORIZONTAL STABILIZER, RH					Component	ATA:30
PN:959.89.01.042	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:NGQ2670	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-30-16-01-00A-920A-APROC. REF: AMM 12-C-30-16-01-00A-920A-A								
PC12A30200100		INERTIAL SEPARATOR ACTUATOR					Component	ATA:30
PN:978.73.15.302	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:F74073	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-30-20-01-00A-920A-APROC. REF: AMM 12-B-30-20-01-00A-920A-A								
PC12A30300110		AOA PLATE TEMPERATURE CONTROLLER, LH, A578					Component	ATA:30
PN:975.44.21.418	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:UK545	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC, AMM 12-B-30-30-21-00A-920A-APROC. REF: AMM GENERIC, AMM 12-B-30-30-21-00A-920A-A								
PC12A30300120		AOA PLATE TEMPERATURE CONTROLLER, RH, A678					Component	ATA:30
PN:975.44.21.418	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:UK530	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC, AMM 12-B-30-30-21-00A-920A-APROC. REF: AMM GENERIC, AMM 12-B-30-30-21-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
PC12A30300210		CURRENT SENSOR, DE-ICE PANEL, LH S2351					Component	ATA:30
PN:974.29.00.205	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:5659	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A30300220		CURRENT SENSOR, DE-ICE PANEL, RH S2341					Component	ATA:30
PN:974.29.00.205	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:5634	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A30400110		WINDSHIELD DE-ICE CONTROLLER, LH, A111					Component	ATA:30
PN:972.81.32.202	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:146379	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-30-40-01-00A-920A-APROC. REF: AMM 12-B-30-40-01-00A-920A-A								
PC12A30400120		WINDSHIELD DE-ICE CONTROLLER, RH, A112					Component	ATA:30
PN:972.81.32.202	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:146380	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-30-40-01-00A-920A-APROC. REF: AMM 12-B-30-40-01-00A-920A-A								
PC12A30600100		PROPELLER DE-ICE TIMER, A030					Component	ATA:30
PN:968.29.13.227	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:U4897	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-30-60-01-00A-920A-APROC. REF: AMM 12-B-30-60-01-00A-920A-A								
ATA 31 - INDICATING/RECORDING SYSTEMS								
"PC12A31421300		MASTER CONTROL SWITCH					Component	ATA:31
PN:PN	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 31 - INDICATING/RECORDING SYSTEMS								
31-30/421 ^S	LDR (IF INSTALLED) - OPERATIONAL TEST							Service ATA:31
PN:985.99.20.127	MOS	04-Dec-24	12 (+10%/-10%)					
SN:002101711	HRS	146.8	1200 (+10%/-10%)					
	AFL	62						
PROC. REF: AMM 12-C-31-30-01-00A-903A-APROC. REF: AMM 12-C-31-30-01-00A-903A-A								PKG:3
PC12A00310117	EGPWF TERRAIN							Component ATA:31
PN:PN	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PC12A00310121	NO. 1 GLOBAL POSITIONING SYSTEM (GPS) RECEIVER (SBAS)							Component ATA:31
PN:PN	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PC12A00310122	NO. 2 GLOBAL POSITIONING SYSTEM (GPS) RECEIVER (SBAS)							Component ATA:31
PN:PN	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PC12A00310124	LH MODE S TRANSPONDER WITH ADS-B OUT							Component ATA:31
PN:PN	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PC12A00310125	RH MODE S TRANSPONDER WITH ADS-B OUT							Component ATA:31
PN:PN	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 31 - INDICATING/RECORDING SYSTEMS								
PC12A00310129		NO. 1 NETWORK-INTERFACE-CONTROLLER (NIC) MODULE					Component	ATA:31
PN:PN	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A00310130		NO. 2 NETWORK-INTERFACE-CONTROLLER (NIC) MODULE					Component	ATA:31
PN:PN	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A00310131		NO. 3 NETWORK-INTERFACE-CONTROLLER (NIC) MODULE					Component	ATA:31
PN:PN	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A00310134		NO. 1 CUSTOM-INPUT/OUTPUT SINGLE-CHANNEL MODULE (CSIO)					Component	ATA:31
PN:PN	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A00310135		NO. 2 CUSTOM-INPUT/OUTPUT SINGLE-CHANNEL MODULE (CSIO)					Component	ATA:31
PN:PN	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A00310136		DUAL-GENERIC INPUT/OUTPUT-MODULE (GIO) MODULE					Component	ATA:31
PN:PN	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 31 - INDICATING/RECORDING SYSTEMS								
PC12A00310137		ACTUATOR-INPUT/OUTPUT-PROCESSOR (AIOP) 1A MODULE					Component	ATA:31
PN:PN	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A00310138		ACTUATOR-INPUT/OUTPUT-PROCESSOR (AIOP) 1B MODULE					Component	ATA:31
PN:PN	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A00310139		ACTUATOR-INPUT/OUTPUT-PROCESSOR (AIOP) 2(A) MODULE					Component	ATA:31
PN:PN	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A00310140		ACTUATOR-INPUT/OUTPUT-PROCESSOR (AIOP) 2(B) MODULE					Component	ATA:31
PN:PN	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A00310141		CONTROL-INPUT/OUTPUT (CIO) MODULE					Component	ATA:31
PN:PN	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A00310142		PROCESSOR MODULE					Component	ATA:31
PN:PN	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 31 - INDICATING/RECORDING SYSTEMS								
PC12A00310146		14 SLOT MAU					Component	ATA:31
PN:PN	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A31100100		OVERHEAD CONTROL PANEL, A140					Component	ATA:31
PN:972.81.21.168	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:0349	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-31-10-00-00A-920A-APROC. REF: AMM 12-B-31-10-00-00A-920A-A								
PC12A31120100		CROSSBAR PANEL, INNER, LH					Component	ATA:31
PN:972.81.21.143	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:1312	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A31120200		CROSSBAR PANEL, INNER, RH					Component	ATA:31
PN:972.81.21.162	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:0324	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A31130100		CENTRE CONSOLE PANEL, FRONT					Component	ATA:31
PN:972.81.21.165	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:0337	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A31130200		CENTRE CONSOLE PANEL, MIDDLE					Component	ATA:31
PN:972.81.21.159	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:0332	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-76-10-00-00A-920A-APROC. REF: AMM 12-C-76-10-00-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 31 - INDICATING/RECORDING SYSTEMS								
PC12A31130300 CENTRE CONSOLE PANEL, REAR								Component ATA:31
PN:972.81.21.169	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:0038	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-33-10-02-00A-920A-APROC. REF: AMM 12-C-33-10-02-00A-920A-A								
PC12A312000100 DIGITAL CLOCK								Component ATA:31
PN:PN	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-31-20-12-00A-920B-APROC. REF: AMM 12-B-31-20-12-00A-920B-A								
PC12A31300100 COCKPIT VOICE & FLIGHT DATA RECORDER (CVFDR), A361								Component ATA:31
PN:985.99.20.127	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:002101711	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-31-30-01-00A-920A-APROC. REF: AMM 12-B-31-30-01-00A-920A-A								
PC12A31300200 AREA MICROPHONE, COCKPIT, A118								Component ATA:31
PN:985.99.20.188	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:100010627	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-31-30-02-00A-920A-APROC. REF: AMM 12-B-31-30-02-00A-920A-A								
PC12A31410100 MODULAR AVIONICS UNIT HOUSING, A200								Component ATA:31
PN:985.99.11.966	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:2305D239	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-31-41-00-00A-920A-APROC. REF: AMM 12-C-31-41-00-00A-920A-A								
PC12A31410210 AIRCRAFT PERSONALITY MODULE (APM) 1, LH, A201								Component ATA:31
PN:985.83.14.204	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:40868989	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 31 - INDICATING/RECORDING SYSTEMS								
PC12A31410220 AIRCRAFT PERSONALITY MODULE (APM) 2, RH, A202								Component ATA:31
PN:985.83.14.204	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:40868986	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A31420100 POWER SUPPLY MODULE (PS) 1								Component ATA:31
PN:985.99.12.346	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:23064211	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-31-42-00-00A-920A-APROC. REF: AMM 12-B-31-42-00-00A-920A-A								
PC12A31420200 NETWORK INTERFACE CONTROLLER (NIC) 1								Component ATA:31
PN:985.99.12.434	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:2305Z469	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-31-42-00-00A-920A-APROC. REF: AMM 12-B-31-42-00-00A-920A-A								
PC12A31420300 ADVANCED GRAPHIC MODULE (AGM) 1A								Component ATA:31
PN:985.99.12.276	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:23076881	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-31-42-00-00A-920A-APROC. REF: AMM 12-B-31-42-00-00A-920A-A								
PC12A31420400 CUSTOM INPUT/OUTPUT (CSIO) MODULE								Component ATA:31
PN:985.99.12.251	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:23083072	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-31-42-00-00A-920A-APROC. REF: AMM 12-B-31-42-00-00A-920A-A								
PC12A31420500 ACTUATOR-INPUT/OUTPUT-PROCESSOR (AIOP) 1A MODULE								Component ATA:31
PN:985.99.12.190	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:2306Y964	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-31-42-00-00A-920A-APROC. REF: AMM 12-B-31-42-00-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 31 - INDICATING/RECORDING SYSTEMS								
PC12A31420600 ACTUATOR-INPUT/OUTPUT-PROCESSOR (AIOP) 2B MODULE								Component ATA:31
PN:985.99.12.190	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:2306Y966	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-31-42-00-00A-920A-APROC. REF: AMM 12-B-31-42-00-00A-920A-A								
PC12A31420700 DUAL GENERIC INPUT/OUTPUT (DGIO) MODULE								Component ATA:31
PN:985.99.12.252	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:23064130	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-31-42-00-00A-920A-APROC. REF: AMM 12-B-31-42-00-00A-920A-A								
PC12A31420800 ADVANCED GRAPHIC MODULE (AGM) 2B								Component ATA:31
PN:985.99.12.276	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:23076885	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-31-42-00-00A-920A-APROC. REF: AMM 12-B-31-42-00-00A-920A-A								
PC12A31420900 CONTROL INPUT/OUTPUT MODULE (CIO)								Component ATA:31
PN:985.99.12.028	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:23032965	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A31421000 ENHANCED GROUND PROXIMITY WARNING SYSTEM (EGPWF) MODULE								Component ATA:31
PN:985.99.12.001	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:23046746	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A31421100 NETWORK INTERFACE CONTROLLER (NIC) 2								Component ATA:31
PN:985.99.12.434	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:2305Z511	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-31-42-00-00A-920A-APROC. REF: AMM 12-B-31-42-00-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 31 - INDICATING/RECORDING SYSTEMS								
PC12A31421200	POWER SUPPLY MODULE (PS) 2							Component ATA:31
PN:985.99.12.346	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:23064215	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-31-42-00-00A-920A-APROC. REF: AMM 12-B-31-42-00-00A-920A-A								
ATA 32 - LANDING GEAR								
32-10/162 ^S	MAIN LANDING GEAR - LUBRICATE							Service ATA:32
	MOS	04-Dec-24	12 (+10%/-10%)					
	HRS	146.8	600 (+10%/-10%)					
	AFL	62						
PROC. REF: AMM 12-B-12-20-04-00A-902A-APROC. REF: AMM 12-B-12-20-04-00A-902A-A								PKG:2
32-10/163 ^S	MAIN LANDING GEAR LEGS - EXAMINE							Service ATA:32
	MOS	04-Dec-24	12 (+10%/-10%)					
	HRS	146.8	600 (+10%/-10%)					
	AFL	62						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:2
32-10/164 ^S	MAIN LANDING GEAR COMPARTMENTS - EXAMINE							Service ATA:32
	MOS	04-Dec-24	12 (+10%/-10%)					
	HRS	146.8	600 (+10%/-10%)					
	AFL	62						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:2
32-10/165 ^S	MAIN LANDING GEAR SHOCK STRUTS - CHECK NITROGEN PRESSURE							Service ATA:32
	MOS	04-Dec-24	12 (+10%/-10%)					
	HRS	146.8	600 (+10%/-10%)					
	AFL	62						
PROC. REF: AMM 12-B-32-10-00-00A-902A-APROC. REF: AMM 12-B-32-10-00-00A-902A-A								PKG:2

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-10/263 ^S	MAIN LANDING GEAR ELECTRICAL BONDING STRAPS - EXAMINE							Service ATA:32
	MOS	04-Dec-24	12 (+10%/-10%)					
	HRS	146.8	1200 (+10%/-10%)					
	AFL	62						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:3
32-10/315	MAIN LANDING GEAR HINGE PIN AND BUSHES - INSPECTION/CHECK							Service ATA:32
	MOS	04-Dec-24	12 (+10%/-10%)		04-Dec-25	10-Jan-26	190 d (+37)	
	HRS	146.8	2400 (+10%/-10%)		2546.8	2786.8	2346.6 (+240)	
	AFL	62						
PROC. REF: AMM 12-B-32-10-00-00A-313B-APROC. REF: AMM 12-B-32-10-00-00A-313B-A								
32-10/346	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - LEFT MLG YOKE FITTING O (ELECTRO MECHANICAL LANDING GEAR) OVERHAUL AND EDDY CURRENT INSPECTION (CPCP)							Service ATA:32
PN:PN	MOS	30-Nov-23						OVERHAUL
SN:UNKNOWN	HRS	0	T:25000		25000		24799.8	
	AFL	0	T:30000		30000		29898	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
32-10/346	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - RIGHT MLG YOKE FITTING (ELECTRO MECHANICAL LANDING GEAR) OVERHAUL AND EDDY CURRENT INSPECTION (CPCP)							Service ATA:32
PN:PN	MOS	30-Nov-23						OVERHAUL
SN:UNKNOWN	HRS	0	T:25000		25000		24799.8	
	AFL	0	T:30000		30000		29898	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
32-10/347	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - LEFT MLG TRAILING LINK OVERHAUL AND EDDY CURRENT INSPECTION (CPCP)							Service ATA:32
PN:PN	MOS	30-Nov-23						OVERHAUL
SN:UNKNOWN	HRS	0	T:25000		25000		24799.8	
	AFL	0	T:30000		30000		29898	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-10/347	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - RIGHT MLG TRAILING LINK OVERHAUL AND EDDY CURRENT INSPECTION (CPCP)							Service ATA:32
PN:PN	MOS	30-Nov-23						OVERHAUL
SN:UNKNOWN	HRS	0	T:25000		25000		24799.8	
	AFL	0	T:30000		30000		29898	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
32-10/436	MAIN LANDING GEAR SHOCK ABSORBER TOP AND BOTTOM ATTACHMENT BOLTS AND NUTS - EXAMINE							Service ATA:32
	MOS	04-Dec-24	12 (+10%/-10%)		04-Dec-25	10-Jan-26	190 d (+37)	
	HRS	146.8						
	AFL	62						
PROC. REF: AMM 12-B-32-10-00-00A-310B-APROC. REF: AMM 12-B-32-10-00-00A-310B-A								
32-10/438	LH MAIN LANDING GEAR LEG FORWARD ATTACHMENT BOLT AND BUSH AND REAR ATTACHMENT BOLT AND NUT - EXAMINE							Service ATA:32
	MOS	30-Nov-23	72		30-Nov-29		1647 d	
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-32-10-00-00A-310B-APROC. REF: AMM 12-B-32-10-00-00A-310B-A								
32-10/438	RH MAIN LANDING GEAR LEG FORWARD ATTACHMENT BOLT AND BUSH AND REAR ATTACHMENT BOLT AND NUT - EXAMINE							Service ATA:32
	MOS	30-Nov-23	72		30-Nov-29		1647 d	
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-32-10-00-00A-310B-APROC. REF: AMM 12-B-32-10-00-00A-310B-A								
32-10/439	LH MAIN LANDING GEAR SPRING PACK ASSEMBLY TOP AND BOTTOM ATTACHMENT BOLTS AND NUTS - EXAMINE							Service ATA:32
	MOS	30-Nov-23	72		30-Nov-29		1647 d	
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-32-10-00-00A-310B-APROC. REF: AMM 12-B-32-10-00-00A-310B-A								
32-10/439	RH MAIN LANDING GEAR SPRING PACK ASSEMBLY TOP AND BOTTOM ATTACHMENT BOLTS AND NUTS - EXAMINE							Service ATA:32
	MOS	30-Nov-23	72		30-Nov-29		1647 d	
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-32-10-00-00A-310B-APROC. REF: AMM 12-B-32-10-00-00A-310B-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-10/440	LH MAIN LANDING GEAR FOLDING STRUT TOP AND BOTTOM ATTACHMENT BOLTS AND NUTS - EXAMINE							Service ATA:32
	MOS	30-Nov-23	72		30-Nov-29		1647 d	
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-32-10-00-00A-310B-APROC. REF: AMM 12-B-32-10-00-00A-310B-A								
32-10/440	RH MAIN LANDING GEAR FOLDING STRUT TOP AND BOTTOM ATTACHMENT BOLTS AND NUTS - EXAMINE							Service ATA:32
	MOS	30-Nov-23	72		30-Nov-29		1647 d	
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-32-10-00-00A-310B-APROC. REF: AMM 12-B-32-10-00-00A-310B-A								
32-10/441	LH MAIN LANDING GEAR DRAG LINK TOP ATTACHMENT SHEAR BOLT, CAP, BOLT AND NUTS - EXAMINE							Service ATA:32
	MOS	30-Nov-23	120		30-Nov-33		3108 d	
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-32-10-00-00A-310B-APROC. REF: AMM 12-B-32-10-00-00A-310B-A								
32-10/441	RH MAIN LANDING GEAR DRAG LINK TOP ATTACHMENT SHEAR BOLT, CAP, BOLT AND NUTS - EXAMINE							Service ATA:32
	MOS	30-Nov-23	120		30-Nov-33		3108 d	
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-32-10-00-00A-310B-APROC. REF: AMM 12-B-32-10-00-00A-310B-A								
32-10/80	LEFT MAIN LANDING GEAR WHEEL BEARINGS - LUBRICATE							Service ATA:32
PN:532.45.12.066	MOS/MSC	04-Dec-24	12 (+10%/-10%) / T/C		04-Dec-25	10-Jan-26	190 d (+37)	
SN:5241	HRS	146.8						
	AFL	62						
PROC. REF: AMM 12-B-12-20-06-00A-902A-APROC. REF: AMM 12-B-12-20-06-00A-902A-A								
32-10/80	NOSE LANDING GEAR WHEEL BEARINGS - LUBRICATE							Service ATA:32
PN:532.41.12.003	MOS/MSC	04-Dec-24	12 (+10%/-10%) / T/C		04-Dec-25	10-Jan-26	190 d (+37)	
SN:2490	HRS	146.8						
	AFL	62						
PROC. REF: AMM 12-B-12-20-06-00A-902A-APROC. REF: AMM 12-B-12-20-06-00A-902A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-10/80	RIGHT MAIN LANDING GEAR WHEEL BEARINGS - LUBRICATE							Service ATA:32
PN:532.45.12.066	MOS/MSC	04-Dec-24	12 (+10%/-10%) / T/C		04-Dec-25	10-Jan-26	190 d (+37)	
SN:5242	HRS	146.8						
	AFL	62						
PROC. REF: AMM 12-B-12-20-06-00A-902A-APROC. REF: AMM 12-B-12-20-06-00A-902A-A								
32-20/166 ^S	NOSE LANDING GEAR SHOCK STRUT - CHECK NITROGEN PRESSURE							Service ATA:32
	MOS	04-Dec-24	12 (+10%/-10%)					
	HRS	146.8	600 (+10%/-10%)					
	AFL	62						
								PKG:2
PROC. REF: AMM 12-B-32-20-00-00A-902A-APROC. REF: AMM 12-B-32-20-00-00A-902A-A								
32-20/167 ^S	NOSE LANDING GEAR - LUBRICATE							Service ATA:32
	MOS	04-Dec-24	12 (+10%/-10%)					
	HRS	146.8	600 (+10%/-10%)					
	AFL	62						
								PKG:2
PROC. REF: AMM 12-B-12-20-04-00A-902A-APROC. REF: AMM 12-B-12-20-04-00A-902A-A								
32-20/168 ^S	NOSE LANDING GEAR LEG AND STEERING MECHANISM - EXAMINE, IN PARTICULAR THE STEERING ROD END (P/N 532.20.12.134) FOR THE COMPLETE RETENTION OF BEARING INTO THE STEERING ROD END HOUSING.							Service ATA:32
	MOS	04-Dec-24	12 (+10%/-10%)					
	HRS	146.8	600 (+10%/-10%)					
	AFL	62						
								PKG:2
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
32-20/169 ^S	NOSE LANDING GEAR COMPARTMENT - EXAMINE							Service ATA:32
	MOS	04-Dec-24	12 (+10%/-10%)					
	HRS	146.8	600 (+10%/-10%)					
	AFL	62						
								PKG:2
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-20/265 ^S	NOSE LANDING GEAR ELECTRICAL BONDING STRAPS - EXAMINE							Service ATA:32
	MOS	04-Dec-24	12 (+10%/-10%)					
	HRS	146.8	1200 (+10%/-10%)					
	AFL	62						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:3
32-20/403	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - NLG - OVERHAUL							Service ATA:32
PN:532.20.12.045	MOS	30-Nov-23						OVERHAUL
SN:VLG1405	HRS	0	T:25000 (+500/-500)		25000	25500	24799.8 (+500)	
	AFL	0	T:30000 (+500/-500)		30000	30500	29898 (+500)	
PROC. REF: GENERIC CMM, CMM 32-20-05PROC. REF: GENERIC CMM, CMM 32-20-05								
32-20/416	LIFE LIMIT - NLG UPPER RIGHT HAND DRAG LINK							Service ATA:32
PN:PN	MOS	30-Nov-23						LIFE LIMIT
SN:UNKNOWN	HRS	0	25000		25000		24799.8	
	AFL	0	30000		30000		29898	
PROC. REF: AMM 12-B-32-20-05-00A-920B-APROC. REF: AMM 12-B-32-20-05-00A-920B-A								
32-30/423	LIFE LIMIT - LEFT MAIN LANDING GEAR ACTUATOR – ELECTRO MECHANICAL LANDING GEAR							Service ATA:32
PN:959.56.01.853	MOS	30-Nov-23						LIFE LIMIT
SN:1755	HRS	0						
	AFL	0	30000		30000		29898	
PROC. REF: AMM 12-B-32-30-01-00A-920B-APROC. REF: AMM 12-B-32-30-01-00A-920B-A								
32-30/423	LIFE LIMIT - NOSE LANDING GEAR ACTUATOR – ELECTRO MECHANICAL LANDING GEAR							Service ATA:32
PN:959.56.01.852	MOS	30-Nov-23						LIFE LIMIT
SN:892	HRS	0						
	AFL	0	30000		30000		29898	
PROC. REF: AMM 12-B-32-30-02-00A-920B-APROC. REF: AMM 12-B-32-30-02-00A-920B-A								
32-30/423	LIFE LIMIT - RIGHT MAIN LANDING GEAR ACTUATOR – ELECTRO MECHANICAL LANDING GEAR							Service ATA:32
PN:959.56.01.853	MOS	30-Nov-23						LIFE LIMIT
SN:1757	HRS	0						
	AFL	0	30000		30000		29898	
PROC. REF: AMM 12-B-32-30-01-00A-920B-APROC. REF: AMM 12-B-32-30-01-00A-920B-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-30/424	EMERGENCY GEAR EXTENSION SYSTEM (ELECTRO MECHANICAL LANDING GEAR) - OPERATIONAL TEST							Service ATA:32
	MOS	04-Dec-24	12 (+10%/-10%)		04-Dec-25	10-Jan-26	190 d (+37)	
	HRS	146.8	2000		2146.8		1946.6	
	AFL	62						
PROC. REF: AMM 12-B-32-30-10-00A-903A-APROC. REF: AMM 12-B-32-30-10-00A-903A-A								
32-30/425 ^S	ELECTRO MECHANICAL EXTENSION AND RETRACTION MECHANISM - EXAMINE ALL COMPONENTS AND THEIR ATTACHMENTS IN THE NOSE AND MAIN LANDING GEAR COMPARTMENTS							Service ATA:32
	MOS	04-Dec-24	12 (+10%/-10%)					
	HRS	146.8	600 (+10%/-10%)					
	AFL	62						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:2
32-30/426	TIME DELAY RELAYS AND POWER CONTACTOR (ELECTRO MECHANICAL LANDING GEAR) - FUNCTIONAL TEST							Service ATA:32
	MOS	04-Dec-24	12 (+10%/-10%)		04-Dec-25	10-Jan-26	190 d (+37)	
	HRS	146.8	2000		2146.8		1946.6	
	AFL	62						
PROC. REF: AMM 12-B-32-30-08-00A-903A-APROC. REF: AMM 12-B-32-30-08-00A-903A-A								
32-30/429	MAIN LANDING GEAR SPRING STRUT (ELECTRO MECHANICAL LANDING GEAR) - EXAMINE THE SPRINGS							Service ATA:32
	MOS	04-Dec-24	12 (+10%/-10%)		04-Dec-25	10-Jan-26	190 d (+37)	
	HRS	146.8	2000		2146.8		1946.6	
	AFL	62						
PROC. REF: AMM 12-B-32-10-06-00A-313A-APROC. REF: AMM 12-B-32-10-06-00A-313A-A								
32-30/435	LEFT MAIN LANDING GEAR ELECTRO MECHANICAL ACTUATORS ANTI-ROTATION PADS - DISCARD							Service ATA:32
PN:959.56.01.853	MOS	30-Nov-23						DISCARD
SN:1755	HRS	0						
	AFL	0	12000 (+500/-500)		12000	12500	11898 (+500)	
PROC. REF: AMM 12-B-32-30-01-01A-920B-APROC. REF: AMM 12-B-32-30-01-01A-920B-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-30/435	NOSE LANDING GEAR ELECTRO MECHANICAL ACTUATORS ANTI-ROTATION PADS - DISCARD							Service ATA:32
PN:959.56.01.852	MOS	30-Nov-23						DISCARD
SN:892	HRS	0						
	AFL	0	12000 (+500/-500)		12000	12500	11898 (+500)	
PROC. REF: AMM 12-B-32-30-02-01A-920B-APROC. REF: AMM 12-B-32-30-02-01A-920B-A								
32-30/435	RIGHT MAIN LANDING GEAR ELECTRO MECHANICAL ACTUATORS ANTI-ROTATION PADS - DISCARD							Service ATA:32
PN:959.56.01.853	MOS	30-Nov-23						DISCARD
SN:1757	HRS	0						
	AFL	0	12000 (+500/-500)		12000	12500	11898 (+500)	
PROC. REF: AMM 12-B-32-30-01-01A-920B-APROC. REF: AMM 12-B-32-30-01-01A-920B-A								
32-30/442	LEFT MAIN LANDING GEAR ACTUATOR TOP AND BOTTOM ATTACHMENT BOLTS AND NUTS - EXAMINE							Service ATA:32
PN:959.56.01.853	MOS	30-Nov-23	72		30-Nov-29		1647 d	
SN:1755	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-32-10-00-00A-310B-APROC. REF: AMM 12-B-32-10-00-00A-310B-A								
32-30/442	RIGHT MAIN LANDING GEAR ACTUATOR TOP AND BOTTOM ATTACHMENT BOLTS AND NUTS - EXAMINE							Service ATA:32
PN:959.56.01.853	MOS	30-Nov-23	72		30-Nov-29		1647 d	
SN:1757	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-32-10-00-00A-310B-APROC. REF: AMM 12-B-32-10-00-00A-310B-A								
32-40/171 ^S	MAIN WHEELS - EXAMINE. ROTATE WHEELS, MAKE SURE BEARING MOVEMENT IS SMOOTH AND FREE AND NO EXCESSIVE PLAY EXISTS							Service ATA:32
	MOS	04-Dec-24	12 (+10%/-10%)					
	HRS	146.8	600 (+10%/-10%)					
	AFL	62						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:2
32-40/173 ^S	NOSE WHEEL - EXAMINE . ROTATE WHEEL, MAKE SURE BEARING MOVEMENT IS SMOOTH AND FREE AND NO EXCESSIVE PLAY EXISTS							Service ATA:32
	MOS	04-Dec-24	12 (+10%/-10%)					
	HRS	146.8	600 (+10%/-10%)					
	AFL	62						
								PKG:2

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
32-40/538 ^S	MAIN WHEEL TIRES (MSN 2001 AND UP) - EXAMINE AND CHECK TIRE PRESSURE							Service ATA:32
	MOS	04-Dec-24	12 (+10%/-10%)					
	HRS	146.8	600 (+10%/-10%)					
	AFL	62						
								PKG:2
PROC. REF: AMM 12-B-12-10-04-00A-902A-APROC. REF: AMM 12-B-12-10-04-00A-902A-A								
32-40/539 ^S	NOSE WHEEL TIRE (MSN 2001 AND UP) - EXAMINE AND CHECK TIRE PRESSURE							Service ATA:32
	MOS	04-Dec-24	12 (+10%/-10%)					
	HRS	146.8	600 (+10%/-10%)					
	AFL	62						
								PKG:2
PROC. REF: AMM 12-B-12-10-04-00A-902A-APROC. REF: AMM 12-B-12-10-04-00A-902A-A								
32-40/540 ^S	BRAKE SYSTEM (MSN 2001 AND UP) - APPLY THE PARKING BRAKE. EXAMINE THE BRAKE UNITS. MAKE SURE THAT PAD WEAR INDICATORS PROTRUDE FROM HOUSING.							Service ATA:32
	MOS	04-Dec-24	12 (+10%/-10%)					
	HRS	146.8	600 (+10%/-10%)					
	AFL	62						
								PKG:2
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
32-40/541 ^S	FLUID RESERVOIR (MSN 2001 AND UP) - CHECK AND REPLENISH, IF NECESSARY							Service ATA:32
	MOS	04-Dec-24	12 (+10%/-10%)					
	HRS	146.8	600 (+10%/-10%)					
	AFL	62						
								PKG:2
PROC. REF: AMM 12-B-12-10-02-00A-902A-APROC. REF: AMM 12-B-12-10-02-00A-902A-A								
32-50/404	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - NLG STEERING MECHANISM - EXAMINE							Service ATA:32
	MOS	30-Nov-23						
	HRS	0	T:32500 (+500/-500)		32500	33000	32299.8 (+500)	
	AFL	0	T:42000 (+500/-500)		42000	42500	41898 (+500)	
PROC. REF: AMM 12-B-32-50-00-00A-310A-APROC. REF: AMM 12-B-32-50-00-00A-310A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
PC12A32100100		LEFT MAIN LANDING GEAR					Component	ATA:32
PN:532.10.12.055	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:VLG1407	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-32-10-02-00A-920B-APROC. REF: AMM 12-B-32-10-02-00A-920B-A								
PC12A32100110		SHOCK ABSORBER ASSEMBLY, LH					Component	ATA:32
PN:PN	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-32-10-03-00A-920B-APROC. REF: AMM 12-B-32-10-03-00A-920B-A								
PC12A32100200		RIGHT MAIN LANDING GEAR					Component	ATA:32
PN:532.10.12.056	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:SI-1414	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-32-10-02-00A-920B-APROC. REF: AMM 12-B-32-10-02-00A-920B-A								
PC12A32100210		SHOCK ABSORBER ASSEMBLY, RH					Component	ATA:32
PN:532.10.12.230	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:SI-1554	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-32-10-03-00A-920B-APROC. REF: AMM 12-B-32-10-03-00A-920B-A								
PC12A32100310		SPRING STRUT, LH					Component	ATA:32
PN:532.34.12.120	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:1715	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-32-50-02-00A-920A-APROC. REF: AMM 12-B-32-50-02-00A-920A-A								
PC12A32100320		SPRING STRUT, RH					Component	ATA:32
PN:532.34.12.120	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:1714	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-32-50-02-00A-920A-APROC. REF: AMM 12-B-32-50-02-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
PC12A321CA210		LH MLG YOKE FITTING					Component	ATA:32
PN:PN	MOS/MSC	30-Nov-23	H/T	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A321CA220		RH MLG YOKE FITTING					Component	ATA:32
PN:PN	MOS/MSC	30-Nov-23	H/T	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A321CA310		LH MLG TRAILING LINK					Component	ATA:32
PN:PN	MOS/MSC	30-Nov-23	H/T	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A321CA320		RH MLG TRAILING LINK					Component	ATA:32
PN:PN	MOS/MSC	30-Nov-23	H/T	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A32200100		NOSE LANDING GEAR					Component	ATA:32
PN:532.20.12.045	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:VLG1405	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-32-20-02-00A-920B-APROC. REF: AMM 12-B-32-20-02-00A-920B-A								
PC12A32200110		NOSE LANDING GEAR STRUT ASSEMBLY					Component	ATA:32
PN:532.20.12.046	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:VLG1405	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-32-20-03-00A-920B-APROC. REF: AMM 12-B-32-20-03-00A-920B-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
PC12A32200120 SPRING PACK ASSEMBLY								Component ATA:32
PN:532.20.12.305	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:VLG370	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A32200130 SHIMMY DAMPER ASSEMBLY								Component ATA:32
PN:532.20.12.243	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:VLG112	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-32-50-01-00A-920A-APROC. REF: AMM 12-B-32-50-01-00A-920A-A								
PC12A322CA110 NLG UPPER RIGHT HAND DRAG LINK								Component ATA:32
PN:PN	MOS/MSC	30-Nov-23	H/T	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-32-20-05-00A-920B-APROC. REF: AMM 12-B-32-20-05-00A-920B-A								
PC12A32300110 LEFT MAIN LANDING GEAR ACTUATOR								Component ATA:32
PN:959.56.01.853	MOS/MSC	30-Nov-23	H/T	TSN 0				
SN:1755	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-32-30-01-00A-920B-APROC. REF: AMM 12-B-32-30-01-00A-920B-A								
PC12A32300120 RIGHT MAIN LANDING GEAR ACTUATOR								Component ATA:32
PN:959.56.01.853	MOS/MSC	30-Nov-23	H/T	TSN 0				
SN:1757	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-32-30-01-00A-920B-APROC. REF: AMM 12-B-32-30-01-00A-920B-A								
PC12A32300200 NOSE LANDING GEAR ACTUATOR								Component ATA:32
PN:959.56.01.852	MOS/MSC	30-Nov-23	H/T	TSN 0				
SN:892	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-32-30-02-00A-920B-APROC. REF: AMM 12-B-32-30-02-00A-920B-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
PC12A32300300 EMERGENCY GEAR HANDLE								Component ATA:32
PN:959.56.01.838	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:01119	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-32-30-10-01A-920A-APROC. REF: AMM 12-B-32-30-10-01A-920A-A								
PC12A32300400 EMERGENCY GEAR CABLE, MAIN GEAR								Component ATA:32
PN:959.56.01.814	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:00879	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-32-30-10-04A-920A-APROC. REF: AMM 12-B-32-30-10-04A-920A-A								
PC12A32300500 EMERGENCY GEAR CABLE, INTERMEDIATE								Component ATA:32
PN:959.56.01.843	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:00338	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-32-30-10-03A-920A-APROC. REF: AMM 12-B-32-30-10-03A-920A-A								
PC12A32300600 EMERGENCY GEAR CABLE, NOSE GEAR								Component ATA:32
PN:959.56.01.815	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:00847	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-32-30-10-02A-920A-APROC. REF: AMM 12-B-32-30-10-02A-920A-A								
PC12A32400110 LEFT MAIN WHEEL								Component ATA:32
PN:532.45.12.066	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:5241	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-32-40-01-00A-920A-APROC. REF: AMM 12-B-32-40-01-00A-920A-A								
PC12A32400120 RIGHT MAIN WHEEL								Component ATA:32
PN:532.45.12.066	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:5242	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-32-40-01-00A-920A-APROC. REF: AMM 12-B-32-40-01-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
PC12A32400200		NOSE WHEEL					Component	ATA:32
PN:532.41.12.003	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:2490	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-32-40-02-00A-920A-APROC. REF: AMM 12-B-32-40-02-00A-920A-A								
PC12A32400310		BRAKE ASSEMBLY, LH					Component	ATA:32
PN:959.56.01.517	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:4792	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-32-40-03-00A-920B-APROC. REF: AMM 12-B-32-40-03-00A-920B-A								
PC12A32400320		BRAKE ASSEMBLY, RH					Component	ATA:32
PN:959.56.01.517	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:4791	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-32-40-03-00A-920B-APROC. REF: AMM 12-B-32-40-03-00A-920B-A								
PC12A32400410		MASTER BRAKE CYLINDER, PILOT, LH					Component	ATA:32
PN:959.47.51.131	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:9340	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-32-40-04-00A-920A-APROC. REF: AMM 12-B-32-40-04-00A-920A-A								
PC12A32400420		MASTER BRAKE CYLINDER, PILOT, RH					Component	ATA:32
PN:959.47.51.131	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:9341	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-32-40-04-00A-920A-APROC. REF: AMM 12-B-32-40-04-00A-920A-A								
PC12A32400430		MASTER BRAKE CYLINDER, CO-PILOT, LH					Component	ATA:32
PN:959.47.51.131	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:9342	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-32-40-04-00A-920A-APROC. REF: AMM 12-B-32-40-04-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
PC12A32400440		MASTER BRAKE CYLINDER, CO-PILOT, RH					Component	ATA:32
PN:959.47.51.131	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:9345	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-32-40-04-00A-920A-APROC. REF: AMM 12-B-32-40-04-00A-920A-A								
PC12A32400500		PARK BRAKE VALVE					Component	ATA:32
PN:959.47.51.121	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:3610	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-32-40-05-00A-920A-APROC. REF: AMM 12-B-32-40-05-00A-920A-A								
PC12A324CA110		LEFT MAIN WHEEL TIRE					Component	ATA:32
PN:UNKN	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-32-40-01-00A-920A-APROC. REF: AMM 12-B-32-40-01-00A-920A-A								
PC12A324CA120		RIGHT MAIN WHEEL TIRE					Component	ATA:32
PN:025-350-0	MOS/MSC	04-Dec-24	O/C	TSN 0				
SN:1079T00386	HRS	146.8		TSN 0				
	AFL	62		TSN 0				
PROC. REF: AMM 12-B-32-40-01-00A-920A-APROC. REF: AMM 12-B-32-40-01-00A-920A-A								
PC12A324CA210		NOSE WHEEL TIRE					Component	ATA:32
PN:UNKN	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-32-40-02-00A-920A-APROC. REF: AMM 12-B-32-40-02-00A-920A-A								
PC12A32600110		PROXIMITY SWITCH, NLG UP, MT053					Component	ATA:32
PN:973.30.33.116	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:10869	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
PC12A32600120 PROXIMITY SWITCH, NLG DOWN MT056								Component ATA:32
PN:973.30.33.116	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:10905	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A32600130 PROXIMITY SWITCH, MLG UP, LH, MT515								Component ATA:32
PN:973.30.33.116	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:10913	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-32-60-01-00A-920B-APROC. REF: AMM 12-B-32-60-01-00A-920B-A								
PC12A32600140 PROXIMITY SWITCH, MLG UP, RH, MT615								Component ATA:32
PN:973.30.33.116	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:10931	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-32-60-01-00A-920B-APROC. REF: AMM 12-B-32-60-01-00A-920B-A								
PC12A32600210 MICROSWITCH, DOWN & LOCK, LH, S519								Component ATA:32
PN:973.30.31.217	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:02730	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-32-60-01-00A-920B-APROC. REF: AMM 12-B-32-60-01-00A-920B-A								
PC12A32600220 MICROSWITCH, DOWN & LOCK, RH, S619								Component ATA:32
PN:973.30.31.217	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:02750	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-32-60-01-00A-920B-APROC. REF: AMM 12-B-32-60-01-00A-920B-A								
PC12A32600310 PROXIMITY SWITCH, WOW, LH, MT517								Component ATA:32
PN:532.69.21.026	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:5840	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-32-60-12-00A-920B-APROC. REF: AMM 12-B-32-60-12-00A-920B-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
PC12A32600320		PROXIMITY SWITCH, WOW, RH, MT617					Component	ATA:32
PN:532.69.21.026	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:5857	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-32-60-12-00A-920B-APROC. REF: AMM 12-B-32-60-12-00A-920B-A								
PC12A32600410		LANDING GEAR RELAY UNIT, K2311A1					Component	ATA:32
PN:974.09.26.112	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:3248	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-32-30-08-00A-920A-APROC. REF: AMM 12-B-32-30-08-00A-920A-A								
PC12A32600420		LANDING GEAR RELAY UNIT, K2311A2					Component	ATA:32
PN:974.09.26.112	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:3256	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-32-30-08-00A-920A-APROC. REF: AMM 12-B-32-30-08-00A-920A-A								
ATA 33 - LIGHTS								
33-40/542 ^S		EXTERIOR LIGHTING (MSN 2001 AND UP) - OPERATIONAL TEST					Service	ATA:33
	MOS	04-Dec-24	12 (+10%/-10%)					
	HRS	146.8	600 (+10%/-10%)					
	AFL	62						
PROC. REF: AMM 12-B-33-40-00-00A-903A-APROC. REF: AMM 12-B-33-40-00-00A-903A-A								
33-41/543 ^S		LANDING LIGHTS (MSN 2001 AND UP) - EXAMINE					Service	ATA:33
	MOS	04-Dec-24	12 (+10%/-10%)					
	HRS	146.8	600 (+10%/-10%)					
	AFL	62						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 33 - LIGHTS								
33-42/544 ^S	TAXI LIGHTS (MSN 2001 AND UP) - EXAMINE							Service ATA:33
	MOS	04-Dec-24	12 (+10%/-10%)					
	HRS	146.8	600 (+10%/-10%)					
	AFL	62						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:2
33-43/545 ^S	NAVIGATION AND STROBE LIGHTS (MSN 2001 AND UP) - EXAMINE							Service ATA:33
	MOS	04-Dec-24	12 (+10%/-10%)					
	HRS	146.8	600 (+10%/-10%)					
	AFL	62						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:2
33-44/546 ^S	RECOGNITION LIGHTS (IF INSTALLED) (MSN 2001 AND UP) - EXAMINE							Service ATA:33
	MOS	04-Dec-24	12 (+10%/-10%)					
	HRS	146.8	600 (+10%/-10%)					
	AFL	62						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:2
33-46/547 ^S	BEACON LIGHTS (IF INSTALLED) (MSN 2001 AND UP) - EXAMINE							Service ATA:33
	MOS	04-Dec-24	12 (+10%/-10%)					
	HRS	146.8	600 (+10%/-10%)					
	AFL	62						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:2
PC12A33100100	COCKPIT LIGHT DIM UNIT, A177							Component ATA:33
PN:975.02.15.205	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:146313	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-33-10-04-00A-920A-APROC. REF: AMM 12-B-33-10-04-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 33 - LIGHTS								
PC12A33400100	WING INSPECTION LIGHT, DS155							Component ATA:33
PN:972.87.87.407	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:S23046026	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-33-40-12-00A-920A-APROC. REF: AMM 12-B-33-40-12-00A-920A-A								
PC12A33410110	LANDING LIGHT, LH, DS521							Component ATA:33
PN:972.87.69.434	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:5973693	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-33-41-01-00A-920B-APROC. REF: AMM 12-C-33-41-01-00A-920B-A								
PC12A33410120	LANDING LIGHT, RH, DS621							Component ATA:33
PN:972.87.69.434	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:5961465	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-33-41-01-00A-920B-APROC. REF: AMM 12-C-33-41-01-00A-920B-A								
PC12A33420100	TAXI LIGHT, DS900							Component ATA:33
PN:972.87.69.433	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:5928674	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-33-42-01-00A-920B-APROC. REF: AMM 12-C-33-42-01-00A-920B-A								
PC12A33430100	WINGTIP LIGHT, LH, DS594							Component ATA:33
PN:972.87.87.344	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:5706297	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-57-33-00-00A-920B-APROC. REF: AMM 12-B-57-33-00-00A-920B-A								
PC12A33430200	WINGTIP LIGHT, RH, DS694							Component ATA:33
PN:972.87.87.345	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:5542270	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-57-33-00-00A-920B-APROC. REF: AMM 12-B-57-33-00-00A-920B-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 33 - LIGHTS								
PC12A33430300		POWER SUPPLY, A220					Component	ATA:33
PN:972.87.87.179	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:5866513	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-33-43-03-00A-920B-APROC. REF: AMM 12-B-33-43-03-00A-920B-A								
PC12A33440110		RECOGNITION LIGHT, LH					Component	ATA:33
PN:972.87.69.431	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:5990797	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-33-44-00-00A-920C-APROC. REF: AMM 12-C-33-44-00-00A-920C-A								
PC12A33440120		RECOGNITION LIGHT, RH					Component	ATA:33
PN:972.87.69.431	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:5990798	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-33-44-00-00A-920C-APROC. REF: AMM 12-C-33-44-00-00A-920C-A								
PC12A33460110		RED FLASHING BEACON, TOP, A410					Component	ATA:33
PN:972.87.87.349	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:5945969	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-33-46-00-00A-920B-APROC. REF: AMM 12-B-33-46-00-00A-920B-A								
PC12A33460120		RED FLASHING BEACON, BOTTOM, A800					Component	ATA:33
PN:972.87.87.349	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:5945965	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-33-46-00-00A-920B-APROC. REF: AMM 12-B-33-46-00-00A-920B-A								
ATA 34 - NAVIGATION								
34-00/183 ^S		COMMUNICATIONS AND NAVIGATION ANTENNAS - EXAMINE					Service	ATA:34
	MOS	30-Nov-23	24 (+10%/-10%)					
	HRS	0	2400 (+10%/-10%)					
	AFL	0						

PKG:4

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
34-00/548 ^S	COCKPIT INSTRUMENTS AND AVIONIC EQUIPMENT (MSN 2001 AND UP) - EXAMINE							Service ATA:34
	MOS	04-Dec-24	12 (+10%/-10%)					
	HRS	146.8	600 (+10%/-10%)					
	AFL	62						
								PKG:2
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
34-11/268 ^S	PITOT AND STATIC SYSTEM - DRAIN							Service ATA:34
	MOS	04-Dec-24	12 (+10%/-10%)					
	HRS	146.8	1200 (+10%/-10%)					
	AFL	62						
								PKG:3
PROC. REF: AMM 12-B-34-11-00-00A-901A-APROC. REF: AMM 12-B-34-11-00-00A-901A-A								
34-11/343	STATIC PORTS PLATE HEIGHT - INSPECTION/CHECK							Service ATA:34
	MOS	30-Nov-23	24 (+10%/-10%)		30-Nov-25	12-Feb-26	186 d (+74)	
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-34-11-12-00A-313A-APROC. REF: AMM 12-B-34-11-12-00A-313A-A								
34-11/549 ^S	PITOT TUBE (MSN 2001 AND UP) - EXAMINE							Service ATA:34
	MOS	04-Dec-24	12 (+10%/-10%)					
	HRS	146.8	600 (+10%/-10%)					
	AFL	62						
								PKG:2
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
34-11/550 ^S	STATIC PORTS (MSN 2001 AND UP) - EXAMINE							Service ATA:34
	MOS	04-Dec-24	12 (+10%/-10%)					
	HRS	146.8	600 (+10%/-10%)					
	AFL	62						
								PKG:2
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
34-11/CFR		PERFORM LEAK CHECK OF STATIC SYSTEM (14 CFR 91.411)						Service ATA:34
	MOS	30-Nov-23	24		30-Nov-25		186 d	MANDATORY
	HRS							
	AFL							
		Test Date: : 30-Nov-23						
PROC. REF: CFR 14 CFR 91.411PROC. REF: CFR 14 CFR 91.411								
34-25/344		ALTITUDE AND VERTICAL SPEED INDICATION - FUNCTIONAL TEST						Service ATA:34
	MOS	30-Nov-23	24 (+10%/-10%)		30-Nov-25	12-Feb-26	186 d (+74)	
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-34-14-00-00A-903B-APROC. REF: AMM 12-B-34-14-00-00A-903B-A								
34-26/510		ESIS MAGNETIC HEADING REFERENCE SYSTEM - CHECK SWING						Service ATA:34
PN:975.96.11.253	MOS	30-Nov-23	24 (+10%/-10%)		30-Nov-25	12-Feb-26	186 d (+74)	
SN:1610	HRS							
	AFL							
		Test Date: : 30-Nov-23						
PROC. REF: AMM 12-C-34-26-40-00A-903A-APROC. REF: AMM 12-C-34-26-40-00A-903A-A								
34-54/CFR		TEST/INSPECT NO. 1 TRANSPONDER SYSTEM (14 CFR 91.413)						Service ATA:34
PN:985.99.12.269	MOS	30-Nov-23	24		30-Nov-25		186 d	MANDATORY
SN:KXP2290A-5286	HRS							
	AFL							
		Test Date: : 30-Nov-23						
PROC. REF: CFR 14 CFR 91.413PROC. REF: CFR 14 CFR 91.413								
34-54/CFR		TEST/INSPECT NO. 2 TRANSPONDER SYSTEM (14 CFR 91.413)						Service ATA:34
PN:985.99.12.269	MOS	30-Nov-23	24		30-Nov-25		186 d	MANDATORY
SN:KXP2290A-5268	HRS							
	AFL							
		Test Date: : 30-Nov-23						
PROC. REF: CFR 14 CFR 91.413PROC. REF: CFR 14 CFR 91.413								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
PC12A00310119 DUAL CHANNEL ADAHRS								Component ATA:34
PN:PN	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PC12A34110110 PITOT TUBE, LH, HR578								Component ATA:34
PN:965.11.12.302	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:AS05230212	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-34-11-11-00A-920A-APROC. REF: AMM 12-B-34-11-11-00A-920A-A								
PC12A34110120 PITOT TUBE, RH, HR678								Component ATA:34
PN:965.11.12.302	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:AS05230215	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-34-11-11-00A-920A-APROC. REF: AMM 12-B-34-11-11-00A-920A-A								
PC12A34110210 STATIC PORT, LH, HR371								Component ATA:34
PN:965.11.22.103	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:AS06230187	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-34-11-12-00A-920A-APROC. REF: AMM 12-B-34-11-12-00A-920A-A								
PC12A34110220 STATIC PORT, RH, HR372								Component ATA:34
PN:965.11.22.103	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:AS05230538	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-34-11-12-00A-920A-APROC. REF: AMM 12-B-34-11-12-00A-920A-A								
PC12A34120110 OUTSIDE AIR TEMPERATURE (OAT) SENSOR, LH, Z588								Component ATA:34
PN:975.11.20.111	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:08526	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-34-12-00-01A-920A-APROC. REF: AMM 12-B-34-12-00-01A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
PC12A34120120 OUTSIDE AIR TEMPERATURE (OAT) SENSOR, RH, Z688								Component ATA:34
PN:975.11.20.111	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:08524	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-34-12-00-01A-920A-APROC. REF: AMM 12-B-34-12-00-01A-920A-A								
PC12A34210100 STANDBY MAGNETIC COMPASS								Component ATA:34
PN:PN	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-34-21-00-00A-920A-APROC. REF: AMM 12-B-34-21-00-00A-920A-A								
PC12A34250100 AIR DATA/ATTITUDE AND HEADING REFERENCE SYSTEM (ADAHRS) UNIT, A251								Component ATA:34
PN:985.99.12.389	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:KSG7200-B4069	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-34-25-01-00A-920A-APROC. REF: AMM 12-B-34-25-01-00A-920A-A								
PC12A34250210 MAGNETOMETER, RIB 17/18, INBOARD, A588								Component ATA:34
PN:985.99.12.114	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:KMG7010-8352	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-34-25-02-00A-920B-APROC. REF: AMM 12-B-34-25-02-00A-920B-A								
PC12A34250220 MAGNETOMETER, RIB 18/19, OUTBOARD, A591								Component ATA:34
PN:985.99.12.114	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:KMG7010-8356	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-34-25-02-00A-920B-APROC. REF: AMM 12-B-34-25-02-00A-920B-A								
PC12A34250310 AIR DATA/ATTITUDE AND HEADING REFERENCE SYSTEM (ADAHRS) CONFIGURATION MODULE, LH, A251A								Component ATA:34
PN:985.99.12.129	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:7911	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-34-25-03-00A-920A-APROC. REF: AMM 12-B-34-25-03-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
PC12A34250320 AIR DATA/ATTITUDE AND HEADING REFERENCE SYSTEM (ADAHRS) CONFIGURATION MODULE, RH, A251B								Component ATA:34
PN:985.99.12.129	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:7831	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-34-25-03-00A-920A-APROC. REF: AMM 12-B-34-25-03-00A-920A-A								
PC12A34260100 ELECTRONIC STANDBY INSTRUMENT								Component ATA:34
PN:975.96.11.253	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:1610	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-34-26-40-00A-920A-APROC. REF: AMM 12-C-34-26-40-00A-920A-A								
PC12A34260200 ELECTRONIC STANDBY INSTRUMENT SYSTEM (ESIS) MAGNETOMETER, A672								Component ATA:34
PN:985.90.03.003	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:2471	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-34-26-45-00A-920A-APROC. REF: AMM 12-C-34-26-45-00A-920A-A								
PC12A34260300 ELECTRONIC STANDBY INSTRUMENT SYSTEM (ESIS) CONFIGURATION MODULE, M128								Component ATA:34
PN:985.99.12.393	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:N1059	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A34320100 MARKER ANTENNA, E399								Component ATA:34
PN:984.81.10.260	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:101-9593	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-34-32-01-00A-920A-APROC. REF: AMM 12-B-34-32-01-00A-920A-A								
PC12A34410100 WEATHER RADAR (WX) TRANSCEIVER, A696								Component ATA:34
PN:985.99.11.564	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:ART2100-3478	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-34-41-02-00A-920A-APROC. REF: AMM 12-C-34-41-02-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
PC12A34410200		WX RADAR ANTENNA, E696					Component	ATA:34
PN:985.99.11.504	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:9806	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-34-41-02-00A-920A-APROC. REF: AMM 12-C-34-41-02-00A-920A-A								
PC12A34410300		WEATHER (WX) RADAR CONFIGURATION MODULE, A694					Component	ATA:34
PN:985.99.12.182	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:CM2000-38012	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-34-41-04-00A-920A-APROC. REF: AMM 12-B-34-41-04-00A-920A-A								
PC12A34410400		RADOME					Component	ATA:34
PN:985.79.00.005	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:P1484	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-34-41-02-00A-920A-APROC. REF: AMM 12-C-34-41-02-00A-920A-A								
PC12A34410500		XM SATELLITE WEATHER PROCESSOR, A275					Component	ATA:34
PN:985.99.12.435	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:23032822	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-34-41-11-00A-920A-APROC. REF: AMM 12-B-34-41-11-00A-920A-A								
PC12A34410600		XM SATELLITE WEATHER ANTENNA, E267					Component	ATA:34
PN:985.99.12.167	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:35713758	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-34-41-12-00A-920A-APROC. REF: AMM 12-B-34-41-12-00A-920A-A								
PC12A34410700		STORMSCOPE PROCESSOR, A349					Component	ATA:34
PN:985.99.18.006	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:S02033	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-34-41-31-00A-920A-APROC. REF: AMM 12-B-34-41-31-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
PC12A34410800	STORMSCOPE ANTENNA, E348							Component ATA:34
PN:985.99.18.009	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:S01454	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-34-41-32-00A-920A-APROC. REF: AMM 12-B-34-41-32-00A-920A-A								
PC12A34420100	RADAR ALTIMETER TRANSCEIVER, A269							Component ATA:34
PN:985.99.11.524	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:KRA405B-24802	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-34-42-01-00A-920A-APROC. REF: AMM 12-C-34-42-01-00A-920A-A								
PC12A34420210	RADAR ALTIMETER ANTENNA, LH, E177							Component ATA:34
PN:984.81.29.101	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:543-112434	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-34-42-02-00A-920A-APROC. REF: AMM 12-C-34-42-02-00A-920A-A								
PC12A34420220	RADAR ALTIMETER ANTENNA, RH, E178							Component ATA:34
PN:984.81.29.101	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:543-112435	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-34-42-02-00A-920A-APROC. REF: AMM 12-C-34-42-02-00A-920A-A								
PC12A34440100	TRAFFIC ALERT AND COLLISION AVOIDANCE SYSTEM (TCAS) PROCESSOR, A277							Component ATA:34
PN:985.99.11.968	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:TPA27107	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-34-44-01-00A-920A-APROC. REF: AMM 12-C-34-44-01-00A-920A-A								
PC12A34440200	TCAS ANTENNA, TOP, E219							Component ATA:34
PN:984.81.29.108	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:587-122548	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-34-44-02-00A-920A-APROC. REF: AMM 12-C-34-44-02-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
PC12A34440300		TCAS ANTENNA, BOTTOM, E317					Component	ATA:34
PN:984.81.10.240	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:261-142836	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-34-44-03-00A-920A-APROC. REF: AMM 12-C-34-44-03-00A-920A-A								
PC12A34510100		VHF NAVIGATION ANTENNA KIT, LH/RH					Component	ATA:34
PN:PN	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-34-51-03-00A-920A-APROC. REF: AMM 12-B-34-51-03-00A-920A-A								
PC12A34510200		ANTENNA COUPLER, FR10, A103					Component	ATA:34
PN:984.81.17.413	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:716690	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A34512000		VHF NAVIGATION ANTENNA, RH					Component	ATA:34
PN:PN	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A34520100		DISTANCE MEASURING EQUIPMENT (DME) TRANSCEIVER, A253					Component	ATA:34
PN:985.99.11.101	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:46088	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-34-52-01-00A-920A-APROC. REF: AMM 12-C-34-52-01-00A-920A-A								
PC12A34520200		DISTANCE MEASURING EQUIPMENT (DME) ANTENNA, E169					Component	ATA:34
PN:984.81.10.240	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:261-142859	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-34-52-02-00A-920A-APROC. REF: AMM 12-B-34-52-02-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
PC12A34530100		ADF ANTENNA, E337					Component	ATA:34
PN:985.99.11.167	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:KA44B-A97676	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-34-53-02-00A-920A-APROC. REF: AMM 12-B-34-53-02-00A-920A-A								
PC12A34530200		TACAN KFS 579A NAV/TAV CONTROL UNIT					Component	ATA:34
PN:PN	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A34530300		TACAN KTU 709 TRANSCIVER					Component	ATA:34
PN:PN	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A34530400		TACAN SANDEL SN3500 EHSI					Component	ATA:34
PN:PN	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A34530500		TACAN KTR 909 TRANSCEIVER					Component	ATA:34
PN:PN	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A34530600		TACAN KDI 574 DME INDICATOR					Component	ATA:34
PN:PN	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
PC12A34530700		LEFT TACAN/DME DUAL DIRECTIONAL ANTENNA					Component	ATA:34
PN:PN	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A34530705		RIGHT TACAN/DME DUAL DIRECTIONAL ANTENNA					Component	ATA:34
PN:PN	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A34530800		LEFT TACACAN /DME ANTENNA CONTOUR PLATE					Component	ATA:34
PN:PN	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A34530805		RIGHT TACACAN /DME ANTENNA CONTOUR PLATE					Component	ATA:34
PN:PN	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A34540110		NO. 1 ATC TRANSPONDER					Component	ATA:34
PN:985.99.12.269	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:KXP2290A-5286	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-34-54-01-00A-920A-APROC. REF: AMM 12-B-34-54-01-00A-920A-A								
PC12A34540120		NO. 2 ATC TRANSPONDER					Component	ATA:34
PN:985.99.12.269	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:KXP2290A-5268	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-34-54-01-00A-920A-APROC. REF: AMM 12-B-34-54-01-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
PC12A34540210		ATC ANTENNA, TOP, E249					Component	ATA:34
PN:984.81.10.240	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:261-142857	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-34-54-03-00A-920A-APROC. REF: AMM 12-B-34-54-03-00A-920A-A								
PC12A34540220		ATC ANTENNA, BOTTOM, E166					Component	ATA:34
PN:984.81.10.240	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:261-142840	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-34-54-02-00A-920A-A, AMM 12-B-34-54-04-00A-920A-APROC. REF: AMM 12-B-34-54-02-00A-920A-A, AMM 12-B-34-54-04-00A-920A-A								
PC12A34570110		GLOBAL POSITIONING SYSTEM (GPS) RECEIVER 1, LH, A117					Component	ATA:34
PN:985.99.12.253	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:KGS200-5713	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-34-57-01-00A-920B-APROC. REF: AMM 12-C-34-57-01-00A-920B-A								
PC12A34570120		GLOBAL POSITIONING SYSTEM (GPS) RECEIVER 2, RH, A116					Component	ATA:34
PN:985.99.12.253	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:KGS200-5798	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-34-57-01-00A-920C-APROC. REF: AMM 12-B-34-57-01-00A-920C-A								
PC12A34570210		GLOBAL POSITIONING SYSTEM (GPS) ANTENNA 1, FR 17/18, E179					Component	ATA:34
PN:985.99.11.200	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:49317056	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-34-57-02-00A-920A-APROC. REF: AMM 12-C-34-57-02-00A-920A-A								
PC12A34570220		GLOBAL POSITIONING SYSTEM (GPS) ANTENNA 2, FR 18/19, E189					Component	ATA:34
PN:985.99.11.200	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:49317018	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-34-57-02-00A-920A-APROC. REF: AMM 12-C-34-57-02-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
PC12A34570300	GLOBAL POSITIONING SYSTEM (GPS) ANTENNA 3, FR 16/17, E167							Component ATA:34
PN:PN	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-34-57-02-00A-920A-APROC. REF: AMM 12-C-34-57-02-00A-920A-A								
ATA 35 - OXYGEN								
35-10/269 ^S	OXYGEN PIPELINES AND EQUIPMENT - EXAMINE							Service ATA:35
	MOS	04-Dec-24	12 (+10%/-10%)					
	HRS	146.8	1200 (+10%/-10%)					
	AFL	62						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:3
35-10/458 ^S	CREW OXYGEN SYSTEM - OPERATIONAL TEST							Service ATA:35
	MOS	04-Dec-24	12 (+10%/-10%)					
	HRS	146.8	1200 (+10%/-10%)					
	AFL	62						
PROC. REF: AMM 12-B-35-00-00-00A-903A-A, AMM 12-B-35-00-00-00A-903B-APROC. REF: AMM 12-B-35-00-00-00A-903A-A, AMM 12-B-35-00-00-00A-903B-A								PKG:3
35-10/551 ^S	HIGH PRESSURE RELIEF INDICATOR (GREEN DISK) (MSN 2001 AND UP) - MAKE SURE THAT IS IT NOT DAMAGED							Service ATA:35
	MOS	04-Dec-24	12 (+10%/-10%)					
	HRS	146.8	600 (+10%/-10%)					
	AFL	62						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:2
35-10/552 ^S	OXYGEN SYSTEM (MSN 2001 AND UP) - CHECK CONTENTS							Service ATA:35
	MOS	30-Nov-23						
	HRS	0	600 (+10%/-10%)					
	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:1

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 35 - OXYGEN								
35-10/6	LIFE LIMIT - OXYGEN BOTTLE							Service ATA:35
PN:957.12.12.211	MOS	31-Dec-22	180		31-Dec-37		4600 d	LIFE LIMIT
SN:C22120478	HRS							
	AFL							
Manufacture Date:: 31-Dec-22								
PROC. REF: SIL SIL-35-114, SIL SIL-35-114, AMM 12-B-35-10-01-00A-920A-APROC. REF: SIL SIL-35-114, SIL SIL-35-114, AMM 12-B-35-10-01-00A-920A-A								
35-10/7	OXYGEN BOTTLE - HYDROSTATIC TEST							Service ATA:35
PN:957.12.12.211	MOS	30-Sep-22	60		30-Sep-27		855 d	
SN:C22120478	HRS							
	AFL							
HydroCheck Date: : 30-Sep-22								
PROC. REF: SIL SIL-35-114, SIL SIL-35-114, SIL SIL-35-114PROC. REF: SIL SIL-35-114, SIL SIL-35-114, SIL SIL-35-114								
35-20/459	PASSENGER OXYGEN (PLUG-IN MASK) SYSTEM (IF INSTALLED) - OPERATIONAL TEST							Service ATA:35
	MOS	30-Nov-23						
	HRS	0	600		600		399.8	
	AFL	0						
PROC. REF: AMM 12-B-35-00-00-00A-903A-APROC. REF: AMM 12-B-35-00-00-00A-903A-A								
35-20/87	INSPECTION/CHECK PASSENGER OXYGEN MASKS							Service ATA:35
	MOS	30-Nov-23	36 (+10%/-10%)		30-Nov-26	16-Mar-27	551 d (+106)	
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-35-20-00-00A-313A-APROC. REF: AMM 12-B-35-20-00-00A-313A-A								
35-CA/1	OXYGEN CYLINDER REGULATOR - OVERHAUL							Service ATA:35
PN:957.12.12.211	MOS	31-Dec-22	60 (+6m/-6m)		31-Dec-27	30-Jun-28	947 d (+182)	OVERHAUL
SN:C22120478	HRS							
	AFL							
OverHaul Date:: 31-Dec-22								
PROC. REF: SIL SIL-35-114PROC. REF: SIL SIL-35-114								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 35 - OXYGEN								
PC12A35100100	OXYGEN CYLINDER							Component ATA:35
PN:957.12.12.211	MOS/MSC	30-Nov-23	H/T	TSN 0				
SN:C22120478	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-35-10-01-00A-920A-APROC. REF: AMM 12-B-35-10-01-00A-920A-A								
PC12A35100200	PRESSURE SWITCH, S153							Component ATA:35
PN:973.81.14.401	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:2207	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A35100310	OXYGEN MASK, PILOT							Component ATA:35
PN:957.12.01.210	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:B189166	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-35-10-02-00A-920A-APROC. REF: AMM 12-B-35-10-02-00A-920A-A								
PC12A35100320	OXYGEN MASK, CO-PILOT							Component ATA:35
PN:957.12.01.210	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:B189383	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-35-10-02-00A-920A-APROC. REF: AMM 12-B-35-10-02-00A-920A-A								
PC12A35100400	OXYGEN GAUGE, M155							Component ATA:35
PN:PN	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-35-20-05-00A-920A-APROC. REF: AMM 12-B-35-20-05-00A-920A-A								
PC12A35200100	3-POSITION CONTROL VALVE, S151							Component ATA:35
PN:963.32.11.102	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:R23050027	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-35-20-04-00A-920A-APROC. REF: AMM 12-B-35-20-04-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 35 - OXYGEN								
PC12A35200310	TOILET PASSENGER DROP DOWN OXYGEN MASK ASSEMBLY							Component ATA:35
PN:PN	MOS/MSC		H/T					
SN:NOT INSTALLED	HRS							
	AFL							
PROC. REF: AMM 12-B-35-20-07-00A-920A-A, AMM 12-B-35-20-03-00A-920A-APROC. REF: AMM 12-B-35-20-07-00A-920A-A, AMM 12-B-35-20-03-00A-920A-A								
PC12A35200320	NO. 1 LH SEAT PASSENGER DROP DOWN OXYGEN MASK ASSEMBLY							Component ATA:35
PN:PN	MOS/MSC		H/T	TSN 0				
SN:NOT INSTALLED	HRS			TSN 0				
	AFL			TSN 0				
PROC. REF: AMM 12-B-35-20-07-00A-920A-A, AMM 12-B-35-20-03-00A-920A-APROC. REF: AMM 12-B-35-20-07-00A-920A-A, AMM 12-B-35-20-03-00A-920A-A								
PC12A35200330	NO. 2 RH SEAT PASSENGER DROP DOWN OXYGEN MASK ASSEMBLY							Component ATA:35
PN:PN	MOS/MSC		H/T	TSN 0				
SN:NOT INSTALLED	HRS			TSN 0				
	AFL			TSN 0				
PROC. REF: AMM 12-B-35-20-07-00A-920A-A, AMM 12-B-35-20-03-00A-920A-APROC. REF: AMM 12-B-35-20-07-00A-920A-A, AMM 12-B-35-20-03-00A-920A-A								
PC12A35200340	NO. 3 LH SEAT PASSENGER DROP DOWN OXYGEN MASK ASSEMBLY							Component ATA:35
PN:PN	MOS/MSC		H/T	TSN 0				
SN:NOT INSTALLED	HRS			TSN 0				
	AFL			TSN 0				
PROC. REF: AMM 12-B-35-20-07-00A-920A-A, AMM 12-B-35-20-03-00A-920A-APROC. REF: AMM 12-B-35-20-07-00A-920A-A, AMM 12-B-35-20-03-00A-920A-A								
PC12A35200350	NO. 4 RH SEAT PASSENGER DROP DOWN OXYGEN MASK ASSEMBLY							Component ATA:35
PN:PN	MOS/MSC		H/T	TSN 0				
SN:NOT INSTALLED	HRS			TSN 0				
	AFL			TSN 0				
PROC. REF: AMM 12-B-35-20-07-00A-920A-A, AMM 12-B-35-20-03-00A-920A-APROC. REF: AMM 12-B-35-20-07-00A-920A-A, AMM 12-B-35-20-03-00A-920A-A								
PC12A35200360	NO. 5 LH SEAT PASSENGER DROP DOWN OXYGEN MASK ASSEMBLY							Component ATA:35
PN:PN	MOS/MSC		H/T	TSN 0				
SN:NOT INSTALLED	HRS			TSN 0				
	AFL			TSN 0				
PROC. REF: AMM 12-B-35-20-07-00A-920A-A, AMM 12-B-35-20-03-00A-920A-APROC. REF: AMM 12-B-35-20-07-00A-920A-A, AMM 12-B-35-20-03-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 35 - OXYGEN								
PC12A35200370		NO. 6 RH SEAT PASSENGER DROP DOWN OXYGEN MASK ASSEMBLY						Component ATA:35
PN:PN	MOS/MSC		H/T	TSN 0				
SN:NOT INSTALLED	HRS			TSN 0				
	AFL			TSN 0				
PROC. REF: AMM 12-B-35-20-07-00A-920A-A, AMM 12-B-35-20-03-00A-920A-A, AMM 12-B-35-20-03-00A-920A-A								
PC12A35200380		NO. 7 LH SEAT PASSENGER DROP DOWN OXYGEN MASK ASSEMBLY						Component ATA:35
PN:PN	MOS/MSC		H/T	TSN 0				
SN:NOT INSTALLED	HRS			TSN 0				
	AFL			TSN 0				
PROC. REF: AMM 12-B-35-20-07-00A-920A-A, AMM 12-B-35-20-03-00A-920A-A, AMM 12-B-35-20-03-00A-920A-A								
PC12A35200390		NO. 8 RH SEAT PASSENGER DROP DOWN OXYGEN MASK ASSEMBLY						Component ATA:35
PN:PN	MOS/MSC		H/T	TSN 0				
SN:NOT INSTALLED	HRS			TSN 0				
	AFL			TSN 0				
PROC. REF: AMM 12-B-35-20-07-00A-920A-A, AMM 12-B-35-20-03-00A-920A-A, AMM 12-B-35-20-03-00A-920A-A								
PC12A35200395		NO. 9 LH SEAT PASSENGER DROP DOWN OXYGEN MASK ASSEMBLY						Component ATA:35
PN:PN	MOS/MSC		H/T	TSN 0				
SN:NOT INSTALLED	HRS			TSN 0				
	AFL			TSN 0				
PROC. REF: AMM 12-B-35-20-07-00A-920A-A, AMM 12-B-35-20-06-00A-920A-A, AMM 12-B-35-20-06-00A-920A-A								
PC12A35200400		SHUT-OFF VALVE, FR 16/17						Component ATA:35
PN:PN	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A35200410		TOILET PASSENGER DROP DOWN OXYGEN MASK CARTRIDGE						Component ATA:35
PN:PN	MOS/MSC		H/T	TSN 0				
SN:NOT INSTALLED	HRS			TSN 0				
	AFL			TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 35 - OXYGEN								
PC12A35200420	NO. 1 LH SEAT PASSENGER DROP DOWN OXYGEN MASK CARTRIDGE							Component ATA:35
PN:PN	MOS/MSC		H/T	TSN 0				
SN:NOT INSTALLED	HRS			TSN 0				
	AFL			TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A35200430	NO. 2 RH SEAT PASSENGER DROP DOWN OXYGEN MASK CARTRIDGE							Component ATA:35
PN:PN	MOS/MSC		H/T	TSN 0				
SN:NOT INSTALLED	HRS			TSN 0				
	AFL			TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A35200440	NO. 3 LH SEAT PASSENGER DROP DOWN OXYGEN MASK CARTRIDGE							Component ATA:35
PN:PN	MOS/MSC		H/T	TSN 0				
SN:NOT INSTALLED	HRS			TSN 0				
	AFL			TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A35200450	NO. 4 RH SEAT PASSENGER DROP DOWN OXYGEN MASK CARTRIDGE							Component ATA:35
PN:PN	MOS/MSC		H/T	TSN 0				
SN:NOT INSTALLED	HRS			TSN 0				
	AFL			TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A35200460	NO. 5 LH SEAT PASSENGER DROP DOWN OXYGEN MASK CARTRIDGE							Component ATA:35
PN:PN	MOS/MSC		H/T	TSN 0				
SN:NOT INSTALLED	HRS			TSN 0				
	AFL			TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A35200470	NO. 6 RH SEAT PASSENGER DROP DOWN OXYGEN MASK CARTRIDGE							Component ATA:35
PN:PN	MOS/MSC		H/T	TSN 0				
SN:NOT INSTALLED	HRS			TSN 0				
	AFL			TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 35 - OXYGEN								
PC12A35200480	NO. 7 LH SEAT PASSENGER DROP DOWN OXYGEN MASK CARTRIDGE							Component ATA:35
PN:PN	MOS/MSC		H/T	TSN 0				
SN:NOT INSTALLED	HRS			TSN 0				
	AFL			TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A35200490	NO. 8 RH SEAT PASSENGER DROP DOWN OXYGEN MASK CARTRIDGE							Component ATA:35
PN:PN	MOS/MSC		H/T	TSN 0				
SN:NOT INSTALLED	HRS			TSN 0				
	AFL			TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A35200495	NO. 9 LH SEAT PASSENGER DROP DOWN OXYGEN MASK CARTRIDGE							Component ATA:35
PN:PN	MOS/MSC		H/T	TSN 0				
SN:NOT INSTALLED	HRS			TSN 0				
	AFL			TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A35200500	PRESSURE TRANSDUCER FR 36/37							Component ATA:35
PN:PN	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
ATA 44 - CABIN SYSTEMS								
PC12A44100100	ENTERTAINMENT SYSTEM STC							Component ATA:44
PN:PN	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 45 - CENTRAL MAINT SYSTEM								
45-45/454 ^S	CENTRAL MAINTENANCE SYSTEM - DO A CMC REPORTS - EXPORT FAULT HISTORY - SEND TO -> LOCAL STORAGE DOWNLOAD							Service ATA:45
	MOS	04-Dec-24	12 (+10%/-10%)					
	HRS	146.8	1200 (+10%/-10%)					
	AFL	62						
PROC. REF: AMM 12-B-45-45-00-00A-551A-APROC. REF: AMM 12-B-45-45-00-00A-551A-A								PKG:3

PC12A45450110	BUS TERMINATOR, MAINTENANCE PANEL FRONT, A157							Component ATA:45
PN:985.99.12.117	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:KBT300-7012	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								

PC12A45450120	BUS TERMINATOR, MAINTENANCE PANEL REAR, A156							Component ATA:45
PN:985.99.12.117	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:KBT300-7027	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								

PC12A45450130	BUS TERMINATOR, FR 18, LH, A175							Component ATA:45
PN:985.99.12.117	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:KBT300-7024	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								

PC12A45450140	BUS TERMINATOR, FR 18, RH, A174							Component ATA:45
PN:985.99.12.117	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:KBT300-7022	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								

ATA 46 - INFORMATION SYSTEMS

46-26/553 ^S	PILOT AND COPILOT (IF INSTALLED) PFD REVERSIONARY SWITCHES (MSN 2001 AND UP) - OPERATIONAL TEST							Service ATA:46
	MOS	04-Dec-24	12 (+10%/-10%)					
	HRS	146.8	600 (+10%/-10%)					
	AFL	62						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 46 - INFORMATION SYSTEMS									
PROC. REF: AMM 12-C-46-30-05-00A-903A-APROC. REF: AMM 12-C-46-30-05-00A-903A-A								PKG:2	
46-26/554 ^S	ADAHRS SENSOR SOURCE SELECT SWITCHES (MSN 2001 AND UP) - OPERATIONAL TEST							Service	ATA:46
	MOS	04-Dec-24	12 (+10%/-10%)						
	HRS	146.8	600 (+10%/-10%)						
	AFL	62							
PROC. REF: AMM 12-B-46-30-02-00A-903A-APROC. REF: AMM 12-B-46-30-02-00A-903A-A								PKG:2	
PC12A46200100	WIRELESS DATA LOADING DEVICE, A350							Component	ATA:46
PN:975.96.32.486	MOS/MSC	05-Feb-25	O/C	TSN 0					
SN:12705	HRS	162	TSN 0						
	AFL	79	TSN 0						
PROC. REF: AMM 12-B-46-21-12-00A-920A-APROC. REF: AMM 12-B-46-21-12-00A-920A-A									
PC12A46300110	PRIMARY FLIGHT DISPLAY, PILOT, M121							Component	ATA:46
PN:985.99.12.411	MOS/MSC	30-Nov-23	O/C	TSN 0					
SN:2890057067	HRS	0	TSN 0						
	AFL	0	TSN 0						
PROC. REF: AMM 12-C-46-30-01-00A-920A-APROC. REF: AMM 12-C-46-30-01-00A-920A-A									
PC12A46300120	PRIMARY FLIGHT DISPLAY, CO-PILOT, M122							Component	ATA:46
PN:985.99.12.411	MOS/MSC	04-Dec-24	O/C	TSN 13					
SN:2890058270	HRS	146.8	TSN 146.8						
	AFL	62	TSN 62						
PROC. REF: AMM 12-C-46-30-01-00A-920A-APROC. REF: AMM 12-C-46-30-01-00A-920A-A									
PC12A46300130	MULTI-FUNCTION DISPLAY, UPPER, M124							Component	ATA:46
PN:985.99.12.411	MOS/MSC	04-Dec-24	O/C	TSN 13					
SN:2890058116	HRS	146.8	TSN 146.8						
	AFL	62	TSN 62						
PROC. REF: AMM 12-C-46-30-03-00A-920A-APROC. REF: AMM 12-C-46-30-03-00A-920A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 46 - INFORMATION SYSTEMS								
PC12A46300140 MULTI-FUNCTION DISPLAY, LOWER, M123								Component ATA:46
PN:985.99.12.411	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:2890058867	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-46-30-03-00A-920A-APROC. REF: AMM 12-C-46-30-03-00A-920A-A								
PC12A46300210 PRIMARY FLIGHT DISPLAY (PFD) CONTROLLER, PILOT, A123								Component ATA:46
PN:985.99.12.178	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:KMC2210-4611	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-46-30-02-00A-920A-APROC. REF: AMM 12-C-46-30-02-00A-920A-A								
PC12A46300220 PRIMARY FLIGHT DISPLAY (PFD) CONTROLLER, CO-PILOT, A124								Component ATA:46
PN:985.99.12.178	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:KMC2210-4648	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-46-30-02-00A-920A-APROC. REF: AMM 12-C-46-30-02-00A-920A-A								
PC12A46300300 TOUCH-SCREEN CONTROLLER, A129								Component ATA:46
PN:985.99.12.070	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:5593923080646	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-46-30-04-00A-920A-APROC. REF: AMM 12-C-46-30-04-00A-920A-A								
PC12A46300400 CURSOR CONTROL DEVICE, CCD								Component ATA:46
PN:972.81.21.181	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:0950	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-46-30-07-00A-920A-APROC. REF: AMM 12-C-46-30-07-00A-920A-A								
PC12A46300500 CURSOR CONTROL UNIT, A104								Component ATA:46
PN:985.99.12.202	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:56726	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-46-30-08-00A-920A-APROC. REF: AMM 12-B-46-30-08-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 52 - DOORS								
52-10/189 ^S	PASSENGER/CREW DOOR SEAL - CLEAN WITH A DRY CLOTH, EXAMINE AND APPLY FRENCH CHALK (P09-002)							Service ATA:52
	MOS	04-Dec-24	12 (+10%/-10%)					
	HRS	146.8	600 (+10%/-10%)					
	AFL	62						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:2
52-10/190 ^S	PASSENGER/CREW DOOR SHOOT BOLTS AND DOOR FRAME FITTINGS - EXAMINE							Service ATA:52
	MOS	04-Dec-24	12 (+10%/-10%)					
	HRS	146.8	600 (+10%/-10%)					
	AFL	62						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:2
52-10/191 ^S	PASSENGER/CREW DOOR HANDLE LOCK PIN AND LATCH - EXAMINE. MAKE SURE MOVEMENT IS FREE. LUBRICATE WITH CPC (P10-001) AS NECESSARY WHEN OPERATING IN FREEZING CONDITIONS							Service ATA:52
	MOS	04-Dec-24	12 (+10%/-10%)					
	HRS	146.8	600 (+10%/-10%)					
	AFL	62						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:2
52-10/192 ^S	PASSENGER/CREW DOOR HINGES - EXAMINE AND LUBRICATE AS NECESSARY WITH MINIMUM QUANTITY OF CPC (P10-001)							Service ATA:52
	MOS	04-Dec-24	12 (+10%/-10%)					
	HRS	146.8	600 (+10%/-10%)					
	AFL	62						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:2
52-10/271 ^S	PASSENGER/CREW DOOR, COUNTERBALANCE AND CABLE SUPPORT BRACKETS - EXAMINE							Service ATA:52
	MOS	04-Dec-24	12 (+10%/-10%)					
	HRS	146.8	1200 (+10%/-10%)					
	AFL	62						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:3

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 52 - DOORS								
52-10/348	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - PASSENGER/CREW DOOR - EXAMINE ALL STRUCTURAL ELEMENTS (CPCP)							Service ATA:52
	MOS	30-Nov-23						
	HRS	0	T:32500		32500		32299.8	
	AFL	0	T:42000		42000		41898	
PROC. REF: AMM 12-B-52-10-00-00A-310A-APROC. REF: AMM 12-B-52-10-00-00A-310A-A								
52-10/405	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - PASSENGER/CREW DOOR PIANO HINGE - EDDY CURRENT INSPECTION							Service ATA:52
	MOS	30-Nov-23						
	HRS	0	T:32500 (+500/-500)		32500	33000	32299.8 (+500)	
	AFL	0	T:42000 (+500/-500)		42000	42500	41898 (+500)	
PROC. REF: AMM 12-B-52-00-01-00A-353A-APROC. REF: AMM 12-B-52-00-01-00A-353A-A								
52-10/406	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - PASSENGER/CREW DOOR SKIN - EDDY CURRENT INSPECTION							Service ATA:52
	MOS	30-Nov-23						
	HRS	0	T:25000 (+500/-500)		25000	25500	24799.8 (+500)	
	AFL	0	T:30000 (+500/-500)		30000	30500	29898 (+500)	
PROC. REF: AMM 12-C-52-10-01-00A-353A-APROC. REF: AMM 12-C-52-10-01-00A-353A-A								
52-10/88	PASSENGER/CREW DOOR - OXYGEN MASKS – EXAMINE WITH TRIM REMOVED. EXAMINE THE TOP STEP AREA AROUND THE INSULATION MAT FOR CORROSION. IF CORROSION IS FOUND, CONTACT PILATUS FOR A SPECIFIC REPAIR. EXAMINE DOOR HINGE PIN AND HINGE							Service ATA:52
	MOS	30-Nov-23	48 (+10%/-10%)		30-Nov-27	24-Apr-28	916 d (+146)	
	HRS	0	4000 (+10%/-10%)		4000	4400	3799.8 (+400)	
	AFL	0						
PROC. REF: AMM 12-C-25-21-03-00A-920A-A, AMM 12-C-25-22-03-00A-920A-A, AMM 12-C-52-10-00-00A-313A-APROC. REF: AMM 12-C-25-21-03-00A-920A-A, AMM 12-C-25-22-03-00A-920A-A, AMM 12-C-52-10-00-00A-313A-A								
52-20/272 ^S	EMERGENCY DOOR (DOOR REMOVED) - EXAMINE							Service ATA:52
	MOS	04-Dec-24	12 (+10%/-10%)					
	HRS	146.8	1200 (+10%/-10%)					
	AFL	62						
PROC. REF: AMM 12-B-52-20-00-00A-310A-APROC. REF: AMM 12-B-52-20-00-00A-310A-A								

PKG:3

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 52 - DOORS								
52-20/273 ^S	EMERGENCY DOOR SEAL - CLEAN WITH A WET CLOTH, DRY AND EXAMINE AND APPLY FRENCH CHALK (P09-002)							Service ATA:52
	MOS	04-Dec-24	12 (+10%/-10%)					
	HRS	146.8	1200 (+10%/-10%)					
	AFL	62						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:3
52-20/349	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - EMERGENCY DOOR - EXAMINE ALL STRUCTURAL ELEMENTS (CPCP)							Service ATA:52
	MOS	30-Nov-23						
	HRS	0	T:32500		32500		32299.8	
	AFL	0	T:42000		42000		41898	
PROC. REF: AMM 12-B-52-20-00-00A-310A-APROC. REF: AMM 12-B-52-20-00-00A-310A-A								
52-30/193 ^S	CARGO DOOR SEAL - CLEAN WITH A DRY CLOTH, EXAMINE AND APPLY FRENCH CHALK (P09-002)							Service ATA:52
	MOS	04-Dec-24	12 (+10%/-10%)					
	HRS	146.8	600 (+10%/-10%)					
	AFL	62						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:2
52-30/194 ^S	CARGO DOOR SHOOT BOLTS, DOOR FRAME FITTINGS AND HOOKS - EXAMINE. MAKE SURE THE HOOK ROLLER BUSHES ARE FREE TO ROTATE. FOR ROLLER BUSH WEAR LIMITS REFER TO AMM							Service ATA:52
	MOS	04-Dec-24	12 (+10%/-10%)					
	HRS	146.8	600 (+10%/-10%)					
	AFL	62						
PROC. REF: AMM 12-C-52-30-00-00A-313A-APROC. REF: AMM 12-C-52-30-00-00A-313A-A								PKG:2
52-30/195 ^S	CARGO DOOR HINGES - EXAMINE AND LUBRICATE AS NECESSARY WITH MINIMUM QUANTITY OF CPC (P10-001)							Service ATA:52
	MOS	04-Dec-24	12 (+10%/-10%)					
	HRS	146.8	600 (+10%/-10%)					
	AFL	62						
PROC. REF: AMM 12-B-52-30-00-01A-353A-APROC. REF: AMM 12-B-52-30-00-01A-353A-A								PKG:2

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 52 - DOORS								
52-30/274 ^S	CARGO DOOR - EXAMINE							Service ATA:52
	MOS	04-Dec-24	12 (+10%/-10%)					
	HRS	146.8	1200 (+10%/-10%)					
	AFL	62						
PROC. REF: AMM 12-B-52-30-00-00A-310A-APROC. REF: AMM 12-B-52-30-00-00A-310A-A								PKG:3
52-30/350	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - CARGO DOOR - EXAMINE ALL STRUCTURAL ELEMENTS (CPCP)							Service ATA:52
	MOS	30-Nov-23						
	HRS	0	T:32500		32500		32299.8	
	AFL	0	T:42000		42000		41898	
PROC. REF: AMM 12-B-52-30-00-00A-310A-APROC. REF: AMM 12-B-52-30-00-00A-310A-A								
52-30/407	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - CARGO DOOR PIANO HINGE - EDDY CURRENT INSPECTION							Service ATA:52
	MOS	30-Nov-23						
	HRS	0	T:32500 (+500/-500)		32500	33000	32299.8 (+500)	
	AFL	0	T:42000 (+500/-500)		42000	42500	41898 (+500)	
PROC. REF: AMM 12-B-52-30-00-01A-353A-APROC. REF: AMM 12-B-52-30-00-01A-353A-A								
52-30/408	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - CARGO DOOR SKIN - EDDY CURRENT INSPECTION							Service ATA:52
	MOS	30-Nov-23						
	HRS	0	T:25000 (+500/-500)		25000	25500	24799.8 (+500)	
	AFL	0	T:30000 (+500/-500)		30000	30500	29898 (+500)	
PROC. REF: AMM 12-B-52-30-01-00A-353A-APROC. REF: AMM 12-B-52-30-01-00A-353A-A								
52-30/8	LIFE LIMIT - NO. 1 CARGO DOOR LOWER LUG FITTING							Service ATA:52
PN:PN	MOS	30-Nov-23						LIFE LIMIT
SN:UNKNOWN	HRS	0	13000		13000		12799.8	
	AFL	0	17000		17000		16898	
PROC. REF: AMM 12-B-52-30-07-00A-920A-APROC. REF: AMM 12-B-52-30-07-00A-920A-A								
52-30/8	LIFE LIMIT - NO. 2 CARGO DOOR LOWER LUG FITTING							Service ATA:52
PN:PN	MOS	30-Nov-23						LIFE LIMIT
SN:UNKNOWN	HRS	0	13000		13000		12799.8	
	AFL	0	17000		17000		16898	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 52 - DOORS								
PROC. REF: AMM 12-B-52-30-07-00A-920A-APROC. REF: AMM 12-B-52-30-07-00A-920A-A								
52-30/8	LIFE LIMIT - NO. 3 CARGO DOOR LOWER LUG FITTING							Service ATA:52
PN:PN	MOS	30-Nov-23					LIFE LIMIT	
SN:UNKNOWN	HRS	0	13000		13000		12799.8	
	AFL	0	17000		17000		16898	
PROC. REF: AMM 12-B-52-30-07-00A-920A-APROC. REF: AMM 12-B-52-30-07-00A-920A-A								
52-30/89	CARGO DOOR - EXAMINE WITH TRIM REMOVED. EXAMINE DOOR HINGE PIN, HINGES AND THE LOCK MECHANISM							Service ATA:52
	MOS	30-Nov-23	48 (+10%/-10%)		30-Nov-27	24-Apr-28	916 d (+146)	
	HRS	0	4000 (+10%/-10%)		4000	4400	3799.8 (+400)	
	AFL	0						
PROC. REF: AMM 12-C-52-30-00-00A-313A-A, AMM 12-C-25-21-03-00A-920A-A, AMM 12-C-25-22-03-00A-920A-APROC. REF: AMM 12-C-52-30-00-00A-313A-A, AMM 12-C-25-21-03-00A-920A-A, AMM 12-C-25-22-03-00A-920A-A								
52-70/275 ^S	DOOR WARNING SYSTEM - OPERATIONAL TEST							Service ATA:52
	MOS	04-Dec-24	12 (+10%/-10%)					
	HRS	146.8	1200 (+10%/-10%)					
	AFL	62						
								PKG:3
PROC. REF: AMM 12-C-52-70-00-00A-903A-APROC. REF: AMM 12-C-52-70-00-00A-903A-A								
PC12A52100100	PASSENGER DOOR							Component ATA:52
PN:552.10.12.560	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:7217	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-52-10-01-00A-920A-A, AMM 12-C-52-10-01-00A-920B-APROC. REF: AMM 12-B-52-10-01-00A-920A-A, AMM 12-C-52-10-01-00A-920B-A								
PC12A52200100	EMERGENCY EXIT DOOR							Component ATA:52
PN:552.20.12.041	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:7217	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-52-20-00-00A-920A-APROC. REF: AMM 12-B-52-20-00-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 52 - DOORS								
PC12A52300100	CARGO DOOR							Component ATA:52
PN:552.30.12.047	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:7217	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-52-30-01-00A-920A-APROC. REF: AMM 12-B-52-30-01-00A-920A-A								
PC12A523CA010	NO. 1 CARGO DOOR LOWER LUG FITTING							Component ATA:52
PN:PN	MOS/MSC	30-Nov-23	H/T	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-52-30-07-00A-920A-APROC. REF: AMM 12-B-52-30-07-00A-920A-A								
PC12A523CA020	NO. 2 CARGO DOOR LOWER LUG FITTING							Component ATA:52
PN:PN	MOS/MSC	30-Nov-23	H/T	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-52-30-07-00A-920A-APROC. REF: AMM 12-B-52-30-07-00A-920A-A								
PC12A523CA030	NO. 3 CARGO DOOR LOWER LUG FITTING							Component ATA:52
PN:PN	MOS/MSC	30-Nov-23	H/T	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-52-30-07-00A-920A-APROC. REF: AMM 12-B-52-30-07-00A-920A-A								
ATA 53 - FUSELAGE								
53-00/276 ^S	REAR PRESSURE BULKHEAD - EXAMINE							Service ATA:53
	MOS	04-Dec-24	12 (+10%/-10%)					
	HRS	146.8	1200 (+10%/-10%)					
	AFL	62						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

PKG:3

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
53-00/277 ^S	EXAMINE FLOOR PANELS TOP AND BOTTOM SURFACE AND SEAT RAILS, AS FAR AS POSSIBLE, WITH FLOOR PANELS REMOVED						Service	ATA:53
	MOS	04-Dec-24	12 (+10%/-10%)					
	HRS	146.8	1200 (+10%/-10%)					
	AFL	62						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:3
53-00/278 ^S	BAGGAGE/FREIGHT NET MOUNTING PLATES ATTACHMENT BOLTS AND SURROUNDING STRUCTURE - EXAMINE FOR CORROSION						Service	ATA:53
	MOS	30-Nov-23	24 (+10%/-10%)					
	HRS	0	2400 (+10%/-10%)					
	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:4
53-00/279 ^S	BAGGAGE COMPARTMENT - EXAMINE						Service	ATA:53
	MOS	30-Nov-23	24 (+10%/-10%)					
	HRS	0	2400 (+10%/-10%)					
	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:4
53-00/280 ^S	REAR FUSELAGE INTERNAL STRUCTURE - EXAMINE AS FAR AS POSSIBLE, IN PARTICULAR EXAMINE BATTERY MOUNTING TRAY FOR CORROSION						Service	ATA:53
	MOS	04-Dec-24	12 (+10%/-10%)					
	HRS	146.8	1200 (+10%/-10%)					
	AFL	62						
PROC. REF: AMM 12-B-53-30-00-00A-310A-APROC. REF: AMM 12-B-53-30-00-00A-310A-A								PKG:3
53-00/324	LIFE LIMIT - FUSELAGE AND ASSOCIATED STRUCTURE - POST SB 04-009						Service	ATA:53
PN:553.00.12.033	MOS/MSC	30-Nov-23	N/A					
SN:7217	HRS	0						
	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
53-00/337 ^S	CARRY THROUGH FRAMES 21 AND 24 - INSPECTION/CHECK							Service ATA:53
	MOS	04-Dec-24	12 (+10%/-10%)					
	HRS	146.8	1200 (+10%/-10%)					
	AFL	62						
PROC. REF: AMM 12-B-53-20-02-00A-313A-APROC. REF: AMM 12-B-53-20-02-00A-313A-A								PKG:3
53-00/351	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - UPPER LONGERONS FRAME 10 - EDDY CURRENT INSPECTION							Service ATA:53
	MOS	30-Nov-23						
	HRS	0	T:32500		32500		32299.8	
	AFL	0	T:42000		42000		41898	
PROC. REF: AMM 12-B-53-10-06-01A-353A-APROC. REF: AMM 12-B-53-10-06-01A-353A-A								
53-00/352	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - FUSELAGE FRAMES 10 TO 16 - EXAMINE ALL STRUCTURAL ELEMENTS (CPCP)							Service ATA:53
	MOS	30-Nov-23						
	HRS	0	T:32500		32500		32299.8	
	AFL	0	T:42000		42000		41898	
PROC. REF: AMM 12-B-53-10-00-00A-310A-APROC. REF: AMM 12-B-53-10-00-00A-310A-A								
53-00/353	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - FUSELAGE FRAMES 16 TO 36 - EXAMINE ALL STRUCTURAL ELEMENTS (CPCP)							Service ATA:53
	MOS	30-Nov-23						
	HRS	0	T:32500		32500		32299.8	
	AFL	0	T:42000		42000		41898	
PROC. REF: AMM 12-B-53-20-00-00A-310A-APROC. REF: AMM 12-B-53-20-00-00A-310A-A								
53-00/354	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - FUSELAGE FRAMES 36 TO 43 - EXAMINE ALL STRUCTURAL ELEMENTS (CPCP)							Service ATA:53
	MOS	30-Nov-23						
	HRS	0	T:32500		32500		32299.8	
	AFL	0	T:42000		42000		41898	
PROC. REF: AMM 12-B-53-30-00-00A-310A-APROC. REF: AMM 12-B-53-30-00-00A-310A-A								
53-00/355	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - ANTENNA STRUCTURE - EXAMINE (CPCP)							Service ATA:53
	MOS	30-Nov-23						
	HRS	0	T:32500		32500		32299.8	
	AFL	0	T:42000		42000		41898	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
PROC. REF: AMM 12-B-53-00-00-00A-310A-APROC. REF: AMM 12-B-53-00-00-00A-310A-A								
53-00/356	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - ANTENNA - BOTTOM FUSELAGE SKIN - EDDY CURRENT INSPECTION							Service ATA:53
	MOS	30-Nov-23						
	HRS	0	T:28300		28300		28099.8	
	AFL	0	T:37000		37000		36898	
PROC. REF: AMM 12-B-53-00-00-00A-353A-APROC. REF: AMM 12-B-53-00-00-00A-353A-A								
53-00/357	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - ANTENNA - UPPER FUSELAGE SKIN - EDDY CURRENT INSPECTION							Service ATA:53
	MOS	30-Nov-23						
	HRS	0	T:32500		32500		32299.8	
	AFL	0	T:42000		42000		41898	
PROC. REF: AMM 12-B-53-00-00-00A-353A-APROC. REF: AMM 12-B-53-00-00-00A-353A-A								
53-00/359	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - FRAMES 21 AND 24 WING ATTACHMENTS - EDDY CURRENT INSPECTION							Service ATA:53
	MOS	30-Nov-23						
	HRS	0	T:30000		30000		29799.8	
	AFL	0	T:39000		39000		38898	
PROC. REF: AMM 12-C-57-00-03-00A-353A-APROC. REF: AMM 12-C-57-00-03-00A-353A-A								
53-00/360	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - FRAMES 21 AND 24 SIDE FRAME ATTACHMENTS - EDDY CURRENT INSPECTION							Service ATA:53
	MOS	30-Nov-23						
	HRS	0	T:30000		30000		29799.8	
	AFL	0	T:39000		39000		38898	
PROC. REF: AMM 12-B-53-20-02-00A-353A-APROC. REF: AMM 12-B-53-20-02-00A-353A-A								
53-00/361	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - FRAMES 41 AND 43 STABILIZER ATTACHMENT - EDDY CURRENT INSPECTION							Service ATA:53
	MOS	30-Nov-23						
	HRS	0	T:32500		32500		32299.8	
	AFL	0	T:42000		42000		41898	
PROC. REF: AMM 12-B-55-30-03-00A-353A-A, AMM 12-B-53-30-02-00A-353A-APROC. REF: AMM 12-B-55-30-03-00A-353A-A, AMM 12-B-53-30-02-00A-353A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
53-00/419	SUPPLEMENTAL STRUCTURAL INSPECTION - FRAME 40 - EDDY CURRENT INSPECTION							Service ATA:53
	MOS	30-Nov-23						
	HRS	0	T:32500 (+500/-500)		32500	33000	32299.8 (+500)	
	AFL	0	T:42000 (+500/-500)		42000	42500	41898 (+500)	
PROC. REF: AMM 12-B-55-30-03-00A-353A-A, AMM 12-B-53-30-02-00A-353A-APROC. REF: AMM 12-B-55-30-03-00A-353A-A, AMM 12-B-53-30-02-00A-353A-A								
53-00/555 ^S	FUSELAGE EXTERNAL SURFACE (MSN 2001 AND UP) - EXAMINE FOR AIRCRAFT THAT EXPERIENCE STONE DAMAGE TO THE BELLY SKIN, VISUALLY EXAMINE AFFECTED AREAS FOR CRACKS							Service ATA:53
	MOS	04-Dec-24	12 (+10%/-10%)					
	HRS	146.8	600 (+10%/-10%)					
	AFL	62						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:2
53-00/9	LIFE LIMIT - FUSELAGE AND ASSOCIATED STRUCTURE - PRE SB 04-009							Service ATA:53
PN:553.00.12.033	MOS	30-Nov-23						LIFE LIMIT
SN:7217	HRS	0	20000		20000		19799.8	
	AFL	0	27000		27000		26898	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
53-00/90	FRONT PRESSURE BULKHEAD - EXAMINE WITH INSULATION ON ENGINE AND COCKPIT SIDES REMOVED. IF INSULATION ON COCKPIT SIDE IS WET REMOVE DRY AND REINSTALL INSULATION							Service ATA:53
	MOS	30-Nov-23	48 (+10%/-10%)		30-Nov-27	24-Apr-28	916 d (+146)	
	HRS	0	4000 (+10%/-10%)		4000	4400	3799.8 (+400)	
	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
53-00/91	FUSELAGE INTERNAL BOTTOM SURFACE - EXAMINE FRAMES 10,21,24, 36 AND FRAMES ADJACENT TO DOORS AND TO EMERGENCY EXIT, WITH INSULATION REMOVED. IF CORROSION IS FOUND EXAMINE ALL FUSELAGE BOTTOM SURFACE WITH INSULATION REMOVED. IF INSULATION IS WET, REMOVE DRY AND REINSTALL INSULATION							Service ATA:53
	MOS	30-Nov-23	48 (+10%/-10%)		30-Nov-27	24-Apr-28	916 d (+146)	
	HRS	0	4000 (+10%/-10%)		4000	4400	3799.8 (+400)	
	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
53-00/92	REAR PRESSURE BULKHEAD - EXAMINE WITH TRIM REMOVED							Service ATA:53
	MOS	30-Nov-23	48 (+10%/-10%)		30-Nov-27	24-Apr-28	916 d (+146)	
	HRS	0	4000 (+10%/-10%)		4000	4400	3799.8 (+400)	
	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
53-00/93	STRUCTURE AROUND WINDOWS - EXAMINE							Service ATA:53
	MOS	30-Nov-23	48 (+10%/-10%)		30-Nov-27	24-Apr-28	916 d (+146)	
	HRS	0	4000 (+10%/-10%)		4000	4400	3799.8 (+400)	
	AFL	0						
PROC. REF: AMM 12-B-53-10-16-00A-310A-APROC. REF: AMM 12-B-53-10-16-00A-310A-A								
53-00/94	DOOR FRAMES AND EMERGENCY EXIT FRAME - EXAMINE. IF INSULATION IS INSTALLED IN THE DOOR FRAMES AND IS WET, REMOVE AND DISCARD IT (NO LONGER INSTALLED ON PRODUCTION)							Service ATA:53
	MOS	30-Nov-23	48 (+10%/-10%)		30-Nov-27	24-Apr-28	916 d (+146)	
	HRS	0	4000 (+10%/-10%)		4000	4400	3799.8 (+400)	
	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
53-30/342	STATIC PORTS CRITICAL AREA - INSPECTION/CHECK							Service ATA:53
	MOS	04-Dec-24	12 (+10%/-10%)	Adj -4d	30-Nov-25	06-Jan-26	186 d (+37)	
	HRS	146.8						
	AFL	62						
PROC. REF: AMM 12-B-53-30-01-00A-313A-APROC. REF: AMM 12-B-53-30-01-00A-313A-A								
PC12A53000100	FUSELAGE AND ASSOCIATED STRUCTURE							Component ATA:53
PN:553.00.12.033	MOS/MSC	30-Nov-23	H/T	TSN 0				
SN:7217	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A53000200	PRESSURE DOME							Component ATA:53
PN:PN	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 55 - STABILIZERS								
55-00/10	LIFE LIMIT - TAIL STRUCTURE - PRE SB 04-009							Service ATA:55
PN:UNKN	MOS	30-Nov-23						LIFE LIMIT
SN:UNKNOWN	HRS	0	20000		20000		19799.8	
	AFL	0	27000		27000		26898	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
55-00/325	LIFE LIMIT - TAIL STRUCTURE - POST SB 04-009							Service ATA:55
PN:UNKN	MOS/MSC	30-Nov-23	N/A					LIFE LIMIT
SN:UNKNOWN	HRS	0						
	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
55-10/319 ^S	HORIZONTAL/VERTICAL STABILIZER ATTACHMENT - INSPECTION/CHECK							Service ATA:55
	MOS	04-Dec-24	12 (+10%/-10%)					
	HRS	146.8	1200 (+10%/-10%)					
	AFL	62						
PROC. REF: AMM 12-B-55-00-00-00A-313A-APROC. REF: AMM 12-B-55-00-00-00A-313A-A								PKG:3
55-10/415	LIFE LIMIT - HORIZONTAL STABILIZER							Service ATA:55
PN:555.10.12.038	MOS	30-Nov-23						LIFE LIMIT
SN:2137	HRS	0	25000		25000		24799.8	
	AFL	0	30000		30000		29898	
PROC. REF: AMM 12-B-55-10-01-00A-920A-APROC. REF: AMM 12-B-55-10-01-00A-920A-A								
55-10/556 ^S	HORIZONTAL STABILIZER EXTERNAL SURFACE (MSN 2001 AND UP) - EXAMINE							Service ATA:55
	MOS	04-Dec-24	12 (+10%/-10%)					
	HRS	146.8	600 (+10%/-10%)					
	AFL	62						
PROC. REF: AMM 12-B-55-10-01-00A-312A-APROC. REF: AMM 12-B-55-10-01-00A-312A-A								PKG:2
55-10/638	HORIZONTAL STABBILIZER - EXAMINE WITH BOROSCOPE							Service ATA:55
	MOS	30-Nov-23	T:240		30-Nov-43		6760 d	
	HRS	0	T:10000		10000		9799.8	
	AFL	0						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 55 - STABILIZERS								
PROC. REF: AMM 12-B-55-10-01-00A-312A-APROC. REF: AMM 12-B-55-10-01-00A-312A-A								
55-10/640	INSPECTION/CHECK HORIZONTAL/VERTICAL STABILIZER ATTACHMENT BOLTS (P/N 555.10.12.139)							Service ATA:55
	MOS	30-Nov-23	72 (+6m/-6m)		30-Nov-29	31-May-30	1647 d (+182)	
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-55-00-00-01A-313A-APROC. REF: AMM 12-B-55-00-00-01A-313A-A								
55-10/641	INSPECTION/CHECK HORIZONTAL/VERTICAL STABILIZER ATTACHMENT BOLTS (P/N 555.10.12.158 AND .178)							Service ATA:55
	MOS	30-Nov-23	120 (+6m/-6m)		30-Nov-33	31-May-34	3108 d (+182)	
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-55-00-00-01A-313A-APROC. REF: AMM 12-B-55-00-00-01A-313A-A								
55-10/96	VERTICAL STABILIZER INTERNAL SURFACES - EXAMINE AS FAR AS POSSIBLE WITH PANELS REMOVED							Service ATA:55
	MOS	30-Nov-23	48 (+10%/-10%)		30-Nov-27	24-Apr-28	916 d (+146)	
	HRS	0	4000 (+10%/-10%)		4000	4400	3799.8 (+400)	
	AFL	0						
PROC. REF: AMM 12-B-55-30-00-00A-310A-APROC. REF: AMM 12-B-55-30-00-00A-310A-A								
55-20/362	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - ELEVATOR - EXAMINE (CPCP)							Service ATA:55
	MOS	30-Nov-23						
	HRS	0	T:32500		32500		32299.8	
	AFL	0	T:42000		42000		41898	
PROC. REF: AMM 12-B-55-20-00-00A-310A-APROC. REF: AMM 12-B-55-20-00-00A-310A-A								
55-20/367	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM -ELEVATOR DRIVE LEVER - EDDY CURRENT INSPECTION							Service ATA:55
	MOS	30-Nov-23						
	HRS	0	T:32500		32500		32299.8	
	AFL	0	T:42000		42000		41898	
PROC. REF: AMM 12-B-55-20-01-00A-353A-APROC. REF: AMM 12-B-55-20-01-00A-353A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 55 - STABILIZERS								
55-20/368	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - ELEVATOR HINGES - EDDY CURRENT INSPECTION							Service ATA:55
	MOS	30-Nov-23						
	HRS	0	T:32500		32500		32299.8	
	AFL	0	T:42000		42000		41898	
PROC. REF: AMM 12-B-55-20-01-00A-353A-APROC. REF: AMM 12-B-55-20-01-00A-353A-A								
55-30/281 ^S	VERTICAL STABILIZER ELECTRICAL BONDING STRAPS - EXAMINE							Service ATA:55
	MOS	04-Dec-24	12 (+10%/-10%)					
	HRS	146.8	1200 (+10%/-10%)					
	AFL	62						
PROC. REF: AMM 12-B-55-30-00-00A-310A-APROC. REF: AMM 12-B-55-30-00-00A-310A-A								
55-30/369	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - VERTICAL STABILIZER-EXAMINE (CPCP)							Service ATA:55
	MOS	30-Nov-23						
	HRS	0	T:32500		32500		32299.8	
	AFL	0	T:42000		42000		41898	
PROC. REF: AMM 12-B-55-30-00-00A-310A-APROC. REF: AMM 12-B-55-30-00-00A-310A-A								
55-30/370	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - VERTICAL STABILIZER MAIN AND REAR SPAR ATTACHMENT TO FUSELAGE - EDDY CURRENT INSPECTION							Service ATA:55
	MOS	30-Nov-23						
	HRS	0	T:32500		32500		32299.8	
	AFL	0	T:42000		42000		41898	
PROC. REF: AMM 12-B-55-30-03-00A-353A-A, AMM 12-B-53-30-02-00A-353A-APROC. REF: AMM 12-B-55-30-03-00A-353A-A, AMM 12-B-53-30-02-00A-353A-A								
55-30/371	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - VERTICAL STABILIZER MAIN ATTACHMENT TO HORIZONTAL STABILIZER - EDDY CURRENT INSPECTION							Service ATA:55
	MOS	30-Nov-23						
	HRS	0	T:32500		32500		32299.8	
	AFL	0	T:42000		42000		41898	
PROC. REF: AMM 12-B-55-00-00-00A-353A-APROC. REF: AMM 12-B-55-00-00-00A-353A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 55 - STABILIZERS								
55-30/372	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - VERTICAL STABILIZER PITCH TRIM ACTUATOR FITTING AND ATTACHMENT - EDDY CURRENT INSPECTION							Service ATA:55
	MOS	30-Nov-23						
	HRS	0	T:32500		32500		32299.8	
	AFL	0	T:42000		42000		41898	
PROC. REF: AMM 12-B-55-30-02-00A-353A-APROC. REF: AMM 12-B-55-30-02-00A-353A-A								
55-30/420	SUPPLEMENTAL STRUCTURAL INSPECTION - VERTICAL STABILIZER FORWARD ATTACHMENT TO FRAME 40 - EDDY CURRENT INSPECTION							Service ATA:55
	MOS	30-Nov-23						
	HRS	0	T:32500 (+500/-500)		32500	33000	32299.8 (+500)	
	AFL	0	T:42000 (+500/-500)		42000	42500	41898 (+500)	
PROC. REF: AMM 12-B-55-30-03-00A-353A-APROC. REF: AMM 12-B-55-30-03-00A-353A-A								
55-30/557 ^S	VERTICAL STABILIZER EXTERNAL SURFACE (MSN 2001 AND UP) - EXAMINE, SPECIALLY AROUND REAR SPAR TOP RIVETS. IF CRACKS ARE FOUND, REFER TO SRM FOR REPAIR PROCEDURE							Service ATA:55
	MOS	04-Dec-24	12 (+10%/-10%)					
	HRS	146.8	600 (+10%/-10%)					
	AFL	62						
								PKG:2
PROC. REF: AMM 12-B-55-00-01-00A-664A-APROC. REF: AMM 12-B-55-00-01-00A-664A-A								
55-40/373	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - RUDDER-EXAMINE (CPCP)							Service ATA:55
	MOS	30-Nov-23						
	HRS	0	T:32500		32500		32299.8	
	AFL	0	T:42000		42000		41898	
PROC. REF: AMM 12-B-55-40-00-00A-310A-APROC. REF: AMM 12-B-55-40-00-00A-310A-A								
55-40/377	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - RUDDER HINGES - EDDY CURRENT INSPECTION							Service ATA:55
	MOS	30-Nov-23						
	HRS	0	T:32500		32500		32299.8	
	AFL	0	T:42000		42000		41898	
PROC. REF: AMM 12-B-55-40-05-00A-353A-APROC. REF: AMM 12-B-55-40-05-00A-353A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 55 - STABILIZERS								
55-40/410	SUPPLEMENTAL STRUCTURAL INSPECTION - RUDDER TRIM TAB - EXAMINE							Service ATA:55
	MOS	30-Nov-23						
	HRS	0	T:32500 (+500/-500)		32500	33000	32299.8 (+500)	
	AFL	0	T:42000 (+500/-500)		42000	42500	41898 (+500)	
PROC. REF: AMM 12-B-55-40-04-00A-310A-APROC. REF: AMM 12-B-55-40-04-00A-310A-A								
PC12A550CA010	TAIL STRUCTURE							Component ATA:55
PN:UNKN	MOS/MSC	30-Nov-23	H/T	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A55100100	HORIZONTAL STABILIZER							Component ATA:55
PN:555.10.12.038	MOS/MSC	30-Nov-23	H/T	TSN 0				
SN:2137	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-55-10-01-00A-920A-APROC. REF: AMM 12-B-55-10-01-00A-920A-A								
PC12A55200100	ELEVATOR LH							Component ATA:55
PN:555.20.12.043	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:2240	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-55-20-01-00A-920A-APROC. REF: AMM 12-B-55-20-01-00A-920A-A								
PC12A55200200	ELEVATOR RH							Component ATA:55
PN:555.20.12.044	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:2236	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-55-20-01-00A-920A-APROC. REF: AMM 12-B-55-20-01-00A-920A-A								
PC12A55300100	VERTICAL STABILIZER							Component ATA:55
PN:555.30.12.042	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:7217	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-55-30-01-00A-920A-APROC. REF: AMM 12-B-55-30-01-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 55 - STABILIZERS								
PC12A55400100	RUDDER							Component ATA:55
PN:555.40.12.040	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:8006	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-55-40-01-00A-920A-APROC. REF: AMM 12-B-55-40-01-00A-920A-A								
ATA 56 - WINDOWS								
56-11/12	COCKPIT OUTER SIDE, DV WINDOWS AND CABIN WINDOWS - REPLACE (IF CRACKED)							Service ATA:56
	MOS/MSC	30-Nov-23	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-C-56-20-01-00A-920A-A, AMM 12-B-56-14-01-00A-920A-APROC. REF: AMM 12-C-56-20-01-00A-920A-A, AMM 12-B-56-14-01-00A-920A-A								
56-11/13	COCKPIT INNER AND OUTER SIDE, DV WINDOWS AND CABIN WINDOWS - CHECK FOR LIMITATIONS (IF CHIPPED, CRACKED (ONLY FOR INNER SIDE WINDOWS), CRAZING, SCRATCHED, BUBBLES OR DELAMINATED)							Service ATA:56
	MOS/MSC	30-Nov-23	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-56-00-00-00A-313A-APROC. REF: AMM 12-B-56-00-00-00A-313A-A								
56-11/14	LH WINDSHIELD - REPLACE (IF CRACKED IN INNER LAMINATION)							Service ATA:56
PN:959.81.10.109	MOS/MSC	30-Nov-23	A/R					
SN:23170H8202	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-56-11-01-00A-920A-APROC. REF: AMM 12-B-56-11-01-00A-920A-A								
56-11/14	RH WINDSHIELD - REPLACE (IF CRACKED IN INNER LAMINATION)							Service ATA:56
PN:959.81.10.110	MOS/MSC	30-Nov-23	A/R					
SN:22353H2158	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-56-11-01-00A-920A-APROC. REF: AMM 12-B-56-11-01-00A-920A-A								
56-11/15	LH WINDSHIELD (IF CRACKED IN OUTER LAMINATION, ONLY UNPRESSURIZED FLIGHT IS PERMITTED UP TO THE NEXT SCHEDULED INSPECTION PROVIDING IT DOES NOT CAUSE VISUAL PROBLEM)							Service ATA:56
PN:959.81.10.109	MOS/MSC	30-Nov-23	A/R					
SN:23170H8202	HRS	0						
	AFL	0						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 56 - WINDOWS								
PROC. REF: AMM 12-B-56-11-01-00A-920A-APROC. REF: AMM 12-B-56-11-01-00A-920A-A								
56-11/15	RH WINDSHIELD (IF CRACKED IN OUTER LAMINATION, ONLY UNPRESSURIZED FLIGHT IS PERMITTED UP TO THE NEXT SCHEDULED INSPECTION PROVIDING IT DOES NOT CAUSE VISUAL PROBLEM)							Service ATA:56
PN:959.81.10.110	MOS/MSC	30-Nov-23	A/R					
SN:22353H2158	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-56-11-01-00A-920A-APROC. REF: AMM 12-B-56-11-01-00A-920A-A								
56-11/332	COCKPIT SIDE WINDOWS INSPECTION/CHECK							Service ATA:56
	MOS	30-Nov-23	120 (+6m/-6m)		30-Nov-33	31-May-34	3108 d (+182)	
	HRS	0	11000 (+500/-500)		11000	11500	10799.8 (+500)	
	AFL	0						
PROC. REF: AMM 12-B-56-11-02-00A-313A-APROC. REF: AMM 12-B-56-11-02-00A-313A-A								
56-11/378	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - WINDSHIELD LH AND RH AND COCKPIT SIDE WINDOWS - EXAMINE WITH WINDSHIELD AND SIDE WINDOWS REMOVED (CPCP)							Service ATA:56
	MOS	30-Nov-23						
	HRS	0	T:32500		32500		32299.8	
	AFL	0	T:42000		42000		41898	
PROC. REF: AMM 12-B-53-10-16-00A-310A-A, AMM 12-B-56-11-01-00A-310A-A, AMM 12-B-56-11-02-00A-310A-APROC. REF: AMM 12-B-53-10-16-00A-310A-A, AMM 12-B-56-11-01-00A-310A-A, AMM 12-B-56-11-02-00A-310A-A								
56-11/517 ^S	COCKPIT DV WINDOW - MAKE SURE THAT YOU CAN OPEN AND CLOSE THE DV WINDOW WITH ONE HAND							Service ATA:56
	MOS	04-Dec-24	12 (+10%/-10%)					
	HRS	146.8	1200 (+10%/-10%)					
	AFL	62						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:3
56-11/558 ^S	WINDSHIELD LH AND RH (MSN 2001 AND UP) - EXAMINE							Service ATA:56
	MOS	04-Dec-24	12 (+10%/-10%)					
	HRS	146.8	600 (+10%/-10%)					
	AFL	62						
PROC. REF: AMM 12-B-56-00-00-00A-313A-APROC. REF: AMM 12-B-56-00-00-00A-313A-A								PKG:2

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 56 - WINDOWS								
56-20/559 ^S	COCKPIT AND CABIN WINDOWS (MSN 2001 AND UP) - EXAMINE							Service ATA:56
	MOS	04-Dec-24	12 (+10%/-10%)					
	HRS	146.8	600 (+10%/-10%)					
	AFL	62						
PROC. REF: AMM 12-B-56-00-00-00A-313A-APROC. REF: AMM 12-B-56-00-00-00A-313A-A								PKG:2
PC12A56110100	WINDSHIELD LH							Component ATA:56
PN:959.81.10.109	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:23170H8202	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-56-11-01-00A-920A-APROC. REF: AMM 12-B-56-11-01-00A-920A-A								
PC12A56110200	WINDSHIELD RH							Component ATA:56
PN:959.81.10.110	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:22353H2158	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-56-11-01-00A-920A-APROC. REF: AMM 12-B-56-11-01-00A-920A-A								
PC12A56110300	LEFT INNER SIDE WINDOW							Component ATA:56
PN:959.81.10.111	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:22139H5201	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-56-11-02-00A-920A-APROC. REF: AMM 12-B-56-11-02-00A-920A-A								
PC12A56110400	RIGHT INNER SIDE WINDOW							Component ATA:56
PN:959.81.10.112	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:22158H6673	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-56-11-02-00A-920A-APROC. REF: AMM 12-B-56-11-02-00A-920A-A								
PC12A56140100	DIRECT VISION WINDOW							Component ATA:56
PN:556.14.12.099	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:23136H5187	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-56-14-01-00A-920A-APROC. REF: AMM 12-B-56-14-01-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 56 - WINDOWS								
PC12A56200110	LH NO. 1 CABIN WINDOW							Component ATA:56
PN:556.20.12.040	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:0004121569-004	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-56-20-01-00A-920A-APROC. REF: AMM 12-C-56-20-01-00A-920A-A								
PC12A56200120	LH NO. 2 CABIN WINDOW							Component ATA:56
PN:556.20.12.040	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:0004108842-001	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-56-20-01-00A-920A-APROC. REF: AMM 12-C-56-20-01-00A-920A-A								
PC12A56200130	LH NO. 3 CABIN WINDOW							Component ATA:56
PN:556.20.12.040	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:0004121566-004	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-56-20-01-00A-920A-APROC. REF: AMM 12-C-56-20-01-00A-920A-A								
PC12A56200140	LH NO. 4 CABIN WINDOW							Component ATA:56
PN:556.20.12.040	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:0004108842-007	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-56-20-01-00A-920A-APROC. REF: AMM 12-C-56-20-01-00A-920A-A								
PC12A56200150	RH NO. 1 CABIN WINDOW							Component ATA:56
PN:556.20.12.040	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:0004121564-004	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-56-20-01-00A-920A-APROC. REF: AMM 12-C-56-20-01-00A-920A-A								
PC12A56200160	RH NO. 2 CABIN WINDOW							Component ATA:56
PN:556.20.12.040	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:0004108842-005	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-56-20-01-00A-920A-APROC. REF: AMM 12-C-56-20-01-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 56 - WINDOWS								
PC12A56200170		RH NO. 3 CABIN WINDOW						Component ATA:56
PN:556.20.12.040	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:0004108842-002	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-56-20-01-00A-920A-APROC. REF: AMM 12-C-56-20-01-00A-920A-A								
PC12A56200180		RH NO. 4 CABIN WINDOW						Component ATA:56
PN:556.20.12.040	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:0004121566-001	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-56-20-01-00A-920A-APROC. REF: AMM 12-C-56-20-01-00A-920A-A								
PC12A56200190		RH NO. 5 CABIN WINDOW						Component ATA:56
PN:556.20.12.040	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:0004121566-007	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-56-20-01-00A-920A-APROC. REF: AMM 12-C-56-20-01-00A-920A-A								
ATA 57 - WINGS								
57-00/11		LIFE LIMIT - LEFT WING STRUCTURE - PRE SB 04-009						Service ATA:57
PN:557.00.12.063	MOS	30-Nov-23						LIFE LIMIT
SN:1737	HRS	0	20000		20000		19799.8	
	AFL	0	27000		27000		26898	
PROC. REF: AMM 12-C-57-00-00-00A-520A-A, AMM 12-C-57-00-00-00A-720A-APROC. REF: AMM 12-C-57-00-00-00A-520A-A, AMM 12-C-57-00-00-00A-720A-A								
57-00/11		LIFE LIMIT - RIGHT WING STRUCTURE - PRE SB 04-009						Service ATA:57
PN:557.00.12.064	MOS	30-Nov-23						LIFE LIMIT
SN:1737	HRS	0	20000		20000		19799.8	
	AFL	0	27000		27000		26898	
PROC. REF: AMM 12-C-57-00-00-00B-520A-A, AMM 12-C-57-00-00-00B-720A-APROC. REF: AMM 12-C-57-00-00-00B-520A-A, AMM 12-C-57-00-00-00B-720A-A								
57-00/282 ^S		WING TIP STATIC DISCHARGERS - EXAMINE						Service ATA:57
	MOS	30-Nov-23	24 (+10%/-10%)					
	HRS	0	2400 (+10%/-10%)					
	AFL	0						

PKG:4

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
PROC. REF: AMM 12-C-57-33-00-00A-310A-APROC. REF: AMM 12-C-57-33-00-00A-310A-A								
57-00/283 ^S	EXAMINE WING INTERNAL SURFACES AND FLAP COMPARTMENT AS FAR AS POSSIBLE WITH ACCESS PANELS REMOVED							Service ATA:57
	MOS	04-Dec-24	12 (+10%/-10%)					
	HRS	146.8	1200 (+10%/-10%)					
	AFL	62						
								PKG:3
PROC. REF: AMM 12-B-57-00-00-00A-310A-APROC. REF: AMM 12-B-57-00-00-00A-310A-A								
57-00/284 ^S	WING TO FUSELAGE ATTACHMENTS - EXAMINE AS FAR AS POSSIBLE							Service ATA:57
	MOS	04-Dec-24	12 (+10%/-10%)					
	HRS	146.8	1200 (+10%/-10%)					
	AFL	62						
								PKG:3
PROC. REF: AMM 12-C-57-00-00-00A-313A-APROC. REF: AMM 12-C-57-00-00-00A-313A-A								
57-00/326	LIFE LIMIT - LEFT WING STRUCTURE - POST SB 04-009							Service ATA:57
PN:557.00.12.063	MOS/MSC	30-Nov-23	N/A					LIFE LIMIT
SN:1737	HRS	0						
	AFL	0						
PROC. REF: AMM 12-C-57-00-00-00A-520A-A, AMM 12-C-57-00-00-00A-720A-APROC. REF: AMM 12-C-57-00-00-00A-520A-A, AMM 12-C-57-00-00-00A-720A-A								
57-00/326	LIFE LIMIT - RIGHT WING STRUCTURE - POST SB 04-009							Service ATA:57
PN:557.00.12.064	MOS/MSC	30-Nov-23	N/A					LIFE LIMIT
SN:1737	HRS	0						
	AFL	0						
PROC. REF: AMM 12-C-57-00-00-00B-520A-A, AMM 12-C-57-00-00-00B-720A-APROC. REF: AMM 12-C-57-00-00-00B-520A-A, AMM 12-C-57-00-00-00B-720A-A								
57-00/379	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - WING - EXAMINE ALL STRUCTURAL ELEMENTS RIB 1 TO RIB 20 (CPCP)							Service ATA:57
	MOS	30-Nov-23						
	HRS	0	T:30000		30000		29799.8	
	AFL	0	T:39000		39000		38898	
PROC. REF: AMM 12-B-57-00-00-00A-310A-APROC. REF: AMM 12-B-57-00-00-00A-310A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
57-00/380	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - WING MAIN AND REAR SPAR TO FUSELAGE ATTACHMENT - EDDY CURRENT INSPECTION							Service ATA:57
	MOS	30-Nov-23						
	HRS	0	T:30000		30000		29799.8	
	AFL	0	T:39000		39000		38898	
PROC. REF: AMM 12-C-57-00-03-00A-353A-A, AMM 12-C-57-00-03-01A-353A-A, AMM 12-C-57-00-03-01A-353A-A								
57-00/382	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - WING REAR SPAR AT RIB 8 FLAP ARM ATTACHMENT - EDDY CURRENT INSPECTION							Service ATA:57
	MOS	30-Nov-23						
	HRS	0	T:25000		25000		24799.8	
	AFL	0	T:30000		30000		29898	
PROC. REF: AMM 12-B-57-20-10-00A-353C-A, AMM 12-B-57-20-10-00A-353C-A								
57-00/383	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - WING MAIN SPAR FASTENER HOLES RIB 1 THRU RIB 6 - EDDY CURRENT INSPECTION							Service ATA:57
	MOS	30-Nov-23						
	HRS	0	T:25000		25000		24799.8	
	AFL	0	T:30000		30000		29898	
PROC. REF: AMM 12-B-57-20-10-00A-353A-A, AMM 12-B-57-20-10-00A-353A-A								
57-00/384	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - WING MAIN SPAR FASTENER HOLES STRAP RIB 6 - EDDY CURRENT INSPECTION							Service ATA:57
	MOS	30-Nov-23						
	HRS	0	T:25000		25000		24799.8	
	AFL	0	T:30000		30000		29898	
PROC. REF: AMM 12-B-57-20-05-00A-353A-A, AMM 12-B-57-20-05-00A-353A-A								
57-00/385	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - WING REAR SPAR FASTENER HOLES RIB 2 THRU RIB 3 - EDDY CURRENT INSPECTION							Service ATA:57
	MOS	30-Nov-23						
	HRS	0	T:25000		25000		24799.8	
	AFL	0	T:30000		30000		29898	
PROC. REF: AMM 12-B-57-20-10-00A-353B-A, AMM 12-B-57-20-10-00A-353B-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
57-00/412	SUPPLEMENTAL STRUCTURAL INSPECTION - WING TIP - EXAMINE							Service ATA:57
	MOS	30-Nov-23						
	HRS	0	T:32500 (+500/-500)		32500	33000	32299.8 (+500)	
	AFL	0	T:42000 (+500/-500)		42000	42500	41898 (+500)	
PROC. REF: AMM 12-C-57-33-00-00A-310A-APROC. REF: AMM 12-C-57-33-00-00A-310A-A								
57-00/413	SUPPLEMENTAL STRUCTURAL INSPECTION - WING SKIN AROUND DRAIN HOLES - EDDY CURRENT INSPECTION							Service ATA:57
	MOS	30-Nov-23						
	HRS	0	T:25000 (+500/-500)		25000	25500	24799.8 (+500)	
	AFL	0	T:30000 (+500/-500)		30000	30500	29898 (+500)	
PROC. REF: AMM 12-B-57-20-01-00A-353A-APROC. REF: AMM 12-B-57-20-01-00A-353A-A								
57-00/427	WING MAIN SPAR FASTENER HOLES STRAP RIB 6 - EDDY CURRENT INSPECTION (IF YOU FIND CRACKS, CONTACT PILATUS CUSTOMER SUPPORT FOR ADVICE)							Service ATA:57
	MOS	30-Nov-23						
	HRS	0	T:16000		16000		15799.8	
	AFL	0	T:22500		22500		22398	
PROC. REF: AMM 12-B-57-20-10-00A-353D-APROC. REF: AMM 12-B-57-20-10-00A-353D-A								
57-00/560 ^S	WING EXTERNAL SURFACES (MSN 2001 AND UP) - EXAMINE							Service ATA:57
	MOS	04-Dec-24	12 (+10%/-10%)					
	HRS	146.8	600 (+10%/-10%)					
	AFL	62						
PROC. REF: AMM 12-B-57-00-00-00A-310A-APROC. REF: AMM 12-B-57-00-00-00A-310A-A								PKG:2
57-00/97	WING INTERNAL SURFACES AND FLAP COMPARTMENT - EXAMINE AS FAR AS POSSIBLE WITH ALL WING PANELS REMOVED							Service ATA:57
	MOS	30-Nov-23	48 (+10%/-10%)		30-Nov-27	24-Apr-28	916 d (+146)	
	HRS	0	4000 (+10%/-10%)		4000	4400	3799.8 (+400)	
	AFL	0						
PROC. REF: AMM 12-B-57-00-00-00A-310A-APROC. REF: AMM 12-B-57-00-00-00A-310A-A								
57-00/98	LANDING GEAR COMPARTMENTS - EXAMINE, ESPECIALLY MAIN AND REAR SPAR PARTS							Service ATA:57
	MOS	30-Nov-23	48 (+10%/-10%)		30-Nov-27	24-Apr-28	916 d (+146)	
	HRS	0	4000 (+10%/-10%)		4000	4400	3799.8 (+400)	
	AFL	0						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
57-00/99	WING TO FUSELAGE ATTACHMENTS - EXAMINE ATTACHMENT FITTINGS WITH WINGS REMOVED							Service ATA:57
	MOS	30-Nov-23	120 (+6m/-6m)		30-Nov-33	31-May-34	3108 d (+182)	
	HRS	0	11000 (+500/-500)		11000	11500	10799.8 (+500)	
	AFL	0						
PROC. REF: AMM 12-C-57-00-00-00A-313A-APROC. REF: AMM 12-C-57-00-00-00A-313A-A								
57-60/393	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - AILERON - EXAMINE (CPCP)							Service ATA:57
	MOS	30-Nov-23						
	HRS	0	T:32500		32500		32299.8	
	AFL	0	T:42000		42000		41898	
PROC. REF: AMM 12-B-57-60-00-00A-310A-APROC. REF: AMM 12-B-57-60-00-00A-310A-A								
57-60/411	SUPPLEMENTAL STRUCTURAL INSPECTION - AILERON TRIM TAB - EXAMINE							Service ATA:57
	MOS	30-Nov-23						
	HRS	0	T:32500 (+500/-500)		32500	33000	32299.8 (+500)	
	AFL	0	T:42000 (+500/-500)		42000	42500	41898 (+500)	
PROC. REF: AMM 12-B-57-60-04-00A-310A-APROC. REF: AMM 12-B-57-60-04-00A-310A-A								
PC12A57000100	LEFT WING STRUCTURE							Component ATA:57
PN:557.00.12.063	MOS/MSC	30-Nov-23	H/T	TSN 0				
SN:1737	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-57-00-00-00A-520A-A, AMM 12-C-57-00-00-00A-720A-APROC. REF: AMM 12-C-57-00-00-00A-520A-A, AMM 12-C-57-00-00-00A-720A-A								
PC12A57000200	RIGHT WING STRUCTURE							Component ATA:57
PN:557.00.12.064	MOS/MSC	30-Nov-23	H/T	TSN 0				
SN:1737	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-57-00-00-00B-520A-A, AMM 12-C-57-00-00-00B-720A-APROC. REF: AMM 12-C-57-00-00-00B-520A-A, AMM 12-C-57-00-00-00B-720A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
PC12A57500100	LH FLAP							Component ATA:57
PN:557.50.12.007	MOS/MSC	30-Nov-23	H/T	TSN 0				
SN:1746	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-57-50-01-00A-920A-APROC. REF: AMM 12-B-57-50-01-00A-920A-A								
PC12A57500200	RH FLAP							Component ATA:57
PN:557.50.12.008	MOS/MSC	30-Nov-23	H/T	TSN 0				
SN:1747	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-57-50-01-00A-920A-APROC. REF: AMM 12-B-57-50-01-00A-920A-A								
PC12A57600100	LEFT AILERON							Component ATA:57
PN:557.60.12.371	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:1747	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-57-60-02-00A-920A-APROC. REF: AMM 12-C-57-60-02-00A-920A-A								
PC12A57600200	RIGHT AILERON							Component ATA:57
PN:557.60.12.372	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:1747	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-57-60-02-00A-920A-APROC. REF: AMM 12-C-57-60-02-00A-920A-A								
ATA 61 - PROPELLERS/PROPULSORS								
61-00/457	NO. 1 PROPELLER - PERIODIC INSPECTIONS AND MAINTENANCE							Service ATA:61
	MOS/MSC	28-Jun-23	A/R					
	HRS	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
61-10/08	NO. 1 PROPELLER - DE-ICE COMPONENT OVERHAUL							Service ATA:61
	MOS	06-Nov-23	72		06-Nov-29		1623 d	OVERHAUL
	HRS	0	4000		(4000) 3876.2		3676	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 61 - PROPELLERS/PROPULSORS								
61-10/37	NO. 1 PROPELLER - OVERHAUL							Service ATA:61
	MOS	06-Nov-23	72		06-Nov-29		1623 d	OVERHAUL
	HRS	0	4000		(4000) 3876.2		3676	
PROC. REF: SL HC-SL-61-61Y, POM 61-00-47PROC. REF: SL HC-SL-61-61Y, POM 61-00-47								
61-CA/02	NO. 1 PROPELLER - ACCOMPLISH A DETAIL INSPECTION							Service ATA:61
	MOS	04-Dec-24	12		04-Dec-25		190 d	
	HRS	146.8	400		(546.8) 423		222.8	
PROC. REF: POM 61-00-47PROC. REF: POM 61-00-47								
61-CA/03	NO. 1 PROPELLER - PROPELLER DE-ICE SYSTEM - INSPECTION/CHECK							Service ATA:61
	MOS	04-Dec-24	12		04-Dec-25		190 d	
	HRS	146.8	600		(746.8) 623		422.8	
PROC. REF: MM 30-61-80PROC. REF: MM 30-61-80								
61-CA/04	NO. 1 PROPELLER - LUBRICATE							Service ATA:61
	MOS	04-Dec-24	12		04-Dec-25		190 d	
	HRS	146.8	400		(546.8) 423		222.8	
PROC. REF: POM 61-00-47PROC. REF: POM 61-00-47								
61-CA/04-10	NO. 1 PROPELLER - APPLY CORROSION INHIBITOR TO STEEL COUNTERWEIGHTS							Service ATA:61
	MOS	04-Dec-24	12		04-Dec-25		190 d	CPCP
	HRS	146.8	400		(546.8) 423		222.8	
PROC. REF: POM 61-00-47PROC. REF: POM 61-00-47								
61-CA/05	NO. 1 PROPELLER - INSPECT BLADE USING COIN-TAP							Service ATA:61
	MOS	28-Jun-23						
	HRS	0	1200		(1200) 1076.2		876	
PROC. REF: POM 61-00-47, MRM 61-13-70PROC. REF: POM 61-00-47, MRM 61-13-70								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 61 - PROPELLERS/PROPULSORS								
61-CA/06	NO. 1 PROPELLER - INSPECT EROSION SHIELD USING COIN-TAP							Service ATA:61
	MOS	04-Dec-24	12		04-Dec-25		190 d	
	HRS	146.8	600		(746.8) 623		422.8	
PROC. REF: POM 61-00-47, MRM 61-13-70PROC. REF: POM 61-00-47, MRM 61-13-70								
61-CA/09	NO. 1 PROPELLER - PRE-FLIGHT CHECKS							Service ATA:61
	MOS/MSC	28-Jun-23	A/R					
	HRS	0						
PROC. REF: POM 61-00-47PROC. REF: POM 61-00-47								
61-CA/10	NO. 1 PROPELLER - OPERATIONAL CHECK							Service ATA:61
	MOS/MSC	28-Jun-23	A/R					
	HRS	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
61-CA/11	NO. 1 PROPELLER - OVERSPEED/OVERTORQUE							Service ATA:61
	MOS/MSC	28-Jun-23	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
PROC. REF: POM 61-00-47PROC. REF: POM 61-00-47								
61-CA/12	NO. 1 PROPELLER - LIGHTNING STRIKE							Service ATA:61
	MOS/MSC	28-Jun-23	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
PROC. REF: POM 61-00-47, MM 30-61-80PROC. REF: POM 61-00-47, MM 30-61-80								
61-CA/13	NO. 1 PROPELLER - FOREING OBJECT STRIKE/GROUND STRIKE							Service ATA:61
	MOS/MSC	28-Jun-23	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
PROC. REF: POM 61-00-47, MM 30-61-80PROC. REF: POM 61-00-47, MM 30-61-80								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 61 - PROPELLERS/PROPULSORS								
61-CA/14	NO. 1 PROPELLER - FIRE/HEAT DAMAGE							Service ATA:61
	MOS/MSC	28-Jun-23	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
PROC. REF: POM 61-00-47, MM 30-61-80PROC. REF: POM 61-00-47, MM 30-61-80								
61-CA/15	NO. 1 PROPELLER - SUDDEN STOPPAGE							Service ATA:61
	MOS/MSC	28-Jun-23	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
PROC. REF: POM 61-00-47PROC. REF: POM 61-00-47								
61-CA/16	NO. 1 PROPELLER - ENGINE OIL CONTAMINATION							Service ATA:61
	MOS/MSC	28-Jun-23	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
PROC. REF: POM 61-00-47PROC. REF: POM 61-00-47								
61-CA/17	NO. 1 PROPELLER - LONG TERM STORAGE							Service ATA:61
	MOS/MSC	28-Jun-23	A/R					
	HRS	0						
PROC. REF: POM 61-00-47PROC. REF: POM 61-00-47								
61-CA/2 ^S	NO. 1 ENGINE - DO A CHECK OF THE PCU FOR INSTALLATION AND LEAKS							Service ATA:61
	MOS	04-Dec-24	12 (+30d/-30d)					
	HRS	146.8	600 (+10%/-10%)					
	ENC	62						
PROC. REF: EM 61-20-01, LMM 61-20-01PROC. REF: EM 61-20-01, LMM 61-20-01								PKG:2
61-CA/3	NO. 1 ENGINE - OVERHAUL PROPELLER CONTROL UNIT							Service ATA:61
PN:3126986-03	MOS	30-Jun-23						OVERHAUL
SN:WDA146181	HRS	0	5000 (+500)		(5000) 4876.2	5500	4676 (+500)	
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 61 - PROPELLERS/PROPULSORS								
61PR1	NO. 1 PROPELLER							Component ATA:61
PN:E5A01850SKD	MOS/MSC	06-Nov-23	PP/C	TSN 0				
SN:SA1020	HRS	0		TSN 0				
WC#: 61.PR1	AFL	0		TSN 0				
PROC. REF: GENERIC CMMPROC. REF: GENERIC CMM								
PC12A61100100010	NO. 1 PROPELLER - NO. 1 BLADE							Component ATA:61
PN:NC10245B	MOS/MSC	28-Jun-23	O/C	TSN 0				
SN:D9975	HRS	0		TSN 0				
	PRC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PC12A61100100020	NO. 1 PROPELLER - NO. 2 BLADE							Component ATA:61
PN:NC10245B	MOS/MSC	28-Jun-23	O/C	TSN 0				
SN:D9618	HRS	0		TSN 0				
	PRC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PC12A61100100030	NO. 1 PROPELLER - NO. 3 BLADE							Component ATA:61
PN:NC10245B	MOS/MSC	28-Jun-23	O/C	TSN 0				
SN:D9889	HRS	0		TSN 0				
	PRC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PC12A61100100040	NO. 1 PROPELLER - NO. 4 BLADE							Component ATA:61
PN:NC10245B	MOS/MSC	28-Jun-23	O/C	TSN 0				
SN:D9979	HRS	0		TSN 0				
	PRC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PC12A61100100050	NO. 1 PROPELLER - NO. 5 BLADE							Component ATA:61
PN:NC10245B	MOS/MSC	28-Jun-23	O/C	TSN 0				
SN:D9973	HRS	0		TSN 0				
	PRC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 61 - PROPELLERS/PROPULSORS								
PC12A61200100	FEATHER INHIBIT SWITCH							Component ATA:61
PN:972.81.21.166	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:0273	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-61-20-04-00A-920A-APROC. REF: AMM 12-C-61-20-04-00A-920A-A								
PT6EA612001	NO. 1 ENGINE - PROPELLER CONTROL UNIT							Component ATA:61
PN:3126986-03	MOS/MSC	30-Jun-23	H/T	TSN 0				
SN:WDA146181	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 61-20-01, EM 61-20-01, LMM 61-20-01, LMM 61-20-01PROC. REF: EM 61-20-01, EM 61-20-01, LMM 61-20-01, LMM 61-20-01								
ATA 70 - STANDARD PRACTICES - ENGINES								
70-CA/1 ^S	NO. 1 ENGINE - DO A VISUAL INSPECTION OF EXTERNAL TUBES, ELBOWS AND HOSES FOR LEAKS							Service ATA:70
	MOS	04-Dec-24	12 (+30d/-30d)					
	HRS	146.8	600 (+10%/-10%)					
	ENC	62						
PROC. REF: EM 70-30-00, LMM 70-30-00PROC. REF: EM 70-30-00, LMM 70-30-00								PKG:2
70-CA/2 ^S	NO. 1 ENGINE - DO A VISUAL EXAMINATION OF THE ENGINE EXTERNAL ACCESSORIES FOR LEAKS							Service ATA:70
	MOS	04-Dec-24	12 (+30d/-30d)					
	HRS	146.8	600 (+10%/-10%)					
	ENC	62						
PROC. REF: EM 70-30-00, LMM 70-30-00PROC. REF: EM 70-30-00, LMM 70-30-00								PKG:2
ATA 71 - POWER PLANT								
71-00/16	LIFE LIMIT - ENGINE MOUNTING FRAME - PRE SB 04-009							Service ATA:71
PN:571.20.12.008	MOS	30-Nov-23						LIFE LIMIT
SN:450	HRS	0	20000		20000		19799.8	
	AFL	0	27000		27000		26898	
PROC. REF: AMM 12-C-71-00-05-00A-920A-APROC. REF: AMM 12-C-71-00-05-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 71 - POWER PLANT								
71-00/17	LIFE LIMIT - ENGINE MOUNTING FRAME, REPLACE ALL BOLTS, WASHERS AND NUTS							Service ATA:71
PN:571.20.12.008	MOS	30-Nov-23						LIFE LIMIT
SN:450	HRS	0	11000		11000		10799.8	
	AFL	0						
PROC. REF: AMM 12-C-71-00-05-00A-920A-APROC. REF: AMM 12-C-71-00-05-00A-920A-A								
71-00/204 ^S	JOB CLOSE UP - POWER PLANT - DO A POST INSPECTION GROUND RUN TESTS AS NECESSARY TO CLOSE UP INSPECTION							Service ATA:71
	MOS/MSC	04-Dec-24	A/R					
	HRS	146.8						
	AFL	62						
								PKG:5 ,1,2,3,4
PROC. REF: AMM 12-C-71-00-00-00A-903A-APROC. REF: AMM 12-C-71-00-00-00A-903A-A								
71-00/205 ^S	ENGINE TUBULAR MOUNTING FRAME AND SHOCKMOUNTS - EXAMINE. REPLACE SHOCKMOUNT IF CRACKS IN ELASTOMER ARE MORE THAN 25,4 MM (1IN) LONG AND/OR 1,5MM (0.06 IN) DEEP							Service ATA:71
	MOS	04-Dec-24	12 (+10%/-10%)					
	HRS	146.8	1200 (+10%/-10%)					
	AFL	62						
								PKG:3
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
71-00/287 ^S	JOB SET UP - POWER PLANT - DO AN INSPECTION GROUND RUN AS NECESSARY. MAKE RECORD OF ANY DEFECTS.							Service ATA:71
	MOS/MSC	04-Dec-24	A/R					
	HRS	146.8						
	AFL	62						
								PKG:5 ,1,2,3,4
PROC. REF: AMM 12-C-71-00-00-00A-903A-APROC. REF: AMM 12-C-71-00-00-00A-903A-A								
71-00/301 ^S	ENGINE TUBULAR MOUNTING FRAME FIREWALL ATTACHMENT FITTINGS - EXAMINE WITH FIREWALL INSULATION BLANKET REMOVED AS NECESSARY. IF CRACKED, BLISTERED OR FLAKING PAINT IS FOUND ON THE MOUNTING FRAME REFER TO SRM							Service ATA:71
	MOS	04-Dec-24	12 (+10%/-10%)					
	HRS	146.8	1200 (+10%/-10%)					
	AFL	62						
								PKG:3
PROC. REF: AMM 12-B-54-20-02-00A-664A-APROC. REF: AMM 12-B-54-20-02-00A-664A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 71 - POWER PLANT								
71-00/327	LIFE LIMIT - ENGINE MOUNTING FRAME - POST SB 04-009							Service ATA:71
PN:571.20.12.008	MOS/MSC	30-Nov-23	N/A					LIFE LIMIT
SN:450	HRS	0						
	AFL	0						
PROC. REF: AMM 12-C-71-00-05-00A-920A-APROC. REF: AMM 12-C-71-00-05-00A-920A-A								
71-00/401	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - ENGINE MOUNT - MAGNETIC PARTICLE INSPECTION							Service ATA:71
	MOS	30-Nov-23						
	HRS	0	T:26600		26600		26399.8	
	AFL	0	T:35000		35000		34898	
PROC. REF: AMM 12-C-71-00-05-00A-352A-APROC. REF: AMM 12-C-71-00-05-00A-352A-A								
71-00/476 ^S	JOB CLOSE UP - P&WC AIRWORTHINESS DIRECTIVES AND SERVICE BULLETINS - REVIEWED AND COMPLIED WITH AS NECESSARY							Service ATA:71
	MOS/MSC	04-Dec-24	A/R					
	HRS	146.8						
	AFL	62						
								PKG:5 ,1,2,3,4
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
71-00/490	OVERHAUL LOWER LEFT ENGINE SHOCK MOUNT ASSEMBLY							Service ATA:71
PN:944.81.21.409	MOS	30-Nov-23						OVERHAUL
SN:15679	HRS	0	5000 (+500/-500)		5000	5500	4799.8 (+500)	
	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
71-00/490	OVERHAUL LOWER RIGHT ENGINE SHOCK MOUNT ASSEMBLY							Service ATA:71
PN:944.81.21.409	MOS	30-Nov-23						OVERHAUL
SN:15596	HRS	0	5000 (+500/-500)		5000	5500	4799.8 (+500)	
	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
71-00/490	OVERHAUL UPPER CENTER ENGINE SHOCK MOUNT ASSEMBLY							Service ATA:71
PN:944.81.21.409	MOS	30-Nov-23						OVERHAUL
SN:15683	HRS	0	5000 (+500/-500)		5000	5500	4799.8 (+500)	
	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 71 - POWER PLANT								
71-00/490	OVERHAUL UPPER LEFT ENGINE SHOCK MOUNT ASSEMBLY							Service ATA:71
PN:944.81.21.409	MOS	30-Nov-23						OVERHAUL
SN:15682	HRS	0	5000 (+500/-500)		5000	5500	4799.8 (+500)	
	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
71-00/490	OVERHAUL UPPER RIGHT ENGINE SHOCK MOUNT ASSEMBLY							Service ATA:71
PN:944.81.21.409	MOS	30-Nov-23						OVERHAUL
SN:15684	HRS	0	5000 (+500/-500)		5000	5500	4799.8 (+500)	
	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
71-00/561 ^S	ENGINE DRAIN MAST AND TANK (MSN 2001 AND UP) - EXAMINE THE DRAIN MASKS FOR FUEL LEAKS (NO LEAKS PERMITTED) AND DRAIN COLLECTOR TANK							Service ATA:71
	MOS	04-Dec-24	12 (+10%/-10%)					
	HRS	146.8	600 (+10%/-10%)					
	AFL	62						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:2
71-00/573 ^S	NO. 1 ENGINE - POWER PLANT AND ACCESSORIES INSPECTION							Service ATA:71
	MOS	04-Dec-24	12 (+30d/-30d)					
	HRS	146.8	600 (+10%/-10%)					
	ENC	62						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:2
71-10/207 ^S	JOB SET UP - ENGINE COWLING 43AL AND 43AR - OPEN AND EXAMINE. SPECIFICALLY THE CONDITION OF THE RUBBING STRIPS AND FASTENERS. LUBRICATE THE HINGES WITH A MINIMUM OF CPC (PT.NO. P10-001)							Service ATA:71
	MOS/MSC	04-Dec-24	A/R					
	HRS	146.8						
	AFL	62						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:5 ,1,2,3,4

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 71 - POWER PLANT								
71-10/208 ^S	JOB CLOSE UP - ENGINE COWLING 43AL AND 43AR - CLOSE AS NECESSARY TO CLOSE UP THE INSPECTION							Service ATA:71
	MOS/MSC	04-Dec-24	A/R					
	HRS	146.8						
	AFL	62						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:5 ,1,2,3,4
71-CA/1	NO. 1 ENGINE - ENGINE HOT SECTION INSPECTION (HSI)							Service ATA:71
	MOS	30-Jun-23						
	HRS	0	2500 (+100/-100)		(2500) 2376.2	2600	2176 (+100)	
	ENC	0						
PROC. REF: EM 72-00-00PROC. REF: EM 72-00-00								
71-CA/10	NO. 1 ENGINE - POWER PLANT - ENGINE PERFORMANCE OPERATIONAL TEST							Service ATA:71
	MOS/MSC	30-Jun-23	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EM 71-00-08, LMM 71-00-08PROC. REF: EM 71-00-08, LMM 71-00-08								
71-CA/11	NO. 1 ENGINE - POWER PLANT - TORQUEMETER OPERATIONAL TEST							Service ATA:71
	MOS/MSC	30-Jun-23	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EM 71-00-10, LMM 71-00-10PROC. REF: EM 71-00-10, LMM 71-00-10								
71-CA/12	NO. 1 ENGINE - POWER PLANT - BLEED VALVE OPERATIONAL TEST							Service ATA:71
	MOS/MSC	30-Jun-23	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EM 71-00-11, LMM 71-00-11PROC. REF: EM 71-00-11, LMM 71-00-11								
71-CA/13	NO. 1 ENGINE - POWER PLANT - IGNITION SYSTEM OPERATIONAL TEST							Service ATA:71
	MOS/MSC	30-Jun-23	A/R					
	HRS	0						
	ENC	0						
PROC. REF: AMM 12-C-74-00-00-00A-903A-APROC. REF: AMM 12-C-74-00-00-00A-903A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 71 - POWER PLANT								
71-CA/2 ^S	NO. 1 ENGINE - DO A VISUAL INSPECTION OF THE SCAVENGE OIL PUMP HOUSING FOR LEAKS							Service ATA:71
	MOS	04-Dec-24	12 (+30d/-30d)					
	HRS	146.8	600 (+10%/-10%)					
	ENC	62						
PROC. REF: EM 71-00-01, LMM 71-00-01PROC. REF: EM 71-00-01, LMM 71-00-01								PKG:2
71-CA/3 ^S	NO. 1 ENGINE - DO A FUNCTIONAL TEST OF SPARK IGNITERS							Service ATA:71
	MOS	30-Jun-23						
	HRS	0	600 (+10%/-10%)					
	ENC	0						
PROC. REF: EM 71-00-18, LMM 71-00-18PROC. REF: EM 71-00-18, LMM 71-00-18								PKG:3
71-CA/4 ^S	NO. 1 ENGINE - DO A CHECK OF THE DRAIN VALVE FOR INSTALLATION AND LEAKS							Service ATA:71
	MOS	04-Dec-24	12 (+30d/-30d)					
	HRS	146.8	600 (+10%/-10%)					
	ENC	62						
PROC. REF: EM 71-00-19, LMM 71-00-19PROC. REF: EM 71-00-19, LMM 71-00-19								PKG:2
71-CA/5	NO. 1 ENGINE - COMPRESSOR/DESALINATION WASH							Service ATA:71
	MOS/MSC	30-Jun-23	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EM 71-00-14, EM 71-00-15, LMM 71-00-14, LMM 71-00-15, AMM 12-B-12-20-01-00A-902A-APROC. REF: EM 71-00-14, EM 71-00-15, LMM 71-00-14, LMM 71-00-15, AMM 12-B-12-20-01-00A-902A-A								
71-CA/6	NO. 1 ENGINE - TURBINE WASH							Service ATA:71
	DAYS/MSC	EFF	A/R					
	HRS	EFF						
	ENC							
PROC. REF: EM 71-00-17PROC. REF: EM 71-00-17								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 71 - POWER PLANT								
71-CA/7	NO. 1 ENGINE - DO A COMPRESSOR PERFORMANCE RECOVERY WASH							Service ATA:71
	MOS/MSC	30-Jun-23	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EM 71-00-16, LMM 71-00-16, AMM 12-B-12-20-01-00A-902A-APROC. REF: EM 71-00-16, LMM 71-00-16, AMM 12-B-12-20-01-00A-902A-A								
71-CA/8	NO. 1 ENGINE - ENGINE CONDITION TREND MONITORING (ECTM)							Service ATA:71
	MOS/MSC	30-Jun-23	A/R					
	HRS	0						
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
71-CA/9	NO. 1 ENGINE - EXTERNAL WASH							Service ATA:71
	DAYS/MSC	EFF	A/R					
	HRS							
	ENC							
PROC. REF: EM 71-00-17, LMM 71-00-13PROC. REF: EM 71-00-17, LMM 71-00-13								
71EN1	NO. 1 ENGINE							Component ATA:71
PN:3126995-01 BS1369	MOS/MSC	06-Nov-23	E/C	TSN 0				
SN:PCE-HP0313	HRS	0		TSN 0				
WC#: 71.EN1	AFL	0		TSN 0				
PROC. REF: GENERIC CMMPROC. REF: GENERIC CMM								
PC12A71000100	ENGINE MOUNTING FRAME							Component ATA:71
PN:571.20.12.008	MOS/MSC	30-Nov-23	H/T	TSN 0				
SN:450	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-71-00-05-00A-920A-APROC. REF: AMM 12-C-71-00-05-00A-920A-A								
PC12A71000210	SHOCK MOUNT, LOWER LH							Component ATA:71
PN:944.81.21.409	MOS/MSC	30-Nov-23	H/T	TSN 0				
SN:15679	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-71-00-00-00A-920A-BPROC. REF: AMM 12-C-71-00-00-00A-920A-B								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 71 - POWER PLANT								
PC12A71000220		SHOCK MOUNT, UPPER LH					Component	ATA:71
PN:944.81.21.409	MOS/MSC	30-Nov-23	H/T	TSN 0				
SN:15682	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-71-00-00-00A-920A-BPROC. REF: AMM 12-C-71-00-00-00A-920A-B								
PC12A71000230		SHOCK MOUNT, UPPER CENTER					Component	ATA:71
PN:944.81.21.409	MOS/MSC	30-Nov-23	H/T	TSN 0				
SN:15683	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-71-00-00-00A-920A-BPROC. REF: AMM 12-C-71-00-00-00A-920A-B								
PC12A71000240		SHOCK MOUNT, UPPER RH					Component	ATA:71
PN:944.81.21.409	MOS/MSC	30-Nov-23	H/T	TSN 0				
SN:15684	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-71-00-00-00A-920A-BPROC. REF: AMM 12-C-71-00-00-00A-920A-B								
PC12A71000250		SHOCK MOUNT, LOWER RH					Component	ATA:71
PN:944.81.21.409	MOS/MSC	30-Nov-23	H/T	TSN 0				
SN:15596	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-71-00-00-00A-920A-BPROC. REF: AMM 12-C-71-00-00-00A-920A-B								
ATA 72 - ENGINE								
72-00/18/CT-1		NO. 1 ENGINE - REPLACE NO. 1 COMPRESSOR TURBINE BLADE					Service	ATA:72
PN:3078521-01	MOS	30-Jun-23					REPLACE	
SN:HA00C3DX	HRS	0	5000		(5000) 4876.2		4676	
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-00/18/CT-10	NO. 1 ENGINE - REPLACE NO. 10 COMPRESSOR TURBINE BLADE							Service ATA:72
PN:3078521-01	MOS	30-Jun-23						REPLACE
SN:HA00CK7C	HRS	0	5000		(5000) 4876.2		4676	
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
72-00/18/CT-11	NO. 1 ENGINE - REPLACE NO. 11 COMPRESSOR TURBINE BLADE							Service ATA:72
PN:3078521-01	MOS	30-Jun-23						REPLACE
SN:HA00CK80	HRS	0	5000		(5000) 4876.2		4676	
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
72-00/18/CT-12	NO. 1 ENGINE - REPLACE NO. 12 COMPRESSOR TURBINE BLADE							Service ATA:72
PN:3078521-01	MOS	30-Jun-23						REPLACE
SN:HA00CK82	HRS	0	5000		(5000) 4876.2		4676	
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
72-00/18/CT-13	NO. 1 ENGINE - REPLACE NO. 13 COMPRESSOR TURBINE BLADE							Service ATA:72
PN:3078521-01	MOS	30-Jun-23						REPLACE
SN:HA00CK84	HRS	0	5000		(5000) 4876.2		4676	
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
72-00/18/CT-14	NO. 1 ENGINE - REPLACE NO. 14 COMPRESSOR TURBINE BLADE							Service ATA:72
PN:3078521-01	MOS	30-Jun-23						REPLACE
SN:HA00D1L7	HRS	0	5000		(5000) 4876.2		4676	
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-00/18/CT-15	NO. 1 ENGINE - REPLACE NO. 15 COMPRESSOR TURBINE BLADE							Service ATA:72
PN:3078521-01	MOS	30-Jun-23						REPLACE
SN:HA00D1MF	HRS	0	5000		(5000) 4876.2		4676	
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
72-00/18/CT-16	NO. 1 ENGINE - REPLACE NO. 16 COMPRESSOR TURBINE BLADE							Service ATA:72
PN:3078521-01	MOS	30-Jun-23						REPLACE
SN:HA00D1PD	HRS	0	5000		(5000) 4876.2		4676	
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
72-00/18/CT-17	NO. 1 ENGINE - REPLACE NO. 17 COMPRESSOR TURBINE BLADE							Service ATA:72
PN:3078521-01	MOS	30-Jun-23						REPLACE
SN:HA00D25X	HRS	0	5000		(5000) 4876.2		4676	
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
72-00/18/CT-18	NO. 1 ENGINE - REPLACE NO. 18 COMPRESSOR TURBINE BLADE							Service ATA:72
PN:3078521-01	MOS	30-Jun-23						REPLACE
SN:HA00D363	HRS	0	5000		(5000) 4876.2		4676	
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
72-00/18/CT-19	NO. 1 ENGINE - REPLACE NO. 19 COMPRESSOR TURBINE BLADE							Service ATA:72
PN:3078521-01	MOS	30-Jun-23						REPLACE
SN:HA00D375	HRS	0	5000		(5000) 4876.2		4676	
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-00/18/CT-2	NO. 1 ENGINE - REPLACE NO. 2 COMPRESSOR TURBINE BLADE							Service ATA:72
PN:3078521-01	MOS	30-Jun-23						REPLACE
SN:HA00CK67	HRS	0	5000		(5000) 4876.2		4676	
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
72-00/18/CT-20	NO. 1 ENGINE - REPLACE NO. 20 COMPRESSOR TURBINE BLADE							Service ATA:72
PN:3078521-01	MOS	30-Jun-23						REPLACE
SN:HA00D38M	HRS	0	5000		(5000) 4876.2		4676	
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
72-00/18/CT-21	NO. 1 ENGINE - REPLACE NO. 21 COMPRESSOR TURBINE BLADE							Service ATA:72
PN:3078521-01	MOS	30-Jun-23						REPLACE
SN:HA00D38T	HRS	0	5000		(5000) 4876.2		4676	
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
72-00/18/CT-22	NO. 1 ENGINE - REPLACE NO. 22 COMPRESSOR TURBINE BLADE							Service ATA:72
PN:3078521-01	MOS	30-Jun-23						REPLACE
SN:HA00D4AT	HRS	0	5000		(5000) 4876.2		4676	
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
72-00/18/CT-23	NO. 1 ENGINE - REPLACE NO. 23 COMPRESSOR TURBINE BLADE							Service ATA:72
PN:3078521-01	MOS	30-Jun-23						REPLACE
SN:HA00D6XM	HRS	0	5000		(5000) 4876.2		4676	
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-00/18/CT-24	NO. 1 ENGINE - REPLACE NO. 24 COMPRESSOR TURBINE BLADE							Service ATA:72
PN:3078521-01	MOS	30-Jun-23						REPLACE
SN:HA00D71Y	HRS	0	5000		(5000) 4876.2		4676	
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
72-00/18/CT-25	NO. 1 ENGINE - REPLACE NO. 25 COMPRESSOR TURBINE BLADE							Service ATA:72
PN:3078521-01	MOS	30-Jun-23						REPLACE
SN:HA00D724	HRS	0	5000		(5000) 4876.2		4676	
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
72-00/18/CT-26	NO. 1 ENGINE - REPLACE NO. 26 COMPRESSOR TURBINE BLADE							Service ATA:72
PN:3078521-01	MOS	30-Jun-23						REPLACE
SN:HA00D72X	HRS	0	5000		(5000) 4876.2		4676	
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
72-00/18/CT-27	NO. 1 ENGINE - REPLACE NO. 27 COMPRESSOR TURBINE BLADE							Service ATA:72
PN:3078521-01	MOS	30-Jun-23						REPLACE
SN:HA00D78W	HRS	0	5000		(5000) 4876.2		4676	
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
72-00/18/CT-28	NO. 1 ENGINE - REPLACE NO. 28 COMPRESSOR TURBINE BLADE							Service ATA:72
PN:3078521-01	MOS	30-Jun-23						REPLACE
SN:HA00D79A	HRS	0	5000		(5000) 4876.2		4676	
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-00/18/CT-29	NO. 1 ENGINE - REPLACE NO. 29 COMPRESSOR TURBINE BLADE							Service ATA:72
PN:3078521-01	MOS	30-Jun-23						REPLACE
SN:HA00D7HX	HRS	0	5000		(5000) 4876.2		4676	
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
72-00/18/CT-3	NO. 1 ENGINE - REPLACE NO. 3 COMPRESSOR TURBINE BLADE							Service ATA:72
PN:3078521-01	MOS	30-Jun-23						REPLACE
SN:HA00CK68	HRS	0	5000		(5000) 4876.2		4676	
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
72-00/18/CT-30	NO. 1 ENGINE - REPLACE NO. 30 COMPRESSOR TURBINE BLADE							Service ATA:72
PN:3078521-01	MOS	30-Jun-23						REPLACE
SN:HA00D7K0	HRS	0	5000		(5000) 4876.2		4676	
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
72-00/18/CT-31	NO. 1 ENGINE - REPLACE NO. 31 COMPRESSOR TURBINE BLADE							Service ATA:72
PN:3078521-01	MOS	30-Jun-23						REPLACE
SN:HA00D7K7	HRS	0	5000		(5000) 4876.2		4676	
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
72-00/18/CT-32	NO. 1 ENGINE - REPLACE NO. 32 COMPRESSOR TURBINE BLADE							Service ATA:72
PN:3078521-01	MOS	30-Jun-23						REPLACE
SN:HA00D7N8	HRS	0	5000		(5000) 4876.2		4676	
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-00/18/CT-33	NO. 1 ENGINE - REPLACE NO. 33 COMPRESSOR TURBINE BLADE							Service ATA:72
PN:3078521-01	MOS	30-Jun-23						REPLACE
SN:HA00D7PN	HRS	0	5000		(5000) 4876.2		4676	
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
72-00/18/CT-34	NO. 1 ENGINE - REPLACE NO. 34 COMPRESSOR TURBINE BLADE							Service ATA:72
PN:3078521-01	MOS	30-Jun-23						REPLACE
SN:HA00D7RK	HRS	0	5000		(5000) 4876.2		4676	
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
72-00/18/CT-35	NO. 1 ENGINE - REPLACE NO. 35 COMPRESSOR TURBINE BLADE							Service ATA:72
PN:3078521-01	MOS	30-Jun-23						REPLACE
SN:HA00D7RR	HRS	0	5000		(5000) 4876.2		4676	
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
72-00/18/CT-36	NO. 1 ENGINE - REPLACE NO. 36 COMPRESSOR TURBINE BLADE							Service ATA:72
PN:3078521-01	MOS	30-Jun-23						REPLACE
SN:HA00D7RY	HRS	0	5000		(5000) 4876.2		4676	
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
72-00/18/CT-37	NO. 1 ENGINE - REPLACE NO. 37 COMPRESSOR TURBINE BLADE							Service ATA:72
PN:3078521-01	MOS	30-Jun-23						REPLACE
SN:HA00D7WP	HRS	0	5000		(5000) 4876.2		4676	
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-00/18/CT-38	NO. 1 ENGINE - REPLACE NO. 38 COMPRESSOR TURBINE BLADE							Service ATA:72
PN:3078521-01	MOS	30-Jun-23						REPLACE
SN:HA00D7X0	HRS	0	5000		(5000) 4876.2		4676	
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
72-00/18/CT-39	NO. 1 ENGINE - REPLACE NO. 39 COMPRESSOR TURBINE BLADE							Service ATA:72
PN:3078521-01	MOS	30-Jun-23						REPLACE
SN:HA00DAE7	HRS	0	5000		(5000) 4876.2		4676	
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
72-00/18/CT-4	NO. 1 ENGINE - REPLACE NO. 4 COMPRESSOR TURBINE BLADE							Service ATA:72
PN:3078521-01	MOS	30-Jun-23						REPLACE
SN:HA00CK6D	HRS	0	5000		(5000) 4876.2		4676	
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
72-00/18/CT-40	NO. 1 ENGINE - REPLACE NO. 40 COMPRESSOR TURBINE BLADE							Service ATA:72
PN:3078521-01	MOS	30-Jun-23						REPLACE
SN:HA00DAEP	HRS	0	5000		(5000) 4876.2		4676	
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
72-00/18/CT-41	NO. 1 ENGINE - REPLACE NO. 41 COMPRESSOR TURBINE BLADE							Service ATA:72
PN:3078521-01	MOS	30-Jun-23						REPLACE
SN:HA00DAEY	HRS	0	5000		(5000) 4876.2		4676	
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-00/18/CT-42	NO. 1 ENGINE - REPLACE NO. 42 COMPRESSOR TURBINE BLADE							Service ATA:72
PN:3078521-01	MOS	30-Jun-23						REPLACE
SN:HA00DAH5	HRS	0	5000		(5000) 4876.2		4676	
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
72-00/18/CT-43	NO. 1 ENGINE - REPLACE NO. 43 COMPRESSOR TURBINE BLADE							Service ATA:72
PN:3078521-01	MOS	30-Jun-23						REPLACE
SN:HA00DALH	HRS	0	5000		(5000) 4876.2		4676	
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
72-00/18/CT-44	NO. 1 ENGINE - REPLACE NO. 44 COMPRESSOR TURBINE BLADE							Service ATA:72
PN:3078521-01	MOS	30-Jun-23						REPLACE
SN:HA00DAMW	HRS	0	5000		(5000) 4876.2		4676	
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
72-00/18/CT-45	NO. 1 ENGINE - REPLACE NO. 45 COMPRESSOR TURBINE BLADE							Service ATA:72
PN:3078521-01	MOS	30-Jun-23						REPLACE
SN:HA00DAR5	HRS	0	5000		(5000) 4876.2		4676	
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
72-00/18/CT-46	NO. 1 ENGINE - REPLACE NO. 46 COMPRESSOR TURBINE BLADE							Service ATA:72
PN:3078521-01	MOS	30-Jun-23						REPLACE
SN:HA00DAWT	HRS	0	5000		(5000) 4876.2		4676	
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-00/18/CT-47	NO. 1 ENGINE - REPLACE NO. 47 COMPRESSOR TURBINE BLADE							Service ATA:72
PN:3078521-01	MOS	30-Jun-23						REPLACE
SN:HA00DAX1	HRS	0	5000		(5000) 4876.2		4676	
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
72-00/18/CT-48	NO. 1 ENGINE - REPLACE NO. 48 COMPRESSOR TURBINE BLADE							Service ATA:72
PN:3078521-01	MOS	30-Jun-23						REPLACE
SN:HA00DB5Y	HRS	0	5000		(5000) 4876.2		4676	
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
72-00/18/CT-49	NO. 1 ENGINE - REPLACE NO. 49 COMPRESSOR TURBINE BLADE							Service ATA:72
PN:3078521-01	MOS	30-Jun-23						REPLACE
SN:HA00DB6F	HRS	0	5000		(5000) 4876.2		4676	
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
72-00/18/CT-5	NO. 1 ENGINE - REPLACE NO. 5 COMPRESSOR TURBINE BLADE							Service ATA:72
PN:3078521-01	MOS	30-Jun-23						REPLACE
SN:HA00CK6M	HRS	0	5000		(5000) 4876.2		4676	
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
72-00/18/CT-6	NO. 1 ENGINE - REPLACE NO. 6 COMPRESSOR TURBINE BLADE							Service ATA:72
PN:3078521-01	MOS	30-Jun-23						REPLACE
SN:HA00CK6N	HRS	0	5000		(5000) 4876.2		4676	
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-00/18/CT-7		NO. 1 ENGINE - REPLACE NO. 7 COMPRESSOR TURBINE BLADE						Service ATA:72
PN:3078521-01	MOS	30-Jun-23						REPLACE
SN:HA00CK6R	HRS	0	5000		(5000) 4876.2		4676	
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
72-00/18/CT-8		NO. 1 ENGINE - REPLACE NO. 8 COMPRESSOR TURBINE BLADE						Service ATA:72
PN:3078521-01	MOS	30-Jun-23						REPLACE
SN:HA00CK6W	HRS	0	5000		(5000) 4876.2		4676	
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
72-00/18/CT-9		NO. 1 ENGINE - REPLACE NO. 9 COMPRESSOR TURBINE BLADE						Service ATA:72
PN:3078521-01	MOS	30-Jun-23						REPLACE
SN:HA00CK79	HRS	0	5000		(5000) 4876.2		4676	
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
72-00/18/PT2-1		NO. 1 ENGINE - REPLACE NO. 1 2ND STAGE POWER TURBINE BLADE						Service ATA:72
PN:3056693-01	MOS	30-Jun-23						REPLACE
SN:TH47E717	HRS	0	5000		(5000) 4876.2		4676	
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-10		NO. 1 ENGINE - REPLACE NO. 10 2ND STAGE POWER TURBINE BLADE						Service ATA:72
PN:3056693-01	MOS	30-Jun-23						REPLACE
SN:TH56E181	HRS	0	5000		(5000) 4876.2		4676	
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-00/18/PT2-11	NO. 1 ENGINE - REPLACE NO. 11 2ND STAGE POWER TURBINE BLADE							Service ATA:72
PN:3056693-01	MOS	30-Jun-23						REPLACE
SN:TH61E434	HRS	0	5000		(5000) 4876.2		4676	
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-12	NO. 1 ENGINE - REPLACE NO. 12 2ND STAGE POWER TURBINE BLADE							Service ATA:72
PN:3056693-01	MOS	30-Jun-23						REPLACE
SN:TH61E468	HRS	0	5000		(5000) 4876.2		4676	
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-13	NO. 1 ENGINE - REPLACE NO. 13 2ND STAGE POWER TURBINE BLADE							Service ATA:72
PN:3056693-01	MOS	30-Jun-23						REPLACE
SN:TH61E491	HRS	0	5000		(5000) 4876.2		4676	
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-14	NO. 1 ENGINE - REPLACE NO. 14 2ND STAGE POWER TURBINE BLADE							Service ATA:72
PN:3056693-01	MOS	30-Jun-23						REPLACE
SN:TH61E498	HRS	0	5000		(5000) 4876.2		4676	
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-15	NO. 1 ENGINE - REPLACE NO. 15 2ND STAGE POWER TURBINE BLADE							Service ATA:72
PN:3056693-01	MOS	30-Jun-23						REPLACE
SN:TH61E557	HRS	0	5000		(5000) 4876.2		4676	
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-00/18/PT2-16	NO. 1 ENGINE - REPLACE NO. 16 2ND STAGE POWER TURBINE BLADE							Service ATA:72
PN:3056693-01	MOS	30-Jun-23						REPLACE
SN:TH62E551	HRS	0	5000		(5000) 4876.2		4676	
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-17	NO. 1 ENGINE - REPLACE NO. 17 2ND STAGE POWER TURBINE BLADE							Service ATA:72
PN:3056693-01	MOS	30-Jun-23						REPLACE
SN:TH62E561	HRS	0	5000		(5000) 4876.2		4676	
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-18	NO. 1 ENGINE - REPLACE NO. 18 2ND STAGE POWER TURBINE BLADE							Service ATA:72
PN:3056693-01	MOS	30-Jun-23						REPLACE
SN:TH62E562	HRS	0	5000		(5000) 4876.2		4676	
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-19	NO. 1 ENGINE - REPLACE NO. 19 2ND STAGE POWER TURBINE BLADE							Service ATA:72
PN:3056693-01	MOS	30-Jun-23						REPLACE
SN:TH62E575	HRS	0	5000		(5000) 4876.2		4676	
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-2	NO. 1 ENGINE - REPLACE NO. 2 2ND STAGE POWER TURBINE BLADE							Service ATA:72
PN:3056693-01	MOS	30-Jun-23						REPLACE
SN:TH49E833	HRS	0	5000		(5000) 4876.2		4676	
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-00/18/PT2-20	NO. 1 ENGINE - REPLACE NO. 20 2ND STAGE POWER TURBINE BLADE							Service ATA:72
PN:3056693-01	MOS	30-Jun-23						REPLACE
SN:TH62E582	HRS	0	5000		(5000) 4876.2		4676	
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-21	NO. 1 ENGINE - REPLACE NO. 21 2ND STAGE POWER TURBINE BLADE							Service ATA:72
PN:3056693-01	MOS	30-Jun-23						REPLACE
SN:TH62E590	HRS	0	5000		(5000) 4876.2		4676	
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-22	NO. 1 ENGINE - REPLACE NO. 22 2ND STAGE POWER TURBINE BLADE							Service ATA:72
PN:3056693-01	MOS	30-Jun-23						REPLACE
SN:TH62E592	HRS	0	5000		(5000) 4876.2		4676	
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-23	NO. 1 ENGINE - REPLACE NO. 23 2ND STAGE POWER TURBINE BLADE							Service ATA:72
PN:3056693-01	MOS	30-Jun-23						REPLACE
SN:TH62E601	HRS	0	5000		(5000) 4876.2		4676	
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-24	NO. 1 ENGINE - REPLACE NO. 24 2ND STAGE POWER TURBINE BLADE							Service ATA:72
PN:3056693-01	MOS	30-Jun-23						REPLACE
SN:TH62E608	HRS	0	5000		(5000) 4876.2		4676	
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-00/18/PT2-25	NO. 1 ENGINE - REPLACE NO. 25 2ND STAGE POWER TURBINE BLADE							Service ATA:72
PN:3056693-01	MOS	30-Jun-23						REPLACE
SN:TH62E623	HRS	0	5000		(5000) 4876.2		4676	
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-26	NO. 1 ENGINE - REPLACE NO. 26 2ND STAGE POWER TURBINE BLADE							Service ATA:72
PN:3056693-01	MOS	30-Jun-23						REPLACE
SN:TH64E617	HRS	0	5000		(5000) 4876.2		4676	
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-27	NO. 1 ENGINE - REPLACE NO. 27 2ND STAGE POWER TURBINE BLADE							Service ATA:72
PN:3056693-01	MOS	30-Jun-23						REPLACE
SN:TH64E721	HRS	0	5000		(5000) 4876.2		4676	
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-28	NO. 1 ENGINE - REPLACE NO. 28 2ND STAGE POWER TURBINE BLADE							Service ATA:72
PN:3056693-01	MOS	30-Jun-23						REPLACE
SN:TH64E726	HRS	0	5000		(5000) 4876.2		4676	
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-29	NO. 1 ENGINE - REPLACE NO. 29 2ND STAGE POWER TURBINE BLADE							Service ATA:72
PN:3056693-01	MOS	30-Jun-23						REPLACE
SN:TH65E946	HRS	0	5000		(5000) 4876.2		4676	
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-00/18/PT2-3	NO. 1 ENGINE - REPLACE NO. 3 2ND STAGE POWER TURBINE BLADE							Service ATA:72
PN:3056693-01	MOS	30-Jun-23						REPLACE
SN:TH55E632	HRS	0	5000		(5000) 4876.2		4676	
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-30	NO. 1 ENGINE - REPLACE NO. 30 2ND STAGE POWER TURBINE BLADE							Service ATA:72
PN:3056693-01	MOS	30-Jun-23						REPLACE
SN:TH66E075	HRS	0	5000		(5000) 4876.2		4676	
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-31	NO. 1 ENGINE - REPLACE NO. 31 2ND STAGE POWER TURBINE BLADE							Service ATA:72
PN:3056693-01	MOS	30-Jun-23						REPLACE
SN:TH66E086	HRS	0	5000		(5000) 4876.2		4676	
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-32	NO. 1 ENGINE - REPLACE NO. 32 2ND STAGE POWER TURBINE BLADE							Service ATA:72
PN:3056693-01	MOS	30-Jun-23						REPLACE
SN:TH67E334	HRS	0	5000		(5000) 4876.2		4676	
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-33	NO. 1 ENGINE - REPLACE NO. 33 2ND STAGE POWER TURBINE BLADE							Service ATA:72
PN:3056693-01	MOS	30-Jun-23						REPLACE
SN:TH67E370	HRS	0	5000		(5000) 4876.2		4676	
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-00/18/PT2-34	NO. 1 ENGINE - REPLACE NO. 34 2ND STAGE POWER TURBINE BLADE							Service ATA:72
PN:3056693-01	MOS	30-Jun-23						REPLACE
SN:TH67E373	HRS	0	5000		(5000) 4876.2		4676	
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-35	NO. 1 ENGINE - REPLACE NO. 35 2ND STAGE POWER TURBINE BLADE							Service ATA:72
PN:3056693-01	MOS	30-Jun-23						REPLACE
SN:TH67E382	HRS	0	5000		(5000) 4876.2		4676	
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-36	NO. 1 ENGINE - REPLACE NO. 36 2ND STAGE POWER TURBINE BLADE							Service ATA:72
PN:3056693-01	MOS	30-Jun-23						REPLACE
SN:TH67E389	HRS	0	5000		(5000) 4876.2		4676	
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-37	NO. 1 ENGINE - REPLACE NO. 37 2ND STAGE POWER TURBINE BLADE							Service ATA:72
PN:3056693-01	MOS	30-Jun-23						REPLACE
SN:TH67E390	HRS	0	5000		(5000) 4876.2		4676	
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-38	NO. 1 ENGINE - REPLACE NO. 38 2ND STAGE POWER TURBINE BLADE							Service ATA:72
PN:3056693-01	MOS	30-Jun-23						REPLACE
SN:TH67E394	HRS	0	5000		(5000) 4876.2		4676	
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-00/18/PT2-39	NO. 1 ENGINE - REPLACE NO. 39 2ND STAGE POWER TURBINE BLADE							Service ATA:72
PN:3056693-01	MOS	30-Jun-23						REPLACE
SN:TH67E403	HRS	0	5000		(5000) 4876.2		4676	
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-4	NO. 1 ENGINE - REPLACE NO. 4 2ND STAGE POWER TURBINE BLADE							Service ATA:72
PN:3056693-01	MOS	30-Jun-23						REPLACE
SN:TH55E639	HRS	0	5000		(5000) 4876.2		4676	
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-40	NO. 1 ENGINE - REPLACE NO. 40 2ND STAGE POWER TURBINE BLADE							Service ATA:72
PN:3056693-01	MOS	30-Jun-23						REPLACE
SN:TH67E418	HRS	0	5000		(5000) 4876.2		4676	
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-41	NO. 1 ENGINE - REPLACE NO. 41 2ND STAGE POWER TURBINE BLADE							Service ATA:72
PN:3056693-01	MOS	30-Jun-23						REPLACE
SN:TH67E440	HRS	0	5000		(5000) 4876.2		4676	
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-42	NO. 1 ENGINE - REPLACE NO. 42 2ND STAGE POWER TURBINE BLADE							Service ATA:72
PN:3056693-01	MOS	30-Jun-23						REPLACE
SN:TH67E441	HRS	0	5000		(5000) 4876.2		4676	
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-00/18/PT2-43	NO. 1 ENGINE - REPLACE NO. 43 2ND STAGE POWER TURBINE BLADE							Service ATA:72
PN:3056693-01	MOS	30-Jun-23						REPLACE
SN:TH67E662	HRS	0	5000		(5000) 4876.2		4676	
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-5	NO. 1 ENGINE - REPLACE NO. 5 2ND STAGE POWER TURBINE BLADE							Service ATA:72
PN:3056693-01	MOS	30-Jun-23						REPLACE
SN:TH55E648	HRS	0	5000		(5000) 4876.2		4676	
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-6	NO. 1 ENGINE - REPLACE NO. 6 2ND STAGE POWER TURBINE BLADE							Service ATA:72
PN:3056693-01	MOS	30-Jun-23						REPLACE
SN:TH55E663	HRS	0	5000		(5000) 4876.2		4676	
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-7	NO. 1 ENGINE - REPLACE NO. 7 2ND STAGE POWER TURBINE BLADE							Service ATA:72
PN:3056693-01	MOS	30-Jun-23						REPLACE
SN:TH55E701	HRS	0	5000		(5000) 4876.2		4676	
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-8	NO. 1 ENGINE - REPLACE NO. 8 2ND STAGE POWER TURBINE BLADE							Service ATA:72
PN:3056693-01	MOS	30-Jun-23						REPLACE
SN:TH56E069	HRS	0	5000		(5000) 4876.2		4676	
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-00/18/PT2-9	NO. 1 ENGINE - REPLACE NO. 9 2ND STAGE POWER TURBINE BLADE							Service ATA:72
PN:3056693-01	MOS	30-Jun-23						REPLACE
SN:TH56E162	HRS	0	5000		(5000) 4876.2		4676	
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/488	NO. 1 ENGINE - OVERHAUL							Service ATA:72
	MOS	30-Jun-23						OVERHAUL
	HRS	0	5000 (+100/-100)		(5000) 4876.2	5100	4676 (+100)	
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-00/489	NO. 1 ENGINE - ENGINE ACCESSORIES OVERHAUL							Service ATA:72
	MOS/MSC	30-Jun-23	A/R					OVERHAUL
	HRS	0						
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-CA/1	NO. 1 ENGINE - PROPELLER SHAFT AREA - DO A VISUAL EXAMINATION FOR LEAKAGE AND CORROSION							Service ATA:72
	MOS/MSC	30-Jun-23	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EM 72-10-00, LMM 72-10-00PROC. REF: EM 72-10-00, LMM 72-10-00								
72-CA/10	NO. 1 ENGINE - SERVICE LIFE LIMIT COMPRESSOR ROTOR SHAFT							Service ATA:72
PN:3043063	MOS	30-Jun-23						LIFE LIMIT
SN:PKAAB025967	HRS	0						
	ENC	0			(24000) 24023 (M)		23921	
	ACCCYC	0	24000					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-CA/11	NO. 1 ENGINE - SERVICE LIFE LIMIT 1ST-STAGE COMPRESSOR ROTOR							Service ATA:72
PN:3042701	MOS	30-Jun-23						LIFE LIMIT
SN:MCAKAYAL040	HRS	0						
	ENC	0			(24000) 24023 (M)		23921	
	ACCCYC	0	24000					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-CA/12	NO. 1 ENGINE - SERVICE LIFE LIMIT 2ND-STAGE COMPRESSOR ROTOR							Service ATA:72
PN:3040942	MOS	30-Jun-23						LIFE LIMIT
SN:FRAEUAUH112	HRS	0						
	ENC	0			(24000) 24023 (M)		23921	
	ACCCYC	0	24000					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-CA/13	NO. 1 ENGINE - SERVICE LIFE LIMIT 3RD-STAGE COMPRESSOR ROTOR							Service ATA:72
PN:3040933	MOS	30-Jun-23						LIFE LIMIT
SN:FRAEUAUD113	HRS	0						
	ENC	0			(24000) 24023 (M)		23921	
	ACCCYC	0	24000					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-CA/14	NO. 1 ENGINE - SERVICE LIFE LIMIT 4TH-STAGE COMPRESSOR ROTOR							Service ATA:72
PN:3040944	MOS	30-Jun-23						LIFE LIMIT
SN:MCAKAYAL097	HRS	0						
	ENC	0			(24000) 24023 (M)		23921	
	ACCCYC	0	24000					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-CA/15	NO. 1 ENGINE - SERVICE LIFE LIMIT CENTRIFUGAL IMPELLER							Service ATA:72
PN:3036898	MOS	30-Jun-23						LIFE LIMIT
SN:FRAEUAYB129	HRS	0						
	ENC	0			(24000) 24023 (M)		23921	
	ACCCYC	0	24000					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-CA/16	NO. 1 ENGINE - SERVICE LIFE LIMIT COMPRESSOR TURBINE DISK							Service ATA:72
PN:3078454-01	MOS	30-Jun-23						LIFE LIMIT
SN:FRAEUBBP105	HRS	0						
	ENC	0			(11111) 11134 (M)		11032	
	ACCCYC	0	10000				9928	
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
72-CA/17	NO. 1 ENGINE - SERVICE LIFE LIMIT 1ST-STAGE POWER TURBINE DISK							Service ATA:72
PN:3056485-01	MOS	30-Jun-23						LIFE LIMIT
SN:A0056P88	HRS	0						
	ENC	0			(15000) 15023 (M)		14921	
	ACCCYC	0	15000					
PROC. REF: EM 72-52-03, EM 72-52-03PROC. REF: EM 72-52-03, EM 72-52-03								
72-CA/18	NO. 1 ENGINE - SERVICE LIFE LIMIT 2ND-STAGE POWER TURBINE DISK							Service ATA:72
PN:3123253-01	MOS	30-Jun-23						LIFE LIMIT
SN:A0056KBL	HRS	0						
	ENC	0			(15000) 15023 (M)		14921	
	ACCCYC	0	15000					
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-CA/2 ^S	NO. 1 ENGINE - DO A DETAILED INSPECTION OF THE TURBINE EXHAUST DUCT							Service ATA:72
	MOS	04-Dec-24	12 (+30d/-30d)					
	HRS	146.8	600 (+10%/-10%)					
	ENC	62						

PKG:2

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
PROC. REF: EM 72-54-01, LMM 72-54-01PROC. REF: EM 72-54-01, LMM 72-54-01								
72-CA/22	NO. 1 ENGINE - ENGINE GENERAL - MECHANICAL GENERAL FAULT ISOLATION PROCEDURE							Service ATA:72
	MOS/MSC	30-Jun-23	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EM 72-00-00, LMM 72-00-00PROC. REF: EM 72-00-00, LMM 72-00-00								
72-CA/23	NO. 1 ENGINE - ENGINE GENERAL - ENGINE ELECTRONIC CONTROL (EEC) GENERAL FAULT ISOLATION PROCEDURE							Service ATA:72
	MOS/MSC	30-Jun-23	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EM 72-00-00, LMM 72-00-00PROC. REF: EM 72-00-00, LMM 72-00-00								
72-CA/24	NO. 1 ENGINE - ENGINE GENERAL - ENGINE CONDITION TREND MONITORING (ECTM) SHIFT GENERAL FAULT ISOLATION PROCEDURE							Service ATA:72
	MOS/MSC	30-Jun-23	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EM 72-00-00, LMM 72-00-00PROC. REF: EM 72-00-00, LMM 72-00-00								
72-CA/25	NO. 1 ENGINE - ENGINE GENERAL - DATA COLLECTION AND TRANSMISSION UNIT (DCTU) GENERAL FAULT ISOLATION PROCEDURE							Service ATA:72
	MOS/MSC	30-Jun-23	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EM 72-00-00, LMM 72-00-00PROC. REF: EM 72-00-00, LMM 72-00-00								
72-CA/3 ^S	NO. 1 ENGINE - DO A VISUAL EXAMINATION OF THE GAS GENERATOR CASE							Service ATA:72
	MOS	04-Dec-24	12 (+30d/-30d)					
	HRS	146.8	600 (+10%/-10%)					
	ENC	62						
PROC. REF: EM 72-32-00, LMM 72-32-00PROC. REF: EM 72-32-00, LMM 72-32-00								

PKG:2

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-CA/4 ^S	NO. 1 ENGINE - DO A VISUAL EXAMINATION OF THE AIR INLET SCREEN							Service ATA:72
	MOS	04-Dec-24	12 (+30d/-30d)					
	HRS	146.8	600 (+10%/-10%)					
	ENC	62						
PROC. REF: EM 72-20-01, LMM 72-20-01PROC. REF: EM 72-20-01, LMM 72-20-01								PKG:2
72-CA/5 ^S	NO. 1 ENGINE - DO A VISUAL EXAMINATION WITH A MIRROR OR A BORESCOPE INSPECTION OF THE FIRST - STAGE COMPRESSOR ROTOR							Service ATA:72
	MOS	04-Dec-24	12 (+30d/-30d)					
	HRS	146.8	600 (+10%/-10%)					
	ENC	62						
PROC. REF: EM 72-31-01, LMM 72-31-01PROC. REF: EM 72-31-01, LMM 72-31-01								PKG:2
72-CA/6 ^S	NO. 1 ENGINE - DO A VISUAL EXAMINATION OF THE COMPRESSOR INLET CASE							Service ATA:72
	MOS	04-Dec-24	12 (+30d/-30d)					
	HRS	146.8	600 (+10%/-10%)					
	ENC	62						
PROC. REF: EM 72-20-02, LMM 72-20-02PROC. REF: EM 72-20-02, LMM 72-20-02								PKG:2
72-CA/7 ^S	NO. 1 ENGINE - DO A VISUAL VISUAL EXAMINATION OF THE CENTER FIRESEAL							Service ATA:72
	MOS	04-Dec-24	12 (+30d/-30d)					
	HRS	146.8	600 (+10%/-10%)					
	ENC	62						
PROC. REF: EM 72-00-03, LMM 72-00-03PROC. REF: EM 72-00-03, LMM 72-00-03								PKG:2
72-CA/8 ^S	NO. 1 ENGINE - DO A BORESCOPE INSPECTION OF THE ENGINE HOT SECTION							Service ATA:72
	MOS	30-Jun-23						
	HRS	0	600 (+10%/-10%)					
	ENC	0						
PROC. REF: EM 72-00-00, EM 72-00-00, LMM 72-00-00, LMM 72-00-00PROC. REF: EM 72-00-00, EM 72-00-00, LMM 72-00-00, LMM 72-00-00								PKG:3

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
PT6EA721001	NO. 1 ENGINE - NO. 1 SECOND STAGE REDUCTION PLANET GEAR							Component ATA:72
PN:PN	MOS/MSC	30-Jun-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PT6EA721002	NO. 1 ENGINE - NO. 2 SECOND STAGE REDUCTION PLANET GEAR							Component ATA:72
PN:PN	MOS/MSC	30-Jun-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PT6EA721003	NO. 1 ENGINE - NO. 3 SECOND STAGE REDUCTION PLANET GEAR							Component ATA:72
PN:PN	MOS/MSC	30-Jun-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PT6EA721004	NO. 1 ENGINE - NO. 4 SECOND STAGE REDUCTION PLANET GEAR							Component ATA:72
PN:PN	MOS/MSC	30-Jun-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PT6EA721005	NO. 1 ENGINE - NO. 5 SECOND STAGE REDUCTION PLANET GEAR							Component ATA:72
PN:PN	MOS/MSC	30-Jun-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PT6EA721006	NO. 1 ENGINE - SECOND STAGE REDUCTION RING GEAR							Component ATA:72
PN:PN	MOS/MSC	30-Jun-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
PT6EA721007	NO. 1 ENGINE - PROPELLER REDUCTION GEARBOX, FRONT HOUSING ASSEMBLY							Component ATA:72
PN:PN	MOS/MSC	30-Jun-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PT6EA721008	NO. 1 ENGINE - PROPELLER SHAFT							Component ATA:72
PN:PN	MOS/MSC	30-Jun-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-10-01, EM 72-10-01, LMM 72-10-01, LMM 72-10-01PROC. REF: EM 72-10-01, EM 72-10-01, LMM 72-10-01, LMM 72-10-01								
PT6EA721009	NO. 1 ENGINE - RUNNER - PROPELLER SHAFT OIL SEAL							Component ATA:72
PN:PN	MOS/MSC	30-Jun-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-10-01, EM 72-10-01, LMM 72-10-01, LMM 72-10-01PROC. REF: EM 72-10-01, EM 72-10-01, LMM 72-10-01, LMM 72-10-01								
PT6EA721010	NO. 1 ENGINE - PROPELLER SHAFT ASSY							Component ATA:72
PN:PN	MOS/MSC	30-Jun-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-10-01, EM 72-10-01, LMM 72-10-01, LMM 72-10-01PROC. REF: EM 72-10-01, EM 72-10-01, LMM 72-10-01, LMM 72-10-01								
PT6EA721011	NO. 1 ENGINE - PROPELLER SHAFT AND SLEEVE SET							Component ATA:72
PN:PN	MOS/MSC	30-Jun-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PT6EA721012	NO. 1 ENGINE - REDUCTION GEARBOX - ANNULAR BALL BEARING							Component ATA:72
PN:PN	MOS/MSC	30-Jun-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
PT6EA721013	NO. 1 ENGINE - REDUCTION GEARBOX - FLANGED ROLLER BEARING							Component ATA:72
PN:PN	MOS/MSC	30-Jun-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PT6EA721014	NO. 1 ENGINE - REDUCTION GEARBOX - FLANGED ROLLER BEARING (3.14 X 5.23 X.760)							Component ATA:72
PN:PN	MOS/MSC	30-Jun-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PT6EA721015	NO. 1 ENGINE - FIRST STAGE REDUCTION CARRIER							Component ATA:72
PN:PN	MOS/MSC	30-Jun-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PT6EA721016	NO. 1 ENGINE - FIRST STAGE REDUCTION RING GEAR (129 TEETH)							Component ATA:72
PN:PN	MOS/MSC	30-Jun-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PT6EA721017	NO. 1 ENGINE - FIRST STAGE REDUCTION SPLINED ADAPTER							Component ATA:72
PN:PN	MOS/MSC	30-Jun-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PT6EA721018	NO. 1 ENGINE - SECOND STAGE REDUCTION FLEXIBLE COUPLING							Component ATA:72
PN:PN	MOS/MSC	30-Jun-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
PT6EA721019	NO. 1 ENGINE - SECOND STAGE REDUCTION SUN GEAR							Component ATA:72
PN:PN	MOS/MSC	30-Jun-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PT6EA721020	NO. 1 ENGINE - SECOND STAGE REDUCTION CARRIER							Component ATA:72
PN:PN	MOS/MSC	30-Jun-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PT6EA721021	NO. 1 ENGINE - FIRST STAGE REDUCTION NO. 1 PLANET GEAR (51 TEETH)							Component ATA:72
PN:PN	MOS/MSC	30-Jun-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PT6EA721022	NO. 1 ENGINE - FIRST STAGE REDUCTION NO. 2 PLANET GEAR (51 TEETH)							Component ATA:72
PN:PN	MOS/MSC	30-Jun-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PT6EA721023	NO. 1 ENGINE - FIRST STAGE REDUCTION NO. 3 PLANET GEAR (51 TEETH)							Component ATA:72
PN:PN	MOS/MSC	30-Jun-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PT6EA723201	NO. 1 ENGINE - 1ST-STAGE COMPRESSOR ROTOR							Component ATA:72
PN:3042701	MOS/MSC	30-Jun-23	H/T	TSN 0				
SN:MCAKAYAL040	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
PT6EA723202	NO. 1 ENGINE - 2ND-STAGE COMPRESSOR ROTOR							Component ATA:72
PN:3040942	MOS/MSC	30-Jun-23	H/T	TSN 0				
SN:FRAEUAUH112	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PT6EA723203	NO. 1 ENGINE - 3RD-STAGE COMPRESSOR ROTOR							Component ATA:72
PN:3040933	MOS/MSC	30-Jun-23	H/T	TSN 0				
SN:FRAEUAUD113	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PT6EA723204	NO. 1 ENGINE - 4TH-STAGE COMPRESSOR ROTOR							Component ATA:72
PN:3040944	MOS/MSC	30-Jun-23	H/T	TSN 0				
SN:MCAKAYAL097	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PT6EA723205	NO. 1 ENGINE - CENTRIFUGAL IMPELLER							Component ATA:72
PN:3036898	MOS/MSC	30-Jun-23	H/T	TSN 0				
SN:FRAEUAYB129	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PT6EA723206	NO. 1 ENGINE - COMPRESSOR ROTOR SHAFT							Component ATA:72
PN:3043063	MOS/MSC	30-Jun-23	H/T	TSN 0				
SN:PKAAB025967	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PT6EA723207	NO. 1 ENGINE - COUPLING - COMPRESSOR, REAR, HUB							Component ATA:72
PN:PN	MOS/MSC	30-Jun-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
PT6EA723208	NO. 1 ENGINE - COMPRESSOR TURBINE FLANGED ROLLER BEARING							Component ATA:72
PN:PN	MOS/MSC	30-Jun-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PT6EA723209	NO. 1 ENGINE - COMPRESSOR ROTOR BALL BEARING							Component ATA:72
PN:PN	MOS/MSC	30-Jun-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PT6EA723210	NO. 1 ENGINE - COMPRESSOR ROTOR STUB SHAFT							Component ATA:72
PN:PN	MOS/MSC	30-Jun-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PT6EA723211	NO. 1 ENGINE - GAS GENERATOR CASE ASSEMBLY							Component ATA:72
PN:PN	MOS/MSC	30-Jun-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PT6EA724001	NO. 1 ENGINE - COMBUSTION CHAMBER INNER LINER ASSEMBLY							Component ATA:72
PN:PN	MOS/MSC	30-Jun-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-40-01, EM 72-40-01PROC. REF: EM 72-40-01, EM 72-40-01								
PT6EA724002	NO. 1 ENGINE - COMBUSTION CHAMBER OUTER LINER ASSMEBLY							Component ATA:72
PN:PN	MOS/MSC	30-Jun-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-40-02, EM 72-40-02PROC. REF: EM 72-40-02, EM 72-40-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
PT6EA725101	NO. 1 ENGINE - COMPRESSOR TURBINE DISK							Component ATA:72
PN:3078454-01	MOS/MSC	30-Jun-23	H/T	TSN 0				
SN:FRAEUBBP105	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
PT6EA725102	NO. 1 ENGINE - COMPRESSOR TURBINE STATOR ASSEMBLY							Component ATA:72
PN:PN	MOS/MSC	30-Jun-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-03, EM 72-51-03PROC. REF: EM 72-51-03, EM 72-51-03								
PT6EA725150	NO. 1 ENGINE - NO. 1 COMPRESSOR TURBINE BLADE							Component ATA:72
PN:3078521-01	MOS/MSC	30-Jun-23	H/T	TSN 0				
SN:HA00C3DX	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
PT6EA725151	NO. 1 ENGINE - NO. 2 COMPRESSOR TURBINE BLADE							Component ATA:72
PN:3078521-01	MOS/MSC	30-Jun-23	H/T	TSN 0				
SN:HA00CK67	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
PT6EA725152	NO. 1 ENGINE - NO. 3 COMPRESSOR TURBINE BLADE							Component ATA:72
PN:3078521-01	MOS/MSC	30-Jun-23	H/T	TSN 0				
SN:HA00CK68	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
PT6EA725153	NO. 1 ENGINE - NO. 4 COMPRESSOR TURBINE BLADE							Component ATA:72
PN:3078521-01	MOS/MSC	30-Jun-23	H/T	TSN 0				
SN:HA00CK6D	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
PT6EA725154	NO. 1 ENGINE - NO. 5 COMPRESSOR TURBINE BLADE							Component ATA:72
PN:3078521-01	MOS/MSC	30-Jun-23	H/T	TSN 0				
SN:HA00CK6M	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
PT6EA725155	NO. 1 ENGINE - NO. 6 COMPRESSOR TURBINE BLADE							Component ATA:72
PN:3078521-01	MOS/MSC	30-Jun-23	H/T	TSN 0				
SN:HA00CK6N	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
PT6EA725156	NO. 1 ENGINE - NO. 7 COMPRESSOR TURBINE BLADE							Component ATA:72
PN:3078521-01	MOS/MSC	30-Jun-23	H/T	TSN 0				
SN:HA00CK6R	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
PT6EA725157	NO. 1 ENGINE - NO. 8 COMPRESSOR TURBINE BLADE							Component ATA:72
PN:3078521-01	MOS/MSC	30-Jun-23	H/T	TSN 0				
SN:HA00CK6W	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
PT6EA725158	NO. 1 ENGINE - NO. 9 COMPRESSOR TURBINE BLADE							Component ATA:72
PN:3078521-01	MOS/MSC	30-Jun-23	H/T	TSN 0				
SN:HA00CK79	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
PT6EA725159	NO. 1 ENGINE - NO. 10 COMPRESSOR TURBINE BLADE							Component ATA:72
PN:3078521-01	MOS/MSC	30-Jun-23	H/T	TSN 0				
SN:HA00CK7C	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
PT6EA725160	NO. 1 ENGINE - NO. 11 COMPRESSOR TURBINE BLADE							Component ATA:72
PN:3078521-01	MOS/MSC	30-Jun-23	H/T	TSN 0				
SN:HA00CK80	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
PT6EA725161	NO. 1 ENGINE - NO. 12 COMPRESSOR TURBINE BLADE							Component ATA:72
PN:3078521-01	MOS/MSC	30-Jun-23	H/T	TSN 0				
SN:HA00CK82	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
PT6EA725162	NO. 1 ENGINE - NO. 13 COMPRESSOR TURBINE BLADE							Component ATA:72
PN:3078521-01	MOS/MSC	30-Jun-23	H/T	TSN 0				
SN:HA00CK84	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
PT6EA725163	NO. 1 ENGINE - NO. 14 COMPRESSOR TURBINE BLADE							Component ATA:72
PN:3078521-01	MOS/MSC	30-Jun-23	H/T	TSN 0				
SN:HA00D1L7	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
PT6EA725164	NO. 1 ENGINE - NO. 15 COMPRESSOR TURBINE BLADE							Component ATA:72
PN:3078521-01	MOS/MSC	30-Jun-23	H/T	TSN 0				
SN:HA00D1MF	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
PT6EA725165	NO. 1 ENGINE - NO. 16 COMPRESSOR TURBINE BLADE							Component ATA:72
PN:3078521-01	MOS/MSC	30-Jun-23	H/T	TSN 0				
SN:HA00D1PD	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
PT6EA725166	NO. 1 ENGINE - NO. 17 COMPRESSOR TURBINE BLADE							Component ATA:72
PN:3078521-01	MOS/MSC	30-Jun-23	H/T	TSN 0				
SN:HA00D25X	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
PT6EA725167	NO. 1 ENGINE - NO. 18 COMPRESSOR TURBINE BLADE							Component ATA:72
PN:3078521-01	MOS/MSC	30-Jun-23	H/T	TSN 0				
SN:HA00D363	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
PT6EA725168	NO. 1 ENGINE - NO. 19 COMPRESSOR TURBINE BLADE							Component ATA:72
PN:3078521-01	MOS/MSC	30-Jun-23	H/T	TSN 0				
SN:HA00D375	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
PT6EA725169	NO. 1 ENGINE - NO. 20 COMPRESSOR TURBINE BLADE							Component ATA:72
PN:3078521-01	MOS/MSC	30-Jun-23	H/T	TSN 0				
SN:HA00D38M	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
PT6EA725170	NO. 1 ENGINE - NO. 21 COMPRESSOR TURBINE BLADE							Component ATA:72
PN:3078521-01	MOS/MSC	30-Jun-23	H/T	TSN 0				
SN:HA00D38T	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
PT6EA725171	NO. 1 ENGINE - NO. 22 COMPRESSOR TURBINE BLADE							Component ATA:72
PN:3078521-01	MOS/MSC	30-Jun-23	H/T	TSN 0				
SN:HA00D4AT	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
PT6EA725172	NO. 1 ENGINE - NO. 23 COMPRESSOR TURBINE BLADE							Component ATA:72
PN:3078521-01	MOS/MSC	30-Jun-23	H/T	TSN 0				
SN:HA00D6XM	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
PT6EA725173	NO. 1 ENGINE - NO. 24 COMPRESSOR TURBINE BLADE							Component ATA:72
PN:3078521-01	MOS/MSC	30-Jun-23	H/T	TSN 0				
SN:HA00D71Y	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
PT6EA725174	NO. 1 ENGINE - NO. 25 COMPRESSOR TURBINE BLADE							Component ATA:72
PN:3078521-01	MOS/MSC	30-Jun-23	H/T	TSN 0				
SN:HA00D724	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
PT6EA725175	NO. 1 ENGINE - NO. 26 COMPRESSOR TURBINE BLADE							Component ATA:72
PN:3078521-01	MOS/MSC	30-Jun-23	H/T	TSN 0				
SN:HA00D72X	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
PT6EA725176	NO. 1 ENGINE - NO. 27 COMPRESSOR TURBINE BLADE							Component ATA:72
PN:3078521-01	MOS/MSC	30-Jun-23	H/T	TSN 0				
SN:HA00D78W	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
PT6EA725177	NO. 1 ENGINE - NO. 28 COMPRESSOR TURBINE BLADE							Component ATA:72
PN:3078521-01	MOS/MSC	30-Jun-23	H/T	TSN 0				
SN:HA00D79A	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
PT6EA725178	NO. 1 ENGINE - NO. 29 COMPRESSOR TURBINE BLADE							Component ATA:72
PN:3078521-01	MOS/MSC	30-Jun-23	H/T	TSN 0				
SN:HA00D7HX	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
PT6EA725179	NO. 1 ENGINE - NO. 30 COMPRESSOR TURBINE BLADE							Component ATA:72
PN:3078521-01	MOS/MSC	30-Jun-23	H/T	TSN 0				
SN:HA00D7K0	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
PT6EA725180	NO. 1 ENGINE - NO. 31 COMPRESSOR TURBINE BLADE							Component ATA:72
PN:3078521-01	MOS/MSC	30-Jun-23	H/T	TSN 0				
SN:HA00D7K7	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
PT6EA725181	NO. 1 ENGINE - NO. 32 COMPRESSOR TURBINE BLADE							Component ATA:72
PN:3078521-01	MOS/MSC	30-Jun-23	H/T	TSN 0				
SN:HA00D7N8	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
PT6EA725182	NO. 1 ENGINE - NO. 33 COMPRESSOR TURBINE BLADE							Component ATA:72
PN:3078521-01	MOS/MSC	30-Jun-23	H/T	TSN 0				
SN:HA00D7PN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
PT6EA725183	NO. 1 ENGINE - NO. 34 COMPRESSOR TURBINE BLADE							Component ATA:72
PN:3078521-01	MOS/MSC	30-Jun-23	H/T	TSN 0				
SN:HA00D7RK	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
PT6EA725184	NO. 1 ENGINE - NO. 35 COMPRESSOR TURBINE BLADE							Component ATA:72
PN:3078521-01	MOS/MSC	30-Jun-23	H/T	TSN 0				
SN:HA00D7RR	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
PT6EA725185	NO. 1 ENGINE - NO. 36 COMPRESSOR TURBINE BLADE							Component ATA:72
PN:3078521-01	MOS/MSC	30-Jun-23	H/T	TSN 0				
SN:HA00D7RY	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
PT6EA725186	NO. 1 ENGINE - NO. 37 COMPRESSOR TURBINE BLADE							Component ATA:72
PN:3078521-01	MOS/MSC	30-Jun-23	H/T	TSN 0				
SN:HA00D7WP	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
PT6EA725187	NO. 1 ENGINE - NO. 38 COMPRESSOR TURBINE BLADE							Component ATA:72
PN:3078521-01	MOS/MSC	30-Jun-23	H/T	TSN 0				
SN:HA00D7X0	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
PT6EA725188	NO. 1 ENGINE - NO. 39 COMPRESSOR TURBINE BLADE							Component ATA:72
PN:3078521-01	MOS/MSC	30-Jun-23	H/T	TSN 0				
SN:HA00DAE7	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
PT6EA725189	NO. 1 ENGINE - NO. 40 COMPRESSOR TURBINE BLADE							Component ATA:72
PN:3078521-01	MOS/MSC	30-Jun-23	H/T	TSN 0				
SN:HA00DAEP	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
PT6EA725190	NO. 1 ENGINE - NO. 41 COMPRESSOR TURBINE BLADE							Component ATA:72
PN:3078521-01	MOS/MSC	30-Jun-23	H/T	TSN 0				
SN:HA00DAEY	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
PT6EA725191	NO. 1 ENGINE - NO. 42 COMPRESSOR TURBINE BLADE							Component ATA:72
PN:3078521-01	MOS/MSC	30-Jun-23	H/T	TSN 0				
SN:HA00DAH5	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
PT6EA725192	NO. 1 ENGINE - NO. 43 COMPRESSOR TURBINE BLADE							Component ATA:72
PN:3078521-01	MOS/MSC	30-Jun-23	H/T	TSN 0				
SN:HA00DALH	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
PT6EA725193	NO. 1 ENGINE - NO. 44 COMPRESSOR TURBINE BLADE							Component ATA:72
PN:3078521-01	MOS/MSC	30-Jun-23	H/T	TSN 0				
SN:HA00DAMW	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
PT6EA725194	NO. 1 ENGINE - NO. 45 COMPRESSOR TURBINE BLADE							Component ATA:72
PN:3078521-01	MOS/MSC	30-Jun-23	H/T	TSN 0				
SN:HA00DAR5	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
PT6EA725195	NO. 1 ENGINE - NO. 46 COMPRESSOR TURBINE BLADE							Component ATA:72
PN:3078521-01	MOS/MSC	30-Jun-23	H/T	TSN 0				
SN:HA00DAWT	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
PT6EA725196	NO. 1 ENGINE - NO. 47 COMPRESSOR TURBINE BLADE							Component ATA:72
PN:3078521-01	MOS/MSC	30-Jun-23	H/T	TSN 0				
SN:HA00DAX1	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
PT6EA725197	NO. 1 ENGINE - NO. 48 COMPRESSOR TURBINE BLADE							Component ATA:72
PN:3078521-01	MOS/MSC	30-Jun-23	H/T	TSN 0				
SN:HA00DB5Y	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
PT6EA725198	NO. 1 ENGINE - NO. 49 COMPRESSOR TURBINE BLADE							Component ATA:72
PN:3078521-01	MOS/MSC	30-Jun-23	H/T	TSN 0				
SN:HA00DB6F	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
PT6EA725201	NO. 1 ENGINE - 1ST-STAGE POWER TURBINE DISK							Component ATA:72
PN:3056485-01	MOS/MSC	30-Jun-23	H/T	TSN 0				
SN:A0056P88	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-52-03, EM 72-52-03PROC. REF: EM 72-52-03, EM 72-52-03								
PT6EA725202	NO. 1 ENGINE - 2ND-STAGE POWER TURBINE DISK							Component ATA:72
PN:3123253-01	MOS/MSC	30-Jun-23	H/T	TSN 0				
SN:A0056KBL	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
PT6EA725203	NO. 1 ENGINE - HOUSING - POWER TURBINE SHAFT, ASSY							Component ATA:72
PN:PN	MOS/MSC	30-Jun-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-52-01, EM 72-52-01PROC. REF: EM 72-52-01, EM 72-52-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
PT6EA725204	NO. 1 ENGINE - POWER TURBINE FLANGED ROLLER BEARING							Component ATA:72
PN:PN	MOS/MSC	30-Jun-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PT6EA725205	NO. 1 ENGINE - TURBINE VANE RING							Component ATA:72
PN:PN	MOS/MSC	30-Jun-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-52-01, EM 72-52-01PROC. REF: EM 72-52-01, EM 72-52-01								
PT6EA725206	NO. 1 ENGINE - POWER TURBINE COUPLING							Component ATA:72
PN:PN	MOS/MSC	30-Jun-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-52-03, EM 72-52-03PROC. REF: EM 72-52-03, EM 72-52-03								
PT6EA725207	NO. 1 ENGINE - FIRST STAGE REDUCTION SUN GEAR							Component ATA:72
PN:PN	MOS/MSC	30-Jun-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PT6EA725208	NO. 1 ENGINE - POWER TURBINE SHAFT							Component ATA:72
PN:PN	MOS/MSC	30-Jun-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-52-03, EM 72-52-03PROC. REF: EM 72-52-03, EM 72-52-03								
PT6EA725209	NO. 1 ENGINE - POWER TURBINE FLANGED BALL BEARING							Component ATA:72
PN:PN	MOS/MSC	30-Jun-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
PT6EA725210	NO. 1 ENGINE - POWER TURBINE SHAFT COUPLING							Component ATA:72
PN:PN	MOS/MSC	30-Jun-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-52-03, EM 72-52-03PROC. REF: EM 72-52-03, EM 72-52-03								
PT6EA725211	NO. 1 ENGINE - POWER TURBINE STATOR HOUSING ASSEMBLY							Component ATA:72
PN:PN	MOS/MSC	30-Jun-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-52-01, EM 72-52-01PROC. REF: EM 72-52-01, EM 72-52-01								
PT6EA725212	NO. 1 ENGINE - POWER TURBINE STATOR HOUSING							Component ATA:72
PN:PN	MOS/MSC	30-Jun-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-52-01, EM 72-52-01PROC. REF: EM 72-52-01, EM 72-52-01								
PT6EA725213	NO. 1 ENGINE - SECOND STAGE POWER TURBINE VANE RING							Component ATA:72
PN:PN	MOS/MSC	30-Jun-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-52-01, EM 72-52-01PROC. REF: EM 72-52-01, EM 72-52-01								
PT6EA725222	NO. 1 ENGINE - NO. 1 2ND STAGE POWER TURBINE BLADE							Component ATA:72
PN:3056693-01	MOS/MSC	30-Jun-23	H/T	TSN 0				
SN:TH47E717	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
PT6EA725223	NO. 1 ENGINE - NO. 2 2ND STAGE POWER TURBINE BLADE							Component ATA:72
PN:3056693-01	MOS/MSC	30-Jun-23	H/T	TSN 0				
SN:TH49E833	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
PT6EA725224	NO. 1 ENGINE - NO. 3 2ND STAGE POWER TURBINE BLADE							Component ATA:72
PN:3056693-01	MOS/MSC	30-Jun-23	H/T	TSN 0				
SN:TH55E632	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
PT6EA725225	NO. 1 ENGINE - NO. 4 2ND STAGE POWER TURBINE BLADE							Component ATA:72
PN:3056693-01	MOS/MSC	30-Jun-23	H/T	TSN 0				
SN:TH55E639	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
PT6EA725226	NO. 1 ENGINE - NO. 5 2ND STAGE POWER TURBINE BLADE							Component ATA:72
PN:3056693-01	MOS/MSC	30-Jun-23	H/T	TSN 0				
SN:TH55E648	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
PT6EA725227	NO. 1 ENGINE - NO. 6 2ND STAGE POWER TURBINE BLADE							Component ATA:72
PN:3056693-01	MOS/MSC	30-Jun-23	H/T	TSN 0				
SN:TH55E663	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
PT6EA725228	NO. 1 ENGINE - NO. 7 2ND STAGE POWER TURBINE BLADE							Component ATA:72
PN:3056693-01	MOS/MSC	30-Jun-23	H/T	TSN 0				
SN:TH55E701	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
PT6EA725229	NO. 1 ENGINE - NO. 8 2ND STAGE POWER TURBINE BLADE							Component ATA:72
PN:3056693-01	MOS/MSC	30-Jun-23	H/T	TSN 0				
SN:TH56E069	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
PT6EA725230	NO. 1 ENGINE - NO. 9 2ND STAGE POWER TURBINE BLADE							Component ATA:72
PN:3056693-01	MOS/MSC	30-Jun-23	H/T	TSN 0				
SN:TH56E162	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
PT6EA725231	NO. 1 ENGINE - NO. 10 2ND STAGE POWER TURBINE BLADE							Component ATA:72
PN:3056693-01	MOS/MSC	30-Jun-23	H/T	TSN 0				
SN:TH56E181	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
PT6EA725232	NO. 1 ENGINE - NO. 11 2ND STAGE POWER TURBINE BLADE							Component ATA:72
PN:3056693-01	MOS/MSC	30-Jun-23	H/T	TSN 0				
SN:TH61E434	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
PT6EA725233	NO. 1 ENGINE - NO. 12 2ND STAGE POWER TURBINE BLADE							Component ATA:72
PN:3056693-01	MOS/MSC	30-Jun-23	H/T	TSN 0				
SN:TH61E468	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
PT6EA725234	NO. 1 ENGINE - NO. 13 2ND STAGE POWER TURBINE BLADE							Component ATA:72
PN:3056693-01	MOS/MSC	30-Jun-23	H/T	TSN 0				
SN:TH61E491	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
PT6EA725235	NO. 1 ENGINE - NO. 14 2ND STAGE POWER TURBINE BLADE							Component ATA:72
PN:3056693-01	MOS/MSC	30-Jun-23	H/T	TSN 0				
SN:TH61E498	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
PT6EA725236	NO. 1 ENGINE - NO. 15 2ND STAGE POWER TURBINE BLADE							Component ATA:72
PN:3056693-01	MOS/MSC	30-Jun-23	H/T	TSN 0				
SN:TH61E557	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
PT6EA725237	NO. 1 ENGINE - NO. 16 2ND STAGE POWER TURBINE BLADE							Component ATA:72
PN:3056693-01	MOS/MSC	30-Jun-23	H/T	TSN 0				
SN:TH62E551	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
PT6EA725238	NO. 1 ENGINE - NO. 17 2ND STAGE POWER TURBINE BLADE							Component ATA:72
PN:3056693-01	MOS/MSC	30-Jun-23	H/T	TSN 0				
SN:TH62E561	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
PT6EA725239	NO. 1 ENGINE - NO. 18 2ND STAGE POWER TURBINE BLADE							Component ATA:72
PN:3056693-01	MOS/MSC	30-Jun-23	H/T	TSN 0				
SN:TH62E562	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
PT6EA725240	NO. 1 ENGINE - NO. 19 2ND STAGE POWER TURBINE BLADE							Component ATA:72
PN:3056693-01	MOS/MSC	30-Jun-23	H/T	TSN 0				
SN:TH62E575	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
PT6EA725241	NO. 1 ENGINE - NO. 20 2ND STAGE POWER TURBINE BLADE							Component ATA:72
PN:3056693-01	MOS/MSC	30-Jun-23	H/T	TSN 0				
SN:TH62E582	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
PT6EA725242	NO. 1 ENGINE - NO. 21 2ND STAGE POWER TURBINE BLADE							Component ATA:72
PN:3056693-01	MOS/MSC	30-Jun-23	H/T	TSN 0				
SN:TH62E590	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
PT6EA725243	NO. 1 ENGINE - NO. 22 2ND STAGE POWER TURBINE BLADE							Component ATA:72
PN:3056693-01	MOS/MSC	30-Jun-23	H/T	TSN 0				
SN:TH62E592	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
PT6EA725244	NO. 1 ENGINE - NO. 23 2ND STAGE POWER TURBINE BLADE							Component ATA:72
PN:3056693-01	MOS/MSC	30-Jun-23	H/T	TSN 0				
SN:TH62E601	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
PT6EA725245	NO. 1 ENGINE - NO. 24 2ND STAGE POWER TURBINE BLADE							Component ATA:72
PN:3056693-01	MOS/MSC	30-Jun-23	H/T	TSN 0				
SN:TH62E608	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
PT6EA725246	NO. 1 ENGINE - NO. 25 2ND STAGE POWER TURBINE BLADE							Component ATA:72
PN:3056693-01	MOS/MSC	30-Jun-23	H/T	TSN 0				
SN:TH62E623	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
PT6EA725247	NO. 1 ENGINE - NO. 26 2ND STAGE POWER TURBINE BLADE							Component ATA:72
PN:3056693-01	MOS/MSC	30-Jun-23	H/T	TSN 0				
SN:TH64E617	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
PT6EA725248	NO. 1 ENGINE - NO. 27 2ND STAGE POWER TURBINE BLADE							Component ATA:72
PN:3056693-01	MOS/MSC	30-Jun-23	H/T	TSN 0				
SN:TH64E721	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
PT6EA725249	NO. 1 ENGINE - NO. 28 2ND STAGE POWER TURBINE BLADE							Component ATA:72
PN:3056693-01	MOS/MSC	30-Jun-23	H/T	TSN 0				
SN:TH64E726	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
PT6EA725250	NO. 1 ENGINE - NO. 29 2ND STAGE POWER TURBINE BLADE							Component ATA:72
PN:3056693-01	MOS/MSC	30-Jun-23	H/T	TSN 0				
SN:TH65E946	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
PT6EA725251	NO. 1 ENGINE - NO. 30 2ND STAGE POWER TURBINE BLADE							Component ATA:72
PN:3056693-01	MOS/MSC	30-Jun-23	H/T	TSN 0				
SN:TH66E075	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
PT6EA725252	NO. 1 ENGINE - NO. 31 2ND STAGE POWER TURBINE BLADE							Component ATA:72
PN:3056693-01	MOS/MSC	30-Jun-23	H/T	TSN 0				
SN:TH66E086	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
PT6EA725253	NO. 1 ENGINE - NO. 32 2ND STAGE POWER TURBINE BLADE							Component ATA:72
PN:3056693-01	MOS/MSC	30-Jun-23	H/T	TSN 0				
SN:TH67E334	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
PT6EA725254	NO. 1 ENGINE - NO. 33 2ND STAGE POWER TURBINE BLADE							Component ATA:72
PN:3056693-01	MOS/MSC	30-Jun-23	H/T	TSN 0				
SN:TH67E370	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
PT6EA725255	NO. 1 ENGINE - NO. 34 2ND STAGE POWER TURBINE BLADE							Component ATA:72
PN:3056693-01	MOS/MSC	30-Jun-23	H/T	TSN 0				
SN:TH67E373	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
PT6EA725256	NO. 1 ENGINE - NO. 35 2ND STAGE POWER TURBINE BLADE							Component ATA:72
PN:3056693-01	MOS/MSC	30-Jun-23	H/T	TSN 0				
SN:TH67E382	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
PT6EA725257	NO. 1 ENGINE - NO. 36 2ND STAGE POWER TURBINE BLADE							Component ATA:72
PN:3056693-01	MOS/MSC	30-Jun-23	H/T	TSN 0				
SN:TH67E389	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
PT6EA725258	NO. 1 ENGINE - NO. 37 2ND STAGE POWER TURBINE BLADE							Component ATA:72
PN:3056693-01	MOS/MSC	30-Jun-23	H/T	TSN 0				
SN:TH67E390	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
PT6EA725259	NO. 1 ENGINE - NO. 38 2ND STAGE POWER TURBINE BLADE							Component ATA:72
PN:3056693-01	MOS/MSC	30-Jun-23	H/T	TSN 0				
SN:TH67E394	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
PT6EA725260	NO. 1 ENGINE - NO. 39 2ND STAGE POWER TURBINE BLADE							Component ATA:72
PN:3056693-01	MOS/MSC	30-Jun-23	H/T	TSN 0				
SN:TH67E403	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
PT6EA725261	NO. 1 ENGINE - NO. 40 2ND STAGE POWER TURBINE BLADE							Component ATA:72
PN:3056693-01	MOS/MSC	30-Jun-23	H/T	TSN 0				
SN:TH67E418	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
PT6EA725262	NO. 1 ENGINE - NO. 41 2ND STAGE POWER TURBINE BLADE							Component ATA:72
PN:3056693-01	MOS/MSC	30-Jun-23	H/T	TSN 0				
SN:TH67E440	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
PT6EA725263	NO. 1 ENGINE - NO. 42 2ND STAGE POWER TURBINE BLADE							Component ATA:72
PN:3056693-01	MOS/MSC	30-Jun-23	H/T	TSN 0				
SN:TH67E441	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
PT6EA725264	NO. 1 ENGINE - NO. 43 2ND STAGE POWER TURBINE BLADE							Component ATA:72
PN:3056693-01	MOS/MSC	30-Jun-23	H/T	TSN 0				
SN:TH67E662	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
PT6EA725301	NO. 1 ENGINE - NO. 1 FIRST-STAGE POWER TURBINE BLADE							Component ATA:72
PN:3136602	MOS/MSC	30-Jun-23	O/C	TSN 0				
SN:YW8553	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-52-03, EM 72-52-03PROC. REF: EM 72-52-03, EM 72-52-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
PT6EA725302	NO. 1 ENGINE - NO. 2 FIRST-STAGE POWER TURBINE BLADE							Component ATA:72
PN:3136602	MOS/MSC	30-Jun-23	O/C	TSN 0				
SN:YWA2420	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-52-03, EM 72-52-03PROC. REF: EM 72-52-03, EM 72-52-03								
PT6EA725303	NO. 1 ENGINE - NO. 3 FIRST-STAGE POWER TURBINE BLADE							Component ATA:72
PN:3136602	MOS/MSC	30-Jun-23	O/C	TSN 0				
SN:YWA2659	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-52-03, EM 72-52-03PROC. REF: EM 72-52-03, EM 72-52-03								
PT6EA725304	NO. 1 ENGINE - NO. 4 FIRST-STAGE POWER TURBINE BLADE							Component ATA:72
PN:3136602	MOS/MSC	30-Jun-23	O/C	TSN 0				
SN:YWA8290	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-52-03, EM 72-52-03PROC. REF: EM 72-52-03, EM 72-52-03								
PT6EA725305	NO. 1 ENGINE - NO. 5 FIRST-STAGE POWER TURBINE BLADE							Component ATA:72
PN:3136602	MOS/MSC	30-Jun-23	O/C	TSN 0				
SN:YWA8366	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-52-03, EM 72-52-03PROC. REF: EM 72-52-03, EM 72-52-03								
PT6EA725306	NO. 1 ENGINE - NO. 6 FIRST-STAGE POWER TURBINE BLADE							Component ATA:72
PN:3136602	MOS/MSC	30-Jun-23	O/C	TSN 0				
SN:YWA8372	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-52-03, EM 72-52-03PROC. REF: EM 72-52-03, EM 72-52-03								
PT6EA725307	NO. 1 ENGINE - NO. 7 FIRST-STAGE POWER TURBINE BLADE							Component ATA:72
PN:3136602	MOS/MSC	30-Jun-23	O/C	TSN 0				
SN:YWA8497	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-52-03, EM 72-52-03PROC. REF: EM 72-52-03, EM 72-52-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
PT6EA725308	NO. 1 ENGINE - NO. 8 FIRST-STAGE POWER TURBINE BLADE							Component ATA:72
PN:3136602	MOS/MSC	30-Jun-23	O/C	TSN 0				
SN:YWA8543	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-52-03, EM 72-52-03PROC. REF: EM 72-52-03, EM 72-52-03								
PT6EA725309	NO. 1 ENGINE - NO. 9 FIRST-STAGE POWER TURBINE BLADE							Component ATA:72
PN:3136602	MOS/MSC	30-Jun-23	O/C	TSN 0				
SN:YWA8714	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-52-03, EM 72-52-03PROC. REF: EM 72-52-03, EM 72-52-03								
PT6EA725310	NO. 1 ENGINE - NO. 10 FIRST-STAGE POWER TURBINE BLADE							Component ATA:72
PN:3136602	MOS/MSC	30-Jun-23	O/C	TSN 0				
SN:YWB0549	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-52-03, EM 72-52-03PROC. REF: EM 72-52-03, EM 72-52-03								
PT6EA725311	NO. 1 ENGINE - NO. 11 FIRST-STAGE POWER TURBINE BLADE							Component ATA:72
PN:3136602	MOS/MSC	30-Jun-23	O/C	TSN 0				
SN:YWB0550	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-52-03, EM 72-52-03PROC. REF: EM 72-52-03, EM 72-52-03								
PT6EA725312	NO. 1 ENGINE - NO. 12 FIRST-STAGE POWER TURBINE BLADE							Component ATA:72
PN:3136602	MOS/MSC	30-Jun-23	O/C	TSN 0				
SN:YWB0573	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-52-03, EM 72-52-03PROC. REF: EM 72-52-03, EM 72-52-03								
PT6EA725313	NO. 1 ENGINE - NO. 13 FIRST-STAGE POWER TURBINE BLADE							Component ATA:72
PN:3136602	MOS/MSC	30-Jun-23	O/C	TSN 0				
SN:YWB0633	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-52-03, EM 72-52-03PROC. REF: EM 72-52-03, EM 72-52-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
PT6EA725314	NO. 1 ENGINE - NO. 14 FIRST-STAGE POWER TURBINE BLADE							Component ATA:72
PN:3136602	MOS/MSC	30-Jun-23	O/C	TSN 0				
SN:YWB0640	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-52-03, EM 72-52-03PROC. REF: EM 72-52-03, EM 72-52-03								
PT6EA725315	NO. 1 ENGINE - NO. 15 FIRST-STAGE POWER TURBINE BLADE							Component ATA:72
PN:3136602	MOS/MSC	30-Jun-23	O/C	TSN 0				
SN:YWB0944	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-52-03, EM 72-52-03PROC. REF: EM 72-52-03, EM 72-52-03								
PT6EA725316	NO. 1 ENGINE - NO. 16 FIRST-STAGE POWER TURBINE BLADE							Component ATA:72
PN:3136602	MOS/MSC	30-Jun-23	O/C	TSN 0				
SN:YWB0962	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-52-03, EM 72-52-03PROC. REF: EM 72-52-03, EM 72-52-03								
PT6EA725317	NO. 1 ENGINE - NO. 17 FIRST-STAGE POWER TURBINE BLADE							Component ATA:72
PN:3136602	MOS/MSC	30-Jun-23	O/C	TSN 0				
SN:YWB0971	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-52-03, EM 72-52-03PROC. REF: EM 72-52-03, EM 72-52-03								
PT6EA725318	NO. 1 ENGINE - NO. 18 FIRST-STAGE POWER TURBINE BLADE							Component ATA:72
PN:3136602	MOS/MSC	30-Jun-23	O/C	TSN 0				
SN:YWB0972	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-52-03, EM 72-52-03PROC. REF: EM 72-52-03, EM 72-52-03								
PT6EA725319	NO. 1 ENGINE - NO. 19 FIRST-STAGE POWER TURBINE BLADE							Component ATA:72
PN:3136602	MOS/MSC	30-Jun-23	O/C	TSN 0				
SN:YWB0975	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-52-03, EM 72-52-03PROC. REF: EM 72-52-03, EM 72-52-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
PT6EA725320	NO. 1 ENGINE - NO. 20 FIRST-STAGE POWER TURBINE BLADE							Component ATA:72
PN:3136602	MOS/MSC	30-Jun-23	O/C	TSN 0				
SN:YWB0977	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-52-03, EM 72-52-03PROC. REF: EM 72-52-03, EM 72-52-03								
PT6EA725321	NO. 1 ENGINE - NO. 21 FIRST-STAGE POWER TURBINE BLADE							Component ATA:72
PN:3136602	MOS/MSC	30-Jun-23	O/C	TSN 0				
SN:YWB0990	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-52-03, EM 72-52-03PROC. REF: EM 72-52-03, EM 72-52-03								
PT6EA725322	NO. 1 ENGINE - NO. 22 FIRST-STAGE POWER TURBINE BLADE							Component ATA:72
PN:3136602	MOS/MSC	30-Jun-23	O/C	TSN 0				
SN:YWB0992	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-52-03, EM 72-52-03PROC. REF: EM 72-52-03, EM 72-52-03								
PT6EA725323	NO. 1 ENGINE - NO. 23 FIRST-STAGE POWER TURBINE BLADE							Component ATA:72
PN:3136602	MOS/MSC	30-Jun-23	O/C	TSN 0				
SN:YWB0999	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-52-03, EM 72-52-03PROC. REF: EM 72-52-03, EM 72-52-03								
PT6EA725324	NO. 1 ENGINE - NO. 24 FIRST-STAGE POWER TURBINE BLADE							Component ATA:72
PN:3136602	MOS/MSC	30-Jun-23	O/C	TSN 0				
SN:YWB1042	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-52-03, EM 72-52-03PROC. REF: EM 72-52-03, EM 72-52-03								
PT6EA725325	NO. 1 ENGINE - NO. 25 FIRST-STAGE POWER TURBINE BLADE							Component ATA:72
PN:3136602	MOS/MSC	30-Jun-23	O/C	TSN 0				
SN:YWB1045	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-52-03, EM 72-52-03PROC. REF: EM 72-52-03, EM 72-52-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
PT6EA725326	NO. 1 ENGINE - NO. 26 FIRST-STAGE POWER TURBINE BLADE							Component ATA:72
PN:3136602	MOS/MSC	30-Jun-23	O/C	TSN 0				
SN:YWB1096	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-52-03, EM 72-52-03PROC. REF: EM 72-52-03, EM 72-52-03								
PT6EA725327	NO. 1 ENGINE - NO. 27 FIRST-STAGE POWER TURBINE BLADE							Component ATA:72
PN:3136602	MOS/MSC	30-Jun-23	O/C	TSN 0				
SN:YWB1098	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-52-03, EM 72-52-03PROC. REF: EM 72-52-03, EM 72-52-03								
PT6EA725328	NO. 1 ENGINE - NO. 28 FIRST-STAGE POWER TURBINE BLADE							Component ATA:72
PN:3136602	MOS/MSC	30-Jun-23	O/C	TSN 0				
SN:YWB1108	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-52-03, EM 72-52-03PROC. REF: EM 72-52-03, EM 72-52-03								
PT6EA725329	NO. 1 ENGINE - NO. 29 FIRST-STAGE POWER TURBINE BLADE							Component ATA:72
PN:3136602	MOS/MSC	30-Jun-23	O/C	TSN 0				
SN:YWB1115	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-52-03, EM 72-52-03PROC. REF: EM 72-52-03, EM 72-52-03								
PT6EA725330	NO. 1 ENGINE - NO. 30 FIRST-STAGE POWER TURBINE BLADE							Component ATA:72
PN:3136602	MOS/MSC	30-Jun-23	O/C	TSN 0				
SN:YWB1124	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-52-03, EM 72-52-03PROC. REF: EM 72-52-03, EM 72-52-03								
PT6EA725331	NO. 1 ENGINE - NO. 31 FIRST-STAGE POWER TURBINE BLADE							Component ATA:72
PN:3136602	MOS/MSC	30-Jun-23	O/C	TSN 0				
SN:YWB1129	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-52-03, EM 72-52-03PROC. REF: EM 72-52-03, EM 72-52-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
PT6EA725332	NO. 1 ENGINE - NO. 32 FIRST-STAGE POWER TURBINE BLADE							Component ATA:72
PN:3136602	MOS/MSC	30-Jun-23	O/C	TSN 0				
SN:YWB1157	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-52-03, EM 72-52-03PROC. REF: EM 72-52-03, EM 72-52-03								
PT6EA725333	NO. 1 ENGINE - NO. 33 FIRST-STAGE POWER TURBINE BLADE							Component ATA:72
PN:3136602	MOS/MSC	30-Jun-23	O/C	TSN 0				
SN:YWB1181	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-52-03, EM 72-52-03PROC. REF: EM 72-52-03, EM 72-52-03								
PT6EA725334	NO. 1 ENGINE - NO. 34 FIRST-STAGE POWER TURBINE BLADE							Component ATA:72
PN:3136602	MOS/MSC	30-Jun-23	O/C	TSN 0				
SN:YWB1228	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-52-03, EM 72-52-03PROC. REF: EM 72-52-03, EM 72-52-03								
PT6EA725335	NO. 1 ENGINE - NO. 35 FIRST-STAGE POWER TURBINE BLADE							Component ATA:72
PN:3136602	MOS/MSC	30-Jun-23	O/C	TSN 0				
SN:YWB1280	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-52-03, EM 72-52-03PROC. REF: EM 72-52-03, EM 72-52-03								
PT6EA725336	NO. 1 ENGINE - NO. 36 FIRST-STAGE POWER TURBINE BLADE							Component ATA:72
PN:3136602	MOS/MSC	30-Jun-23	O/C	TSN 0				
SN:YWB1324	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-52-03, EM 72-52-03PROC. REF: EM 72-52-03, EM 72-52-03								
PT6EA725337	NO. 1 ENGINE - NO. 37 FIRST-STAGE POWER TURBINE BLADE							Component ATA:72
PN:3136602	MOS/MSC	30-Jun-23	O/C	TSN 0				
SN:YWB1338	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-52-03, EM 72-52-03PROC. REF: EM 72-52-03, EM 72-52-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
PT6EA725338	NO. 1 ENGINE - NO. 38 FIRST-STAGE POWER TURBINE BLADE							Component ATA:72
PN:3136602	MOS/MSC	30-Jun-23	O/C	TSN 0				
SN:YWB1363	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-52-03, EM 72-52-03PROC. REF: EM 72-52-03, EM 72-52-03								
PT6EA725339	NO. 1 ENGINE - NO. 39 FIRST-STAGE POWER TURBINE BLADE							Component ATA:72
PN:3136602	MOS/MSC	30-Jun-23	O/C	TSN 0				
SN:YWB1367	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-52-03, EM 72-52-03PROC. REF: EM 72-52-03, EM 72-52-03								
PT6EA725340	NO. 1 ENGINE - NO. 40 FIRST-STAGE POWER TURBINE BLADE							Component ATA:72
PN:3136602	MOS/MSC	30-Jun-23	O/C	TSN 0				
SN:YWB1379	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-52-03, EM 72-52-03PROC. REF: EM 72-52-03, EM 72-52-03								
PT6EA725341	NO. 1 ENGINE - NO. 41 FIRST-STAGE POWER TURBINE BLADE							Component ATA:72
PN:3136602	MOS/MSC	30-Jun-23	O/C	TSN 0				
SN:YWB1426	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-52-03, EM 72-52-03PROC. REF: EM 72-52-03, EM 72-52-03								
PT6EA725342	NO. 1 ENGINE - NO. 42 FIRST-STAGE POWER TURBINE BLADE							Component ATA:72
PN:3136602	MOS/MSC	30-Jun-23	O/C	TSN 0				
SN:YWB1497	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-52-03, EM 72-52-03PROC. REF: EM 72-52-03, EM 72-52-03								
PT6EA725343	NO. 1 ENGINE - NO. 43 FIRST-STAGE POWER TURBINE BLADE							Component ATA:72
PN:3136602	MOS/MSC	30-Jun-23	O/C	TSN 0				
SN:YWB1505	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-52-03, EM 72-52-03PROC. REF: EM 72-52-03, EM 72-52-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
PT6EA725344	NO. 1 ENGINE - NO. 44 FIRST-STAGE POWER TURBINE BLADE							Component ATA:72
PN:3136602	MOS/MSC	30-Jun-23	O/C	TSN 0				
SN:YWB1527	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-52-03, EM 72-52-03PROC. REF: EM 72-52-03, EM 72-52-03								
PT6EA725345	NO. 1 ENGINE - NO. 45 FIRST-STAGE POWER TURBINE BLADE							Component ATA:72
PN:3136602	MOS/MSC	30-Jun-23	O/C	TSN 0				
SN:YWB1537	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-52-03, EM 72-52-03PROC. REF: EM 72-52-03, EM 72-52-03								
PT6EA725346	NO. 1 ENGINE - NO. 46 FIRST-STAGE POWER TURBINE BLADE							Component ATA:72
PN:3136602	MOS/MSC	30-Jun-23	O/C	TSN 0				
SN:YWB1540	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-52-03, EM 72-52-03PROC. REF: EM 72-52-03, EM 72-52-03								
PT6EA725347	NO. 1 ENGINE - NO. 47 FIRST-STAGE POWER TURBINE BLADE							Component ATA:72
PN:3136602	MOS/MSC	30-Jun-23	O/C	TSN 0				
SN:YWB1554	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-52-03, EM 72-52-03PROC. REF: EM 72-52-03, EM 72-52-03								
PT6EA725401	NO. 1 ENGINE - TURBINE EXHAUST DUCT ASSEMBLY							Component ATA:72
PN:PN	MOS/MSC	30-Jun-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PT6EA726001	NO. 1 ENGINE - GEARSHAFT - SPUR, IDLER, 43T							Component ATA:72
PN:PN	MOS/MSC	30-Jun-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
PT6EA726002	NO. 1 ENGINE - GEARSHAFT - SPUR, SCAVENGE PUMP, 59TEETH							Component ATA:72
PN:PN	MOS/MSC	30-Jun-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PT6EA726003	NO. 1 ENGINE - GEARSHAFT - DRIVE, ACCESSORY GEARBOX							Component ATA:72
PN:PN	MOS/MSC	30-Jun-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PT6EA726004	NO. 1 ENGINE - GEARSHAFT - SPUR, OIL PUMP DRIVE							Component ATA:72
PN:PN	MOS/MSC	30-Jun-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PT6EA726005	NO. 1 ENGINE - SHAFT - COUPLING, ACCESSORY GEARBOX							Component ATA:72
PN:PN	MOS/MSC	30-Jun-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PT6EA726006	NO. 1 ENGINE - ACCESSORY GEARBOX - GEARSHAFT, SPUR, SCAVENGE PUMP, 59 TEETH NO. 1 FLANGED ROLLER BEARING							Component ATA:72
PN:PN	MOS/MSC	30-Jun-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PT6EA726007	NO. 1 ENGINE - GEARSHAFT, SPUR, SCAVENGE PUMP, 59 TEETH NO. 2 FLANGED ROLLER BEARING							Component ATA:72
PN:PN	MOS/MSC	30-Jun-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
PT6EA726008	NO. 1 ENGINE - ACCESSORY GEARBOX - SHAFT, COUPLING NO. 1 FLANGED ROLLER BEARING							Component ATA:72
PN:PN	MOS/MSC	30-Jun-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PT6EA726009	NO. 1 ENGINE - ACCESSORY GEARBOX - SHAFT, COUPLING NO. 2 FLANGED ROLLER BEARING							Component ATA:72
PN:PN	MOS/MSC	30-Jun-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PT6EA726010	NO. 1 ENGINE - ACCESSORY GEARBOX - DRIVE GEARSHAFT NO. 1 FLANGED ROLLER BEARING							Component ATA:72
PN:PN	MOS/MSC	30-Jun-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PT6EA726011	NO. 1 ENGINE - ACCESSORY GEARBOX - DRIVE GEARSHAFT NO. 2 FLANGED ROLLER BEARING							Component ATA:72
PN:PN	MOS/MSC	30-Jun-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PT6EA726012	NO. 1 ENGINE - ACCESSORY GEARBOX - GEARSHAFT, SPUR, IDLER FLANGED ROLLER BEARING							Component ATA:72
PN:PN	MOS/MSC	30-Jun-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PT6EA726013	NO. 1 ENGINE - ACCESSORY GEARBOX – STARTER GENERATOR NO. 1 GEARSHAFT CARBON FACE SEAL FLANGED ROLLER BEARING							Component ATA:72
PN:PN	MOS/MSC	30-Jun-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
PT6EA726014	NO. 1 ENGINE - STARTER GENERATOR - SECOND DRIVE GEARSHAFT ANNULAR ROLLER BEARING							Component ATA:72
PN:PN	MOS/MSC	30-Jun-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PT6EA726015	NO. 1 ENGINE - STARTER-GENERATOR NO. 1 GEARSHAFT - FLANGED ROLLER BEARING							Component ATA:72
PN:PN	MOS/MSC	30-Jun-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PT6EA726016	NO. 1 ENGINE - STARTER-GENERATOR NO. 2 GEARSHAFT - FLANGED ROLLER BEARING							Component ATA:72
PN:PN	MOS/MSC	30-Jun-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PT6EA726017	NO. 1 ENGINE - FUEL CONTROL SPUR GEARSHAFT (86 TEETH)							Component ATA:72
PN:PN	MOS/MSC	30-Jun-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PT6EA726018	NO. 1 ENGINE - ACCESSORY DRIVE OIL SEAL ASSEMBLY - NO. 1 MAGNETIC FACE SEAL							Component ATA:72
PN:PN	MOS/MSC	30-Jun-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-60-01, EM 72-60-01, LMM 72-60-01, LMM 72-60-01PROC. REF: EM 72-60-01, EM 72-60-01, LMM 72-60-01, LMM 72-60-01								
PT6EA726019	NO. 1 ENGINE - ACCESSORY DRIVE OIL SEAL ASSEMBLY - NO. 2 MAGNETIC FACE SEAL							Component ATA:72
PN:PN	MOS/MSC	30-Jun-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-60-01, EM 72-60-01, LMM 72-60-01, LMM 72-60-01PROC. REF: EM 72-60-01, EM 72-60-01, LMM 72-60-01, LMM 72-60-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
PT6EA726020	NO. 1 ENGINE - ACCESSORY DRIVE OIL SEAL ASSEMBLY - NO. 3 MAGNETIC FACE SEAL							Component ATA:72
PN:PN	MOS/MSC	30-Jun-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-60-01, EM 72-60-01, LMM 72-60-01, LMM 72-60-01PROC. REF: EM 72-60-01, EM 72-60-01, LMM 72-60-01, LMM 72-60-01								
PT6EA726021	NO. 1 ENGINE - STARTER GENERATOR FIRST DRIVE GEARSHAFT							Component ATA:72
PN:PN	MOS/MSC	30-Jun-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-60-00PROC. REF: EM 72-60-00								
PT6EA726022	NO. 1 ENGINE - STARTER GENERATOR SECOND DRIVE GEARSHAFT							Component ATA:72
PN:PN	MOS/MSC	30-Jun-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-60-07, EM 72-60-07PROC. REF: EM 72-60-07, EM 72-60-07								
PT6EA726023	NO. 1 ENGINE - ACCESSORY GEARBOX - SHAFT, COUPLING AND INTERNAL COMPONENTS ANNULAR ROLLER BEARING							Component ATA:72
PN:PN	MOS/MSC	30-Jun-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PT6EA72CA10	NO. 1 ENGINE - GAS GENERATOR MODULE							Component ATA:72
PN:PN	MOS/MSC	30-Jun-23	H/T	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-02-00, EM 72-02-00PROC. REF: EM 72-02-00, EM 72-02-00								
PT6EA72CA20	NO. 1 ENGINE - POWER SECTION MODULE							Component ATA:72
PN:PN	MOS/MSC	30-Jun-23	H/T	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-01-00, EM 72-01-00, LMM 72-01-00, LMM 72-01-00PROC. REF: EM 72-01-00, EM 72-01-00, LMM 72-01-00, LMM 72-01-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
73-CA/1 ^S	NO. 1 ENGINE - DO A VISUAL EXAMINATION OF ALL HARNESS CONNECTIONS, HARNESS ROUTING, CLAMPS AND BRACKETS ARE ATTACHED CORRECTLY - ENGINE ELECTRICAL WIRING HARNESS							Service ATA:73
	MOS	04-Dec-24	12 (+30d/-30d)					
	HRS	146.8	600 (+10%/-10%)					
	ENC	62						
PROC. REF: EM 73-20-02, LMM 73-20-02PROC. REF: EM 73-20-02, LMM 73-20-02								PKG:2
73-CA/10 ^S	NO. 1 ENGINE - EXAMINE THE FUEL FILTER							Service ATA:73
	MOS	04-Dec-24	12 (+30d/-30d)					
	HRS	146.8	600 (+10%/-10%)					
	ENC	62						
PROC. REF: EM 73-10-06, LMM 73-10-06PROC. REF: EM 73-10-06, LMM 73-10-06								PKG:2
73-CA/12	NO. 1 ENGINE - OVERHAUL OIL-TO-FUEL HEATER							Service ATA:73
PN:3124177-01	MOS	30-Jun-23						OVERHAUL
SN:WA66612	HRS	0	5000 (+500)		(5000) 4876.2	5500	4676 (+500)	
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
73-CA/13	NO. 1 ENGINE - OVERHAUL ENGINE ELECTRONIC CONTROL (EEC)							Service ATA:73
PN:3126984-05	MOS	30-Jun-23						OVERHAUL
SN:WDA146238	HRS	0	5000 (+500)		(5000) 4876.2	5500	4676 (+500)	
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
73-CA/14	NO. 1 ENGINE - OVERHAUL FLOW DIVIDER							Service ATA:73
PN:3133739-01	MOS	30-Jun-23						OVERHAUL
SN:23DAA0097	HRS	0	5000 (+500)		(5000) 4876.2	5500	4676 (+500)	
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
73-CA/15	NO. 1 ENGINE - OVERHAUL FUEL CONTROL UNIT							Service ATA:73
PN:3126985-04	MOS	30-Jun-23						OVERHAUL
SN:WDA146391	HRS	0	5000 (+500)		(5000) 4876.2	5500	4676 (+500)	
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
73-CA/2 ^S	NO. 1 ENGINE - DO A VISUAL EXAMINATION OF ALL HARNESS CONNECTIONS, CLAMPS AND BRACKETS ARE ATTACHED CORRECTLY, EEC WIRING HARNESS							Service ATA:73
	MOS	04-Dec-24	12 (+30d/-30d)					
	HRS	146.8	600 (+10%/-10%)					
	ENC	62						
								PKG:2
PROC. REF: EM 73-20-05, LMM 73-20-05PROC. REF: EM 73-20-05, LMM 73-20-05								
73-CA/20	NO. 1 ENGINE - REPLACE ENGINE ELECTRONIC CONTROL (EEC)							Service ATA:73
PN:3126984-05	MOS	30-Jun-23						REPLACE
SN:WDA146238	HRS	0	10000		(10000) 9876.2		9676	
	ENC	0						
PROC. REF: EM 73-20-04, EM 73-20-04, LMM 73-20-04, LMM 73-20-04PROC. REF: EM 73-20-04, EM 73-20-04, LMM 73-20-04, LMM 73-20-04								
73-CA/3 ^S	NO. 1 ENGINE - DO A VISUAL EXAMINATION OF ALL HARNESS CONNECTIONS, CLAMPS AND BRACKETS ARE ATTACHED CORRECTLY, DCTU TO EEC WIRING HARNESS							Service ATA:73
	MOS	04-Dec-24	12 (+30d/-30d)					
	HRS	146.8	600 (+10%/-10%)					
	ENC	62						
								PKG:2
PROC. REF: EM 73-20-03, LMM 73-20-03PROC. REF: EM 73-20-03, LMM 73-20-03								
73-CA/4 ^S	NO. 1 ENGINE - DO A CHECK OF THE FCU FOR INSTALLATION							Service ATA:73
	MOS	04-Dec-24	12 (+30d/-30d)					
	HRS	146.8	600 (+10%/-10%)					
	ENC	62						
								PKG:2
PROC. REF: EM 73-20-01, LMM 73-20-01PROC. REF: EM 73-20-01, LMM 73-20-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
73-CA/5 ^S	NO. 1 ENGINE - DO A CHECK OF THE FLOW DIVIDER FOR INSTALLATION AND LEAKS							Service ATA:73
	MOS	04-Dec-24	12 (+30d/-30d)					
	HRS	146.8	600 (+10%/-10%)					
	ENC	62						
PROC. REF: EM 73-10-08, LMM 73-10-08PROC. REF: EM 73-10-08, LMM 73-10-08								PKG:2
73-CA/6 ^S	NO. 1 ENGINE - DO A CHECK OF THE OIL - TO - FUEL HEATER INSTALLATION							Service ATA:73
	MOS	04-Dec-24	12 (+30d/-30d)					
	HRS	146.8	600 (+10%/-10%)					
	ENC	62						
PROC. REF: EM 73-10-04, LMM 73-10-04PROC. REF: EM 73-10-04, LMM 73-10-04								PKG:2
73-CA/7 ^S	NO. 1 ENGINE - REMOVE, DISCARD AND REPLACE THE FUEL FILTER ELEMENT							Service ATA:73
	MOS	30-Jun-23						REPLACE
	HRS	0	600 (+10%/-10%)					
	ENC	0						
PROC. REF: EM 73-10-06, EM 73-10-06, LMM 73-10-06, LMM 73-10-06PROC. REF: EM 73-10-06, EM 73-10-06, LMM 73-10-06, LMM 73-10-06								PKG:3
73-CA/9 ^S	NO. 1 ENGINE - DO A LEAK TEST AND A FUNCTIONAL TEST OF THE FUEL MANIFOLD ADAPTERS/NOZZLE ASSEMBLIES							Service ATA:73
	MOS	30-Jun-23						
	HRS	0	600 (+10%/-10%)					
	ENC	0						
PROC. REF: EM 73-10-05, LMM 73-10-05PROC. REF: EM 73-10-05, LMM 73-10-05								PKG:3
PC12A73200100	ELECTRONIC ENGINE CONTROL UNIT							Component ATA:73
PN:968.20.13.041	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:WDA146238	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-73-20-03-00A-920A-APROC. REF: AMM 12-C-73-20-03-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
PC12A73300100	FUEL FLOW TRANSMITTER, MT042							Component ATA:73
PN:975.35.12.108	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:00386	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-73-30-01-00A-920A-APROC. REF: AMM 12-C-73-30-01-00A-920A-A								
PT6EA731001	NO. 1 ENGINE - OIL-TO-FUEL HEATER							Component ATA:73
PN:3124177-01	MOS/MSC	30-Jun-23	H/T	TSN 0				
SN:WA66612	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 73-10-04, EM 73-10-04, LMM 73-10-04, LMM 73-10-04PROC. REF: EM 73-10-04, EM 73-10-04, LMM 73-10-04, LMM 73-10-04								
PT6EA731002	NO. 1 ENGINE - FLOW DIVIDER							Component ATA:73
PN:3133739-01	MOS/MSC	30-Jun-23	H/T	TSN 0				
SN:23DAA0097	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 73-10-08, EM 73-10-08, LMM 73-10-08, LMM 73-10-08PROC. REF: EM 73-10-08, EM 73-10-08, LMM 73-10-08, LMM 73-10-08								
PT6EA731003	NO. 1 ENGINE - FCU TO FOHE FUEL HOSE							Component ATA:73
PN:PN	MOS/MSC	30-Jun-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 73-10-03, EM 73-10-03, LMM 73-10-03, LMM 73-10-03PROC. REF: EM 73-10-03, EM 73-10-03, LMM 73-10-03, LMM 73-10-03								
PT6EA732001	NO. 1 ENGINE - FUEL CONTROL UNIT							Component ATA:73
PN:3126985-04	MOS/MSC	30-Jun-23	H/T	TSN 0				
SN:WDA146391	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 73-20-01, EM 73-20-01, LMM 73-20-01, LMM 73-20-01PROC. REF: EM 73-20-01, EM 73-20-01, LMM 73-20-01, LMM 73-20-01								
PT6EA732002	NO. 1 ENGINE - MAIN ELECTRICAL WIRING HARNESS							Component ATA:73
PN:PN	MOS/MSC	30-Jun-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 73-20-05, EM 73-20-05, LMM 73-20-05, LMM 73-20-05PROC. REF: EM 73-20-05, EM 73-20-05, LMM 73-20-05, LMM 73-20-05								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
PT6EA732003	NO. 1 ENGINE - EEC, ELECTRICAL WIRING HARNESS							Component ATA:73
PN:PN	MOS/MSC	30-Jun-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 73-20-05, EM 73-20-05, LMM 73-20-05, LMM 73-20-05PROC. REF: EM 73-20-05, EM 73-20-05, LMM 73-20-05, LMM 73-20-05								
PT6EA73CA10	NO. 1 ENGINE - FUEL FLOW TRANSMITTER, MT042							Component ATA:73
PN:TFF1573-20	MOS/MSC	30-Jun-23	O/C	TSN 0				
SN:00386	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: AMM 12-C-73-30-01-00A-920A-APROC. REF: AMM 12-C-73-30-01-00A-920A-A								
PT6EA73CA20	NO. 1 ENGINE - ELECTRONIC ENGINE CONTROL (EEC)							Component ATA:73
PN:3126984-05	MOS/MSC	30-Jun-23	H/T	TSN 0				
SN:WDA146238	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 73-20-04, EM 73-20-04, LMM 73-20-04, LMM 73-20-04, AMM 12-C-73-20-03-00A-920A-APROC. REF: EM 73-20-04, EM 73-20-04, LMM 73-20-04, LMM 73-20-04, AMM 12-C-73-20-03-00A-920A-A								
ATA 74 - IGNITION								
74-00/562 ^S	IGNITION SYSTEM (MSN 2001 AND UP) - OPERATIONAL TEST							Service ATA:74
	MOS	04-Dec-24	12 (+10%/-10%)					
	HRS	146.8	600 (+10%/-10%)					
	AFL	62						
PROC. REF: AMM 12-C-74-00-00-00A-903A-APROC. REF: AMM 12-C-74-00-00-00A-903A-A								
74-CA/1 ^S	NO. 1 ENGINE - DO A VISUAL INSPECTION OF THE IGNITION EXCITER							Service ATA:74
	MOS	04-Dec-24	12 (+30d/-30d)					
	HRS	146.8	600 (+10%/-10%)					
	ENC	62						
PROC. REF: EM 74-10-01, LMM 74-10-01PROC. REF: EM 74-10-01, LMM 74-10-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 74 - IGNITION								
74-CA/2 ^S	NO. 1 ENGINE - DO A DETAILED INSPECTION OF SPARK IGNITER							Service ATA:74
	MOS	30-Jun-23						
	HRS	0	600 (+10%/-10%)					
	ENC	0						
PROC. REF: EM 74-20-02, LMM 74-20-02PROC. REF: EM 74-20-02, LMM 74-20-02								PKG:3
74-CA/3 ^S	NO. 1 ENGINE - DO A VISUAL INSPECTION OF THE IGNITION CABLES							Service ATA:74
	MOS	04-Dec-24	12 (+30d/-30d)					
	HRS	146.8	600 (+10%/-10%)					
	ENC	62						
PROC. REF: EM 74-20-01, LMM 74-20-01PROC. REF: EM 74-20-01, LMM 74-20-01								PKG:2
74-CA/6	NO. 1 ENGINE - OVERHAUL IGNITION EXCITER							Service ATA:74
PN:3043937-10	MOS	30-Jun-23						OVERHAUL
SN:223285	HRS	0	5000 (+500)		(5000) 4876.2	5500	4676 (+500)	
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PT6EA741001	NO. 1 ENGINE - IGNITION EXCITER							Component ATA:74
PN:3043937-10	MOS/MSC	30-Jun-23	H/T	TSN 0				
SN:223285	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 74-10-01, EM 74-10-01, LMM 74-10-01, LMM 74-10-01PROC. REF: EM 74-10-01, EM 74-10-01, LMM 74-10-01, LMM 74-10-01								
PT6EA74CA10	NO. 1 ENGINE - 4 O'CLOCK SPARK IGNITER							Component ATA:74
PN:PN	MOS/MSC	30-Jun-23	H/T	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 74-20-02, EM 74-20-02, LMM 74-20-02, LMM 74-20-02PROC. REF: EM 74-20-02, EM 74-20-02, LMM 74-20-02, LMM 74-20-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 74 - IGNITION								
PT6EA74CA11	NO. 1 ENGINE - REPLACE 4 O'CLOCK IGNITER							Service ATA:74
PN:PN	MOS	30-Jun-23						
SN:UNKNOWN	HRS	0	600 (+10%)		(600) 476.2	660	276 (+60)	
	ENC	0						
PROC. REF: EM 74-20-02, EM 74-20-02PROC. REF: EM 74-20-02, EM 74-20-02								
PT6EA74CA20	NO. 1 ENGINE - 9 O'CLOCK SPARK IGNITER							Component ATA:74
PN:PN	MOS/MSC	30-Jun-23	H/T	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 74-20-02, EM 74-20-02, LMM 74-20-02, LMM 74-20-02PROC. REF: EM 74-20-02, EM 74-20-02, LMM 74-20-02, LMM 74-20-02								
PT6EA74CA21	NO. 1 ENGINE - REPLACE 9 O'CLOCK IGNITER							Service ATA:74
PN:PN	MOS	30-Jun-23						
SN:UNKNOWN	HRS	0	600 (+10%)		(600) 476.2	660	276 (+60)	
	ENC	0						
PROC. REF: EM 74-20-02, EM 74-20-02PROC. REF: EM 74-20-02, EM 74-20-02								
ATA 75 - AIR								
75-CA/1	NO. 1 ENGINE - OVERHAUL COMPRESSOR BLEED VALVE							Service ATA:75
PN:3136596	MOS	30-Jun-23						OVERHAUL
SN:AHX5000603	HRS	0	5000 (+500)		(5000) 4876.2	5500	4676 (+500)	
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PT6EA753001	NO. 1 ENGINE - COMPRESSOR BLEED VALVE							Component ATA:75
PN:3136596	MOS/MSC	30-Jun-23	H/T	TSN 0				
SN:AHX5000603	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 75-30-02, EM 75-30-02, LMM 75-30-02, LMM 75-30-02PROC. REF: EM 75-30-02, EM 75-30-02, LMM 75-30-02, LMM 75-30-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 76 - ENGINE CONTROLS								
76-00/563 ^S	COCKPIT CONTROL QUADRANT (MSN 2001 AND UP) - EXAMINE							Service ATA:76
	MOS	04-Dec-24	12 (+10%/-10%)					
	HRS	146.8	600 (+10%/-10%)					
	AFL	62						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:2

PC12A76100100	THROTTLE QUADRANT, A135							Component ATA:76
PN:944.30.19.607	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:379	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-76-10-00-00A-APROC. REF: AMM 12-C-76-10-00-00A-920A-A								

ATA 77 - ENGINE INDICATING								
77-CA/1 ^S	NO. 1 ENGINE - MAKE SURE THAT THE ENGINE TRIM PARAMETERS ITT TRIM VALUE DISPLAYED IN THE COCKPIT MATCHES WITH THE ENGINE DATA PLATE IF NECESSARY, CORRECT							Service ATA:77
	MOS	04-Dec-24	12 (+30d/-30d)					
	HRS	146.8	600 (+10%/-10%)					
	ENC	62						
PROC. REF: EM 77-40-01, LMM 77-40-01PROC. REF: EM 77-40-01, LMM 77-40-01								PKG:2

PC12A77400100	DATA COLLECTION TRANSMISSION UNIT							Component ATA:77
PN:968.20.12.971	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:PES500532	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-77-41-00-00A-920A-APROC. REF: AMM 12-C-77-41-00-00A-920A-A								

PC12A77400200	DATA COLLECTION AND TRANSMISSION UNIT (DCTU)-ENGINE ELECTRONIC CONTROL UNIT (EEC) HARNESS							Component ATA:77
PN:968.20.12.962	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:PES00457	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-77-41-01-01A-920A-APROC. REF: AMM 12-C-77-41-01-01A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 77 - ENGINE INDICATING								
PT6EA772001	NO. 1 ENGINE - THERMOCOUPLE WIRING HARNESS							Component ATA:77
PN:PN	MOS/MSC	30-Jun-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 77-20-01, EM 77-20-01PROC. REF: EM 77-20-01, EM 77-20-01								
PT6EA772002	NO. 1 ENGINE - T5 BUS BAR - NEGATIVE TERMINAL							Component ATA:77
PN:PN	MOS/MSC	30-Jun-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 77-20-02, EM 77-20-02PROC. REF: EM 77-20-02, EM 77-20-02								
PT6EA772003	NO. 1 ENGINE - T5 BUS BAR - POSITIVE TERMINAL							Component ATA:77
PN:PN	MOS/MSC	30-Jun-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 77-20-02, EM 77-20-02PROC. REF: EM 77-20-02, EM 77-20-02								
PT6EA77CA10	NO. 1 ENGINE - DATA COLLECTION TRANSMISSION UNIT							Component ATA:77
PN:3134180-05	MOS/MSC	30-Jun-23	O/C	TSN 0				
SN:PES500532	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 77-40-01, EM 77-40-01, LMM 77-40-01, LMM 77-40-01, AMM 12-C-77-41-00-00A-920A-APROC. REF: EM 77-40-01, EM 77-40-01, LMM 77-40-01, LMM 77-40-01, AMM 12-C-77-41-00-00A-920A-A								
PT6EA77CA11	NO. 1 ENGINE - DCTU-EEC HARNESS							Component ATA:77
PN:3129052-02	MOS/MSC	30-Jun-23	O/C	TSN 0				
SN:PES00457	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 73-20-03, EM 73-20-03, LMM 73-20-03, LMM 73-20-03, AMM 12-C-77-41-01-01A-920A-APROC. REF: EM 73-20-03, EM 73-20-03, LMM 73-20-03, LMM 73-20-03, AMM 12-C-77-41-01-01A-920A-A								
ATA 78 - EXHAUST								
78-00/564 ^S	EXHAUST STUBS (MSN 2001 AND UP) - EXAMINE							Service ATA:78
	MOS	04-Dec-24	12 (+10%/-10%)					
	HRS	146.8	600 (+10%/-10%)					
	AFL	62						

PKG:2

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 78 - EXHAUST								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
ATA 79 - OIL								
79-20/289 ^S	ENGINE OIL COOLER - EXAMINE. MAKE SURE OUTLET DOOR HAS FULL AND FREE MOVEMENT							Service ATA:79
	MOS	04-Dec-24	12 (+10%/-10%)					
	HRS	146.8	1200 (+10%/-10%)					
	AFL	62						
								PKG:3
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
79-20/43	OVERHAUL OIL COOLER							Service ATA:79
PN:968.32.14.102	MOS	30-Nov-23						OVERHAUL
SN:HX-01436	HRS	0	5000 (+10%/-10%)		5000	5500	4799.8 (+500)	
	AFL	0						
PROC. REF: AMM 12-C-79-20-02-00A-920A-APROC. REF: AMM 12-C-79-20-02-00A-920A-A								
79-CA/1	NO. 1 ENGINE - DO A VISUAL INSPECTION OF THE ENGINE OIL QUANTITY							Service ATA:79
	MOS/MSC	30-Jun-23	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EM 79-00-00, LMM 79-00-00PROC. REF: EM 79-00-00, LMM 79-00-00								
79-CA/2	NO. 1 ENGINE - DO A CHECK OF THE OIL LEVEL FILLER CAP AND INDICATOR TO MAKE SURE THAT THE FILLER CAP IS CORRECTLY INSTALLED AND LOCKED							Service ATA:79
	MOS/MSC	30-Jun-23	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EM 79-30-06, LMM 79-30-06PROC. REF: EM 79-30-06, LMM 79-30-06								
79-CA/3 ^S	NO. 1 ENGINE - REMOVE, DISCARD AND REPLACE THE OIL FILTER ELEMENT							Service ATA:79
	MOS	30-Jun-23						REPLACE
	HRS	0	600 (+10%/-10%)					
	ENC	0						
								PKG:3
PROC. REF: EM 79-20-01, EM 79-20-01, LMM 79-20-01, LMM 79-20-01PROC. REF: EM 79-20-01, EM 79-20-01, LMM 79-20-01, LMM 79-20-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 79 - OIL								
79-CA/4	NO. 1 ENGINE - P&WC'S OIL ANALYSIS TECHNOLOGY							Service ATA:79
	MOS/MSC	30-Jun-23	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EM 79-00-00, LMM 79-00-00PROC. REF: EM 79-00-00, LMM 79-00-00								
79-CA/5 ^S	NO. 1 ENGINE - DO A VISUAL INSPECTION OF THE RGB CHIP DETECTOR FOR DEBRIS							Service ATA:79
	MOS	04-Dec-24	12 (+30d/-30d)					
	HRS	146.8	600 (+10%/-10%)					
	ENC	62						
PROC. REF: EM 79-30-01, LMM 79-30-01PROC. REF: EM 79-30-01, LMM 79-30-01								PKG:2
79-CA/6 ^S	NO. 1 ENGINE - DO A VISUAL INSPECTION OF THE AGB CHIP DETECTOR FOR DEBRIS							Service ATA:79
	MOS	04-Dec-24	12 (+30d/-30d)					
	HRS	146.8	600 (+10%/-10%)					
	ENC	62						
PROC. REF: EM 79-30-03, LMM 79-30-03PROC. REF: EM 79-30-03, LMM 79-30-03								PKG:2
79-CA/7 ^S	NO. 1 ENGINE - EXAMINE THE OIL FILTER AND SECONDARY SCREEN COARSE HAT - TYPE SCREEN ATTACHED TO THE INNER END OF THE FILTER							Service ATA:79
	MOS	04-Dec-24	12 (+30d/-30d)					
	HRS	146.8	600 (+10%/-10%)					
	ENC	62						
PROC. REF: EM 79-20-01, LMM 79-20-01PROC. REF: EM 79-20-01, LMM 79-20-01								PKG:2
PC12A79200100	OIL COOLER							Component ATA:79
PN:968.32.14.102	MOS/MSC	30-Nov-23	H/T	TSN 0				
SN:HX-01436	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-79-20-02-00A-920A-APROC. REF: AMM 12-C-79-20-02-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E NGX Serial: 2321 RegNo: N898CS HRS: 200.2 AFL: 102 As Of: 30-Apr-2025

28-May-2025 02:22 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 79 - OIL								
PC12A79200200		THERMAL ACTUATOR					Component	ATA:79
PN:978.73.01.002	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:2678	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-79-20-02-00A-920A-APROC. REF: AMM 12-C-79-20-02-00A-920A-A								
PC12A79300100		PRESSURE SWITCH					Component	ATA:79
PN:973.81.14.305	MOS/MSC	30-Nov-23	O/C	TSN 0				
SN:2349	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-79-30-04-00A-920A-APROC. REF: AMM 12-B-79-30-04-00A-920A-A								
PT6EA793002		NO. 1 ENGINE - CHIP DETECTOR SELF-CLOSING VALVE					Component	ATA:79
PN:PN	MOS/MSC	30-Jun-23	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 79-30-02, EM 79-30-02, EM 79-30-04, EM 79-30-04PROC. REF: EM 79-30-02, EM 79-30-02, EM 79-30-04, EM 79-30-04								
PT6EA79CA10		NO. 1 ENGINE - OIL COOLER					Component	ATA:79
PN:8180-2	MOS/MSC	30-Jun-23	O/C	TSN 0				
SN:HX-01436	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: AMM 12-C-79-20-02-00A-920A-APROC. REF: AMM 12-C-79-20-02-00A-920A-A								
PT6EA79CA20		NO. 1 ENGINE - THERMAL ACTUATOR					Component	ATA:79
PN:3703-6	MOS/MSC	30-Jun-23	O/C	TSN 0				
SN:2678	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: AMM 12-C-79-20-02-00A-920A-APROC. REF: AMM 12-C-79-20-02-00A-920A-A								
PT6EA79CA30		NO. 1 ENGINE - PRESSURE SWITCH					Component	ATA:79
PN:8598	MOS/MSC	30-Jun-23	O/C	TSN 0				
SN:2349	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: AMM 12-B-79-30-04-00A-920A-APROC. REF: AMM 12-B-79-30-04-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task